



Cross Section A--A



Cross Section B--B



5815 Interstate Ave
Billings, MT 59101
Phone (406) 656-6098
Fax (406) 656-4942
www.billingsprecast.com

ST10D
1000 Gallon Two Piece Septic Tank
- Two Compartment / Non-Traffic Rated -

Drawing No.

DATE: 2/11/2021

SCALE: NONE

REV: ---

CAD: WDB

Sheet: 1


SPECIFICATIONS

TANK: Manufactured per 2013 Montana Circular DEQ-4 Chapter 5 design standards for septic tanks, 2 EA 12" dia. x 6" tall Tuf-Tite access risers cast into 20" dia. cleanout access lids, 6 EA Tuf-Tite TS-4Pro pipe seals cast in for inlet and outlet pipe penetrations.

STANDARD COMPONENTS: 2 EA 12" dia. x 12" tall Tuf-Tite riser extensions, 2 EA 12" Tuf-Tite lids, SS screws, $\frac{5}{16}$ " butyl sealant to seal between access risers, Tuf-Tite EF-6 Combo (1500 GPD) effluent filter with $\frac{1}{2}$ " dia. PVC handle extension, ConSeal CS-102 1" butyl rubber sealant to seal tank joint.

NOTE 1: Tank must be installed per Billings Precast's 'Tank Installation Guide' or warranty will be VOID.

NOTE 2: Tank shall not be placed in a traffic area (ie. parking lot, driveway, etc.) - Warranty will be VOID if driven on.



Top View

WEIGHTS: Tank Bottom - 4500 lb.; Tank Top - 4500 lb.; Total All - 9050 lb.