BYPASS IN-LINE SHOWERS







Frameless sliding doors Sizes: 48, 54, 60



1		
-	100	MER(Frame
1		Sizes:
1		MSE

MERCURY IN-LINE	6-7
Frameless sliding doors	
Sizes: 48, 60, 72	











CORDOBA IN-LINE 10-11 Semi-frameless sliding doors Sizes: 46, 48, 56, 60





See information pages at the end of the section

FLEURCO INC. **USA EAST** Tel: 856.778.0110 | Toll Free: 1.888.568.2121 | Fax: 1.888.854.1020 FLEURCO INC. **USA MIDWEST** Tel: 630.607.0847 | Toll Free: 1.888.263.3651 | Fax: 331.225.2549 FLEURCO INC. **USA WEST** Tel: 562.368.8800 | Toll Free: 1.877.413.2880 | Fax: 562.368.8812

FLEURCO INC. CANADA Tel: 1.514.326.2222 | Toll Free: 1.800.993.0033 | Fax: 1.514.326.2008 | www.fleurco.com

GEMINI PLUS IN-LINE

Frameless sliding doors

3/8" (10 mm) Tempered clear glass • 79" Height

BYPASS 48 45" to 48" W x 79" H · Approx. entry: 20 1/4" to 23 1/4"

MODEL	PR	ICE	FINISH	ł	GLASS
NPS148-11-40	\$1,	886	Chrome)	CLEAR
NPS148-25-40	\$1,	931	Brushed Ni	ckel	CLEAR
NPS148-33-40	\$1,	938	Matte Bla	ick	CLEAR
BASE	PRICE		SIZE		
ADQ3248-18	\$851	48''	' x 32" x 2 ¾"		
ADQ3448-18	\$869	48'	' x 34" x 2 ¾"		
ADQ3648-18	\$948	48'	' x 36'' x 2 ¾''		
ABE3648-18-11-B	\$1,619	48	3" x 36" x 3"		
ABE3648-18-25-B	\$1,619	48	3" x 36" x 3"		
ADF3648-18-B	\$1,394	48	3" x 36" x 2"		
AU_3648-33	\$1,559	48''	' x 36'' x 2 ¾''		
ABT4836-18-3	\$933	48''	' x 36'' x 2 ¾''		
ADT4836-18-3	\$804	48	3" x 36" x 3"		
AZM4836-18-11-B	\$1,813	48''	x 36" x 1 ³/8"*		
AZM4836-18-25-B	\$1,813	48"	x 36" x 1 ³/ ₈ "*		
ADT4842-18-3	\$922	48	3" x 42" x 3"		
ADQ3648-18 ABE3648-18-11-B ABE3648-18-25-B ADF3648-18-B AU_3648-33 ABT4836-18-3 ADT4836-18-3 AZM4836-18-11-B AZM4836-18-25-B	\$948 \$1,619 \$1,619 \$1,394 \$1,559 \$933 \$804 \$1,813 \$1,813 \$922	48" 48 48 48" 48" 48" 48" 48"	x 36" x 2 ¾" y" x 36" x 3" y" x 36" x 3" y" x 36" x 2" x 36" x 2 ¾" x 36" x 2 ¾" x 36" x 2 ¾" x 36" x 3" x 36" x 1 ³/ ₈ "* x 36" x 1 ³/ ₈ "*		

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 54

51" to 54" W x 79" H · Approx. entry: 23 1/4" to 26 1/4"

MODEL	PRICE	FINISH	GLASS
NPS154-11-40	\$1,947	Chrome	CLEAR
NPS154-25-40	\$1,985	Brushed Nickel	CLEAR
NPS154-33-40	\$1,991	Matte Black	CLEAR
BASE	PRICE	SIZE	<u> </u>
ADT5436-18-3	\$862 54	+" x 36" x 3"	

SAFETY PROTECTION (S.R.T

Microtek® INCLUDED

Glass surface protection

at no charge.

BYPASS 60 57" to 60" W x 79" H · Approx. entry: 26 ¹ / ₄ " to 29 ¹ / ₄ "						
MODEL	PRICE	FINISH	GLASS			
NPS160-11-40	\$2,008	Chrome	CLEAR			
NPS160-25-40	\$2,035	Brushed Nickel	CLEAR			
NPS160-33-40	\$2,045	Matte Black	CLEAR			
BASE	PRICE	SIZE				
ADQ3060-18	\$946	60" x 30" x 2 ¾"				
ABE3260-18-11-B	\$1,656	60" x 32" x 3"				
ABE3260-18-25-B	\$1,656	60" x 32" x 3"				
ADQ3260-18	\$975	60" x 32" x 2 ¾"				
AU_3260-33	\$1,656	60" x 32" x 2 ¾"				
ABT6032-18-L3 or R3	\$988	60" x 32" x 2 ¾"				
ADT6032-18-L3 or R3	\$871	60" x 32" x 3"				
AZM6032-18-11-B	\$1,830	60" x 32" x 1 ³/8"*				
AZM6032-18-25-B	\$1,830	60" x 32" x 1 ³/8"*				
ADQ3460-18	\$955	60" x 34" x 2 ¾"				
ABE3660-18-11-B	\$1,686	60" x 36" x 3"				
ABE3660-18-25-B	\$1,686	60" x 36" x 3"				
ADF3660-18-B	\$1,449	60" x 36" x 2"				
ADQ3660-18	\$1,038	60" x 36" x 2 ¾"				
AU_3660-33	\$1,784	60" x 36" x 2 ¾"				
ABT6036-18-3	\$1,049	60" x 36" x 2 ¾"				
ADT6036-18-3	\$922	60" x 36" x 3"				
AZM6036-18-11-B	\$1,896	60" x 36" x 1 ³/8"*				
AZM6036-18-25-B	\$1,896	60'' x 36'' x 1 ³/ ₈ ''*				
ADQ4260-18	\$1,113	60" x 42" x 2 ¾"				
ADQ4860-18	\$1,191	60" x 48" x 2 ¾"				
*Unfinished height of thresh	old					

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

ALL DRAINS SOLD SEPARATELY

DRAIN NO-CALK ^M SHOWER BASE DRAIN*	DRAINABS-11 DRAINABS-25 DRAINABS-33 DRAINPVC-11 DRAINPVC-25	ABS No-Calk 2" drain ABS No-Calk 2" drain ABS No-Calk 2" drain PVC No-Calk 2" drain DVC No-Calk 2" drain	\$45 \$59 \$85 \$45	Chrome	
	DRAINPVC-25 DRAINPVC-33	PVC No-Calk 2" drain PVC No-Calk 2" drain PVC No-Calk 2" drain	\$59 \$65	Brushed Nickel	EW

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet





GE **IN-LINE BYPASS** Frameless sliding doors **PLUS**

2 sliding door panels for right or left hand entry Anti-jump safety roller system 3/8" (10mm) clear tempered glass Shower door height: 79" Chrome, Brushed Nickel & Matte Black finishes





✓ FLEURCO[®]SEK<u>U</u>R⁺

SAFETY PROTECTION (S.R.T.)





GEMINI IN-LINE

Frameless sliding doors

1/4" (6 mm) Tempered clear glass • 75" Height

BYPASS 48 $20\frac{1}{4}$ " to $23\frac{1}{4}$ "

45" to 48" W x 75" H · Approx. entry: 20 ¼" to 23 ¼"							
MODEL		PR	ICE	F	INISF		GLASS
NGS148-11-40		\$1,!	542	(Chrome)	CLEAR
NGS148-25-40		\$1,!	587	Brus	hed Ni	ckel	CLEAR
NGS148-33-40		\$1,!	598	Ma	tte Bla	ck	CLEAR
BASE	P	RICE		SIZE			
ADQ3248-18	\$8	51	48''	x 32" >	x 2 ¾''		
ADQ3448-18	\$8	69	48''	x 34" >	2 ¾''		
ADQ3648-18	\$9	48	48''	x 36" >	2 ¾''		
ABE3648-18-11-B	\$1,	,619	48	l" x 36"	x 3''		
ABE3648-18-25-B	\$1,	,619	48	l" x 36"	x 3''		
ADF3648-18-B	\$1,	,394	48	l" x 36"	x 2''		
AU_3648-33	\$1,	,559	48''	x 36" >	2 34''		
ABT4836-18-3	\$9	33	48''	x 36" >	2 34''		
ADT4836-18-3	\$8	04	48	l" x 36"	x 3''		
AZM4836-18-11-B	\$1,	,813	48''	x 36'' x	1 ³/8''*		
AZM4836-18-25-B	\$1,	,813	48''	x 36'' x	1 ³ /8''*		
ADT4842-18-3	\$9	22	48	8" x 42"	x 3''		

*Unfinished height of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 54

51" to 54" W x 75" H · Approx. entry: 23 1/4" to 26 1/4"

MODEL	PRIC	E FII	NISH	GLASS
NGS154-11-40	\$1,58	31 Ch	готе	CLEAR
NGS154-25-40	\$1,62	26 Brushe	ed Nickel	CLEAR
NGS154-33-40	\$1,63	32 Matt	e Black	CLEAR
BASE	PRICE	SIZE		
ADT5436-18-3	\$862	54" x 36" x	3''	

Gla	ass surface protection
Gla	INCLUDED
Microtek®	at no charge.

▼FLEURCO[®]SEKUR^{*} SAFETY PROTECTION (S.R.T.)

BYPASS 60 57" to 60" W x 75" H · Approx. entry: 26 ¹ / ₄ " to 29 ¹ / ₄ "							
MODEL	PRICE	FINISH	GLASS				
NGS160-11-40	\$1,618	Chrome	CLEAR				
NGS160-25-40	\$1,663	Brushed Nickel	CLEAR				
NGS160-33-40	\$1,672	Matte Black	CLEAR				
BASE	PRICE	SIZE					
ADQ3060-18	\$946	60" x 30" x 2 ¾"					
ABE3260-18-11-B	\$1,656	60" x 32" x 3"					
ABE3260-18-25-B	\$1,656	60" x 32" x 3"					
ADQ3260-18	\$975	60" x 32" x 2 ¾"					
AU_3260-33	\$1,656	60" x 32" x 2 ¾"					
ABT6032-18-L3 or R3	\$988	60" x 32" x 2 ¾"					
ADT6032-18-L3 or R3	\$871	60" x 32" x 3"					
AZM6032-18-11-B	\$1,830	60" x 32" x 1 ³ / ₈ "*					
AZM6032-18-25-B	\$1,830	60" x 32" x 1 ³ / ₈ "*					
ADQ3460-18	\$955	60" x 34" x 2 ¾"					
ABE3660-18-11-B	\$1,686	60" x 36" x 3"					
ABE3660-18-25-B	\$1,686	60" x 36" x 3"					
ADF3660-18-B	\$1,449	60" x 36" x 2"					
ADQ3660-18	\$1,038	60" x 36" x 2 ¾"					
AU_3660-33	\$1,784	60" x 36" x 2 ¾"					
ABT6036-18-3	\$1,049	60" x 36" x 2 ¾"					
ADT6036-18-3	\$922	60" x 36" x 3"					
AZM6036-18-11-B	\$1,896	60" x 36" x 1 ³/ ₈ "*					
AZM6036-18-25-B	\$1,896	60" x 36" x 1 ³/8"*					
ADQ4260-18	\$1,113	60" x 42" x 2 ¾"					
ADQ4860-18	\$1,191	60" x 48" x 2 ¾"					
*Unfinished height of thresh	old						

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

ALL DRAINS SOLD SEPARATELY

DRAIN NO-CALK [®] SHOWER BASE DRAIN*	DRAINABS-11 DRAINABS-25 DRAINABS-33 DRAINPVC-11	ABS No-Calk 2" drain ABS No-Calk 2" drain ABS No-Calk 2" drain PVC No-Calk 2" drain DVC No-Calk 2" drain	\$45 \$59 \$85 \$45	Chrome Brushed Nickel Matte Black New Chrome
	DRAINPVC-25	PVC No-Calk 2" drain	\$59	Brushed Nickel
	DRAINPVC-33	PVC No-Calk 2" drain	\$65	Matte Black NEW

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet





GEMINI IN-LINE BYPASS Frameless sliding doors

2 sliding door panels for right or left hand entry Anti-jump safety roller system 1/4" (6mm) clear tempered glass Shower door height: 75" Chrome, Brushed Nickel & Matte Black finishes





MODEL NGS160-11-40

▼FLEURCO[®]SEK<u>U</u>R⁺

SAFETY PROTECTION (S.R.T.)*



10 ear limited





MERCURY IN-LINE

Frameless sliding doors

5/16" (8 mm) Tempered clear glass • 79" or 86" Height



FLEURCO"SEKUR" SAFETY PROTECTION (S.R.T.

FINISH

Chrome

Brushed Nicke

Matte Black

Chrome

Brushed Nicke

Matte Black

SIZE

60" x 30" x 2 ¾"

60" x 32" x 3"

60" x 32" x 3"

60" x 32" x 2 ¾"

60" x 32" x 2 ¾"

60" x 32" x 2 ¾'

60" x 32" x 3"

60" x 32" x 1 ³/₈"*

60" x 32" x 1 ³/8"*

60" x 34" x 2 ¾"

60" x 36" x 3"

60" x 36" x 3"

60" x 36" x 2"

60" x 36" x 2 ¾"

60" x 36" x 2 ¾'

60" x 36" x 2 ¾'

60" x 36" x 3"

60" x 36" x 1 ³/8"*

60" x 36" x 1 ³/₈"*

60" x 42" x 2 ¾

60" x 48" x 2 ¾"

\$65 Matte Black NEW

GLASS

CLEAR

CLEAR

CLEAR

CLEAR

CLEAR

CLEAR

BYPASS 60 57" to 60" W · Approx. entry: 26 1/4" to 29 1/4"

NMS160-11-40 <u>0</u>-79 \$1,778

NMS160-25-40 _ -79 | \$1,824

NMS160-33-40 _ -79 \$1,862

NMS160-11-40 ① -86 \$1,838

NMS160-25-40 -86 \$1,883

NMS160-33-40 -86 \$1,919

MODEL

BASE

AD03060-18

ABE3260-18-11-B

ABE3260-18-25-B ADQ3260-18

ABT6032-18-L3 or R3

ADT6032-18-L3 or R3

AZM6032-18-11-B

AZM6032-18-25-B

ABE3660-18-11-B

ABE3660-18-25-B

ADF3660-18-B

ADQ3660-18

AU_3660-33

ABT6036-18-3

ADT6036-18-3

ADQ4260-18

ADQ4860-18

visit www.fleurco.com

AZM6036-18-11-B

AZM6036-18-25-B

*Unfinished height of threshold

AD03460-18

AU_3260-33

H PRICE

PRICE

\$946

\$1,656

\$1.656

\$975

\$1,656

\$988

\$871

\$1,830

\$1.830

\$955

\$1,686

\$1,686

\$1,449

\$1,038

\$1,784

\$1,049

\$1,896

\$1,896

\$1,113

\$1,191

\$922

BYPASS 48 45" to 48" W · Approx. entry: 20 1/4" to 23 1/4"

MODEL F	PRICE	FINISH	GLASS	
NMS148-11-40 <u>0</u> -79	\$1,573	Chrome	CLEAR	
NMS148-25-4079	\$1,616	Brushed Nickel	CLEAR	79"
NMS148-33-4079	\$1,656	Matte Black	CLEAR	
NMS148-11-40 <u>0</u> -86	\$1,634	Chrome	CLEAR	
NMS148-25-4086	\$1,678	Brushed Nickel	CLEAR	86"
NMS148-33-4086	\$1,717	Matte Black	CLEAR	

BASE	PRICE	SIZE
ADQ3248-18	\$851	48" x 32" x 2 ¾"
ADQ3448-18	\$869	48" x 34" x 2 ¾"
ADQ3648-18	\$948	48" x 36" x 2 ¾"
ABE3648-18-11-B	\$1,619	48" x 36" x 3"
ABE3648-18-25-B	\$1,619	48" x 36" x 3"
ADF3648-18-B	\$1,394	48" x 36" x 2"
AU_3648-33	\$1,559	48" x 36" x 2 ¾"
ABT4836-18-3	\$933	48" x 36" x 2 ¾"
ADT4836-18-3	\$804	48" x 36" x 3"
AZM4836-18-11-B	\$1,813	48" x 36" x 1 ³/8"*
AZM4836-18-25-B	\$1,813	48" x 36" x 1 ³/ ₈ "*
ADT4842-18-3	\$922	48" x 42" x 3"

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 72 69" to 72" W x 79" H · Approx. entry: 32 1/2" to 35 1/2" MODEL H PRICE FINISH GLASS NMS172-11-40 <u>0</u>-79 \$1,912 Chrome CLEAR **6** NMS172-25-40_-79 \$1,956 CLEAR Brushed Nickel NMS172-33-40 -79 \$1.995 Matte Black CLEAR BAS ADQ3

3672-18 \$	1,147 72"	x 36" x 2 ¾"

Insert Code "L" or "R" to indicate

inner door side

DOOR OPTIONS

L

ALL DRAINS SOLD S	EPARATELY
DRAIN 🗠	DRAINABS-1
N0-CALK TM	DRAINABS-2
SHOWER BASE DRAIN*	

AINS SOLD SI	EPARATELY			
	DRAINABS-11	ABS No-Calk 2" drain	\$45	Chrome
	DRAINABS-25	ABS No-Calk 2" drain	\$59	Brushed Nickel
	DRAINABS-33	ABS No-Calk 2" drain	\$85	Matte Black NEW
	DRAINPVC-11	PVC No-Calk 2" drain	\$45	Chrome
	DRAINPVC-25	PVC No-Calk 2" drain	\$59	Brushed Nickel

For additional compatible bases, refer to the base booklet or

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet

DRAINPVC-33 | PVC No-Calk 2" drain

2021	

US



MERCURY IN-LINE BYPASS Frameless sliding doors

2 sliding door panels for right or left hand entry Anti-jump safety roller system Vertical handles 5/16" (8mm) clear tempered glass Shower door height: 79" or 86" Chrome, Brushed Nickel & Matte Black finishes



79"

86"

 $\overline{\mathbf{\nabla}}$





SAFETY PROTECTION (S.R.T.)







CORDOBA PLUS IN-LINE

Semi-frameless sliding doors

3/8" (10 mm) Tempered clear glass • 75" Height (Bypass 61: 79" H) 1/4" (6 mm) Tempered clear glass • 75" Height

BYPASS 48

44" to 48" W x 75" H · Approx. entry: 20" to 24"

MODEL	PRICE	FINISH	GLASS
1/	4" (6 mm)	tempered glass	
CK148-11-40	\$1,027	Chrome	CLEAR
CK148-25-40	\$1,069	Brushed Nickel	CLEAR
3/8	8" (10 mm)	tempered glass	
CL148-11-40	\$1,298	Chrome	CLEAR
CL148-25-40	\$1,341	Brushed Nickel	CLEAR
CL148-29-40	\$1,407	Oil Rubbed Bronze	CLEAR
BASE	PRICE	SIZE	
ADQ3248-18	\$851	48" x 32" x 2 ¾"	
ADQ3448-18	\$869	48" x 34" x 2 ¾"	
ADQ3648-18	\$948	48" x 36" x 2 ¾"	
ABE3648-18-11-B	\$1,619	48" x 36" x 3"	
ABE3648-18-25-B	\$1,619	48" x 36" x 3"	
ADF3648-18-B	\$1,394	48" x 36" x 2"	
AU_3648-33	\$1,559	48" x 36" x 2 ¾"	
ABT4836-18-3	\$933	48" x 36" x 2 ¾"	
ADT4836-18-3	\$804	48" x 36" x 3"	
AZM4836-18-11-B	\$1,813	48" x 36" x 1 ³/8"*	
AZM4836-18-25-B	\$1,813	48" x 36" x 1 ³ / ₈ "*	
ADT4842-18-3	\$922	48" x 42" x 3"	

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 61

58" to 62" W x 79" H · Approx. entry: 25" to 29"

MODEL	PRICE	FINISH	GLASS
3/3	8" (10 mm)	tempered glass	
CL161-11-40	\$1,538	Chrome	CLEAR
CL161-25-40	\$1,580	Brushed Nickel	CLEAR
BASE	PRIC	E SIZE	
ABF3763AD-18-11-	B \$1,93	32 63" x 38 ½" x 1 ³/8	*
ABF3763AD-18-25-		32 63" x 38 ½" x 1 ³/8"	*
*Unfinished height of thr	reshold		

BYPASS 72 68" to 72" W x 7		rox. entry: 30" to 34		BF3763AD ed Covered Linear Style		
MODEL	PRICE	FINISH	GLASS			
3/8	8" (10 mm)	tempered glass				
CL172-11-40	\$1,758	Chrome	CLEAR	BASE	PRICE	SIZE
CL172-25-40	\$1,808	Brushed Nickel	CLEAR	ADQ3672-18	\$1,147	72" x 36" x 2 ¾"

BYPASS 60 56" to 60" W x 7		prox. entry: 24" to 28	8"
MODEL	PRICE	FINISH	GLASS
1/	'4" (6 mm) t	empered glass	
CK160-11-40	\$1,080	Chrome	CLEAR
CK160-25-40	\$1,120	Brushed Nickel	CLEAR
3/	8" (10 mm)	tempered glass	1
CL160-11-40	\$1,436	Chrome	CLEAR
CL160-25-40	\$1,477	Brushed Nickel	CLEAR
CL160-29-40	\$1,550	Oil Rubbed Bronze	CLEAR
BASE	PRIC	E SIZE	
ADQ3060-18	\$946	60" x 30" x 2 ¾"	
ABE3260-18-11-B	\$1,65	6 60" x 32" x 3"	
ABE3260-18-25-B	\$1,65	6 60" x 32" x 3"	
ADQ3260-18	\$975	60" x 32" x 2 ¾"	
AU_3260-33	\$1,65	6 60" x 32" x 2 ¾"	
ABT6032-18-L3 or R	3 \$988	60" x 32" x 2 ¾"	
ADT6032-18-L3 or R	\$871	60" x 32" x 3"	
AZM6032-18-11-B	\$1,83	0 60" x 32" x 1 ³ / ₈ "*	
AZM6032-18-25-B	\$1,83	0 60" x 32" x 1 ³ / ₈ "*	
ADQ3460-18	\$955	60" x 34" x 2 ¾"	
ABE3660-18-11-B	\$1,68	6 60" x 36" x 3"	
ABE3660-18-25-B	\$1,68	6 60" x 36" x 3"	
ADF3660-18-B	\$1,44	9 60" x 36" x 2"	
ADQ3660-18	\$1,03	8 60" x 36" x 2 ¾"	
AU_3660-33	\$1,78	4 60" x 36" x 2 ¾"	
ABT6036-18-3	\$1,04	9 60" x 36" x 2 ¾"	
ADT6036-18-3	\$922	60" x 36" x 3"	
AZM6036-18-11-B	\$1,89	6 60" x 36" x 1 ³ / ₈ "*	
AZM6036-18-25-B	\$1,89	6 60" x 36" x 1 ³ / ₈ "*	
ADQ4260-18	\$1,11	3 60" x 42" x 2 ¾"	
ADQ4860-18	\$1,19	1 60" x 48" x 2 ¾"	
*Unfinished height of th	reshold		

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

			A 2
		¢	
	-	2000	

CORDOBA IN-LINE BYPASS **PLUS** Semi-frameless sliding doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Anti-rattle tracking system 3/8" (10mm) and 1/4" (6mm) clear tempered glass Shower door height: 75" (79" for bypass 61) Chrome, Brushed Nickel & Oil Rubbed Bronze (certain models only) finishes





MODEL CL161-11-40 Shown with Adaptek base ABF3763AD-18-11-B





CORDOBA IN-LINE

Semi-frameless sliding doors

1/4" (6 mm) Tempered clear glass • 70 1/4" Height

BYPASS 46

BYPASS 48

MODEL

42" to 46" W x 70 ¼" H · Approx. entry: 19" to 23"

44" to 48" W x 70 1/4" H · Approx. entry: 20" to 24"

PRICE

MODEL	PRICE	FINISH	GLASS
CS146-11-40	\$989	Chrome	CLEAR
CS146-25-40	\$1,026	Brushed Nickel	CLEAR

FINISH

52" to 56" W x 70 ¼" H · Approx. entry: 22" to 26"											
MODEL	PRICE	FINISH	GLASS								
CS156-11-40	\$1,031	Chrome	CLEAR								
CS156-25-40	\$1,068	Brushed Nickel	CLEAR								

CLEAR

CLEAR

CLEAR


BYPASS 56


BYPASS 60 56" to 60" W x 70 1/4" H · Approx. entry: 24" to 28" GLASS MODEL PRICE FINISH GLASS CS160-11-40 \$1,048 Chrome CS160-25-40 \$1,087 Brushed Nickel CS160-29-40 LEAR \$1,150 Oil Rubbed Bronze BASE PRICE SIZE AD03060-18 \$946 60" x 30" x 2 ¾" ABE3260-18-11-B \$1,656 60" x 32" x 3" 60" x 32" x 3" ABE3260-18-25-B \$1,656 60" x 32" x 2 ¾" ADQ3260-18 \$975 AU_3260-33 60" x 32" x 2 ¾' \$1,656 ABT6032-18-L3 or R3 \$988 60" x 32" x 2 ¾" 60" x 32" x 3" ADT6032-18-L3 or R3 \$871 60" x 32" x 1 ³/₈"* AZM6032-18-11-B \$1,830 AZM6032-18-25-B \$1.830 60" x 32" x 1 ³/₈"* ADQ3460-18 \$955 60" x 34" x 2 ¾" ABE3660-18-11-B \$1,686 60" x 36" x 3" ABE3660-18-25-B \$1,686 60" x 36" x 3" 60" x 36" x 2" ADF3660-18-B \$1,449 ADQ3660-18 \$1,038 60" x 36" x 2 ¾" AU_3660-33 \$1,784 60" x 36" x 2 ¾' ABT6036-18-3 \$1.049 60" x 36" x 2 ¾' ADT6036-18-3 60" x 36" x 3" \$922 AZM6036-18-11-B \$1,896 60" x 36" x 1 ³/₈"* AZM6036-18-25-B \$1.896 60" x 36" x 1 ³/₈"* ADQ4260-18 60" x 42" x 2 ¾" \$1,113 ADQ4860-18 \$1,191 60" x 48" x 2 ¾" *Unfinished height of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

ALL DRAINS SOLD SEPARATELY

DRAIN NO-CALK ^M SHOWER BASE DRAIN*	DRAINABS-11 DRAINABS-25 DRAINABS-33 DRAINPVC-11 DRAINPVC-25	ABS No-Calk 2" drain ABS No-Calk 2" drain ABS No-Calk 2" drain PVC No-Calk 2" drain PVC No-Calk 2" drain	\$45 \$59 \$85 \$45 \$59	Chrome Brushed Nickel Matte Black NEW Chrome Brushed Nickel
	DRAINPVC-33	PVC No-Calk 2'' drain	\$65	Matte Black NEW





CORDOBA IN-LINE BYPASS Semi-frameless sliding doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Deluxe quality roller system bracket Superior bottom guiding system Easy to install 1/4" (6mm) clear tempered glass Shower door height: 70 1/4" Chrome, Brushed Nickel & Oil Rubbed Bronze (certain models only) finishes



BYPASS IN-LINE SHOWERS

CORDOBA

CS148-11-40	\$997	Chrome		CLEAR
CS148-25-40	\$1,038	Brushed Nickel		CLEAR
CS148-29-40	\$1,097	Oil R	ubbed Bronze	CLEAR
BASE	PI	RICE	SIZE	
ADQ3248-18	\$8	51	48" x 32" x 2 ¾'	•
ADQ3448-18	\$8	69	48'' x 34'' x 2 ¾'	•
ADQ3648-18	\$9	48	48" x 36" x 2 ¾'	
ABE3648-18-11-B	\$1,	,619	48" x 36" x 3"	
ABE3648-18-25-B	\$1,	,619	48" x 36" x 3"	
ADF3648-18-B	\$1,	,394	48" x 36" x 2"	
AU_3648-33	\$1,	,559	48" x 36" x 2 ¾'	•
ABT4836-18-3	\$93	33	48" x 36" x 2 ¾	
ADT4836-18-3	\$8	04	48" x 36" x 3"	
AZM4836-18-11-E	3 \$1,	,813	48" x 36" x 1 ³/8"	*
AZM4836-18-25-E	3 \$1,	,813	48" x 36" x 1 ³/8"	*
ADT4842-18-3	\$93	22	48" x 42" x 3"	

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

NEW



 $\overline{\mathbf{\nabla}}$



Microtek[®] Glass Protector





YOUR GLASS PROTECTED WITH MICROTEK®

- Resists staining from hard water deposits
 Is easier to clean
- Does not support the growth of bacteria
- Eliminates the need for harsh and abrasive cleaning products
- Saves time and effort · Stays cleaner longer
- Creates a more hygienic environment

MAINTENANCE

A soft cloth is all you need to clean your protected glass. For best results, squeegee dry after each use. The only solution Fleurco recommends using is 1 part vinegar and 4 parts water.

🤃 Micro	tek [®] Mi	IICROTEK GLASS CLEANING									
Type of Cleaning	Step 1	Step 2	Step 3	Step 4	Step 5	Recommended Frequency					
After Use	Spray down glass with hot water.	Dry with squeegee.	N/A	N/A	N/A	Immediately after showering.					
Regular Maintenance	Water down the panels then clean with mild, non-abrasive soap on a soft sponge.	Rinse off with clean water.	Spray with a solution of 1 part vinegar + 4 parts water.	Rinse off with clean water.	Dry with squeegee.	Weekly.					

MICROTEK IS EXPECTED TO PERFORM FOR UP TO **10 YEARS**

PRECAUTIONS

- Avoid using abrasive cleaners.
- Hydrofluoric and phosphoric acid can damage glass surface and should not be used.
- Do not use abrasive scouring powders or pads, highly acidic/alkaline cleaners, brushers,
- razor blades or other sharp objects which may scratch or harm the glass surface.

WARRANTY

Provided the glass is maintained according to published after-care instructions and without the use of abrasive cleaning methods or highly alkaline products, FLEURCO warrants that Microtek will work for up to ten (10) years from the date of application.

WHAT IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) is a transparent film bonded directly onto the glass panel by means of an adhesive to improve safety by retaining the pieces together in the event of glass breakage.

WHAT ARE THE BENEFITS OF FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film provides an added layer of security for you and your family. In the event of an accident, FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) prevents the tempered glass door from shattering into thousands of pieces which could cause damage.

HOW IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.) APPLIED?

Application is performed by a specialized machine.

The film is always installed on the exterior side of the panels as to not affect the Microtek[®] coating on the interior.

HOW DURABLE IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) is very durable. It has been tested for long-term usage against chemicals and abrasives and meets the required standards.

HOW DO I CLEAN GLASS TREATED WITH FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

There is no special requirement for cleaning a FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) treated shower door. Cleaning with a damp cloth using a mixture of vinegar/mild soap with water is recommended.



FLEURCO[®]SEKUR⁺

SAFETY PROTECTION (S.R.T.)

Shattered glass maintains structure with FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film

NOTES



		 		_				_	_	_					
1															
1															
<u> </u>															
<u> </u>															





Frameless sliding doors with return panel Sizes: 48, 54, 60










MERCURY 2 SIDED	
Frameless sliding doors with return panel	
Sizes: 48, 60, 72	





See information pages at the end of the section

FLEURCO INC. **USA EAST** Tel: 856.778.0110 | Toll Free: 1.888.568.2121 | Fax: 1.888.854.1020 FLEURCO INC. **USA MIDWEST** Tel: 630.607.0847 | Toll Free: 1.888.263.3651 | Fax: 331.225.2549 FLEURCO INC. **USA WEST** Tel: 562.368.8800 | Toll Free: 1.877.413.2880 | Fax: 562.368.8812

FLEURCO INC. CANADA Tel: 1.514.326.2222 | Toll Free: 1.800.993.0033 | Fax: 1.514.326.2008 | www.fleurco.com

GEMINI PLUS 2 SIDED

Frameless sliding doors with return panel

3/8" (10 mm) Tempered clear glass • 79" Height

RP You must indicate your return panel size 32", 36" or 42" in the "RP" field

BYPASS 48 WITH RETURN PANEL 45" to 48" W x 79" H \cdot Approx entry $20^{1/4}$ " to $23^{1/4}$ "

45 to 48 W X /9 H · Approx. entry: 20 1/4 to 23 1/4									
MODEL		PRICE		FINISH GLA					
MODEL	32"	36"	42"	FINISH	GLASS				
NPUS48 <u>RP</u> <u>1</u> -11-40	\$2,742	\$2,788	\$2,857	Chrome	CLEAR				
NPUS4825-40	\$2,823	\$2,868	\$2,938	Brushed Nickel	CLEAR				
NPUS4833-40	\$2,836	\$2,882	\$2,951	Matte Black	CLEAR				

	BASE	PRICE	SIZE
54	ADQ3248-18	\$851	48" x 32" x 2 ¾"
	ADQ3648-18	\$948	48" x 36" x 2 ¾"
	ABE3648-18-11-B	\$1,619	48" x 36" x 3"
	ABE3648-18-25-B	\$1,619	48" x 36" x 3"
	ADF3648-18-B	\$1,394	48" x 36" x 2"
_	AU_3648-33	\$1,559	48" x 36" x 2 ¾"
	ADT4836-18-L2 or R2	\$804	48" x 36" x 3"
	ABT4836-18-L2 or R2	\$933	48" x 36" x 2 ¾"
	ADTC4836-18-L2 or R2	\$804	48" x 36" x 3"
	ADT4842-18-L2 or R2	\$922	48" x 42" x 3"
	For additional compatible bas	es, refer to th	ne base booklet or

Glass surface protection

at no charge.

SAFETY PROTECTION (S.R.T.)

SIZE 54" x 36" x 3"

FLEURCO⁻SEKUR^{*}

visit www.fleurco.com


BYPASS 54 WITH RETURN PANEL 51" to 54" W x 79" H · Approx. entry: 23 ¹/₄" to 26 ¹/₄"

		PRICE				BASE	PRICE
MODEL	32"	36"	42"	FINISH	GLASS	ADT5436-18-L2 or R2	\$862
NPUS54 <u>RP</u> <u></u> -11-40	\$2,803	\$2,849	\$2,918	Chrome	CLEAR		
NPUS5425-40	\$2,877	\$2,922	\$2,992	Brushed Nickel	CLEAR		
NPUS5433-40	\$2,889	\$2,935	\$3,004	Matte Black	CLEAR		

BYPASS 60 WITH RETURN PANEL


57" to 60" W x 79" H · Approx. entry: 26 1/4" to 29 1/4"

MODEL	PRICE			FINICI	GLASS	
MODEL	32"	36"	42"	FINISH	GLASS	
NPUS60 <u>RP</u> <u>0</u> -11-40	\$2,864	\$2,910	\$2,979	Chrome	CLEAR	
NPUS6025-40	\$2,927	\$2,972	\$3,042	Brushed Nickel	CLEAR	
NPUS6033-40	\$2,943	\$2,989	\$3,058	Matte Black	CLEAR	



ALL DRAINS SOLD SEPARATELY

 $\overline{\mathbf{\nabla}}$



For AU (Aurora) bases, please see specialty section in the base booklet

	BASE	PRICE	SIZE
	ADQ3260-18	\$975	60" x 32" x 2 ¾"
S	ABE3260-18-11-B	\$1,656	60" x 32" x 3"
	ABE3260-18-25-B	\$1,656	60" x 32" x 3"
	AU_3260-33	\$1,656	60" x 32" x 2 ¾"
	ADQ3660-18	\$1,038	60" x 36" x 2 ¾"
	ABE3660-18-11-B	\$1,686	60" x 36" x 3"
	ABE3660-18-25-B	\$1,686	60" x 36" x 3"
	ADF3660-18-B	\$1,449	60" x 36" x 2"
	AU_3660-33	\$1,784	60" x 36" x 2 ¾"
	ADT6036-18-L2 or R2	\$922	60" x 36" x 3"
	ABT6036-18-L2 or R2	\$1,049	60" x 36" x 2 ¾"
	ADQ4260-18	\$1,113	60" x 42" x 2 ¾"

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

RETURN PANELS	
32" RP = 29 3/8" to 29 7/8"	
36" RP = 33 3/8" to 33 7/8"	
42" RP = 39 3/8" to 39 7/8"	

US 2021

GEM 2 SIDED BYPASS **PLUS**

2 sliding door panels for right or left hand entry Anti-jump safety roller system 3/8" (10mm) clear tempered glass Shower door height: 79" Chrome, Brushed Nickel & Matte Black finishes





MODEL NPUS6036R-33-40

Frameless sliding doors with return panel

✓ FLEURCO[®]SEKUR⁺

SAFETY PROTECTION (S.R.T.)





GEMINI 2 SIDED

Frameless sliding doors with return panel

1/4" (6 mm) Tempered clear glass • 75" Height

RP You must indicate your return panel size 32", 2666'b'i42h'en"Relafield

BYPASS 48 WITH RETURN PANEL

45" to 48" W x 75" H · Approx. entry: 20 1/4" to 23 1/4" PRICE MODEL FINISH GLAS 32" 36" NGUS48 RP 1 -11-40 \$2,316 \$2,347 Chrome CLEA NGUS48 -25-40 \$2,386 \$2,420 CLEA Brushed Nickel NGUS48 -33-40 \$2,400 \$2,438 CLEA Matte Black

FLEURCO⁻SEKUR^{*} SAFETY PROTECTION (S.R.T.)

Microtek® INCLUDED

Glass surface protection

at no charge.

	BASE	PRICE	SIZE
	ADQ3248-18	\$851	48" x 32" x 2 ¾"
	ADQ3648-18	\$948	48" x 36" x 2 ¾"
ss	ABE3648-18-11-B	\$1,619	48" x 36" x 3"
	ABE3648-18-25-B	\$1,619	48" x 36" x 3"
R	ADF3648-18-B	\$1,394	48" x 36" x 2"
R	AU_3648-33	\$1,559	48" x 36" x 2 ¾"
R	ADT4836-18-L2 or R2	\$804	48" x 36" x 3"
IV.	ABT4836-18-L2 or R2	\$933	48" x 36" x 2 ¾"
	ADTC4836-18-L2 or R2	\$804	48" x 36" x 3"
	For additional compatible box	oo rofor to th	a baaa baaldat ay

For additional compatible bases, refer to the base booklet or isit www.fleurco.com

PRICE

\$862

SIZE

54" x 36" x 3'

BASE

ADT5436-18-L2 or R2

BYPASS 54 WITH RETURN PANEL 51" to 54" W x 75" H · Approx. entry: 23 1/4" to 26 1/4"

MODEL	PR	ICE	FINICI		
MODEL	32"	36"	FINISH	GLAS	
NGUS54 <u>RP</u> <u>0</u> -11-40	\$2,355	\$2,386	Chrome	CLEAF	
NGUS5425-40	\$2,425	\$2,459	Brushed Nickel	CLEAF	
NGUS5433-40	\$2,434	\$2,472	Matte Black	CLEAF	

BYPASS 60 with return panel

57" to 60" W x 75" H · Approx. entry: 26 1/4" to 29 1/4"

MODEL	PR	ICE	FINICI	GLAS	
NODEL	32"	36"	FINISH		
NGUS60 <u>RP</u> <u>0</u> -11-40	\$2,392	\$2,423	Chrome	CLEAR	
NGUS6025-40	\$2,462	\$2,496	Brushed Nickel	CLEAR	
NGUS6033-40	\$2,474	\$2,512	Matte Black	CLEAR	

\R			
	BASE	PRICE	SIZE
	ADQ3260-18	\$975	60" x 32" x 2 ¾"
	ABE3260-18-11-B	\$1,656	60" x 32" x 3"
	ABE3260-18-25-B	\$1,656	60" x 32" x 3"
ss	AU_3260-33	\$1,656	60" x 32" x 2 ¾"
	ADQ3660-18	\$1,038	60" x 36" x 2 ¾"
١R	ABE3660-18-11-B	\$1,686	60" x 36" x 3"
R	ABE3660-18-25-B	\$1,686	60" x 36" x 3"
R	ADF3660-18-B	\$1,449	60" x 36" x 2"
	AU_3660-33	\$1,784	60" x 36" x 2 ¾"
	ADT6036-18-L2 or R2	\$922	60" x 36" x 3"
	ABT6036-18-L2 or R2	\$1,049	60" x 36" x 2 ¾"
	Feu additional a susaatilala baas	f t . th	a la a a la a a la a del a de a co

For additional compatible bases, refer to the base booklet or visit www.fleurco.com





GEMINI 2 SIDED BYPASS Frameless sliding doors with return panel

2 sliding door panels for right or left hand entry Anti-jump safety roller system 1/4" (6mm) clear tempered glass Shower door height: 75" Chrome, Brushed Nickel & Matte Black finishes



BYPASS 2 SIDED SHOWERS

GEMINI

 \bigcirc

For AU (Aurora) bases, please see specialty section in the base booklet

MODEL NGUS6036R-11-40

 \frown FLEURCO SEKUR⁺


SAFETY PROTECTION (S.R.T.)



Glass surface protection







MERCURY 2 SIDED

Frameless sliding doors with return panel

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

RP You must indicate your return panel size 32", 36" or 42" in the "RP" field

BYPASS 48 WITH RETURN PANEL ON LEFT SIDE 45" to 48" W · Approx. entry: 20 ¹/₄" to 23 ¹/₄"

Σ

SIDED

2

MERCURY

S

US 2021

			PRICE	
	MODEL H	32"	36"	42"
		Return	panel on le	eft side
	NMS248R <u>RP</u> L-11-40-79	\$2,299	\$2,351	\$2,393
79"	NMS248R L-25-40-79	\$2,370	\$2,421	\$2,464
	NMS248R L-33-40-79	\$2,443	\$2,496	\$2,537
	NMS248R <u>RP</u> L-11-40-86	N/A	\$2,439	N/A
86"	NMS248R L-25-40-86	N/A	\$2,514	N/A
	NMS248R L-33-40-86	N/A	\$2,587	N/A

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 60 WITH RETURN PANEL ON LEFT SIDE 57" to 60" W · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

MODEL H	PRICE			FINICI	
MODEL H	32"	36"	42"	FINISH	GLASS
	Return p	oanel on le	eft side		
NMS260R <u>RP</u> L-11-40-79	\$2,504	\$2,556	\$2,598	Chrome	CLEAR
NMS260R L-25-40-79	\$2,578	\$2,629	\$2,672	Brushed Nickel	CLEAR
NMS260R L-33-40-79	\$2,649	\$2,702	\$2,743	Matte Black	CLEAR
NMS260R <u>RP</u> L-11-40-86	N/A	\$2,643	N/A	Chrome	CLEAR
NMS260R L-25-40-86	N/A	\$2,719	N/A	Brushed Nickel	CLEAR
NMS260R L-33-40-86	N/A	\$2,789	N/A	Matte Black	CLEAR


For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 72 WITH RETURN PANEL ON LEFT SIDE 69" to 72" W · Approx. entry: 32 1/2" to 35 1/2"

		PRICE			FINICI		
	MODEL H	32"	36"	42"	FINISH	GLASS	
	Return panel on left side						
	NMS272R RP L-11-40-79	\$2,638	\$2,690	\$2,732	Chrome	CLEAR	
79"	NMS272R L-25-40-79	\$2,710	\$2,761	\$2,804	Brushed Nickel	CLEAR	
	NMS272R L-33-40-79	\$2,782	\$2,835	\$2,876	Matte Black	CLEAR	

For suggested shower bases visit www.fleurco.com and search model number.

ALL DRAINS SOLD SEPARATELY



Glass surface protection Microtek® INCLUDED at no charge.

FLEURCO^{*}SEKUR^{*}

Inner door & return panel must be on opposite

sides for this configuration.

Inner door closes against wall

WALL

 \bigcirc

NMS260 (R) 32 (L)-11-40-79

Return panel Return panel side

Door front Inner door side


 \bigcirc

Inner door

⊳

SAFETY PROTECTION (S.R.T.)





2'' drain	\$45	Chrome	
2'' drain	\$59	Brushed Nickel	
2'' drain	\$85	Matte Black NEW	
2'' drain	\$45	Chrome	
2'' drain	\$59	Brushed Nickel	
2'' drain	\$65	Matte Black NEW	

RETURN PANELS
32" RP = 29 3/8" to 29 7/8"
36" RP = 33 3/8" to 33 7/8"
42" RP = 39 3⁄8" to 39 7⁄8"

MERCURY 2 SIDED

Frameless sliding doors with return panel

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

RP You must indicate your return panel size 32", 36" or 42" in the "RP" field

BYPASS 48 with return panel on right side 45" to 48" W · Approx. entry: 20 1/4" to 23 1/4"

	MODEL H	PRICE			FINISH	
		32"	36"	42"	FINISH	GLASS
		Return p	anel on rig	ght side		
	NMS248L RP R-11-40-79	\$2,299	\$2,351	\$2,393	Chrome	CLEAR
79"	NMS248L R-25-40-79	\$2,370	\$2,421	\$2,464	Brushed Nickel	CLEAR
	NMS248L R-33-40-79	\$2,443	\$2,496	\$2,537	Matte Black	CLEAR
	NMS248L RP R-11-40-86	N/A	\$2,439	N/A	Chrome	CLEAR
86"	NMS248L R-25-40-86	N/A	\$2,514	N/A	Brushed Nickel	CLEAR
	NMS248L R-33-40-86	N/A	\$2,587	N/A	Matte Black	CLEAR

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 60 WITH RETURN PANEL ON RIGHT SIDE 57" to 60" W · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

		PRICE			ENICI	
	MODEL H	32"	36"	42"	FINISH	GLASS
		Return p	anel on rig	ght side		
	NMS260L <u>RP</u> R-11-40-79	\$2,504	\$2,556	\$2,598	Chrome	CLEAR
79"	NMS260L R-25-40-79	\$2,578	\$2,629	\$2,672	Brushed Nickel	CLEAR
	NMS260L R-33-40-79	\$2,649	\$2,702	\$2,743	Matte Black	CLEAR
	NMS260L <u>RP</u> R-11-40-86	N/A	\$2,643	N/A	Chrome	CLEAR
86"	NMS260L R-25-40-86	N/A	\$2,719	N/A	Brushed Nickel	CLEAR
	NMS260L R-33-40-86	N/A	\$2,789	N/A	Matte Black	CLEAR
	Environment of the second second second second second second					

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 72 with return panel on right side 69" to 72" W · Approx. entry: 32 ½" to 35 ½"

	MODEL H		PRICE		FINISH	GLASS	
		32"	36"	42"			
	Return panel on right side						
	NMS272L <u>RP</u> R-11-40-79	\$2,638	\$2,690	\$2,732	Chrome	CLEAR	
79"	NMS272L R-25-40-79	\$2,710	\$2,761	\$2,804	Brushed Nickel	CLEAR	
	NMS272L R-33-40-79	\$2,782	\$2,835	\$2,876	Matte Black	CLEAR	

For suggested shower bases visit www.fleurco.com and search model number.







▼FLEURCO[•]SEK<u>U</u>R[∗]

SAFETY PROTECTION (S.R.T.

Inner door & return panel must be on opposite sides for this configuration.









2 SIDED BYPASS Frameless sliding doors with return panel MERCURY

FLEURCO[®] www.fleurco.com

2 sliding door panels for right or left hand entry Anti-jump safety roller system Vertical handles 5/16" (8mm) clear tempered glass Shower door height: 79" or 86" **Chrome, Brushed Nickel & Matte Black finishes**




Microtek[®] Glass Protector

YOUR GLASS PROTECTED WITH MICROTEK®

- Resists staining from hard water deposits Is easier to clean • Does not support the growth of bacteria
- Eliminates the need for harsh and abrasive cleaning products
- Saves time and effort
 Stays cleaner longer
- Creates a more hygienic environment

MAINTENANCE

A soft cloth is all you need to clean your protected glass. For best results, squeegee dry after each use. The only solution Fleurco recommends using is 1 part vinegar and 4 parts water.



PRECAUTIONS

- Avoid using abrasive cleaners.
- Hydrofluoric and phosphoric acid can damage glass surface and should not be used.
- Do not use abrasive scouring powders or pads, highly acidic/alkaline cleaners, brushers,
- razor blades or other sharp objects which may scratch or harm the glass surface.

WARRANTY

Provided the glass is maintained according to published after-care instructions and without the use of abrasive cleaning methods or highly alkaline products, FLEURCO warrants that Microtek will work for up to ten (10) years from the date of application.



ANING		
Step 4	Step 5	Recommended Frequency
A	N/A	Immediately after showering.
nse off with ean water.	Dry with squeegee.	Weekly.
	ľ	

MICROTEK IS EXPECTED TO PERFORM FOR UP TO **10 YEARS**



SAFETY PROTECTION (S.R.T.)

WHAT IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) is a transparent film bonded directly onto the glass panel by means of an adhesive to improve safety by retaining the pieces together in the event of glass breakage.

WHAT ARE THE BENEFITS OF FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) film provides an added layer of security for you and your family. In the event of an accident, FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) prevents the tempered glass door from shattering into thousands of pieces which could cause damage.

HOW IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) APPLIED?

Application is performed by a specialized machine.

The film is always installed on the exterior side of the panels as to not affect the Microtek[®] coating on the interior.

HOW DURABLE IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) is very durable. It has been tested for long-term usage against chemicals and abrasives and meets the required standards.

HOW DO I CLEAN GLASS TREATED WITH FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

There is no special requirement for cleaning a FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) treated shower door. Cleaning with a damp cloth using a mixture of vinegar/mild soap with water is recommended.



Shattered glass maintains structure with FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film

NOTES



BYPASS TUB ENCLOSURES



GEMINI PLUS TUB ENCLOSURE	
Frameless sliding doors	
Sizes: 60, 65	





GEMINI TUB ENCLOSURE Frameless sliding doors Size: 60	4-5



6 MERCURY TUB ENCLOSURE	-7
Frameless sliding doors	
Size: 60	





CORDOBA PLUS TUB ENCLOSURE	
Semi-frameless sliding doors Size: 60	





CORDOBA TUB ENCLOSURE	
Semi-frameless sliding doors Sizes: 56, 60	
••• C	



See information pages at the end of the section

FLEURCO INC. **USA EAST** Tel: 856.778.0110 | Toll Free: 1.888.568.2121 | Fax: 1.888.854.1020 FLEURCO INC. **USA MIDWEST** Tel: 630.607.0847 | Toll Free: 1.888.263.3651 | Fax: 331.225.2549 FLEURCO INC. **USA WEST** Tel: 562.368.8800 | Toll Free: 1.877.413.2880 | Fax: 562.368.8812

FLEURCO INC. CANADA Tel: 1.514.326.2222 | Toll Free: 1.800.993.0033 | Fax: 1.514.326.2008 | www.fleurco.com

GEMINI PLUS TUB ENCLOSURE

Frameless sliding tub doors

3/8" (10 mm) Tempered clear glass • 66" Height





BYPASS TUB ENCLOSURE 60

57" to 60" W x 66" H · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

MODEL	PRICE	FINISH	GLASS
NPST60-11-40	\$1,923	Chrome	CLEAR
NPST60-25-40	\$1,967	Brushed Nickel	CLEAR
NPST60-33-40	\$1,972	Matte Black	CLEAR



BYPASS TUB ENCLOSURE 65 62" to 65" W x 66" H · Approx entry 28 3/4" to 31 3/4"

02 10 03 W X 00 TT Approx. entry. 20 74 10 31 74							
MODEL	PRICE	FINISH	GLASS				
NPST65-11-40	\$1,961	Chrome	CLEAR				
NPST65-25-40	\$2,005	Brushed Nickel	CLEAR				
NPST65-33-40	\$2,010	Matte Black	CLEAR				





2 sliding door panels for right or left hand entry Anti-jump safety roller system 3/8" (10mm) clear tempered glass Tub door height: 66" Chrome, Brushed Nickel & Matte Black finishes



2

✓ FLEURCO[®]SEK<u>U</u>R⁺

SAFETY PROTECTION (S.R.T.)



10 ear limited warranty





GEMINI TUB ENCLOSURE

Frameless sliding tub doors

1/4" (6 mm) Tempered clear glass • 60" Height





BYPASS TUB ENCLOSURE 60

57" to 60" W x 60" H · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

MODEL	PRICE	FINISH	GLASS
NGST60-11-40	\$1,570	Chrome	CLEAR
NGST60-25-40	\$1,615	Brushed Nickel	CLEAR
NGST60-33-40	\$1,624	Matte Black	CLEAR





BYPASS TUB ENCLOSURE Frameless sliding tub doors GEMINI

2 sliding door panels for right or left hand entry Anti-jump safety roller system 1/4" (6mm) clear tempered glass Tub door height: 60" Chrome, Brushed Nickel & Matte Black finishes



US 2021

▼FLEURCO[®]SEK<u>U</u>R⁺

SAFETY PROTECTION (S.R.T.)*



Glass surface protection

10 year limited warranty







MERCURY TUB ENCLOSURE

Frameless sliding tub doors

5/16" (8 mm) Tempered clear glass • 66" Height






BYPASS TUB ENCLOSURE 60

57" to 60" W x 66" H · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

MODEL	PRICE	FINISH	GLASS
NMST60-11-40 <u>0</u>	\$1,603	Chrome	CLEAR
NMST60-25-40_	\$1,647	Brushed Nickel	CLEAR
NMST60-33-40_	\$1,684	Matte Black	CLEAR



DOOR OPTIONS





MERCURY BYPASS TUB ENCLOSURE Frameless sliding tub doors

2 sliding door panels for right or left hand entry Anti-jump safety roller system Vertical handles 5/16" (8mm) clear tempered glass Tub door height: 66" Chrome, Brushed Nickel & Matte Black finishes



✓ FLEURCO[®]SEK<u>U</u>R⁺

SAFETY PROTECTION (S.R.T.)



Glass surface protection

10 rear limited warranty





CORDOBA PLUS TUB ENCLOSURE

Semi-frameless sliding tub doors

3/8" (10 mm) Tempered clear glass • 60" Height 1/4" (6 mm) Tempered clear glass • 60" Height

BYPASS TUB ENCLOSURE 60

56" to 60" W x 60" H · Approx. entry: 24" to 28"

MODEL	PRICE	FINISH	GLASS						
1/4" (6 mm) tempered glass									
CKT60-11-40	\$1,023	Chrome	CLEAR						
CKT60-25-40	\$1,075	Brushed Nickel	CLEAR						
3/8'	3/8" (10 mm) tempered glass								
CLT60-11-40	\$1,397	Chrome	CLEAR						
CLT60-25-40	\$1,448	Brushed Nickel	CLEAR						
CLT60-29-40	\$1,521	Oil Rubbed Bronze	CLEAR						





CORDOBA PLUS Semi-frameless sliding tub doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Deluxe quality roller system and bracket Superior bottom guiding system Easy to install 3/8" (10mm) or 1/4" (6mm) clear tempered glass Tub door height: 60" Chrome, Brushed Nickel & Oil Rubbed Bronze (certain models only) finishes



BYPASS TUB ENCLOSURE





CORDOBA TUB ENCLOSURE

Semi-frameless sliding tub doors

1/4" (6 mm) Tempered clear glass • 56" or 57 ³/₄" Height

BYPASS TUB ENCLOSURE 56

52" to 56" W x 56" H · Approx. entry: 22" to 26"

MODEL	PRICE	FINISH	GLASS
CT856-11-40	\$997	Chrome	CLEAR
CT856-25-40	\$1,008	Brushed Nickel	CLEAR

BYPASS TUB ENCLOSURE 60

56" to 60" W x 57 ³/₄" H · Approx. entry: 24" to 28"

MODEL	PRICE	FINISH	GLASS
CT860-11-40	\$1,070	Chrome	CLEAR
CT860-25-40	\$1,077	Brushed Nickel	CLEAR
CT860-29-40	\$1,146	Oil Rubbed Bronze	CLEAR






CORDOBA BYPASS TUB ENCLOSURE Semi-frameless sliding tub doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Deluxe quality roller system bracket Superior bottom guiding system Easy to install 1/4" (6mm) clear tempered glass Tub door heights: 56" & 57 ³/₄" Chrome, Brushed Nickel & Oil Rubbed Bronze (certain models only) finishes







Microtek[®] Glass Protector





YOUR GLASS PROTECTED WITH MICROTEK®

- Resists staining from hard water deposits
 Is easier to clean
- Does not support the growth of bacteria
- Eliminates the need for harsh and abrasive cleaning products
- Saves time and effort · Stays cleaner longer
- Creates a more hygienic environment

MAINTENANCE

A soft cloth is all you need to clean your protected glass. For best results, squeegee dry after each use. The only solution Fleurco recommends using is 1 part vinegar and 4 parts water.

Microtek MICROTEK GLASS CLEANING													
Type of Cleaning	Step 1	Step 2	Step 3	Step 4	Step 5	Recommended Frequency							
After Use	Spray down glass with hot water.	Dry with squeegee.	N/A	N/A	N/A	Immediately after showering.							
Regular Maintenance	Water down the panels then clean with mild, non-abrasive soap on a soft sponge.	Rinse off with clean water.	Spray with a solution of 1 part vinegar + 4 parts water.	Rinse off with clean water.	Dry with squeegee.	Weekly.							

MICROTEK IS EXPECTED TO PERFORM FOR UP TO **10 YEARS**

PRECAUTIONS

- Avoid using abrasive cleaners.
- Hydrofluoric and phosphoric acid can damage glass surface and should not be used.
- Do not use abrasive scouring powders or pads, highly acidic/alkaline cleaners, brushers,
- razor blades or other sharp objects which may scratch or harm the glass surface.

WARRANTY

Provided the glass is maintained according to published after-care instructions and without the use of abrasive cleaning methods or highly alkaline products, FLEURCO warrants that Microtek will work for up to ten (10) years from the date of application.

WHAT IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) is a transparent film bonded directly onto the glass panel by means of an adhesive to improve safety by retaining the pieces together in the event of glass breakage.

WHAT ARE THE BENEFITS OF FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film provides an added layer of security for you and your family. In the event of an accident, FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) prevents the tempered glass door from shattering into thousands of pieces which could cause damage.

HOW IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.) APPLIED?

Application is performed by a specialized machine.

The film is always installed on the exterior side of the panels as to not affect the Microtek[®] coating on the interior.

HOW DURABLE IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) is very durable. It has been tested for long-term usage against chemicals and abrasives and meets the required standards.

HOW DO I CLEAN GLASS TREATED WITH FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

There is no special requirement for cleaning a FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) treated shower door. Cleaning with a damp cloth using a mixture of vinegar/mild soap with water is recommended.



FLEURCO[®]SEKUR⁺

SAFETY PROTECTION (S.R.T.)

Shattered glass maintains structure with FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film

NOTES

