



forestry, fisheries & the environment

Department:
Forestry, Fisheries and the Environment
REPUBLIC OF SOUTH AFRICA

Private Bag X 447· PRETORIA ·0001· Environment House ·473 Steve Biko Road, Arcadia· PRETORIA

DFFE Reference: 14/12/16/3/3/1/2515

Enquiries: Ms Constance Musemburi

Telephone: (012) 399 9416 **E-mail:** CMusemburi@dffe.gov.za

Mr Matteo Giulio Luigi Brambillia
Wolf Wind Farm (RF) (Pty) Ltd
Postnet Suite 150
Private Bag X3
ROGGEBAAI
8012

Telephone Number: (021) 418 3940
Cell phone Number: (072) 212 1531
Email Address: m.logan@redrocket.energy

PER EMAIL / MAIL

Dear Mr Brambillia

ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, ACT NO. 107 OF 1998, AS AMENDED: FOR THE CONSTRUCTION OF A NEW WOLF-SKILPAD-GRASSRIDGE 132KV OVERHEAD TRANSMISSION LINE NEAR KARIEGA AND KIRKWOOD, EASTERN CAPE PROVINCE.

With reference to the above application, please be advised that the Department has decided to grant authorisation. The Environmental Authorisation (EA) and reasons for the decision are attached herewith.

In terms of Regulation 4(2) of the Environmental Impact Assessment Regulations, 2014, as amended (the EIA Regulations), you are instructed to notify all registered interested and affected parties, in writing and within fourteen (14) days of the date of the decision as well as the provisions regarding the submission of appeals that are contained in the Regulations.

In terms of the Promotion of Administrative Justice Act, Act No. 3 of 2000, you are entitled to the right to fair, lawful and reasonable administrative action; and to written reasons for administrative action that affects you negatively. Further your attention is drawn to the provisions of the Protection of Personal Information Act, Act No. 4 of 2013 which stipulate that the Department should conduct itself in a responsible manner when collecting, processing, storing and sharing an individual or another entity's personal information by holding the Department accountable should the Department abuse or compromise your personal information in any way.

Your attention is drawn to Chapter 2 of National Environmental Management Act, Act No. 107 of 1998 National Appeal Regulations published under Government Notice R993 in Government Gazette No. 38303 dated 08 December 2014 (National Appeal Regulations, 2014), which prescribes the appeal procedure to be followed. Kindly include a copy of this document (National Appeal Regulations, 2014) with the letter of notification to interested and affected parties in this matter.

Should any person wish to lodge an appeal against this decision, he/she must submit the appeal to the appeal administrator, and a copy of the appeal to the applicant, any registered interested and affected party, and any organ of state with interest in the matter within 20 days from the date that the notification of the decision was sent to the registered interested and affected parties by the applicant; or the date that the notification of the decision was sent to the applicant by the Department, whichever is applicable.

Appeals must be submitted in writing in the prescribed form to:

The Director: Appeals and Legal Review of this Department at the below mentioned addresses.

By email: appeals@dffe.gov.za


By hand: Environment House
473 Steve Biko Road
Arcadia
PRETORIA
0083 or

By post: Private Bag X447
PRETORIA
0001

Please note that in terms of Section 43(7) of the National Environmental Management Act, Act No. 107 of 1998, as amended, the lodging of an appeal will suspend the environmental authorisation, or any provision or condition attached thereto. In the instance where an appeal is lodged, you may not commence with the activity until such time that the appeal is finalised.

To obtain the prescribed appeal form and for guidance on the submission of appeals, please visit the Department's website at <https://www.dffe.gov.za/documents/forms#legal> or request a copy of the documents at appeals@dffe.gov.za.

Yours faithfully



Ms Milicent Solomons
Acting Chief Director: Integrated Environmental Authorisations
Department of Forestry, Fisheries and the Environment
Date: 02/09/2022.

cc:	Wynand Loftus	Zutari (Pty) Ltd	Email: wynand.loftus@zutari.com
	Leon Els	EC DEDEA&T	Email: leon.els@dedea.gov.za
	Pamela Howes	Nelson Mandela Bay Municipality	Email: phowes@mandelametro.gov.za
		Nelson Mandela Bay Municipality	Email: jmiller@mandelametro.gov.za
	Dayalan Pillay	Sundays River Valley Municipality	Email: mm@srvm.gov.za
	U. Daniels	Sarah Baartman District Municipality	Email: danielsu@sbdm.co.za
		Sarah Baartman District Municipality	Email: bbotha@sbdm.co.za
		Sarah Baartman District Municipality	Email: cbender@sbdm.co.za



forestry, fisheries & the environment

Department:
Forestry, Fisheries and the Environment
REPUBLIC OF SOUTH AFRICA

Environmental Authorisation

In terms of Regulation 25 of the Environmental Impact Assessment Regulations, 2014, as amended

CONSTRUCTION OF THE NEW WOLF-SKILPAD-GRASSRIDGE 132KV OVERHEAD TRANSMISSION LINE NEAR KARIEGA AND KIRKWOOD, EASTERN CAPE PROVINCE

SARAH BAARTMAN DISTRICT MUNICIPALITY

Authorisation register number:	14/12/16/3/3/1/2515
Last amended:	<i>First issue</i>
Holder of authorisation:	<i>Wolf Wind Farm (RF) (PTY) LTD</i>
Location of activity:	<i>Within Ward 53, Ward 7 and Ward 8 of the Nelson Mandela Bay Metropolitan Municipality and the Sunday Rivers Valley Local Municipality, respectively, Eastern Cape Province</i>

This authorisation does not negate the holder of the authorisation's responsibility to comply with any other statutory requirements that may be applicable to the undertaking of the activity.

Decision

The Department is satisfied, based on information available to it and subject to compliance with the conditions of this Environmental Authorisation, that the applicant should be authorised to undertake the activities specified below.

Non-compliance with a condition of this Environmental Authorisation may result in criminal prosecution or other actions provided for in the National Environmental Management Act, Act No. 107 of 1998, as amended and the EIA Regulations, 2014, as amended.

Details regarding the basis on which the Department reached this decision are set out in Annexure 1.

Activities authorised

By virtue of the powers conferred on it by the National Environmental Management Act, Act No. 107 of 1998, as amended and the Environmental Impact Assessment Regulations, 2014, as amended, the Department hereby authorises –

WOLF WIND FARM (RF) (PTY) LTD

with the following contact details –

Mr. Matteo Giulio Luigi Maria Brambilla

Wolf Wind Farm (RF) (Pty) Ltd

Postnet Suite 150

Private Bag X3

ROGGEBAAI

8012

Tel: (021) 418 3940

Cell: (072) 212 1531

E-mail: m.logan@redrocket.energy

to undertake the following activities (hereafter referred to as "the activity") indicated in Listing Notice 1 and Listing Notice 3 of the EIA Regulations, 2014 as amended:

Activity number	Activity description
<p><u>Listing Notice 1, Item 11:</u> <i>"The development of facilities or infrastructure for the transmission and distribution of electricity-</i> <i>(i) outside urban areas or industrial complexes with a capacity of more than 33 but less than 275 kilovolts; "</i></p>	<p>The proposed power line will have a capacity of 132kV.</p>
<p><u>Listing Notice 1, Item 12:</u> <i>"The development of</i> <i>(ii) Infrastructure or structures with a physical footprint of 100 m² or more;</i> <i>Where such development occurs –</i> <i>(a) within a watercourse; or</i> <i>(c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse;."</i></p>	<p>Development of a new 132kV transmission line will likely result in a development occurs within a watercourse or within 32m of a watercourse.</p>
<p><u>Listing Notice 1, Item 19:</u> <i>"The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse".</i></p>	<p>Development of a new 132kV transmission line will likely result in the movement of more than 10m³ of soil within a watercourse.</p>
<p><u>Listing Notice 3 Item 12:</u> <i>The clearance of an area of 300 square metres or more of indigenous vegetation</i> <i>Eastern Cape</i> <i>i. Within any critically endangered or endangered ecosystem listed in terms of section 52 of the NEMBA or prior to the publication of such a list, within an area that has been identified as critically endangered in the National Spatial Biodiversity Assessment 2004;</i> <i>ii. Within critical biodiversity areas identified in bioregional plans;</i></p>	<p>Development of a new 132kV transmission line will result in the clearance of more than 300m² of indigenous vegetation inside areas indicated as CBAs and within the Albany Alluvial Vegetation which is listed as endangered in terms of ecosystem status.</p>

<p><u>Listing Notice 3 Item 14</u></p> <p><i>The development of:</i></p> <p><i>(ii) Infrastructure or structure with a physical footprint of 10 square metres or more;</i></p> <p><i>Where such development occurs</i></p> <p><i>a) Within a watercourse</i></p> <p><i>c) If no development setback has been adopted, within 32 metres of a watercourse, measured from the edge of a watercourse</i></p> <p><i>a. Eastern Cape</i></p> <p><i>i. Outside urban areas:</i></p> <p><i>(bb) National Protected Area Expansion Strategy Focus areas;</i></p> <p><i>(ff) Critical biodiversity areas or ecosystem service areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;</i></p>	<p>Development of a new 132kV transmission line will result in development footprint more than 10m² where such development occurs within a watercourse or within 32m of a watercourse or within 32m of a watercourse and within areas indicated as CBAs and NPAES Focus Areas.</p>
--	---

as described in the Basic Assessment Report (BAR) dated 14 June 2022 at:

SG 21 Digit Code:

PORPERTY DESCRIPTION	SG 21-Digit Code
RE Kariega 147	C0760000000014700000
Ptn1 Kariega 147	C0760000000014700001
RE Felsenheim 81	C0760000000008100000
Ptn1 Felsenheim 81	C0760000000008100001
RE Roodewal Outspan 79	C0760000000007900000
RE Schuilpatdop 148	C0760000000014800000
Ptn2 Moordenaarskraal 151	C0760000000015100002
Ptn 1 Moordenaarskraal 151	C0760000000015100001
RE Wal Kraal 156	C0760000000015600000
Ptn4 Wal Kraal 156	C0760000000015600004
Ptn6 Wal Kraal 156	C0760000000015600006
Ptn1 Wal Kraal 156	C0760000000015600001

Ptn 5 Wal Kraal 156	C07600000000015600005
Farm 157	C07600000000015700000
Ptn 3 Roode Krantz 72	C07600000000007200003
RE Roode Krantz 72	C07600000000007200000
Ptn 2 Roode Krantz 72	C07600000000007200002
Ptn 3 Good Hope 71	C07600000000007100003
RE Good Hope 71	C07600000000007100000
Ptn 1 Good Will 70	C07600000000007000001
RE Good Will 70	C07600000000007000000
Ptn 21 Matjesgoed Fontein 61	C07600000000006100021
Ptn 6 Good Will 70	C07600000000007000006
Ptn 1 Blaauwbosch Kuil 62	C07600000000006200001
RE Kleinpoort East 10	C07600000000001000000
RE Blaauwbosch Kuil 669	C07600000000066900000
Ptn 1 Blaauwbosch Kuil 669	C07600000000066900001

Bend Point Coordinates of the 132kV power line:

	Longitude	Latitude
Start Point (Wolf Substation)	33° 21' 10.48" S	24° 52' 00.07" E
	33° 21' 21.47" S	24° 52' 27.68" E
	33° 22' 07.40" S	24° 55' 52.72" E
	33° 23' 13.44" S	25° 01' 36.34" E
	33° 23' 47.24" S	25° 06' 41.54" E
	33° 25' 01.95" S	25° 11' 22.93" E
	33° 25' 21.88" S	25° 14' 29.53" E
Mid-point (Skilpad Substation)	33° 28' 50.14" S	25° 19' 36.85" E
	33° 29' 52.36" S	25° 21' 01.51" E
	33° 29' 49.11" S	25° 21' 07.40" E
	33° 30' 35.63" S	25° 22' 01.63" E
	33° 31' 29.45" S	25° 23' 47.11" E
	33° 32' 49.38" S	25° 25' 28.24" E
	33° 33' 26.04" S	25° 25' 37.58" E
	33° 33' 40.65" S	25° 25' 49.18" E

	33° 33' 57.05" S	25° 25' 47.70" E
	33° 35' 22.98" S	25° 26' 33.03" E
	33° 35' 32.17" S	25° 27' 28.01" E
	33° 36' 44.89" S	25° 29' 38.24" E
	33° 39' 09.87" S	25° 30' 35.01" E
	33° 40' 49.55" S	25° 37' 24.13" E
	33° 42' 12.88" S	25° 37' 41.75" E
	33° 42' 39.79" S	25° 37' 07.75" E
	33° 43' 01.67" S	25° 37' 11.04" E
	33° 43' 18.46" S	25° 37' 38.28" E
Endpoint (Grassridge Substation)	33° 43' 14.58" S	25° 37' 48.60" E

- for the construction of the Wolf-Skilpad-Grassridge 132kV transmission power line within Ward 53 of the Nelson Mandela Bay Municipality and Ward 7 and 8 of the Sundays River Valley Municipality near Kariega and Kirkwood, Eastern Cape Province, hereafter referred to as "the property".

The proposed development entails the construction of a new 132kV transmission line which will run from the Grassridge Substation in a north-westerly direction to the Skilpad- and Wolf Substations for approximately 46km and 44km respectively. The power line is proposed to as far as possible, run adjacent to an existing 132kV transmission line and has an approximate length of 90km. The servitude for this new transmission power line will be 31m wide. A new 3.5m wide access track will be developed within the new servitude and will run for the full length of the proposed transmission line. The servitude will be accessed via existing access tracks used for the existing 132kV transmission line and farm roads and tracks. The proposed pylon structures will be a combination of monopole and lattice structures, depending on engineering requirements, and up to 40m high. Special structures with horizontal configuration are proposed to be used where the new transmission line will need to cross other existing powerlines.

Conditions of this Environmental Authorisation

Scope of authorisation

1. The Wolf-Skilpad-Grassridge 132kV transmission power line and associated infrastructure within Ward 53 of the Nelson Mandela Bay Municipality and Ward 7 and 8 of the Sundays River Valley Municipality near Kariega and Kirkwood, Eastern Cape Province, is approved as per the geographic coordinates cited in the table above.
2. Authorisation of the activity is subject to the conditions contained in this Environmental Authorisation, which form part of the Environmental Authorisation and are binding on the holder of the authorisation.
3. The holder of the authorisation is responsible for ensuring compliance with the conditions contained in this Environmental Authorisation. This includes any person acting on the holder's behalf, including but not limited to, an agent, servant, contractor, sub-contractor, employee, consultant or person rendering a service to the holder of the authorisation.
4. The activities authorised must only be carried out at the property as described above.
5. Any changes to, or deviations from, the project description set out in this Environmental Authorisation must be approved, in writing, by the Department before such changes or deviations may be effected. In assessing whether to grant such approval or not, the Department may request such information as it deems necessary to evaluate the significance and impacts of such changes or deviations and it may be necessary for the holder of the authorisation to apply for further Environmental Authorisation in terms of the regulations.
6. The holder of an Environmental Authorisation must apply for an amendment of the Environmental Authorisation with the Competent Authority for any alienation, transfer or change of ownership rights in the property on which the activity is to take place.
7. This activity must commence within a period of ten (10) years from the date of issue of this Environmental Authorisation. If commencement of the activity does not occur within that period, the authorisation lapses and a new application for Environmental Authorisation must be made for the activity to be undertaken.
8. Construction must be completed within five (05) years of the commencement of the activity on site.
9. Commencement with one activity listed in terms of this environmental authorisation constitutes commencement of all authorised activities.

Notification of authorisation and right to appeal

10. The holder of the authorisation must notify every registered interested and affected party, in writing and within 14 (fourteen) calendar days of the date of this Environmental Authorisation, of the decision to authorise the activity.
11. The notification referred to must –
 - 11.1. specify the date on which the authorisation was issued;
 - 11.2. inform the interested and affected party of the appeal procedure provided for in the National Appeal Regulations, 2014;
 - 11.3. advise the interested and affected party that a copy of the authorisation will be furnished on request; and
 - 11.4. give the reasons of the Competent Authority for the decision.

Commencement of the activity

12. The authorised activity must not commence until the period for the submission of appeals has lapsed as per the National Appeal Regulations, 2014, and no appeal has been lodged against the decision. In terms of Section 43(7), an appeal under Section 43 of the National Environmental Management Act, Act No. 107 of 1998, as amended will suspend the Environmental Authorisation or any provision or condition attached thereto. In the instance where an appeal is lodged you may not commence with the activity until such time that the appeal has been finalised.

Management of the activity

13. The layout map attached as Appendix 7 of the final BAR dated 14 June 2022 is hereby approved.
14. The Environmental Management Programme (EMPr) submitted as part of the BAR dated 14 June 2022 is approved and must be implemented and adhered to.
15. The EMPr must be implemented and strictly enforced during all phases of the project. It shall be seen as a dynamic document and shall be included in all contract documentation for all phases of the development when approved.
16. Changes to the approved EMPr must be submitted in accordance with the EIA Regulations applicable at the time.
17. The Department reserves the right to amend the approved EMPr should any impacts that were not anticipated or covered in the basic assessment be discovered.

Frequency and process of updating the EMPr

18. The EMPr must be updated where the findings of the environmental audit reports, contemplated in Condition 25 below, indicate insufficient mitigation of environmental impacts associated with the undertaking of the activity, or insufficient levels of compliance with the environmental authorisation or EMPr.
19. The updated EMPr must contain recommendations to rectify the shortcomings identified in the environmental audit report.
20. The updated EMPr must be submitted to the Department for approval together with the environmental audit report, as per Regulation 34 of the EIA Regulations, 2014 as amended. The updated EMPr must have been subjected to a public participation process, which process has been agreed to by the Department, prior to submission of the updated EMPr to the Department for approval.
21. In assessing whether to grant approval of an EMPr which has been updated because of an audit, the Department will consider the processes prescribed in Regulation 35 of the EIA Regulations, 2014 as amended. Prior to approving an amended EMPr, the Department may request such amendments to the EMPr as it deems appropriate to ensure that the EMPr sufficiently provides for avoidance, management and mitigation of environmental impacts associated with the undertaking of the activity.
22. The holder of the authorisation must apply for an amendment of an EMPr, if such amendment is required before an audit is required. The amendment process is prescribed in Regulation 37 of the EIA Regulations, 2014, as amended. The holder of the authorisation must request comments on the proposed amendments to the impact management outcomes of the EMPr or amendments to the closure objectives of the closure plan from potentially interested and affected parties, including the competent authority, by using any of the methods provided for in the Act for a period of at least 30 days.

Monitoring

23. The holder of the authorisation must appoint an experienced Environmental Control Officer (ECO) for the construction phase of the development that will have the responsibility to ensure that the mitigation/rehabilitation measures and recommendations referred to in this environmental authorisation are implemented and to ensure compliance with the provisions of the approved EMPr.
 - 23.1. The ECO must be appointed before commencement of any authorised activities.
 - 23.2. Once appointed, the name and contact details of the ECO must be submitted to the *Director: Compliance Monitoring* of the Department.
 - 23.3. The ECO must keep record of all activities on site, problems identified, transgressions noted and a task schedule of tasks undertaken by the ECO.

23.4. The ECO must remain employed until all rehabilitation measures, as required for implementation due to construction damage, are completed and the site is ready for operation.

Recording and reporting to the Department

24. All documentation e.g., audit/monitoring/compliance reports and notifications, required to be submitted to the Department in terms of this environmental authorisation, must be submitted to the *Director: Compliance Monitoring* of the Department.
25. The holder of the environmental authorisation must, for the period during which the environmental authorisation and EMPr remain valid, ensure that project compliance with the conditions of the environmental authorisation and the EMPr are audited, and that the audit reports are submitted to the *Director: Compliance Monitoring* of the Department.
26. The frequency of auditing and of submission of the environmental audit reports must be as per the frequency indicated in the EMPr, considering the processes for such auditing as prescribed in Regulation 34 of the EIA Regulations, 2014 as amended.
27. The holder of the authorisation must, in addition, submit environmental audit reports to the Department within 30 days of completion of the construction phase (i.e., within 30 days of site handover) and a final environmental audit report within 30 days of completion of rehabilitation activities.
28. The environmental audit reports must be compiled in accordance with Appendix 7 of the EIA Regulations, 2014 as amended and must indicate the date of the audit, the name of the auditor and the outcome of the audit in terms of compliance with the environmental authorisation conditions as well as the requirements of the approved EMPr.
29. Records relating to monitoring and auditing must be kept on site and made available for inspection to any relevant and competent authority in respect of this development.

Notification to authorities

30. A written notification of commencement must be given to the Department no later than fourteen (14) days prior to the commencement of the activity. Commencement for the purposes of this condition includes site preparation. The notice must include a date on which it is anticipated that the activity will commence, as well as a reference number.

Operation of the activity

31. A written notification of operation must be given to the Department no later than fourteen (14) days prior to the commencement of the activity operational phase.

Site closure and decommissioning

32. Should the activity ever cease or become redundant, the holder of the authorisation must undertake the required actions as prescribed by legislation at the time and comply with all relevant legal requirements administered by any relevant and Competent Authority at that time.

Specific conditions

33. The footprint of the development must be limited to the areas required for actual construction works and operational activities.
34. Should any archaeological sites, artefacts, paleontological fossils or graves be exposed during construction work, work in the immediate vicinity of the find must be stopped, the South African Heritage Resources Agency (SAHRA) must be informed and the services of an accredited heritage professional obtained for an assessment of the heritage resources.
35. All declared aliens must be identified and managed in accordance with the Conservation of Agricultural Resources Act, 1983 (Act No. 43 of 1983).
36. Anti-collision devices such as bird flappers must be installed where power line cross avifaunal corridors, as recommended by the Ecological specialist.
37. No exotic plants must be used for rehabilitation purposes. Only indigenous plants of the area must be utilised.
38. Construction must include design measures that allow surface and subsurface movement of water along drainage lines so as not to impede natural surface and subsurface flows. Drainage measures must promote the dissipation of storm water run-off.
39. An integrated waste management approach must be implemented that is based on waste minimisation and must incorporate reduction, recycling, re-use and disposal where appropriate.
40. Any solid waste must be disposed of at a landfill licensed in terms of Section 20 (b) of the National Environment Management Waste Act, 2008 (Act No.59 of 2008).

General

41. A copy of this Environmental Authorisation, the audit and compliance monitoring reports, and the approved EMPr, must be made available for inspection and copying-
- 41.1. at the site of the authorised activity;
 - 41.2. to anyone on request; and
 - 41.3. where the holder of the Environmental Authorisation has a website, on such publicly accessible website.
42. National government, provincial government, local authorities or committees appointed in terms of the conditions of this authorisation or any other public authority shall not be held responsible for any damages or losses suffered by the holder of the authorisation or his/her successor in title in any instance where construction or operation subsequent to construction be temporarily or permanently stopped for reasons of non-compliance by the holder of the authorisation with the conditions of authorisation as set out in this document or any other subsequent document emanating from these conditions of authorisation.

Date of Environmental Authorisation: 02/09/2022.



Ms Milicent Solomons

Acting Chief Director: Integrated Environmental Authorisations

Department of Forestry, Fisheries and the Environment

Annexure 1: Reasons for Decision

1. Information considered in making the decision

In reaching its decision, the Department took, *inter alia*, the following into consideration -

- a) The listed activities as applied for in the application form received on 08 April 2022.
- b) The information contained in the BAR dated 14 June 2022.
- c) The comments received from the Department of Forestry, Fisheries and the Environment: IEA, Department of Forestry, Fisheries and the Environment: Biodiversity Section and interested and affected parties as included in the BAR dated 14 June 2022.
- d) Mitigation measures as proposed in the BAR and the EMPr.
- e) The information contained in the specialist studies contained within the appendices of the BAR dated 14 June 2022 and as appears below:

Title	Prepared by	Date
Terrestrial Ecology Impact Assessment	Scientific Terrestrial Services	March 2022
Aquatic Ecology Impact Assessment	FEN Consulting	March 2022
Agriculture Compliance Statement	The Biodiversity Company	March 2022
Visual Impact Assessment	Scientific Aquatic Services	March 2022
Heritage Impact Assessment	CTS Heritage	March 2022
Avifaunal Impact Assessment	WildSkies Ecological Services (Pty) Ltd	March 2022

2. Key factors considered in making the decision

All information presented to the Department was considered in the Department's consideration of the application.

A summary of the issues which, in the Department's view, were of the most significance is set out below.

- a) The findings of all the specialist studies conducted and their recommended mitigation measures.
- b) The need for the proposed project ties in with the national government policies, plans, and programmes which have relevance to energy planning and production.
- c) The BAR dated 14 June 2022 identified all legislations and guidelines that have been considered in the preparation of the BAR.
- d) The location of the proposed grid connection which considers environmentally sensitive areas.

- e) The methodology used in assessing the potential impacts identified in the BAR dated 14 June 2022 and the specialist studies have been adequately indicated.
- f) A sufficient public participation process was undertaken, and the applicant has satisfied the minimum requirements as prescribed in the EIA Regulations, 2014 as amended for public involvement.

3. Findings

After consideration of the information and factors listed above, the Department made the following findings -

- a) The identification and assessment of impacts are detailed in the BAR dated 14 June 2022 and sufficient assessment of the key identified issues and impacts have been completed.
- b) The procedure followed for impact assessment is adequate for the decision-making process.
- c) The proposed mitigation of impacts identified and assessed adequately curtails the identified impacts.
- d) EMPr measures for the pre-construction, construction and rehabilitation phases of the development were proposed and included in the BAR and will be implemented to manage the identified environmental impacts during the construction phase.

In view of the above, the Department is satisfied that, subject to compliance with the conditions contained in the environmental authorisation, the authorised activities will not conflict with the general objectives of integrated environmental management laid down in Chapter 5 of the National Environmental Management Act, 1998 and that any potentially detrimental environmental impacts resulting from the authorised activities can be mitigated to acceptable levels. The environmental authorisation is accordingly granted.



**forestry, fisheries
& the environment**

Department:
Forestry, Fisheries and the Environment
REPUBLIC OF SOUTH AFRICA

Private Bag X447 PRETORIA 0001 Environment House · 473 Steve Biko Road, Arcadia· PRETORIA
Tel(+27 12) 398 9000
Enquiries: Devnagie Bendeman Telephone: 012 399 9337 E-mail: vbendeman@dffe.gov.za

Ms. Milicent Solomons
Director: Prioritized Infrastructure Projects

Dear Mrs Solomons

**APPOINTMENT AS ACTING CHIEF DIRECTOR: INTEGRATED ENVIRONMENTAL AUTHORIZATIONS
FOR THE PERIOD OF 25 APRIL 2022 UNTIL 31 OCTOBER 2022**

I hereby inform you that I have decided to appoint you as the Acting Chief Director: Integrated Environmental Authorizations for the period of 25 April to 31 October 2022 whilst Mr Sabelo Malaza is fulfilling his temporary reassignment function at the Forestry Branch.

All the correspondence and other documents that are usually signed by the Chief Director: Integrated Environmental Authorizations must be signed under Acting Chief Director: Integrated Environmental Authorizations during the above-mentioned period.

Your appointment in the above acting position remains subject to the provisions of the Public Service Act, 1994 (Proclamation No. 103 of 1994), as amended, the Government Employees Pension Fund Act, 1996 (Proclamation No. 21 of 1996), the regulations promulgated under these Acts and relevant circulars.

In the execution of your duties and the exercising of the powers delegated to you, you will furthermore be subjected to the provisions of the Public Finance Management Act, compliance with the Promotion of Access to Information Act, Promotion of Administrative Justice Act, the Minimum Information Security Standard, Departmental Policies and other applicable legislations with the Republic of South Africa. You are therefore advised to make yourself familiar with the provisions of these legislations and policies and the amendments thereof. (Copies of Departmental policies can be obtained from the Human Resource Office).

Please accept my heartfelt gratitude for all your assistance on behalf of the department.

Yours sincerely

Ms Devnagie Bendeman
Deputy Director-General: RCSM (Regulatory Compliance and
Sector Monitoring)

Date 20 April 2022

ACKNOWLEDGEMENT

I ACCEPT / ~~DO NOT ACCEPT~~
appointment as Acting Chief
Director: Integrated Environmental
Authorizations

Signed:

Date: 20/04/2022