



# Guitar Score Card



PRS SE Hollowbody II Carved Top		Geek Dive Average	Geek Dive Average	1/22/26
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia		Made in Cort Factory	
Price	1,899.00		At the time of the video	
Neck Material	Mahogany		3 Piece neck	
Neck Finish	Gloss			
Neck Relief	0.006	.15mm	0.006	
Scale Length	25			
Strings	10 - 46			
Action	1.75 mm	2.00mm	0.079	
Intonation	perfect			
Fret End Test	5 out of 5			
Type Of Tuners	PRS tuners			
Bridge test	Good			
Nut Material	PRS Graphite			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
				Low E, A .020
				D,G .018
				B Hi E .016
Nut Width	42.89mm 1.688"			
Fretboard Material	Rosewood			
Inlay	Birds		Abalone	
12th Fret Neck Width	52.94mm 2.084"			
1st Fret Neck Thickness	21.95mm 0.864"			
12th Fret Neck Thickness	24.35mm 0.958"			
Neck Shape	C	Wide Fat, Feels a little smaller than that to me		
Fretboard Radius	10			
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	22			
Fret Material	Nickle	Medium Jumbo		
Fret Size	Medium Jumbo			
Type Of Bridge	LR Baggs	Hardtail		
Body Wood	Maple	Top and Back with Mahogany edge		
Finish Type	Gloos	Poly		
Color	Burst			
Guitar Weight	6.04 LBS			
Volume	500k			
Tone	500K			

PRS SE Hollowbody II Carved Top		Geek Dive Average	Geek Dive Average	1/22/26
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Switch	3 Way toggle			
Bridge Pickup	Humbucker	58/15 LT S		
Neck Pickup	Humbucker	58/15 LT S		
Trus Rod Type	Dual Action	Includes wrench		
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe PRS SE Gig Bag		
link to video		<a href="https://www.youtube.com/watch?v=hKnll5MUIGo">https://www.youtube.com/watch?v=hKnll5MUIGo</a>		



# Guitar Score Card



Cort KX700TT		Geek Dive Average	Geek Dive Average	12/4/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia		Made in Cort Factory	
Price	\$2,999.00		At the time of the video	
Neck Material	Roasted Maple		5 Piece Roasted Maple and Walnut Quarter Sawn	
Neck Finish	Satin		Feels natural	
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	Yes			
Strings	10 - 46			
Action	2.00 mm	2.00mm	0.079	
Intonation	perfect			
Fret End Test	4 out of 5			
Type Of Tuners	Locking		Gold Cort	
Bridge test	4.5 out of 5			
Nut Material	Graph Tech			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	43mm or 1.687"			
Fretboard Material	Rosewood			
Inlay	None			
12th Fret Neck Width	52.91 or 2.083"			
1st Fret Neck Thickness	20.18mm 0.794"			
12th Fret Neck Thickness	22.36mm 0.880"			
Neck Shape	D		Feels Like a Schecter	
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes		Very Lightly done	
Number of Frets	24			
Fret Material	Stainless Steel		Jumbo	
Fret Size	Jumbo			
Bridge Test	Prefect			
Type Of Bridge	Schaller		Hardtail	
Body Wood	Mahogany		3 piece	
Finish Type	Satin			
Top Wood	Ash		Sand Blasted Ash	

Cort KX700TT		Geek Dive Average	Geek Dive Average	12/4/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Color	Black			
Guitar Weight	7.25lbs or 3.31kg			
Volume	25k			
Tone	25k		Push / Pull	
Switch	3 Way toggle			
Bridge Pickup	Humbucker		Fishman	
Neck Pickup	Humbucker		Fishman	
Trus Rod Type	Spoke Wheel			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		Deluxe Cort Gig Bag	
link to video				



# Guitar Score Card



Rebea Sterling Music Man		Geek Dive Average	Geek Dive Average	12/1/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia		Made in Cort Factory	
Price	949.00		At the time of the video	
Neck Material	Roasted Maple		Roasted Maple One Piece Flat Sawn	
Neck Finish	Satin		Feels natural	
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	No		One Piece Flat Sawn Neck	
Strings	10 - 52			
Action	1.75mm	2.00mm	0.079	
Intonation	Good			
Fret End Test	4 out of 5			
Type Of Tuners	Locking			
Bridge test	3 out of 5			
Nut Material	Plastic		Polyphenylene Sulfide	
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
				Low E, A .020
				D,G .018
				B Hi E .016
Nut Width	43.26mm or 1.703"			
Fretboard Material	Ebony			
Inlay	Pearl		Rings	
12th Fret Neck Width	52.78mm or 2.078"			
1st Fret Neck Thickness	21.74mm or 0.856"			
12th Fret Neck Thickness	22.18mm or 0.873"			
Neck Shape	C		Feels Like a 50s Fender Strat	
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes		Very Lightly done	
Number of Frets	22			
Fret Material	Nickel		Medium	
Fret Size	Medium			
Bridge Test	Ok		Screws needed to be shorter	
Type Of Bridge	Sterling		Two Point Tremolo	
Body Wood	Nyatoh		Like Mahogany (ish)	
Finish Type	Satin		Poly	
Color	Blood Flame Burst		Also comes in Ashen Burst	

Rebea Sterling Music Man		Geek Dive Average	Geek Dive Average	12/1/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Guitar Weight	7.5 lbs			
Volume	500K			
Tone	500K	Push / Push Coil Split		
Switch	5 way blade	With Special wiring		
Bridge Pickup	Humbucker	Sterling Pickups		
Neck Pickup	Humbucker	Sterling Pickups		
Trus Rod Type	Spoke Wheel			
Did The guitar need a Set up	Yes			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://www.youtube.com/watch?v=ziIXjoJ9lZM">https://www.youtube.com/watch?v=ziIXjoJ9lZM</a>		



# Guitar Score Card



Gretsch Streamliner Jet Club 1		Geek Dive Average	Geek Dive Average	11/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China			
Price	189.99	At the time of the video		
Neck Material	Mahogany	Flat Sawn		
Neck Finish	Gloss	Polyurethane		
Neck Relief	0.005	.15mm	0.006	
Scale Length	24.875"			
Neck Tilt	Yes			
Strings	10 - 46			
Action	2.00	2.00mm	0.079	
Intonation	Ok	Needed slight adjustment		
Fret End Test	3.5 out of 5			
Type Of Tuners	Die-Cast Sealed			
Nut Material	Nu Bone	Graph Tech		
Nut Slots	OK	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.77mm or 1.684"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Indian Laurel			
Inlay	Pearl	Thumb Nails		
12th Fret Neck Width	52.96mm or 2.074"			
1st Fret Neck Thickness	21.27mm or 0.837"			
12th Fret Neck Thickness	21.83mm or 0.859"			
Neck Shape	Fast C	Feels Like a Gibson 60s neck		
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	22			
Fret Material	Nickel	Medium		
Fret Size	Medium			
Bridge Test	Ok			
Type Of Bridge	One Piece	Wrap Around Bridge		
Body Wood	Philippine Mahogany			
Finish Type	Gloss	Poly		
Color	Olive Drab Green	Also Comes in Shell Pink and Black		
Guitar Weight	7.28lbs or 3.310kg			

Gretsch Streamliner Jet Club 1		Geek Dive Average	Geek Dive Average	11/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume	500K			
Tone	500K			
Switch	None		No Switch	
Bridge Pickup	Humbucker		Hot Wire High Out Put Ceramic Humbucker	
Trus Rod Type	Dual Action			
Did The guitar need a Set up	Yes		Yes	
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/x4nLBqHWswA">https://youtu.be/x4nLBqHWswA</a>		



# Guitar Score Card



Jet JS 600		Geek Dive Average	Geek Dive Average	11/11/2015
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China	Guitar is not labeled, so we had to research it		
Price	\$649.99	At the time of the video		
Neck Material	Roasted Maple	Roasted Maple One Piece Flat Sawn		
Neck Finish	Satin	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	No	One Piece Flat Sawn Neck		
Strings	9-42			
Action	2.25mm	2.00mm	0.079	
Intonation	Ok			
Fret End Test	5 out of 5			
Type Of Tuners	Jet	Locking keys		
Nut Material	Plastic	Synthetic Bone		
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	42.06mm 1.656"			
Fretboard Material	Roasted Maple	Roasted Maple		
Inlay	Black	Dots		
12th Fret Neck Width	51.44mm Or 2.025"			
1st Fret Neck Thickness	21.35mm or 0.840"			
12th Fret Neck Thickness	23.18mm or 0.912"			
Neck Shape	Modern C	Feels Like a 90s Fender Strat or Charvel		
Fretboard Radius	9.5			
Rolled Fretboard Edge?	Yes			
Number of Frets	22			
Fret Material	Nickel	Medium Jumbo		
Fret Size	Medium Jumbo			
Bridge Test	Great			
Type Of Bridge	Wilkinson	Two Point Tremolo		
Body Wood	Mahogany	Three Piece Body		
Finish Type	Gloss	Poly		
Color	Purple	Flame Maple Veneer		
Guitar Weight	7.65 Lbs			

Jet JS 600		Geek Dive Average	Geek Dive Average	11/11/2015
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume	500K			
Tone	500K			
Switch	5 way blade			
Bridge Pickup	Humbucker		Alnico 5	
Middle Pickup	Single Coil		Alnico 5	
Neck Pickup	Single Coil		Alnico 5	
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/i96Jlkbasag">https://youtu.be/i96Jlkbasag</a>		



# Guitar Score Card



<b>Michael Kelly Sam Ash 100th Anniversary Patrol</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>	12/10/2025			
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>			
Number Of Strings	6						
Country Of Origin	Korea						
Price	\$499.00						
Neck Material	Mahogany						
Neck Finish	Glass						
Neck Type	Set Neck						
Neck Relief		.15mm		0.006			
Scale Length	24.75"						
Neck Tilt	Yes						
Strings	10-46						
Action		2.00mm		0.079			
Intonation	Ok						
Fret End Test							
Type Of Tuners	Grover	18-1					
Nut Material	Plastic						
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016
Nut Width	43mm						
Fretboard Material	Ebony						
Inlay	Mother Of Pearl	Diamond Shape					
12th Fret Neck Width							
1st Fret Neck Thickness							
12th Fret Neck Thickness							
Neck Shape	Slim C						
Fretboard Radius	12" or 305mm						
Rolled Fretboard Edge?							
Number of Frets	22						
Fret Size	Medium Jumbo						
Fret Material	Nickel	Medium					
Bridge Test							
Type Of Bridge	String thru	Tune-O-Matic / String Thru					
Body Wood	Mahogany						
Top Wood	Maple	Flame Maple Veneer					
Finish Type	Gloss	Poly					

Michael Kelly Sam Ash 100th Anniversary Patrol		Geek Dive Average	Geek Dive Average	12/10/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Color	Trans cherry			
Guitar Weight				
Volume	500K			
Tone	500K			
Switch	5 way blade switch			
Bridge Pickup	P90		Rockfield	
Middle Pickup	P90		Rockfield	
Neck Pickup	P90		Rockfield	
Trus Rod Type	Dual Action			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		Brown fitted case	



# Guitar Score Card



Fender American Vintage II Jazzmaster		Geek Dive Average	Geek Dive Average	11/30/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA	Made in Fender California Factory		
Price used	\$2,729.00			
Neck Material	Maple	Gloss Nitrocellulose Lacquer		
Neck Finish	gloss	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	No			
Strings	10-46			
Action	1.50mm	2.00mm	0.079	
Intonation	Ok			
Fret End Test	5 out of 5			
Type Of Tuners	Vintage Style			
Nut Material	Bone	Metal		
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	1.650"			
Fretboard Material	Rosewood			
Inlay	White	Dots		
12th Fret Neck Width				
1st Fret Neck Thickness				
12th Fret Neck Thickness				
Neck Shape	1966 C	Maple		
Fretboard Radius	7.25"			
Rolled Fretboard Edge?	Yes			
Number of Frets	21			
Fret Material	Nickel	Vintage Tall		
Bridge Test	Ok			
Type Of Bridge	Jazzmaster trem	with threaded steel barrel saddles		
Body Wood	Alder			
Finish Type	Gloss	Nitro		
Color	Sherwood Green	Metalic		
Guitar Weight				
Volume	1 Volume			
Tone	two tone controls			

Fender American Vintage II Jazzmaster		Geek Dive Average	Geek Dive Average	11/30/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Switch	3 way toggle	2 way switch for lead / rhythm circuit		
Bridge Pickup	Pure Vintage 66	Jazzmaster Single Coil		
Neck Pickup	Pure Vintage 66	Jazzmaster Single Coil		
Trus Rod Type	Vintage Style			
Did The guitar need a Set up	NA	Guitar was Plek'd by Sweetwater		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Fender Case		
Link to video				



# Guitar Score Card



Ibanez Power Series 540PIII		Geek Dive Average	Geek Dive Average	10/15/2025				
Electric Guitar	Guitar Infomation	Millimeters	Inches					
Number Of Strings	6							
Country Of Origin	Japan							
Price used	1399.00	At the time of the video						
Neck Material	5 Piece	Maple / Walnut / Maple / Walnut / Maple						
Neck Finish	Semi gloss	Feels natural						
Neck Relief	0.008	.15mm	0.006					
Scale Length	25.5							
Neck Tilt	Yes							
Strings	9-42							
Action	2.25mm	2.00mm	0.079					
Intonation	Ok							
Fret End Test	3.5 out of 5							
Type Of Tuners	Gotoh							
Nut Material	Locking Nut	Metal						
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	43.mm							
Fretboard Material	Rosewood							
Inlay	White	Shark Teeth						
12th Fret Neck Width	53.39mm 2.101"							
1st Fret Neck Thickness	17.37mm 0.684"							
12th Fret Neck Thickness	19.68mm 0.775"							
Neck Shape	Super Wizard	Very thin feel						
Fretboard Radius	16.9"							
Rolled Fretboard Edge?	No							
Number of Frets	24							
Fret Material	Nickel	Jumbo (not jumbo wide)						
Fret Size	JUMBO							
Bridge Test	Great							
Type Of Bridge	Ibanez Edge Trem							
Body Wood	Basswood							
Finish Type	Gloss	Poly						
Color	Neon Purple							
Guitar Weight	6.50 LBS							

Ibanez Power Series 540PIII		Geek Dive Average	Geek Dive Average	10/15/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume	500K			
Switch	5 way blade			
Bridge Pickup	Humbucker	Ibanez V8 Humbucker		
Neck Pickup	Mini Humbucker	Ibanez Infinity R Single-coil		
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	Yes			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/l6wQxdbGojk">https://youtu.be/l6wQxdbGojk</a>		



# Guitar Score Card



PRS SE Heramn Li Chleo		Geek Dive Average	Geek Dive Average	10/7/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia	Built In PRS SE Cort Factory		
Price	\$1999.00			
Neck Material	Maple	3 piece		
Neck Finish	Satin	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5"			
Strings	9-46			
Action	1.25	2.00mm	0.079	
Intonation	Good			
Fret End Test	3.5 out of 5			
Type Of Tuners	PRS	NON locking		
Nut Material	Floyd Rose			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	44.30mm 1.744	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony			
Inlay	Dragons			
12th Fret Neck Width	53.54mm 2.108"			
1st Fret Neck Thickness	18.47mm 0.027"			
12th Fret Neck Thickness	21.6mm 0.829"			
Neck Shape	Feels like U	Same As Core Chleo		
Fretboard Radius	20"			
Rolled Fretboard Edge?	No			
Number of Frets	24			
Fret Material	Nickel	Medium Jumbo		
Bridge Test	Good			
Type Of Bridge	Floyd Rose 1000	Black Chrome		
Body Wood	Mahogany			
Finish Type	Satin	Poly		
Color	Pink	Comes in 3 colors		
Guitar Weight	6lbs			
Volume	25k			
Pickups	Fishman	Herman Li Signature set		
Trus Rod Type	Dual Acting			

PRS SE Heramn Li Chleo		Geek Dive Average	Geek Dive Average	10/7/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	Yes	Ground to bridge needed to be fixed		
Did it include a Case or got Bag	Yes	PRS SE Gig Bag		
Link to video		<a href="https://youtu.be/J0CwK_qkSgI">https://youtu.be/J0CwK_qkSgI</a>		



# Guitar Score Card



G&L Rampage 24		Geek Dive Average	Geek Dive Average	9/30/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA	Made in NOW CLOSED California G&L Factory		
Price	\$2299.00			
Neck Material	Maple			
Neck Finish	Semi gloss		Feels natural	
Neck Relief	0.009	.15mm	0.006	
Scale Length	25.5"			
Neck Tilt	None			
Strings	10-46		D Addario	
Action	1.75	2.00mm	0.079	
Intonation	Good		Needed adjustments	
Fret End Test	5 out of 5			
Type Of Tuners	Sperzel		Black	
Nut Material	Floyd Rose		Black locking nut	
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
				Low E, A .020
				D,G .018
				B Hi E .016
Nut Width	43mm 1.697"			
Fretboard Material	Maple			
Inlay	Black Dots			
12th Fret Neck Width	51.72mm 2.036"			
1st Fret Neck Thickness	20.18mm 0.794"			
12th Fret Neck Thickness	22.36mm 0.880"			
Neck Shape	Medium C		Extra Wide Super Slim C	
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes			
Number of Frets	24			
Fret Material	Nickel		Medium Jumbo	
Bridge Test	Good			
Type Of Bridge	Kahler			
Body Wood	Alder			
Finish Type	Gloss			
Color	Ivory			
Guitar Weight	7.5lbs			
Volume	500k			
Bridge Pickup	Humbucker		G&L AW4370	

G&L Rampage 24		Geek Dive Average	Geek Dive Average	9/30/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	Yes		Action was high	
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	Yes		Ground to bridge needed to be fixed	
Did it include a Case or got Bag	Yes		G&L Deluxe Gig bag	
Other	Yes		Certificate and spec sheet	
Link to video			<a href="https://youtu.be/7lihvkgNp4">https://youtu.be/7lihvkgNp4</a>	



# Guitar Score Card



Orangewood Clementine		Geek Dive Average	Geek Dive Average	9/21/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China	Made in Cort China Factory		
Price	\$1495.00			
Neck Material	Mahogany			
Neck Finish	Gloss	Ploy		
Neck Type	Set Neck			
Neck Relief	0.006	.15mm	0.006	
Scale Length	24.75"			
Neck Tilt	Yes			
Strings	10-46			
Action	1.25	2.00mm	0.079	
Intonation	Ok			
Fret End Test	5 out of 5			
Type Of Tuners	Gotoh	Roto-Grip Locking Tuners		
Nut Material	Plastic			
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	43mm			
Fretboard Material	Rosewood			
Inlay	Dots	White Dot		
12th Fret Neck Width	52.50mm or 2.067			
1st Fret Neck Thickness	21.37mm Or 0.841			
12th Fret Neck Thickness	23.60mm or 0.929			
Neck Shape	C			
Fretboard Radius	16"			
Rolled Fretboard Edge?	Yes	Slightly		
Number of Frets	22			
Fret Size	Medium Jumbo			
Fret Material	Nickel			
Bridge Test	Good			
Type Of Bridge	Tune-O-Matic			
Body Wood	Mahogany			
Top Wood	Maple			
Pickguard	Cream	additional black one included		

Orangewood Clementine		Geek Dive Average	Geek Dive Average	9/21/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Finish Type	Gloss	Ploy		
Color	Americano	Sunburst looking		
Guitar Weight	7.44 lbs or 3.3 75 kg			
Volume	500K			
Tone	500K			
Mini Switch	Coil Split			
Switch	3 Way Switch			
Bridge Pickup	Humcuker	Seymour Duncan Seth Lover		
Neck Pickup	Humucker	Seymour Duncan Seth Lover		
Trus Rod Type	Dual Action			
Trus Rod Allen Wrench Size	4mm			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Hardshell Case Included		
Link to video		<a href="https://youtu.be/nruwBWF0lv0">https://youtu.be/nruwBWF0lv0</a>		



# Guitar Score Card



Jet JS 400		Geek Dive Average	Geek Dive Average	9/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China	Not labeled by company so we had to research it		
Price	\$249.00	At the time of the video		
Neck Material	Roasted Maple			
Neck Finish	Semi gloss	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	None			
Strings	10-46			
Action	1.75mm	2.00mm	0.079	
Intonation	Ok	Needed adjustments		
Fret End Test	2.5 to 3			
Type Of Tuners	Generic	Basic Tuners		
Nut Material	Plastic			
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	42.46mm 1.671"			
Fretboard Material	Raosted Maple			
Inlay	Black Dots			
12th Fret Neck Width	52.19mm 2.054"			
1st Fret Neck Thickness	21.77mm 0.857"			
12th Fret Neck Thickness	22.87mm 0.900"			
Neck Shape	C	Feels Like a modern Fender neck		
Fretboard Radius	9.5			
Rolled Fretboard Edge?	No	It is not harsh		
Number of Frets	22			
Fret Material	Nickel	Medium		
Bridge Test	Good			
Type Of Bridge	2 point trem			
Body Wood	Basswood			
Finish Type	Gloss	Poly		
Color	Sea Foam Green			
Guitar Weight	6.97 lbs 3.160kg			
Volume	250K			
Tone	250k			

Jet JS 400		Geek Dive Average	Geek Dive Average	9/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Switch	5 way blade			
Bridge Pickup	Humbucker	7.22k Ceramic / Inductance 3.36		
Middle Pickup	Single	4.83k Ceramic / Inductance 2.70		
Neck Pickup	Single	4.64k Ceramic Inductance 2.71		
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/avjqGiwK3L0">https://youtu.be/avjqGiwK3L0</a>		



# Guitar Score Card



Otera		Geek Dive Average	Geek Dive Average	9/15/2025				
Electric Guitar	Guitar Infomation	Millimeters	Inches					
Number Of Strings	6							
Country Of Origin	Indonesia		Made in Cort factory					
Price	\$1299.00		Only 100 made					
Neck Material	Maple		3 piece quarter sawn					
Neck Finish	Semi gloss		Feels natural					
Neck Relief	0.008	.15mm	0.006					
Scale Length	25.5							
Neck Tilt	None							
Strings	10-46							
Action	2.25	2.00mm	0.079					
Intonation	Ok		Needed adjustments					
Fret End Test	4 out of 5							
Type Of Tuners	Generic		Kluson Style					
Nut Material	Tusq							
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	42.93mm 1.690"							
Fretboard Material	Rosewood							
Inlay	Mother Of Pearl Dots							
12th Fret Neck Width	51.96mm or 2.045"							
1st Fret Neck Thickness	21.91 or 0.862"							
12th Fret Neck Thickness	23.70mm or 0.933"							
Neck Shape	U		Feels like Fender Jeff Beck neck					
Fretboard Radius	12"							
Rolled Fretboard Edge?	No							
Number of Frets	21							
Fret Material	Nickel		Medium					
Type Of Bridge	Tele style		Brass Saddles					
Body Wood	Basswood							
Finish Type	Gloss		Poly					
Color	Green							
Guitar Weight	7.17 lbs 3.250kg							
Volume	500k		Alpha pot					
Tone	500k		Alpha Pot					
Switch	4 way blade							

Otera		Geek Dive Average	Geek Dive Average	9/15/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Bridge Pickup	Seymour Duncan	BG1400		
Neck Pickup	Seymour Duncan	Silencer P90		
Trus Rod Type	Dual Acting	Spoke wheel style		
Did The guitar need a Set up	Yes	Light adjustment		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe Gig Bag		
link to video		<a href="https://youtu.be/M_NuKZmhmbU">https://youtu.be/M_NuKZmhmbU</a>		



# Guitar Score Card



<b>Moonstone Vulcan 1978</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>	7/22/2025			
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>			
Number Of Strings	6						
Country Of Origin	USA						
Price used	\$3999.00	At the time of the video					
Neck Material	Maple / Walnut						
Neck Finish	Gloss	Nitro					
Neck Relief	0.006	.15mm	0.006				
Scale Length	25.5						
Neck Tilt	5 degrees						
Strings	10-46						
Action	1.50mm	2.00mm	0.079				
Intonation	Good						
Type Of Tuners	Gotoh	Gold non original					
Nut Material	Bone						
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016
Nut Width	43.89mm 1.728"						
Fretboard Material	Ebony	With Rosewood binding					
Inlay	Abalone						
12th Fret Neck Width	53.26mm 2.097"						
1st Fret Neck Thickness	19.69mm 0.775"						
12th Fret Neck Thickness	21.28mm 0.838"						
Neck Shape	U	Thin U feel					
Fretboard Radius	16						
Rolled Fretboard Edge?	Yes	but guitar is 47 years old					
Number of Frets	24						
Fret Material	Nickel	Jumbo wide jumbo tall					
Bridge Test	Good						
Type Of Bridge	One piece						
Body Wood	solid maple burl	One Piece					
Finish Type	Gloss	Nitro					
Color	Natural						
Guitar Weight	9.37 lbs 4.250kg						
Electronics	Bartolini						
Trus Rod Type	Single Acting						
Did The guitar need a Set up	No						

<b>Moonstone Vulcan 1978</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>	7/22/2025
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>	<b>Inches</b>	
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No	Originally when new had case		
link to video		<a href="https://youtu.be/kL1PzNtMuk4">https://youtu.be/kL1PzNtMuk4</a>		



# Guitar Score Card



Shijie LPV-8		Geek Dive Average	Geek Dive Average	7/28/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China			
Price NEW	\$1490.00		At the time of the video	
Neck Material	Mahogany			
Neck Finish	Gloss		Poly	
Neck Relief	0.008	.15mm	0.006	
Scale Length	24.75			
Neck Tilt	14 degrees			
Strings	10-46			
Action	1.75mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Kluson Style		Shijie Locking	
Nut Material	Bone			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
		Low E, A .020	D,G .018	B Hi E .016
Fret End Test	4.5 out of 5			
Nut Width	43.32mm 1.705"			
Fretboard Material	Rosewood			
Inlay	Mother of Pearl			
12th Fret Neck Width	52.60mm 2.071"			
1st Fret Neck Thickness	22.73mm 0.895"			
12th Fret Neck Thickness	23.94 0.981"			
Neck Shape	C		59 les Paul smaller C	
Fretboard Radius	12			
Rolled Fretboard Edge?	No		But nice to the touch	
Number of Frets	22			
Fret Material	Nickel		Medium Jumbo	
Bridge Test	Good			
Type Of Bridge	Tone Pro Style			
Body Wood	Mahogany			
Finish Type	Gloss		Poly	
Color	Gold Top			
Guitar Weight	10.05lbs 4.560 kg			
Bridge Pickup	Seymour Duncan 59			

Shijie LPV-8		Geek Dive Average	Geek Dive Average	7/28/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Neck Pickup	Seymour Duncan 59			
Bridge Resistance	8.46k			
Neck Resistance	7.39k			
Bridge Inductance	4.29			
Neck Inductance	3.59			
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Hard Shell case		
Link to video		<a href="https://youtu.be/dbHTO1trOlk">https://youtu.be/dbHTO1trOlk</a>		



# Guitar Score Card



<b>Martin D Jr E</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>	7/15/2025				
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>				
Number Of Strings	6							
Country Of Origin	Mexico							
Price New	\$699.00							
Neck Material	Select Hardwood	Means they can change when needed						
Neck Finish	Satin							
Neck Relief	0.008	.15mm	0.006					
Scale Length	24.9							
Strings	12-52							
Action	2.50mm	2.00mm	0.079					
Intonation	Good							
Type Of Tuners	Martin	Satin finish						
Nut Material	Corian							
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	44.53mm 1.753"							
Fretboard Material	Richlite	Looks like Ebony						
Inlay	Dots	Abalone						
12th Fret Neck Width	53.87mm 2.121"							
1st Fret Neck Thickness	21.26mm 0.837"							
9th Fret Neck Thickness	22.15mm 0.872"							
Neck Shape	C	PA Profile						
Fretboard Radius	16							
Rolled Fretboard Edge?	Yes	Select Hardwood						
Number of Frets	20							
Fret Material	Nickel	Medium Jumbo						
Fret End Test	4 out of 5							
Bridge Test	Good							
Type Of Bridge	Richlite	Tusq Saddle						
Saddle Radius	16							
Bridge Pins	Plastic							
Bridge String Spacing	2 5/32							
Body Wood	Solid Sapele	Back and sides						
Top Wood	Spruce	Solid top						
Finish Type	Satin							

Martin D Jr E		Geek Dive Average	Geek Dive Average	7/15/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Brace System	Scalloped X-Brace			
Color	Natural			
Guitar Weight	4.90 lbs			
Electronics	Martin E System		Built in Tuner	
Trus Rod Type	double acting			
Did The guitar need a Set up	No		Need bridge saddle lowered	
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		Martin Gig Bag	
Link to video		<a href="https://youtu.be/7rigeyOorPk">https://youtu.be/7rigeyOorPk</a>		



# Guitar Score Card



PRS SE NF53		Geek Dive Average	Geek Dive Average	7/8/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia	Made In PRS SE Cort Factory		
Price Average used	\$979.00			
Neck Material	Maple	Flat sawn		
Neck Finish	Satin			
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5			
Strings	10-46			
Action	2.25mm	2.00mm	0.079	
Intonation	Ok			
Type Of Tuners	PRS	Kluson Style with PRS wing buttons		
Nut Material	Tusq like			
Nut Slots	Ok	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	41.59mm 1.637"			
Fretboard Material	Maple			
Inlay	Birds	Abalone		
12th Fret Neck Width	51.49mm 2.027"			
1st Fret Neck Thickness	22.23mm 0.878"			
12th Fret Neck Thickness	25.65mm 1.010"			
Neck Shape	C	Feels like 50s Tele		
Fretboard Radius	10			
Rolled Fretboard Edge?	Yes	Nicely rolled		
Number of Frets	22			
Fret Material	Nickel	Medium Jumbo		
Fret End Test	3 out of 5			
Bridge Test	Good			
Type Of Bridge	PRS Style	Tele vibe like bridge		
Body Wood	Ash	3 piece		
Finish Type	Gloss	Poly		
Color	Dog Hair			
Guitar Weight	7.90lbs 3.858kg			
Volume Control	500k			
Tone Control	500k			

PRS SE NF53		Geek Dive Average	Geek Dive Average	7/8/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Treble Bleed	No			
Switch	3 way		Blade style	
Wiring	Good			
Shielded Cavity	Yes		Pint and Copper tape	
Bridge Pickup	PRS Narrowfield DD "s"		Treble	
Neck Pickup	PRS Narrowfield DD "s"		Bass	
Bridge Resistance	8.93			
Neck Resistance	8.07			
Bridge Inductance	5.63			
Neck Inductance	4.75			
Trus Rod Type	double acting			
Did The guitar need a Set up	No		Need bridge saddle lowered	
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		PRS Gig Bag	



# Guitar Score Card



<b>Silvertone 1448</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>	6/30/2025				
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>				
Number Of Strings	6							
Country Of Origin	USA							
Price Average used	\$67.95	Now they go used for \$400 to \$1000						
Neck Material	Maple							
Neck Finish	Gloss	Nitro						
Neck Relief	0.008	.15mm	0.006					
Scale Length	23.5"							
Strings	10-46							
Action	2.50mm	2.00mm	0.079					
Intonation	Ok							
Type Of Tuners	Silvertone	They are not great						
Nut Material	Aluminum							
Nut Slots	Ok	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	44.20mm 1.740"							
Fretboard Material	Rosewood							
Inlay	Dots	Clay dots						
12th Fret Neck Width	53.51mm 2.106"							
1st Fret Neck Thickness	23.07mm 0.908"							
9th Fret Neck Thickness	20.98mm 0.826"							
Neck Shape	C	Feels like a thin Martin Neck						
Fretboard Radius	20							
Rolled Fretboard Edge?	Kinda	Not originally but well played yess						
Number of Frets	18							
Fret Material	Nickel							
Fret End Test	NA							
Bridge Test	Good							
Type Of Bridge	Silvertone							
Body Wood	Masonite							
Top Wood	Masonite							
Finish Type	Gloss Ish	Nitro						
Color	Black	with sparkles						
Guitar Weight	5.20 lbs 3.200kg							
Volume Control	250k							

<b>Silvertone 1448</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>	6/30/2025
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>	<b>Inches</b>	
Tone Control	250k			
Treble Bleed	No			
Switch	None			
Wiring	Good			
Shielded Cavity	Yes		Copper tape	
Pickup	Lipstick		Danelectro	
Trus Rod Type	NONE			
Did The guitar need a Set up	Yes			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		Case with Tube amp	



# Guitar Score Card



PRS Chleo		Geek Dive Average	Geek Dive Average	6/24/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Maryland USA	ONLY 200 MADE		
Price	\$6900.00			
Neck Material	Maple	Quarter Sawn		
Neck Finish	Satin	Nitro		
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	9-42			
Action	1.75mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	PRS Locking Phase III			
Nut Material	Locking Gold			
Nut Slots	Perfect	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	44.30mm 1.744			
Fretboard Material	Ebony			
Inlay	Dragons			
12th Fret Neck Width	53.54mm 2.108"			
1st Fret Neck Thickness	18.47mm 0.027"			
9th Fret Neck Thickness	21.6mm 0.829"			
Neck Shape	Feels like U			
Fretboard Radius	20			
Rolled Fretboard Edge?	Light	it doesn't feel harsh or sharp on edge		
Number of Frets	24			
Fret Material	Nickel	Jumbo		
Fret End Test	5 out of 5			
Bridge Test	Good			
Type Of Bridge	Gotoh	GE1996T		
Body Wood	Mahogany			
Top Wood	Flame Maple			
Finish Type	Satin	Nitro		
Color	Charcal Purple Burst			
Guitar Weight	7.0lbs 3.175kg			
Volume Control	25k	Push/pull coil split		

PRS Chleo		Geek Dive Average	Geek Dive Average	6/24/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Tone Control	25k		Push/pull coil split	
Treble Bleed	No			
Switch	5 way			
Wiring	Good			
Shielded Cavity	Yes			
Bridge Pickup	Fishman		Herman Li Model	
Middle Pickup	Fishman		Herman Li Model	
Neck Pickup	Fishman		Herman Li Model	
Trus Rod Wrench Size				
Trus Rod Type	Dual Action		with carbon rods	
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		PRS Molded Case	



# Guitar Score Card



Parker PM20		Geek Dive Average	Geek Dive Average	6/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	South Korea	Some later on where made in Indonesia		
Price Average used	\$600.00	Depends on condition in used market		
Neck Material	Mahogany	Flat Sawn		
Neck Finish	Gloss	Poly		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	10-46			
Action	2.00mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Grover Mini	Grover Mini 18:1 Six inline die cast		
Nut Material	Graphite			
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	41.98mm 1.653"			
Fretboard Material	Ebony			
Inlay Material	None			
12th Fret Neck Width	52.36mm 2.061"			
1st Fret Neck Thickness	21.16mm 0.833"			
9th Fret Neck Thickness	24.44mm 0.962"			
Neck Shape	C			
Fretboard Radius	12			
Rolled Fretboard Edge?	No	Not sharp or harsh		
Number of Frets	22			
Fret Material	Nickel			
Fret End Test	NA			
Bridge Test	Good			
Type Of Bridge	Hardail	String thru body		
Body Wood	Mahogany			
Finish Type	Gloss	Poly		
Color	Natural			
Guitar Weight	6.26lbs 2.840kg			
Volume Control	500K	Push/pull coil split		
Tone Control	500K	Push/pull coil split		

Parker PM20		Geek Dive Average	Geek Dive Average	6/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Treble Bleed	No			
Switch	3 way			
Wiring	Good			
Shielded Cavity	Yes			
Bridge Pickup	Parker			
Neck Pickup	Parker			
Bridge Resistance	14.31k			
Neck Resistance	7.90k			
Bridge Inductance	7.52			
Neck Inductance	2.94			
Trus Rod Wrench Size	4mm			
Trus Rod Type	Dual Action			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Gig bag was included when guitar was new		



# Guitar Score Card



Artist AT53 Relic		Geek Dive Average	Geek Dive Average	6/5/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China			
Price (On video launch date)	469.00	Depends on condition in used market		
Neck Material	Roasted Maple	Quarter Sawn		
Neck Finish	Satin	Poly		
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	10-46			
Action	2.00mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Locking	Six inline die cast		
Nut Material	Bone			
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	42.15mm 1.659"			
Fretboard Material	Rosewood			
Inlay Material	Abalone			
12th Fret Neck Width	52.34mm 2.060"			
1st Fret Neck Thickness	21.66m 0.853"			
9th Fret Neck Thickness	22.19mm 0.873"			
Neck Shape	C	feels like a slight U		
Fretboard Radius	16			
Rolled Fretboard Edge?	Yes	Very lightly		
Number of Frets	22			
Fret Material	Stainless Steel			
Fret End Test	4.5 out of 5	Very good		
Bridge Test	Good			
Type Of Bridge Saddle	Brass			
Body Wood	Paulownia			
Finish Type	Satin	Says Nitro feels and looks poly		
Color	Yellow	Looks like mustard		
Guitar Weight	6.32lbs 2.865kg			
Volume Control	250k	Alpha		
Tone Control	250k	Alpha with 0.047uf capacitor		

Artist AT53 Relic		Geek Dive Average	Geek Dive Average	6/5/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Treble Bleed	Yes			
Switch	3 way		Alpha PCB	
Wiring	Good			
Shielded Cavity	Yes		Copper Foil	
Bridge Pickup	Laohao		Hand Made Alnico V	
Neck Pickup	Laohao		Hand Made Alnico V	
Bridge Resistance	11.39k			
Neck Resistance	9.54k			
Bridge Inductance	3.58			
Neck Inductance	2.65			
Trus Rod Wrench Size	4mm			
Trus Rod Type	Dual Action			
Bridge wrench size	1.5mm			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No		Included Strap locks and cable	



# Guitar Score Card



Kiesel Kyber		Geek Dive Average	Geek Dive Average	6/1/2025				
Electric Guitar	Guitar Infomation	Millimeters	Inches					
Number Of Strings	6							
Country Of Origin	USA		Made in California					
Price (On video launch date)	\$1599.00		Base Price as tested \$2200					
Neck Material	Roasted Maple		One Piece Quarter Sawn					
Neck Finish	Natural							
Neck Relief	0.008	.15mm	0.006					
Scale Length	25.5 650mm							
Strings	10-46							
Action	1.75mm	2.00mm	0.079					
Intonation	Good							
Type Of Tuners	Locking		Kiesel Locking					
Nut Material	Graphtech							
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	42.44mm 1.671"							
Fretboard Material	Maple							
Inlay Material	Abalone		Dots					
12th Fret Neck Width	51.66m 2.034"							
1st Fret Neck Thickness	19.15mm 0.754"							
12th Fret Neck Thickness	21.44mm 0.844"							
Neck Shape	C							
Fretboard Radius	14"							
Rolled Fretboard Edge?	No		But no hard edge					
Number of Frets	S4							
Fret Material	Stainless		Medium Jumbo					
Fret Width	.103"							
Fret Height	.048"							
Fret End Test	Good		5 out of 5					
Bridge Test	Good							
Type Of Bridge	Hipshot		tremolo					
Allen Wrench size for bridge	0.05"							
Body Wood	Alder							
Finish Type	Satin		Poly					
Color	Green		Tropical					

Kiesel Kyber		Geek Dive Average	Geek Dive Average	6/1/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Guitar Weight	6.2 lbs			
Volume Control	500k		With Treble Bleed	
Wiring	good			
Shielded Cavity	Yes		Copper Tape	
Bridge Pickup	Humbucker			
Neck Pickup	Humbucker			
Trus Rod Type	Dual Action			
Trus Rode Size	4mm			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		Deluxe Kiesel Gig Bag	



# Guitar Score Card



Firefly FFTL		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China			
Price (On video launch date)	\$229.99			
Neck Material	Roasted Maple Maple		One Piece	
Neck Finish	Satin			
Neck Relief	0.002	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	9 to 42			
Action	2.00mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Locking		6 in line	
Nut Material	Bone		Stained red	
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.5mm 1.655"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood			
Inlay Material	Abalone		Dots	
12th Fret Neck Width	52.35mm 2.060"			
1st Fret Neck Thickness	21.22mm 0.835"			
12th Fret Neck Thickness	22.14mm 0.801"			
Neck Shape	C			
Fretboard Radius	Compound		9.5" to 12"	
Rolled Fretboard Edge?	Yes			
Number of Frets	22			
Fret Material	Stainless		Medium Jumbo	
Fret Width	2.64mm 0.104"			
Fret Height	1.20mm 0.047"			
Fret End Test	Great		5 out of 5	
Bridge Test	Good			
Type Of Bridge	Hard Tail			
Allen Wrench size for bridge	1.5mm			
Body Wood	Roasted mahogany			
Finish Type	Gloss		Poly	
Color	White			

Firefly FFTL		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Guitar Weight	8.08lbs 3.665kg			
Volume Control	500k			
Kill Switch	yes it does			
Wiring	good			
Shielded Cavity	Yes	Not done very well		
Bridge Pickup	Humbucker	Alnico 5		
Neck Pickup	Humbucker	Alnico 5		
Bridge Resistance	14.66k			
Neck Resistance	8.86k			
Trus Rod Type	Dual Action	Spoke wheel		
Trus Rode Size	NA			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			



# Guitar Score Card



BC Rich Gunslinger Retro II		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Infomation	Millimeters	Inches
Number Of Strings	6		
Country Of Origin	India		
Price (On video launch date)	\$899.00		
Neck Material	Maple	Two Piece Flat Sawn	
Neck Finish	Satin	Poly	
Neck Relief	0.002	.15mm	0.006
Scale Length	25.5 650mm		
Strings	9 to 42		
Action	3.00mm	2.00mm	0.079
Intonation	Good		
Type Of Tuners	Locking	Grover 18:1 Locking	
Nut Material	Floyd		
Nut Allen Wrench size	3mm		
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016
Nut Width	43.03mm 1.694"		
Fretboard Material	Maple		
Inlay Material	Black	Dots	
12th Fret Neck Width	52.99mm 2.086"		
1st Fret Neck Thickness	21.14mm 0.832"		
12th Fret Neck Thickness	23.27mm 0.916"		
Neck Shape	C		
Fretboard Radius	14"		
Rolled Fretboard Edge?	Yes		
Number of Frets	22		
Fret Material	Nickel silver	Jumbo	
Fret Width	2.82mm 0.111"		
Fret Height	1.44mm 0.056"		
Fret End Test	Bad	1 out of 5	
Bridge Test	Good		
Type Of Bridge	Floyd Rose	1000 Bridge	
Allen Wrench size for bridge	2.5mm		
Body Wood	Alder		
Finish Type	Gloss	Poly	
Color	White		

BC Rich Gunslinger Retro II		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Guitar Weight	7.68lbs 3.485kg			
Volume Control	500k			
Wiring	good			
Shielded Cavity	Yes		on bottom	
Bridge Pickup	Seymour Duncan		TB-6	
Bridge Resistance	17.10k			
Bridge Inductance	6.04			
Trus Rod Type	Dual Action			
Trus Rode Size	4mm			
Did The guitar need a Set up	YES			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	Yes			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			



# Guitar Score Card



Fender American Pro Sandblasted Tele		Geek Dive Average	Geek Dive Average					
Electric Guitar	Guitar Infomation	Millimeters	Inches					
Number Of Strings	6							
Country Of Origin	USA		California					
Price (On video launch date)	\$1,999.00							
Neck Material	Roasted Maple		One Piece Flat Sawn					
Neck Finish	Satin		Poly					
Neck Relief	0.008	.15mm	0.006					
Scale Length	25.5 650mm							
Strings	9 to 42							
Action	1.75	2.00mm	0.079					
Intonation	Good							
Type Of Tuners	Locking		Fender Six inline Black					
Nut Material	Bone							
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	43.18 1.700							
Fretboard Material	Roasted Maple							
Inlay Material	Black							
12th Fret Neck Width	51.71mm 2.036							
1st Fret Neck Thickness	21.42mm 0.843							
9th Fret Neck Thickness	22.53mm 0.887							
Neck Shape	C							
Fretboard Radius	9.5							
Rolled Fretboard Edge?	Yes							
Number of Frets	22							
Fret Material	Nickel silver							
Fret End Test	Good							
Bridge Test	Good							
Type Of Bridge	Hardtail		Black					
Body Wood	Ash		Chambered Sandblasted					
Finish Type	Satin		Poly					
Color	Aged Natural		Butter Scotch kinda					
Guitar Weight	6.65 lbs 2.975kg							
Volume Control	500k							
Tone Control	500k							

Fender American Pro Sandblasted Tele		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Switch	3 way blade			
Wiring	good			
Shielded Cavity	None			
Bridge Pickup	Seymour Duncan		JB	
Neck Pickup	Seymour Duncan		59	
Bridge Resistance	16.87k			
Neck Resistance	7.37k			
Bridge Inductance	6.69			
Neck Inductance	4.24			
Trus Rod Type	Dual Action			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			



# Guitar Score Card



<b>Peavey T15 A.K.A Mississippi Mustang</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>				
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>			
Number Of Strings	6						
Country Of Origin	USA		Mississippi				
Price (On video launch date)	\$350 to \$650	Depends on condition in used market					
Price NEW	\$250.00						
Neck Material	Maple	2 Piece					
Neck Finish	Gloss	Nitro					
Neck Relief	0.008	.15mm		0.006			
Scale Length	23.5						
Strings	10-46						
Action	2.00	2.00mm		0.079			
Intonation	Ok						
Type Of Tuners	Kluson Style	Six inline					
Nut Material	Aluminum						
Nut Slots	Ok	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016
Nut Width	43.10 mm 1.697"						
Fretboard Material	Maple						
Inlay Material	Black dots						
12th Fret Neck Width	49.86mm 1.963"						
1st Fret Neck Thickness	18.89mm 0.747						
12th Fret Neck Thickness	20.02mm 0.795						
Neck Shape	Small C						
Fretboard Radius	12"						
Rolled Fretboard Edge?	No						
Number of Frets	20 Medium Jumbo						
Fret Material	Nickel Silver						
Type Of Bridge Saddle	Die Cast	One piece molded					
Body Wood	Maple	6 Piece					
Finish Type	Satin	Nitro					
Color	Burst						
Guitar Weight	6.89 lbs 3.125kg						
Volume Control	250k	With treble bleed					
Tone Control	250K						
Switch	3 way						

Peavey T15 A.K.A Mississippi Mustang		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Wiring	Ok	Could be better		
Bridge Pickup	Single Coil	Super Ferrite Pickup with Ceramic Magnet		
Neck Pickup	Single Coil	Super Ferrite Pickup with Ceramic Magnet		
Bridge Resistance	5.61k			
Bridge Inductance	5.79k			
Neck Inductance	3.55			
Trus Rod Wrench Size	3.53			
Trus Rod Type	Single Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Case	Some have a built in amp in the case		



# Guitar Score Card



<b>Taylor Studio 414CE Sunset</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>	
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>
Number Of Strings	6			
Country Of Origin	USA			
Price (On video launch date)	\$2499.00			
Neck Material	Mahogany			
Neck Finish	Satin			
Neck Relief	0.008	.15mm		0.006
Scale Length	25.5"			
Strings	12-52			
Action	2.75mm	2.00mm		0.079
Intonation	Good			
Type Of Tuners	Taylor Gold			
Nut Material	NuBone			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.8 mm 1 11/16"			
Fretboard Material	Ebony			
Inlay Material	Acrylic			
12th Fret Neck Width	52.56mm 2.069			
1st Fret Neck Thickness	21.61mm 0.851			
9th Fret Neck Thickness	22.71mm 0.894			
Neck Shape	Standard Taylor Profile			
Fretboard Radius	15"			
Rolled Fretboard Edge?	No			
Number of Frets	20			
Fret Material	Nickel Silver			
Dead Frets?	No			
Fret Polish Job	Good			
Fret End Test	4 out of 5			
Bridge Test	Good			
Type Of Bridge Saddle	Micarta	With a Ebony Bridge		
Wood Top	Torrefied Sitka Spruce	Solid top		
Body Wood	Indian Rosewood	Solid Back and sides		
Brace Pattern	V-class			
Finish Type	Satin			

Taylor Studio 414CE Sunset		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Color	Sunset Burst			
Guitar Weight	4.62 lbs			
Electronics	Expression System 2		Volume, Bass, treble	
Wiring	Good		Clean Looking	
Trus Rod Wrench Size	4mm			
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Gig Bag		Hard Deluxe Style	



# Guitar Score Card



<b>Eastman Fullertone DC'62</b>		<b>Geek Dive Average</b>	<b>Geek Dive Average</b>				
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>			
Number Of Strings	6						
Country Of Origin	China						
Price (On video launch date)	\$939.00						
Neck Material	Roasted Maple						
Neck Finish	True Tone						
Neck Relief	0.002	.15mm		0.006			
Scale Length	25.5"						
Strings	10-46	D Addario NYXL					
Action	1.75	2.00mm		0.079			
Intonation	Good						
Type Of Tuners	Kluson Style						
Nut Material	Bone						
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016
Nut Width	42.87mm 1.688						
Fretboard Material	Rosewood						
Inlay Material	Pearl Dots						
12th Fret Neck Width	52.49mm 2.066						
1st Fret Neck Thickness	22.16mm 0.872						
12th Fret Neck Thickness	25.68mm 1.011						
Neck Shape	Medium Round	Feels like 50s Strat Style					
Fretboard Radius	12"						
Rolled Fretboard Edge?	Yes						
Number of Frets	24						
Fret Material	Nickel	Jester FW47104-P					
Fret Width	0.104						
Fret Height	0.047						
Dead Frets?	No						
Fret Polish Job	Good						
Fret End Test	5 out of 5						
Bridge Test	Bad	Some players May want screws cut or replace					
Type Of Bridge	Brass Block Tremolo						
Body Wood	Roasted Black Limba						
Solid, Hollow, Semi Hollow, Weight Relief	Solid						

Eastman Fullertone DC'62		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Infomation	Millimeters	Inches
Finish Type	Satin		
Color	Desert Sand		
Guitar Weight	7.3lbs 3.330kg		
Bridge Pickup	Tone Rider SBH-B-GF Soapbar		
Middle Pickup	ToneRider SQ1-WH Single Coil		
Neck Pickup	ToneRider SQ1-WH Single Coil		
Bridge Pickup Resistance	7.74k		
Middle Pickup Resistance	7.73k		
Neck Pickup Resistance	7.70k		
Bridge Pickup Inductance	3.93		
Middle Pickup Resistance	2.72		
Neck Pickup Inductance	2.78		
Wiring	Good	Clean Looking	
Switch	5 Way Blade Switch		
Volume Pot Value	250K	CTS Full Size	
Tone Pot Value	250K	CTS Full Size	
Tone Pot Cap	0.022uf	Orange Drop	
Treble Bleed	No		
Shielding In the cavity? Type	No		
Trus Rod Wrench Size	4mm		
Trus Rod Type	Dual Acting		
Bridge Saddle Wrench Size	0.09		
Did The guitar need a Set up	No		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	Gig Bag	Deluxe Style	



# Guitar Score Card



Journey OF660BP		Geek Dive Average	Geek Dive Average					
Electric Guitar	Guitar Infomation	Millimeters	Inches					
Number Of Strings	6			NA				
Country Of Origin	Unkown			NA				
Price (On video launch date)	1399.99			NA				
Neck Material	Carbon Fiber			NA				
Neck Finish	Gloss Polyurethane			NA				
Neck Relief	0.008	.20mm	0.008					
Scale Length	24.50 (622.3mm)			NA				
Guitar overall length	35.5 (92cm)			NA				
Strings	12 - 53	No brand of string mentioned		NA				
Action	2.75	2.00mm	0.079					
Intonation	Great			Great				
Type Of Tuners	Grover 18:1	Chrome Locking		NA				
Nut Material	Bone	Bone		NA				
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Good
Nut Width	44.5mm							NA
Fretboard Material	Carbon Fiber							NA
Inlay Material	MOP							NA
12th Fret Neck Width	2.2in (56mm)							NA
1st Fret Neck Thickness	0.86in (21.8mm)							NA
9th Fret Neck Thickness	0.96in (24.5mm)							NA
String Spacing At Bridge	56.6mm							
Neck Shape	Thin D							NA
Fretboard Radius	16in							NA
Rolled Fretboard Edge?	no							NA
Number of Frets	20							NA
Fret Material	Nickel	Non Through Fret Slot Deluxe						NA
Fret Width								NA
Fret Height								NA
Dead Frets?	No							Great
Fret Size conclusion	Medium Jumbo							NA
Fret Polish Job	Good							Good
Fret End Test	5 out 5							
Guitar Top	Carbon Fiber							

Journey OF660BP		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Back and Sides	Fiberglass Reinforced Carbon Fiber			
type Of bracing	NA			
Bridge Test	Great			Great
Type Of Bridge Saddle	Bone			NA
Type Of Bridge	Carbon Fiber			
Type Of Bridge pins	Plastic			
Solid, Hollow, Semi Hollow, Weight Relief	Acoustic			NA
Guitar Body Length	18in (45.7cm)			
Guitar Body width	12.5in (31.8cm)			NA
Guitar Body thickness	4.64in (11.8cm)			NA
Finish Type	Gloss Polyurethane			NA
Color	Flip Flop Blue to Purple			NA
Guitar Weight	4.6lbs (2.1kg)			NA
Electronics	Passive	Under Saddle Type		NA
Type Of Power	None			NA
Controls	None			NA
Truss Rod Type	Dual Action			NA
Truss Rod Wrench Size	4mm			NA
Did The guitar need a Set up	No			NA
Did the guitar need major fret work?	No			NA
Did the guitar need minor fret work	No			NA
Did the guitar need electronics work	No			NA
Did it include a Case or got Bag	Yes	Deluxe gig bag		NA



# Guitar Score Card



D'Angelico Premier Mini DC		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia			
Price (On video launch date)	\$899.99			
Neck Material	Maple			
Neck Finish	Poly			
Neck Relief	0.005	.15mm	0.006	
Scale Length	25"			
Strings	10-46	D'Angelico		
Action	1.75	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Grover	Grover 109 Super Rotomatic		
Nut Material	Graphtech	NuBone XL		
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.55mm 1.675	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Pau Ferro			
Inlay Material	White pearl			
12th Fret Neck Width	51.78mm 2.038			
1st Fret Neck Thickness	18.90mm 0.748			
12th Fret Neck Thickness	21.79mm 0.858			
Neck Shape	Flat U Shape	Says its a C Shape		
Fretboard Radius	14"			
Rolled Fretboard Edge?	Yes			
Number of Frets	22			
Fret Material	Nickel			
Fret Width	2.72mm or 0.107			
Fret Height	0.96mm or .038			
Dead Frets?	No			
Fret Polish Job	Good			
Fret End Test	4 out of 5			
Bridge Test	Good			
Type Of Bridge	Tune-O-Matic			
Body Wood Back and sides	Laminated Maple			
Top Wood	Spruce Veneer			

D'Angelico Premier Mini DC		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Solid, Hollow, Semi Hollow, Weight Relief	Semi Hollow			
Finish Type	Poly			
Color	Brown Burst			
Guitar Weight	6.78lbs 3.075kg			
Bridge Pickup	Supro Bolt Bucker A2			
Neck Pickup	Supro Bolt Bucker A5			
Bridge Pickup Resistance	7.82k			
Bridge Pickup Inductance	4.33			
Neck Pickup Resistance	7.63k			
Neck Pickup Inductance	4.29			
Wiring	Good	Clean Looking		
Switch	3 Way Toggle			
Volume Pot Value	500K	Two Pots		
Tone Pot Value	500K	Two Pots		
Tone Pot Cap	0.022uf			
Treble Bleed	No			
Shielding In the cavity? Type	Yes			
Trus Rod Wrench Size	4mm			
Bridge Saddle Wrench Size	Phillips head screw			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Gig Bag	Deluxe Style D'Angelico		



# Guitar Score Card



Epiphone Les Paul Special TV Yellow		Geek Dive Average	Geek Dive Average					
Electric Guitar	Guitar Infomation	Millimeters		Inches				
Number Of Strings	6							
Country Of Origin	China							
Price (On video launch date)	\$499.99							
Neck Material	Mahogany	One Piece						
Neck Finish	Poly	Feels unfinished						
Neck Relief	0.008	.15mm	0.006					
Scale Length	24.75"							
Strings	10-46	No brand of string mentioned						
Action	2.25	2.00mm	0.079					
Intonation	Yes	Was good with no real issues						
Type Of Tuners	Vintage Style	Kluson looking branded Epiphone						
Nut Material	GraphTech							
Nut Slots	Not Horrible	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	42.82mm 1.686"							
Fretboard Material	Indian Laurel							
Inlay Material	Pearled Dots							
12th Fret Neck Width	53.51mm 2.016"							
1st Fret Neck Thickness	22.86mm 0.872"							
12th Fret Neck Thickness	25.22 or 0.992"							
Neck Shape	Vintage?							
Fretboard Radius	12" or 305mm							
Rolled Fretboard Edge?	No	Feels nice but not rolled very much						
Number of Frets	22							
Fret Material	Nickel							
Fret Width	2.33mm .091							
Fret Height	1.29mm .051							
Dead Frets?	No							
Fret Polish Job	Good							
Fret End Test	3.5 out of 5							
Bridge Test	Good							
Type Of Bridge	Wrap Around Bridge							
Body Wood	Mahogany							
Solid, Hollow, Semi Hollow, Weight Relief	Solid							

Epiphone Les Paul Special TV Yellow		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Finish Type	Poly			
Color	TV Yellow			
Guitar Weight	7.62lbs 3.455kg			
Bridge Pickup	P-90 Pro Soap Bar Single Coil			
Neck Pickup	P-90 Pro Soap Bar Single Coil			
Bridge Pickup Resistance	7.75k			
Bridge Pickup Inductance	6.13			
Neck Pickup Resistance	7.74k			
Neck Pickup Inductance	6.14			
Wiring	Good			
Switch	3 Way Toggle			
Volume Pot Value	500K	Two Pots		
Tone Pot Value	500K	Two Pots		
Tone Pot Cap	0.022uf			
Treble Bleed	No			
Shielding In the cavity? Type	Yes			
Trus Rod Wrench Size	4mm			
Bridge Saddle Wrench Size	1.5mm			
Did The guitar need a Set up	Yes	Bridge needed to be lowered		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			



# Guitar Score Card



Bromo BAR 5CE Video 2/19/25		Geek Dive Average	Geek Dive Average					
Electric Guitar	Guitar Infomation	Millimeters	Inches					
Number Of Strings	6			NA				
Country Of Origin	Indonesia			NA				
Price (On video launch date)	\$519.95			NA				
Neck Material	Mahogany with Ebony Strips			NA				
Neck Finish	Satin Poly			NA				
Neck Relief	0.008	.20mm	0.008					
Scale Length	25.50 or 648mm			NA				
Guitar overall length	39 3/8" Or 1000mm			NA				
Strings	12 - 52	No brand of string mentioned		NA				
Action	2.25mm	2.00mm	0.079					
Intonation	Good			Good				
Type Of Tuners	Deluxe Bromo	Black Grover Style		NA				
Nut Material	Nubone	Graph Tech Nubone XB		NA				
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Good
Nut Width	41.98mm or 1.653							NA
Fretboard Material	Amara Ebony							NA
Inlay Material	Abalone							NA
12th Fret Neck Width	52.31 or 2.059							NA
1st Fret Neck Thickness	22.35mm or 0.880							NA
9th Fret Neck Thickness	22.94mm or 0.903							NA
Sound Hole Size	3 5/8" or 92.5mm							
String Spacing At Bridge	7/16" overall 2 1/8"							
Neck Shape	C							NA
Fretboard Radius	15 3/4" or 400mm							NA
Rolled Fretboard Edge?	no							NA
Number of Frets	20							NA
Fret Material	Nickel	Non Through Fret Slot Deluxe						NA
Fret Width	2.43mm or .096							NA
Fret Height	1.24mm or .049							NA
Dead Frets?	No							Great
Fret Size conclusion	Medium Jumbo							NA
Fret Polish Job	Ok							Ok
Fret End Test	3 out of 5	Most players would want them polished						Ok

Bromo BAR 5CE Video 2/19/25		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Infomation	Millimeters	Inches
Guitar Top	Solid Sitka Spruce		
Back and Sides	Solid Amara Ebony		
type Of bracing	Tone Flow		
Bridge Test	Great		Great
Type Of Bridge Saddle	Nubone	Graph Tech Nubone XB	NA
Type Of Bridge	Eagle Wing	Amara Ebony	
Type Of Bridge pins	Ebony		
Solid, Hollow, Semi Hollow, Weight Relief	Acoustic		NA
Guitar Body Length	18 3/32" or 460mm		
Guitar Body width	14 9/16" or 370mm		NA
Guitar Body thickness	4 13/32" or 112mm		NA
Finish Type	Poly Satin	Feels like no finish	NA
Color	Natural		NA
Guitar Weight	4.53lbs or 72.5 oz or 2.055kg		NA
Electronics	Fishman Sonitone	Under Saddle Type	NA
Type Of Power	9v	Included	NA
Controls	Volume and Tone	Under Sound Hole	NA
Truss Rod Type	Dual Action		NA
Truss Rod Wrench Size	4mm	Extra long to fit recessed truss rod	NA
Did The guitar need a Set up	Yes	needed neck relief	NA
Did the guitar need major fret work?	No		NA
Did the guitar need minor fret work	Yes	Fret Sprout work	NA
Did the guitar need electronics work	No		NA
Did it include a Case or got Bag	Yes	12mm thick sponge padding Water resistant fabric	NA



# Guitar Score Card



Ibanez Standard AZ24S1F Video Feb 13 2025		Geek Dive Average		Geek Dive Average				
Electric Guitar	Guitar Infomation	Millimeters		Inches				
Number Of Strings	6				NA			
Country Of Origin	China				NA			
Price (On video launch date)	\$549.99 usd				NA			
Neck Material	Roasted Maple	One Piece			NA			
Neck Finish	Satin Polyurethane	Feels unfinished			NA			
Neck Relief	0.008	.15mm		0.006	Not Horrible			
Scale Length	25.5" or 648mm				NA			
Guitar overall length	38 in or 965mm				NA			
Strings	10-46	No brand of string mentioned			NA			
Action	2.25mm	2.00mm		0.079	Not Horrible			
Intonation	Good				Good			
Type Of Tuners	Ibanez Locking	Chrome			NA			
Nut Material	Plastic	looks like TusQ			NA			
Nut Slots	Not Horrible	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Not Horrible
Nut Width	42.54 or 1.675							NA
Fretboard Material	Jatoba							NA
Inlay Material	Mother Of Pearl							NA
12th Fret Neck Width	52.52mm or 2.067							NA
1st Fret Neck Thickness	19.97mm or 0.794							NA
12th Fret Neck Thickness	22.14mm or 0.873							NA
Neck Shape	Soft C To U Shape							NA
Fretboard Radius	12" or 305mm							NA
Rolled Fretboard Edge?	Yes, slight							NA
Number of Frets	24							NA
Fret Material	Stainless Steel							NA
Fret Width	2.81mm or .110							NA
Fret Height	1.47mm or .058							NA
Dead Frets?	No							Good
Fret Size conclusion	Jumbo							NA
Fret Polish Job	Bad							Bad
Fret End Test	4 out of 5							Good
Bridge Test	5 out of 5							Great
Type Of Bridge	Ibanez T106 Tremolo	Chrome includes chrome screw in trem arm						NA

Ibanez Standard AZ24S1F Video Feb 13 2025		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Infomation	Millimeters	Inches
Solid, Hollow, Semi Hollow, Weight Relief	Solid Body	Alder with maple top and flame veneer	NA
Guitar Body width	12.25 or 311mm		NA
Guitar Body thickness	47.06mm or 1,853		NA
Finish Type	Polyurethane Gloss		NA
Color	Transparent Turquoise Burst		NA
Guitar Weight	7.42lbs		NA
Bridge Pickup	Ibanez Modern Custom Humbucker	Alnico 5	NA
Middle Pickup	NA		NA
Neck Pickup	Ibanez Modern Custom Humbucker	Alnico 5	NA
Bridge Pickup Resistance	13.40k		NA
Bridge Pickup Inductance	6.60		NA
M Pickup Resistance	NA		NA
M Pickup Inductance	NA		NA
Neck Pickup Resistance	10.69k		NA
Neck Pickup Inductance	4.73		NA
Wiring	Looks good	Plastic wire	Good
Switch	5 Way Blade PCB	Ibanez MX10	NA
Volume Pot Value	500k	Dime Sized	NA
Tone Pot Value	500k	Dime Sized	NA
Tone Pot Cap	0.022uf	Green Polyester	NA
Treble Bleed	Yes	0.00033mF	NA
Shielding In the cavity? Type	Yes	Shielding paint	Not Horrible
Trus Rod Wrench Size	4mm	Included with guitar	NA
Bridge Saddle Wrench Size	1.5mm	Included with guitar	NA
Did The guitar need a Set up	Yes		NA
Did the guitar need major fret work?	No		NA
Did the guitar need minor fret work	yes - polish		NA
Did the guitar need electronics work	No		NA
Did it include a Case or got Bag	No		NA



# Guitar Score Card



<b>Yamaha Pacifica PAC012DLX Video Feb 11th 2025</b>		<b>Geek Dive Average</b>		<b>Geek Dive Average</b>	
<b>Electric Guitar</b>	<b>Guitar Infomation</b>	<b>Millimeters</b>		<b>Inches</b>	
Number Of Strings	6				
Country Of Origin	Indonesia				NA
Price (On video launch date)	\$219.99 usd				NA
Neck Material	Mahogany	Multiple pieces			
Neck Finish	Natural				
Neck Relief	0.008	.15mm	0.006	Not Horrible	
Scale Length	25.50				
Guitar overall length	99.69cm or 39.25				
Strings	9-42				
Action	2.25	2.00mm	0.079	Not Horrible	
Intonation	Bad				Bad
Type Of Tuners	Yamaha Sealed	Chrome			
Nut Material	Urea	Plastic, Bone, Graphite			NA
Nut Slots	Not Horrible	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020
Nut Width	40.87 or 1.609	NA	NA	NA	NA
Fretboard Material	Rosewood				
Inlay Material	Mother Of Pearl				
12th Fret Neck Width	51.49mm or 2.027	NA	NA	NA	NA
1st Fret Neck Thickness	20.42mm or 0.802	NA	NA	NA	NA
12th Fret Neck Thickness	23.12mm or 0.916	NA	NA	NA	NA
Neck Shape	C Modern				
Fretboard Radius	13.75	NA	NA	NA	NA
Rolled Fretboard Edge?	No	NA	NA	NA	NA
Number of Frets	22				
Fret Material	Nickel-Silver				
Fret Width	2.37mm or .093	NA	NA	NA	NA
Fret Height	1.14mm or .045	NA	NA	NA	NA
Dead Frets?	Yes	GOOD	GOOD	Bad	
Fret Polish Job	Not Horrible	Not Horrible	Not Horrible	Not Horrible	
Fret End Test	2 out of 5	Not Horrible to Good	Not Horrible to Good	Bad	
Bridge Test	Bad	Not Horrible to Good	Not Horrible to Good	Bad	
Type Of Bridge	Vintage Strat Style				
Solid, Hollow, Semi Hollow, Weight Relief	Solid Body				

Yamaha Pacifica PAC012DLX Video Feb 11th 2025		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Type Or Body Wood	Mahogany			
Guitar Body width	33cm or 13in			
Guitar Body thickness	44.24mm or 1.742			
Finish Type	Polyurethane Gloss			
Color	Old Violin Sunburst			
Guitar Weight	7.25 lbs			NA
Bridge Pickup	Yamaha Ceramic Humbucker			
Middle Pickup	Yamaha Ceramic Single Coil			
Neck Pickup	Yamaha Ceramic Single Coil			
Bridge Pickup Resistance	9.74k	NA	NA	NA
Bridge Pickup Inductance	4.48	NA	NA	NA
M Pickup Resistance	5.82	NA	NA	NA
M Pickup Inductance	2.89	NA	NA	NA
Neck Pickup Resistance	5.41k	NA	NA	NA
Neck Pickup Inductance	2.84	NA	NA	NA
Wiring	Good	Not Horrible	Not Horrible	Good
Switch	5 Way Blade PCB			
Volume Pot Value	Alpha Dime 500k	NA	NA	NA
Tone Pot Value	Alpha Dime 500k	NA	NA	NA
Tone Pot Cap	0.022uf	NA	NA	NA
Treble Bleed	None	NA	NA	NA
Shielding In the cavity? Type	None	NA	NA	NA



# Guitar Score Card



1977 Vintage Ibanez 2355 Video Feb 4, 2025		Geek Dive Average		Geek Dive Average				
Electric Guitar	Guitar Infomation	Millimeters		Inches				
Number Of Strings	6							
Country Of Origin	Japan				NA			
Price (On video launch date)	\$1399.00				NA			
Neck Material	Mahogany							
Neck Finish	Nitro Lacquer							
Neck Relief	Good Ish	.15mm		0.006	Good Ish			
Scale Length	24.75							
Strings	10-46							
Action	1.75mm	2.00mm		0.079	Good			
Intonation	Good				Good			
Type Of Tuners	Non Locking Gotoh Style	Chrome						
Nut Material	Plastic	Plastic, Bone, Graphite		NA	NA			
Nut Slots	Bad	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Bad
Nut Width	43.61mm or 1.717	NA		NA		NA		
Fretboard Material	Rosewood							
Inlay Material	Mother Of Pearl							
12th Fret Neck Width	54.59mm or 2.149	NA		NA		NA		
1st Fret Neck Thickness	21.37mm or 0.841	NA		NA		NA		
9th Fret Neck Thickness	24.22mm or 0.953	NA		NA		NA		
Neck Shape	Gibson 50s Style Medium							
Fretboard Radius	12"	NA		NA		NA		
Rolled Fretboard Edge?	Yes	NA		NA		NA		
Number of Frets	20							
Fret Material	Nickel-Silver							
Fret Width	2.72mm or 0.107	NA		NA		NA		
Fret Height	0.96mm or .038	NA		NA		NA		
Dead Frets?	Great	GOOD		GOOD		GREAT		
Fret Polish Job	Bad	Not Horrible		Not Horrible		Bad		
Fret End Test	Great	Not Horrible to Good		Not Horrible to Good		GREAT		
Bridge Test	Not Horrible	Not Horrible to Good		Not Horrible to Good		Not Horrible		
Type Of Bridge	Wood							
Solid, Hollow, Semi Hollow, Weight Relief	Hollow body							
Type Of Body Wood	Maple							

1977 Vintage Ibanez 2355 Video Feb 4, 2025		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Finish Type	Nitro Lacquer			
Color	Cherry Burst			
Guitar Weight	7.07			NA
Bridge Pickup	Super 70			
Middle Pickup	NA			
Neck Pickup	Super 70			
Bridge Pickup Resistance	7.74k	NA	NA	NA
Bridge Pickup Inductance	3.47	NA	NA	NA
M Pickup Resistance	NA	NA	NA	NA
M Pickup Inductance	NA	NA	NA	NA
Neck Pickup Resistance	7.81	NA	NA	NA
Neck Pickup Inductance	3.53	NA	NA	NA
Wiring	Good	Not Horrible	Not Horrible	Good
Volume Pot Value	500K Full Size	NA	NA	NA
Tone Pot Value	500K Full Size	NA	NA	NA
Tone Pot Cap	0.022uf	NA	NA	NA
Treble Bleed	None	NA	NA	NA
Shielding In the cavity? Type	NA	NA	NA	NA
Its Not Magic, Its Math				



# Guitar Score Card



Fender Standard Stratocaster, video on 1/30/2025		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar's Measurement	Millimeters	Inches	
Neck Relief	0.254 mm or 0.01	.15mm	0.006	Not Horrible
Action	1.75 to 1.50 mm	2.00mm	0.079	Good
Intonation	Not Horrible	Good	Good	Not Horrible
Nut Material	Micarta	Plastic, Bone, Graphite	NA	Not Horrible
Nut Slots	Bad to Not Horrible	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	Bad to Not Horrible
Dead Frets?	No Bad Frets	GOOD	GOOD	GREAT
Fret Polish Job	Good	Not Horrible	Not Horrible	Good
Fret End Test	Feels Great	Not Horrible to Good	Not Horrible to Good	GREAT
Bridge Test	Not Horrible	Not Horrible to Good	Not Horrible to Good	Not Horrible
Fretboard Radius	9.5	NA	NA	NA
Nut Width	42.84mm or 1.687	NA	NA	NA
12th Fret Width	51.98mm or 2.047	NA	NA	NA
Rolled Fretboard Edge?	NO	NA	NA	NA
1st Fret Thickness	21.30mm or 0.838	NA	NA	NA
12th Fret Thickness	21.93mm or 0.863	NA	NA	NA
Fret Width	2.66 mm or .103	NA	NA	NA
Fret Height	1.31mm or .051	NA	NA	NA
Guitar Weight	7.43	NA	NA	NA
Bridge Pickup Resistance	5.15k	NA	NA	NA
Bridge Pickup Inductance	3.34	NA	NA	NA
M Pickup Resistance	5.12k	NA	NA	NA
M Pickup Inductance	3.35	NA	NA	NA
Neck Pickup Resistance	5.15k	NA	NA	NA
Neck Pickup Inductance	3.35	NA	NA	NA
Wiring	Not Horrible	Not Horrible	Not Horrible	Not Horrible
Volume Pot Value	250k Alpha Full Size	NA	NA	NA
Tone Pot Value	250k Alpha Full Size	NA	NA	NA
Tone Pot Cap	0.047uf	NA	NA	NA
Treble Bleed	None	NA	NA	NA
Shielding In the cavity? Type	Bad	NA	NA	Bad
Price (On video launch date)	\$599.99	NA	NA	NA
Country Of Origin	Indonesia	NA	NA	NA
Its Not Magic, Its Math				


Table 1



# Guitar Score Card



Fender Standard Telecaster, video on 1/28/2025		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar's Measurement	Millimeters	Inches	
Neck Relief	.20mm or 0.008	.15mm	0.006	Good
Action	2.25mm to 2.00mm	2.00mm	0.079	Not Horrible
Intonation	Not Horrible	Good	Good	Not Horrible
Nut Material	Micarta	Plastic, Bone, Graphite	NA	Not Horrible
Nut Slots	Not Horrible	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	Not Horrible
Dead Frets?	No Bad Frets	GOOD	GOOD	GREAT
Fret Polish Job	Feels Great	Not Horrible	Not Horrible	GREAT
Fret End Test	Feels Great	Not Horrible to Good	Not Horrible to Good	GREAT
Bridge Test	Feels Great	Not Horrible to Good	Not Horrible to Good	GREAT
Fretboard Radius	9.5	NA	NA	NA
Nut Width	43.15mm or 1.699	NA	NA	NA
12th Fret Width	51.52mm or 2.028	NA	NA	NA
Rolled Fretboard Edge?	Yes	NA	NA	NA
1st Fret Thickness	20.78mm or 0.818	NA	NA	NA
12th Fret Thickness	22.82mm or 0.898	NA	NA	NA
Fret Width	2.66mm or 0.105	NA	NA	NA
Fret Height	1.20mm or 0.47	NA	NA	NA
Guitar Weight	7lbs 8 onces	NA	NA	NA
Bridge Pickup Resistance	8.83k	NA	NA	NA
Bridge Pickup Inductance	5.14	NA	NA	NA
M Pickup Resistance	NA	NA	NA	NA
M Pickup Inductance	NA	NA	NA	NA
Neck Pickup Resistance	5.06k	NA	NA	NA
Neck Pickup Inductance	2.76	NA	NA	NA
Wiring	Not Horrible	Not Horrible	Not Horrible	Not Horrible
Volume Pot Value	250k Alpha Full Size	NA	NA	NA
Tone Pot Value	250k Alpha Full Size	NA	NA	NA
Tone Pot Cap	0.047uf	NA	NA	NA
Treble Bleed	Nope	NA	NA	NA
Shielding In the cavity? Type	Done very well	NA	NA	GREAT
Price (On video launch date)	\$599.99	NA	NA	NA
Country Of Origin	Indonesia	NA	NA	NA
Its Not Magic, Its Math				



# Guitar Score Card



		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings				
Country Of Origin				
Price (On video launch date)				
Neck Material				
Neck Finish				
Neck Relief		.15mm	0.006	
Scale Length				
Strings				
Action		2.00mm	0.079	
Intonation				
Type Of Tuners				
Nut Material		Plastic, Bone, Graphite	NA	
Nut Slots		Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width		.020	.018	.016
Fretboard Material				
Inlay Material				
12th Fret Neck Width				
1st Fret Neck Thickness				
9th Fret Neck Thickness				
Neck Shape				
Fretboard Radius				
Rolled Fretboard Edge?				
Number of Frets				
Fret Material				
Fret Width				
Fret Height				
Dead Frets?		GOOD	GOOD	
Fret Polish Job		Not Horrible	Not Horrible	
Fret End Test		Not Horrible to Good	Not Horrible to Good	
Bridge Test		Not Horrible to Good	Not Horrible to Good	
Type Of Bridge				
Solid, Hollow, Semi Hollow, Weight Relief				
Type Or Body Wood				
Finish Type				
Color				
Guitar Weight				
Bridge Pickup				
Middle Pickup				
Neck Pickup				
Bridge Pickup Resistance				
Bridge Pickup Inductance				
M Pickup Resistance				
M Pickup Inductance				
Neck Pickup Resistance				
Neck Pickup Inductance				
Wiring		Not Horrible	Not Horrible	
Volume Pot Value				
Tone Pot Value				
Tone Pot Cap				
Treble Bleed				
Shielding In the cavity? Type				
Its Not Magic, Its Math				



# Guitar Score Card



		Geek Dive Average	Geek Dive Average				
Electric Guitar	Guitar Infomation	Millimeters	Inches				
Number Of Strings							
Country Of Origin							
Price (On video launch date)							
Neck Material							
Neck Finish							
Neck Relief		.15mm	0.006				
Scale Length							
Strings							
Action		2.00mm	0.079				
Intonation							
Type Of Tuners							
Nut Material		Plastic, Bone, Graphite	NA				
Nut Slots		Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016
Nut Width							
Fretboard Material							
Inlay Material							
12th Fret Neck Width							
1st Fret Neck Thickness							
9th Fret Neck Thickness							
Neck Shape							
Fretboard Radius							
Rolled Fretboard Edge?							
Number of Frets							
Fret Material							
Fret Width							
Fret Height							
Dead Frets?		GOOD	GOOD				
Fret Polish Job		Not Horrible	Not Horrible				
Fret End Test		Not Horrible to Good	Not Horrible to Good				
Bridge Test		Not Horrible to Good	Not Horrible to Good				
Type Of Bridge							
Solid, Hollow, Semi Hollow, Weight Relief							
Type Of Body Wood							

		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Finish Type				
Color				
Guitar Weight				
Bridge Pickup				
Middle Pickup				
Neck Pickup				
Bridge Pickup Resistance				
Bridge Pickup Inductance				
M Pickup Resistance				
M Pickup Inductance				
Neck Pickup Resistance				
Neck Pickup Inductance				
Wiring		Not Horrible	Not Horrible	
Volume Pot Value				
Tone Pot Value				
Tone Pot Cap				
Treble Bleed				
Shielding In the cavity? Type				
Its Not Magic, Its Math				