



# Guitar Score Card



Novo Serus J		Geek Dive Average		2/16/26
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA	Nashville		
Price	\$3999.99	At the time of the video		
Neck Material	Pine			
Neck Type	Bolt On			
Neck Finish	Semi Gloss			
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5			
Strings	10-46	D Addario		
Action	2.25	2.00mm	0.079	
Intonation	Perfect			
Fret End Test	5 out of 5			
Type Of Tuners	Novo			
Bridge test	Perfect			
Nut Material	Bone			
Nut Slots	perfect	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.25mm 1.663	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood	1.6875		
Inlay	Dots			
12th Fret Neck Width	51.64mm 2.033			
1st Fret Neck Thickness	21.18mm 0.834			
12th Fret Neck Thickness	23.44mm 0.923			
Neck Shape	C	Medium		
Fretboard Radius	9.50" to 14"			
Rolled Fretboard Edge?	Yes			
Number of Frets	22			
Fret Material	Nickel	Medium Jumbo		
Fret Size	Medium Jumbo			
Body Wood	Solid			
Finish Type	Semi Gloss			
Guitar Weight	7.03lbs 3.080kg			
Bridge Pickup	P90	Lindy Fralin		
Neck Pickup	P90	Lindy Fralin		

Novo Serus J		Geek Dive Average	Geek Dive Average	2/16/26
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume Pot	500k	CTS		
Tone Pot	500K	CTS		
Trus Rod Type	Dual Action			
Did The guitar need a Set up	Yes	Action needed to be lowered		
Bridge Type	Wrap Around			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe Gig Bag		
link to video				



# Guitar Score Card



Gretsch Streamliner Jet		Geek Dive Average		2/16/26
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China			
Price	\$349.99	At the time of the video		
Neck Material	Mahogany			
Neck Type	Bolt On			
Neck Finish	Gloss	Poly		
Neck Relief	0.008	.15mm	0.006	
Scale Length	24.875"			
Strings	10-46			
Action	2.00mm	2.00mm	0.079	
Intonation	Good			
Fret End Test	4 out of 5			
Type Of Tuners	generic			
Bridge test	Good			
Nut Material	Nu Bone			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	1.616" 43.09mm	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Indian Laurel	1.6875		
Inlay	Thumbnails	Mother Of Pearl		
12th Fret Neck Width	53.10mm 2.090"			
1st Fret Neck Thickness	21.12mm 0.831"			
12th Fret Neck Thickness	22.16mm 0.872"			
Neck Shape	60s Slim U			
Fretboard Radius	14"	They say 12"		
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	22			
Fret Material	Nickel	Medium Jumbo		
Fret Size	Medium Jumbo			
Body Wood	Solid			
Finish Type	Gloss			
Guitar Weight	8.20lbs 3.720kg			
Bridge Pickup	Humbucker	2 conductor Hotwire High Output Ceramic Pickup		
Neck Pickup	Humbucker	2 conductor Hotwire High Output Ceramic Pickup		

Gretsch Streamliner Jet		Geek Dive Average	Geek Dive Average	2/16/26
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume Pot	500k	dime size		
Tone Pot	500K	dime Size		
Trus Rod Type	Dual Action	4mm Wrench included		
Did The guitar need a Set up	No			
Bridge Type	Wrap Around			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	Yes			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
link to video				



# Guitar Score Card



Taylor 2026 814CE		Geek Dive Average		1/22/26
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA			
Price	4499.00	At the time of the video		
Neck Material	Mahogany	3 Piece neck		
Neck Finish	Satin			
Neck Relief	0.004	.15mm	0.006	
Scale Length	25.5"			
Strings	12-52			
Action	1.75 mm	2.00mm	0.079	
Intonation	perfect			
Fret End Test	4 out of 5			
Type Of Tuners	Gotoh			
Bridge test	Good			
Nut Material	Tusq			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	44.45mm 1-3/4"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony			
Inlay	Element	Abalone		
12th Fret Neck Width				
1st Fret Neck Thickness				
12th Fret Neck Thickness				
Neck Shape	C	Wide Fat, Feels a little smaller than that to me		
Fretboard Radius	15" 381mm			
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	20			
Fret Material	Nickle	Medium Jumbo		
Fret Size	Medium Jumbo			
Body Wood Top, Back, Sides	Solid	Spruce top, Rosewood back and sides		
Finish Type	Gloos			
Guitar Weight				
Trus Rod Type	Dual Action	No Wrench included		
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			

Taylor 2026 814CE		Geek Dive Average	Geek Dive Average	1/22/26
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe Taylor case		
link to video				



# Guitar Score Card



PRS SE Hollowbody II Carved Top		Geek Dive Average		1/22/26
Electric Guitar	Guitar Infomation	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	Indonesia	Made in Cort Factory		
Price	1,899.00	At the time of the video		
Neck Material	Mahogany	3 Piece neck		
Neck Finish	Gloss			
Neck Relief	0.006	.15mm	0.006	
Scale Length	25			
Strings	10 - 46			
Action	1.75 mm	2.00mm	0.079	
Intonation	perfect			
Fret End Test	5 out of 5			
Type Of Tuners	PRS tuners			
Bridge test	Good			
Nut Material	PRS Graphite			
Nut Slots	Good	Low E, A D,G B Hi E .50mm .45mm .40mm	Low E, A D,G B Hi E .020 .018 .016	
Nut Width	42.89mm 1.688"			
Fretboard Material	Rosewood			
Inlay	Birds	Abalone		
12th Fret Neck Width	52.94mm 2.084"			
1st Fret Neck Thickness	21.95mm 0.864"			
12th Fret Neck Thickness	24.35mm 0.958"			
Neck Shape	C	Wide Fat, Feels a little smaller than that to me		
Fretboard Radius	10			
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	22			
Fret Material	Nickle	Medium Jumbo		
Fret Size	Medium Jumbo			
Type Of Bridge	LR Baggs	Hardtail		
Body Wood	Maple	Top and Back with Mahogany edge		
Finish Type	Gloos	Poly		
Color	Burst			
Guitar Weight	6.04 LBS			
Volume	500k			
Tone	500K			

PRS SE Hollowbody II Carved Top		Geek Dive Average	Geek Dive Average	1/22/26
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Switch	3 Way toggle			
Bridge Pickup	Humbucker	58/15 LT S		
Neck Pickup	Humbucker	58/15 LT S		
Trus Rod Type	Dual Action	Includes wrench		
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe PRS SE Gig Bag		
link to video		<a href="https://www.youtube.com/watch?v=hKnI5MUIGo">https://www.youtube.com/watch?v=hKnI5MUIGo</a>		



# Guitar Score Card



Cort KX700TT		Geek Dive Average		12/4/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia	Made in Cort Factory		
Price	\$2,999.00	At the time of the video		
Neck Material	Roasted Maple	5 Piece Roasted Maple and Walnut Quarter Sawn		
Neck Finish	Satin	Feels natural		
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	Yes			
Strings	10 - 46			
Action	2.00 mm	2.00mm	0.079	
Intonation	perfect			
Fret End Test	4 out of 5			
Type Of Tuners	Locking	Gold Cort		
Bridge test	4.5 out of 5			
Nut Material	Graph Tech			
Nut Slots	Good	Low E, A D,G B Hi E .50mm .45mm .40mm	Low E, A D,G B Hi E .020 .018 .016	
Nut Width	43mm or 1.687"			
Fretboard Material	Rosewood			
Inlay	None			
12th Fret Neck Width	52.91 or 2.083"			
1st Fret Neck Thickness	20.18mm 0.794"			
12th Fret Neck Thickness	22.36mm 0.880"			
Neck Shape	D	Feels Like a Schecter		
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	24			
Fret Material	Stainless Steel	Jumbo		
Fret Size	Jumbo			
Bridge Test	Perfect			
Type Of Bridge	Schaller	Hardtail		
Body Wood	Mahogany	3 piece		
Finish Type	Satin			
Top Wood	Ash	Sand Blasted Ash		

Cort KX700TT		Geek Dive Average	Geek Dive Average	12/4/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Color	Black			
Guitar Weight	7.25lbs or 3.31kg			
Volume	25k			
Tone	25k	Push / Pull		
Switch	3 Way toggle			
Bridge Pickup	Humbucker	Fishman		
Neck Pickup	Humbucker	Fishman		
Trus Rod Type	Spoke Wheel			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe Cort Gig Bag		
link to video				



# Guitar Score Card



Rebea Sterling Music Man		Geek Dive Average		12/1/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia	Made in Cort Factory		
Price	949.00	At the time of the video		
Neck Material	Roasted Maple	Roasted Maple One Piece Flat Sawn		
Neck Finish	Satin	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	No	One Piece Flat Sawn Neck		
Strings	10 - 52			
Action	1.75mm	2.00mm	0.079	
Intonation	Good			
Fret End Test	4 out of 5			
Type Of Tuners	Locking			
Bridge test	3 out of 5			
Nut Material	Plastic	Polyphenylene Sulfide		
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	43.26mm or 1.703"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony			
Inlay	Pearl	Rings		
12th Fret Neck Width	52.78mm or 2.078"			
1st Fret Neck Thickness	21.74mm or 0.856"			
12th Fret Neck Thickness	22.18mm or 0.873"			
Neck Shape	C	Feels Like a 50s Fender Strat		
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	22			
Fret Material	Nickel	Medium		
Fret Size	Medium			
Bridge Test	Ok	Screws needed to be shorter		
Type Of Bridge	Sterling	Two Point Tremolo		
Body Wood	Nyatoh	Like Mahogany (ish)		
Finish Type	Satin	Poly		
Color	Blood Flame Burst	Also comes in Ashen Burst		

Rebea Sterling Music Man		Geek Dive Average	Geek Dive Average	12/1/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Guitar Weight	7.5 lbs			
Volume	500K			
Tone	500K		Push / Push Coil Split	
Switch	5 way blade		With Special wiring	
Bridge Pickup	Humbucker		Sterling Pickups	
Neck Pickup	Humbucker		Sterling Pickups	
Trus Rod Type	Spoke Wheel			
Did The guitar need a Set up	Yes			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://www.youtube.com/watch?v=ziiXjoJ9IZM">https://www.youtube.com/watch?v=ziiXjoJ9IZM</a>		



# Guitar Score Card



Gretsch Streamliner Jet Club 1		Geek Dive Average	Geek Dive Average	11/17/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China			
Price	189.99	At the time of the video		
Neck Material	Mahogany	Flat Sawn		
Neck Finish	Gloss	Polyurethane		
Neck Relief	0.005	.15mm	0.006	
Scale Length	24.875"			
Neck Tilt	Yes			
Strings	10 - 46			
Action	2.00	2.00mm	0.079	
Intonation	Ok	Needed slight adjustment		
Fret End Test	3.5 out of 5			
Type Of Tuners	Die-Cast Sealed			
Nut Material	Nu Bone	Graph Tech		
Nut Slots	OK	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.77mm or 1.684"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Indian Laurel			
Inlay	Pearl	Thumb Nails		
12th Fret Neck Width	52.96mm or 2.074"			
1st Fret Neck Thickness	21.27mm or 0.837"			
12th Fret Neck Thickness	21.83mm or 0.859"			
Neck Shape	Fast C	Feels Like a Gibson 60s neck		
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes	Very Lightly done		
Number of Frets	22			
Fret Material	Nickel	Medium		
Fret Size	Medium			
Bridge Test	Ok			
Type Of Bridge	One Piece	Wrap Around Bridge		
Body Wood	Philippine Mahogany			
Finish Type	Gloss	Poly		
Color	Olive Drab Green	Also Comes in Shell Pink and Black		
Guitar Weight	7.28lbs or 3.310kg			

Gretsch Streamliner Jet Club 1		Geek Dive Average	Geek Dive Average	11/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume	500K			
Tone	500K			
Switch	None	No Switch		
Bridge Pickup	Humbucker	Hot Wire High Out Put Ceramic Humbucker		
Trus Rod Type	Dual Action			
Did The guitar need a Set up	Yes	Yes		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/x4nLBqHWswA">https://youtu.be/x4nLBqHWswA</a>		



# Guitar Score Card



Jet JS 600		Geek Dive Average		11/11/2015
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China	Guitar is not labeled, so we had to research it		
Price	\$649.99	At the time of the video		
Neck Material	Roasted Maple	Roasted Maple One Piece Flat Sawn		
Neck Finish	Satin	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	No	One Piece Flat Sawn Neck		
Strings	9-42			
Action	2.25mm	2.00mm	0.079	
Intonation	Ok			
Fret End Test	5 out of 5			
Type Of Tuners	Jet	Locking keys		
Nut Material	Plastic	Synthetic Bone		
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.06mm 1.656"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Roasted Maple	Roasted Maple		
Inlay	Black	Dots		
12th Fret Neck Width	51.44mm Or 2.025"			
1st Fret Neck Thickness	21.35mm or 0.840"			
12th Fret Neck Thickness	23.18mm or 0.912"			
Neck Shape	Modern C	Feels Like a 90s Fender Strat or Charvel		
Fretboard Radius	9.5			
Rolled Fretboard Edge?	Yes			
Number of Frets	22			
Fret Material	Nickel	Medium Jumbo		
Fret Size	Medium Jumbo			
Bridge Test	Great			
Type Of Bridge	Wilkinson	Two Point Tremolo		
Body Wood	Mahogany	Three Piece Body		
Finish Type	Gloss	Poly		
Color	Purple	Flame Maple Veneer		
Guitar Weight	7.65 Lbs			

Jet JS 600		Geek Dive Average	Geek Dive Average	11/11/2015
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume	500K			
Tone	500K			
Switch	5 way blade			
Bridge Pickup	Humbucker		Alnico 5	
Middle Pickup	Single Coil		Alnico 5	
Neck Pickup	Single Coil		Alnico 5	
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/i96Jlkbasag">https://youtu.be/i96Jlkbasag</a>		



# Guitar Score Card



Michael Kelly Sam Ash 100th Anniversary Patrot		Geek Dive Average	Geek Dive Average	12/10/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Korea			
Price	\$499.00			
Neck Material	Mahogany			
Neck Finish	Gloss			
Neck Type	Set Neck			
Neck Relief		.15mm	0.006	
Scale Length	24.75"			
Neck Tilt	Yes			
Strings	10-46			
Action		2.00mm	0.079	
Intonation	Ok			
Fret End Test				
Type Of Tuners	Grover	18-1		
Nut Material	Plastic			
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	43mm			
Fretboard Material	Ebony			
Inlay	Mother Of Pearl	Diamond Shape		
12th Fret Neck Width				
1st Fret Neck Thickness				
12th Fret Neck Thickness				
Neck Shape	Slim C			
Fretboard Radius	12" or 305mm			
Rolled Fretboard Edge?				
Number of Frets	22			
Fret Size	Medium Jumbo			
Fret Material	Nickel	Medium		
Bridge Test				
Type Of Bridge	String thru	Tune-O-Matic / String Thru		
Body Wood	Mahogany			
Top Wood	Maple	Flame Maple Veneer		
Finish Type	Gloss	Poly		

Michael Kelly Sam Ash 100th Anniversary Patrot		Geek Dive Average	Geek Dive Average	12/10/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Color	Trans cherry			
Guitar Weight				
Volume	500K			
Tone	500K			
Switch	5 way blade switch			
Bridge Pickup	P90		Rockfield	
Middle Pickup	P90		Rockfield	
Neck Pickup	P90		Rockfield	
Trus Rod Type	Dual Action			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		Brown fitted case	



# Guitar Score Card



Fender American Vintage II Jazzmaster		Geek Dive Average		11/30/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA	Made in Fender California Factory		
Price USED	\$2,729.00			
Neck Material	Maple	Gloss Nitrocellulose Lacquer		
Neck Finish	gloss	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	No			
Strings	10-46			
Action	1.50mm	2.00mm	0.079	
Intonation	Ok			
Fret End Test	5 out of 5			
Type Of Tuners	Vintage Style			
Nut Material	Bone	Metal		
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	1.650"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood			
Inlay	White	Dots		
12th Fret Neck Width				
1st Fret Neck Thickness				
12th Fret Neck Thickness				
Neck Shape	1966 C	Maple		
Fretboard Radius	7.25"			
Rolled Fretboard Edge?	Yes			
Number of Frets	21			
Fret Material	Nickel	Vintage Tall		
Bridge Test	Ok			
Type Of Bridge	Jazzmaster trem	with threaded steel barrel saddles		
Body Wood	Alder			
Finish Type	Gloss	Nitro		
Color	Sherwood Green	Metallic		
Guitar Weight				
Volume	1 Volume			
Tone	two tone controls			

Fender American Vintage II Jazzmaster		Geek Dive Average	Geek Dive Average	11/30/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Switch	3 way toggle	2 way switch for lead / rhythm circuit		
Bridge Pickup	Pure Vintage 66	Jazzmaster Single Coil		
Neck Pickup	Pure Vintage 66	Jazzmaster Single Coil		
Trus Rod Type	Vintage Style			
Did The guitar need a Set up	NA	Guitar was Plek'd by Sweetwater		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Fender Case		
Link to video				



# Guitar Score Card



Ibanez Power Series 540PIII		Geek Dive Average		10/15/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Japan			
Price USED	1399.00	At the time of the video		
Neck Material	5 Piece	Maple / Walnut / Maple / Walnut / Maple		
Neck Finish	Semi gloss	Feels natural		
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	Yes			
Strings	9-42			
Action	2.25mm	2.00mm	0.079	
Intonation	Ok			
Fret End Test	3.5 out of 5			
Type Of Tuners	Gotoh			
Nut Material	Locking Nut	Metal		
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	43.mm	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood			
Inlay	White	Shark Teeth		
12th Fret Neck Width	53.39mm 2.101"			
1st Fret Neck Thickness	17.37mm 0.684"			
12th Fret Neck Thickness	19.68mm 0.775"			
Neck Shape	Super Wizard	Very thin feel		
Fretboard Radius	16.9"			
Rolled Fretboard Edge?	No			
Number of Frets	24			
Fret Material	Nickel	Jumbo (not jumbo wide)		
Fret Size	JUMBO			
Bridge Test	Great			
Type Of Bridge	Ibanez Edge Trem			
Body Wood	Basswood			
Finish Type	Gloss	Poly		
Color	Neon Purple			
Guitar Weight	6.50 LBS			

Ibanez Power Series 540PIII		Geek Dive Average	Geek Dive Average	10/15/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Volume	500K			
Switch	5 way blade			
Bridge Pickup	Humbucker	Ibanez V8 Humbucker		
Neck Pickup	Mini Humbucker	Ibanez Infinity R Single-coil		
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	Yes			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/l6wQxdbGojk">https://youtu.be/l6wQxdbGojk</a>		



# Guitar Score Card



PRS SE Heramn Li Chleo		Geek Dive Average		10/7/2025
Electric Guitar	Guitar Infomation	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	Indonesia	Built In PRS SE Cort Factory		
Price	\$1999.00			
Neck Material	Maple	3 piece		
Neck Finish	Satin	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5"			
Strings	9-46			
Action	1.25	2.00mm	0.079	
Intonation	Good			
Fret End Test	3.5 out of 5			
Type Of Tuners	PRS	NON locking		
Nut Material	Floyd Rose			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	44.30mm 1.744	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony			
Inlay	Dragons			
12th Fret Neck Width	53.54mm 2.108"			
1st Fret Neck Thickness	18.47mm 0.027"			
12th Fret Neck Thickness	21.6mm 0.829"			
Neck Shape	Feels like U	Same As Core Chleo		
Fretboard Radius	20"			
Rolled Fretboard Edge?	No			
Number of Frets	24			
Fret Material	Nickel	Medium Jumbo		
Bridge Test	Good			
Type Of Bridge	Floyd Rose 1000	Black Chrome		
Body Wood	Mahogany			
Finish Type	Satin	Poly		
Color	Pink	Comes in 3 colors		
Guitar Weight	6lbs			
Volume	25k			
Pickups	Fishman	Herman Li Signature set		
Trus Rod Type	Dual Acting			

PRS SE Heramn Li Chleo		Geek Dive Average	Geek Dive Average	10/7/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	Yes	Ground to bridge needed to be fixed		
Did it include a Case or got Bag	Yes	PRS SE Gig Bag		
Link to video		<a href="https://youtu.be/J0CwK_qkSgl">https://youtu.be/J0CwK_qkSgl</a>		



# Guitar Score Card



G&L Rampage 24		Geek Dive Average		9/30/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA	Made in NOW CLOSED California G&L Factory		
Price	\$2299.00			
Neck Material	Maple			
Neck Finish	Semi gloss	Feels natural		
Neck Relief	0.009	.15mm	0.006	
Scale Length	25.5"			
Neck Tilt	None			
Strings	10-46	D Addario		
Action	1.75	2.00mm	0.079	
Intonation	Good	Needed adjustments		
Fret End Test	5 out of 5			
Type Of Tuners	Sperzel	Black		
Nut Material	Floyd Rose	Black locking nut		
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	43mm 1.697"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Maple			
Inlay	Black Dots			
12th Fret Neck Width	51.72mm 2.036"			
1st Fret Neck Thickness	20.18mm 0.794"			
12th Fret Neck Thickness	22.36mm 0.880"			
Neck Shape	Medium C	Extra Wide Super Slim C		
Fretboard Radius	12"			
Rolled Fretboard Edge?	Yes			
Number of Frets	24			
Fret Material	Nickel	Medium Jumbo		
Bridge Test	Good			
Type Of Bridge	Kahler			
Body Wood	Alder			
Finish Type	Gloss			
Color	Ivory			
Guitar Weight	7.5lbs			
Volume	500k			
Bridge Pickup	Humbucker	G&L AW4370		

G&L Rampage 24		Geek Dive Average	Geek Dive Average	9/30/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	Yes	Action was high		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	Yes	Ground to bridge needed to be fixed		
Did it include a Case or got Bag	Yes	G&L Deluxe Gig bag		
Other	Yes	Certificate and spec sheet		
Link to video		<a href="https://youtu.be/7lihvk_gNp4">https://youtu.be/7lihvk_gNp4</a>		



# Guitar Score Card



Orangewood Clementine		Geek Dive Average	Geek Dive Average	9/21/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China	Made in Cort China Factory		
Price	\$1495.00			
Neck Material	Mahogany			
Neck Finish	Gloss	Ploy		
Neck Type	Set Neck			
Neck Relief	0.006	.15mm	0.006	
Scale Length	24.75"			
Neck Tilt	Yes			
Strings	10-46			
Action	1.25	2.00mm	0.079	
Intonation	Ok			
Fret End Test	5 out of 5			
Type Of Tuners	Gotoh	Roto-Grip Locking Tuners		
Nut Material	Plastic			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	43mm	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood			
Inlay	Dots	White Dot		
12th Fret Neck Width	52.50mm or 2.067			
1st Fret Neck Thickness	21.37mm Or 0.841			
12th Fret Neck Thickness	23.60mm or 0.929			
Neck Shape	C			
Fretboard Radius	16"			
Rolled Fretboard Edge?	Yes	Slightly		
Number of Frets	22			
Fret Size	Medium Jumbo			
Fret Material	Nickel			
Bridge Test	Good			
Type Of Bridge	Tune-O-Matic			
Body Wood	Mahogany			
Top Wood	Maple			
Pickguard	Cream	additional black one included		

Orangewood Clementine		Geek Dive Average	Geek Dive Average	9/21/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Finish Type	Gloss	Ploy		
Color	Americano	Sunburst looking		
Guitar Weight	7.44 lbs or 3.3 75 kg			
Volume	500K			
Tone	500K			
Mini Switch	Coil Split			
Switch	3 Way Switch			
Bridge Pickup	Humbcuker	Seymour Duncan Seth Lover		
Neck Pickup	Humbucker	Seymour Duncan Seth Lover		
Trus Rod Type	Dual Action			
Trus Rod Allen Wrench Size	4mm			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Hardshell Case Included		
Link to video		<a href="https://youtu.be/nruwBWF0lv0">https://youtu.be/nruwBWF0lv0</a>		



# Guitar Score Card



Jet JS 400		Geek Dive Average		9/17/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	China	Not labeled by company so we had to research it		
Price	\$249.00	At the time of the video		
Neck Material	Roasted Maple			
Neck Finish	Semi gloss	Feels natural		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	None			
Strings	10-46			
Action	1.75mm	2.00mm	0.079	
Intonation	Ok	Needed adjustments		
Fret End Test	2.5 to 3			
Type Of Tuners	Generic	Basic Tuners		
Nut Material	Plastic			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.46mm 1.671"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Roasted Maple			
Inlay	Black Dots			
12th Fret Neck Width	52.19mm 2.054"			
1st Fret Neck Thickness	21.77mm 0.857"			
12th Fret Neck Thickness	22.87mm 0.900"			
Neck Shape	C	Feels Like a modern Fender neck		
Fretboard Radius	9.5			
Rolled Fretboard Edge?	No	It is not harsh		
Number of Frets	22			
Fret Material	Nickel	Medium		
Bridge Test	Good			
Type Of Bridge	2 point trem			
Body Wood	Basswood			
Finish Type	Gloss	Poly		
Color	Sea Foam Green			
Guitar Weight	6.97 lbs 3.160kg			
Volume	250K			
Tone	250k			

Jet JS 400		Geek Dive Average	Geek Dive Average	9/17/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Switch	5 way blade			
Bridge Pickup	Humbucker	7.22k Ceramic / Inductance 3.36		
Middle Pickup	Single	4.83k Ceramic / Inductance 2.70		
Neck Pickup	Single	4.64k Ceramic Inductance 2.71		
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No			
Link to video		<a href="https://youtu.be/avjqGiwK3L0">https://youtu.be/avjqGiwK3L0</a>		



# Guitar Score Card



Otera		Geek Dive Average		9/15/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia	Made in Cort factory		
Price	\$1299.00	Only 100 made		
Neck Material	Maple	3 piece quarter sawn		
Neck Finish	Semi gloss	Feels natural		
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	None			
Strings	10-46			
Action	2.25	2.00mm	0.079	
Intonation	Ok	Needed adjustments		
Fret End Test	4 out of 5			
Type Of Tuners	Generic	Kluson Style		
Nut Material	Tusq			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.93mm 1.690"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood			
Inlay	Mother Of Pearl Dots			
12th Fret Neck Width	51.96mm or 2.045"			
1st Fret Neck Thickness	21.91 or 0.862"			
12th Fret Neck Thickness	23.70mm or 0.933"			
Neck Shape	U	Feels like Fender Jeff Beck neck		
Fretboard Radius	12"			
Rolled Fretboard Edge?	No			
Number of Frets	21			
Fret Material	Nickel	Medium		
Type Of Bridge	Tele style	Brass Saddles		
Body Wood	Basswood			
Finish Type	Gloss	Poly		
Color	Green			
Guitar Weight	7.17 lbs 3.250kg			
Volume	500k	Alpha pot		
Tone	500k	Alpha Pot		
Switch	4 way blade			

Otera		Geek Dive Average	Geek Dive Average	9/15/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Bridge Pickup	Seymour Duncan	BG1400		
Neck Pickup	Seymour Duncan	Silencer P90		
Trus Rod Type	Dual Acting	Spoke wheel style		
Did The guitar need a Set up	Yes	Light adjustment		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe Gig Bag		
link to video		<a href="https://youtu.be/M_NuKZmhmbU">https://youtu.be/M_NuKZmhmbU</a>		



# Guitar Score Card



Moonstone Vulcan 1978		Geek Dive Average	Geek Dive Average	7/22/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA			
Price USED	\$3999.00	At the time of the video		
Neck Material	Maple / Walnut			
Neck Finish	Gloss	Nitro		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5			
Neck Tilt	5 degrees			
Strings	10-46			
Action	1.50mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Gotoh	Gold non original		
Nut Material	Bone			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	43.89mm 1.728"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony	With Rosewood binding		
Inlay	Abalone			
12th Fret Neck Width	53.26mm 2.097"			
1st Fret Neck Thickness	19.69mm 0.775"			
12th Fret Neck Thickness	21.28mm 0.838"			
Neck Shape	U	Thin U feel		
Fretboard Radius	16			
Rolled Fretboard Edge?	Yes	but guitar is 47 years old		
Number of Frets	24			
Fret Material	Nickel	Jumbo wide jumbo tall		
Bridge Test	Good			
Type Of Bridge	One piece			
Body Wood	solid maple burl	One Piece		
Finish Type	Gloss	Nitro		
Color	Natural			
Guitar Weight	9.37 lbs 4.250kg			
Electronics	Bartolini			
Trus Rod Type	Single Acting			
Did The guitar need a Set up	No			

Moonstone Vulcan 1978		Geek Dive Average	Geek Dive Average	7/22/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No	Originally when new had case		
link to video		<a href="https://youtu.be/kL1PzNtMuk4">https://youtu.be/kL1PzNtMuk4</a>		



# Guitar Score Card



Shijie LPV-8		Geek Dive Average		7/28/2025
Electric Guitar	Guitar Information	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	China			
Price <small>NEW</small>	\$1490.00	At the time of the video		
Neck Material	Mahogany			
Neck Finish	Gloss	Poly		
Neck Relief	0.008	.15mm	0.006	
Scale Length	24.75			
Neck Tilt	14 degrees			
Strings	10-46			
Action	1.75mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Kluson Style	Shijie Locking		
Nut Material	Bone			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Fret End Test	4.5 out of 5	Low E, A .020	D,G .018	B Hi E .016
Nut Width	43.32mm 1.705"			
Fretboard Material	Rosewood			
Inlay	Mother of Pearl			
12th Fret Neck Width	52.60mm 2.071"			
1st Fret Neck Thickness	22.73mm 0.895"			
12th Fret Neck Thickness	23.94 0.981"			
Neck Shape	C	59 les Paul smaller C		
Fretboard Radius	12			
Rolled Fretboard Edge?	No	But nice to the touch		
Number of Frets	22			
Fret Material	Nickel	Medium Jumbo		
Bridge Test	Good			
Type Of Bridge	Tone Pro Style			
Body Wood	Mahogany			
Finish Type	Gloss	Poly		
Color	Gold Top			
Guitar Weight	10.05lbs 4.560 kg			
Bridge Pickup	Seymour Duncan 59			

Shijie LPV-8		Geek Dive Average	Geek Dive Average	7/28/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Neck Pickup	Seymour Duncan 59			
Bridge Resistance	8.46k			
Neck Resistance	7.39k			
Bridge Inductance	4.29			
Neck Inductance	3.59			
Trus Rod Type	Dual Acting			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Hard Shell case		
Link to video		<a href="https://youtu.be/dbHTO1trOLk">https://youtu.be/dbHTO1trOLk</a>		



# Guitar Score Card



Martin D Jr E		Geek Dive Average		7/15/2025
Electric Guitar	Guitar Infomation	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	Mexico			
Price <small>New</small>	\$699.00			
Neck Material	Select Hardwood	Means they can change when needed		
Neck Finish	Satin			
Neck Relief	0.008	.15mm	0.006	
Scale Length	24.9			
Strings	12-52			
Action	2.50mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Martin	Satin finish		
Nut Material	Corian			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	44.53mm 1.753"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Richlite	Looks like Ebony		
Inlay	Dots	Abalone		
12th Fret Neck Width	53.87mm 2.121"			
1st Fret Neck Thickness	21.26mm 0.837"			
9th Fret Neck Thickness	22.15mm 0.872"			
Neck Shape	C	PA Profile		
Fretboard Radius	16			
Rolled Fretboard Edge?	Yes	Select Hardwood		
Number of Frets	20			
Fret Material	Nickel	Medium Jumbo		
Fret End Test	4 out of 5			
Bridge Test	Good			
Type Of Bridge	Richlite	Tusq Saddle		
Saddle Radius	16			
Bridge Pins	Plastic			
Bridge String Spacing	2 5/32			
Body Wood	Solid Sapele	Back and sides		
Top Wood	Spruce	Solid top		
Finish Type	Satin			

Martin D Jr E		Geek Dive Average	Geek Dive Average	7/15/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Brace System	Scalloped X-Brace			
Color	Natural			
Guitar Weight	4.90 lbs			
Electronics	Martin E System	Built in Tuner		
Trus Rod Type	double acting			
Did The guitar need a Set up	No	Need bridge saddle lowered		
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Martin Gig Bag		
Link to video		<a href="https://youtu.be/7rigeYoorPk">https://youtu.be/7rigeYoorPk</a>		



# Guitar Score Card



PRS SE NF53		Geek Dive Average		7/8/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	Indonesia	Made In PRS SE Cort Factory		
Price <small>Average used</small>	\$979.00			
Neck Material	Maple	Flat sawn		
Neck Finish	Satin			
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5			
Strings	10-46			
Action	2.25mm	2.00mm	0.079	
Intonation	Ok			
Type Of Tuners	PRS	Kluson Style with PRS wing buttons		
Nut Material	Tusq like			
Nut Slots	Ok	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	41.59mm 1.637"			
Fretboard Material	Maple			
Inlay	Birds	Abalone		
12th Fret Neck Width	51.49mm 2.027"			
1st Fret Neck Thickness	22.23mm 0.878"			
12th Fret Neck Thickness	25.65mm 1.010"			
Neck Shape	C	Feels like 50s Tele		
Fretboard Radius	10			
Rolled Fretboard Edge?	Yes	Nicely rolled		
Number of Frets	22			
Fret Material	Nickel	Medium Jumbo		
Fret End Test	3 out of 5			
Bridge Test	Good			
Type Of Bridge	PRS Style	Tele vibe like bridge		
Body Wood	Ash	3 piece		
Finish Type	Gloss	Poly		
Color	Dog Hair			
Guitar Weight	7.90lbs 3.858kg			
Volume Control	500k			
Tone Control	500k			

PRS SE NF53		Geek Dive Average	Geek Dive Average	7/8/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Treble Bleed	No			
Switch	3 way		Blade style	
Wiring	Good			
Shielded Cavity	Yes		Pint and Copper tape	
Bridge Pickup	PRS Narrowfield DD "s"		Treble	
Neck Pickup	PRS Narrowfield DD "s"		Bass	
Bridge Resistance	8.93			
Neck Resistance	8.07			
Bridge Inductance	5.63			
Neck Inductance	4.75			
Trus Rod Type	double acting			
Did The guitar need a Set up	No		Need bridge saddle lowered	
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		PRS Gig Bag	



# Guitar Score Card



Silvertone 1448		Geek Dive Average		6/30/2025
Electric Guitar	Guitar Information	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	USA			
Price <small>Average used</small>	\$67.95	Now they go used for \$400 to \$1000		
Neck Material	Maple			
Neck Finish	Gloss	Nitro		
Neck Relief	0.008	.15mm	0.006	
Scale Length	23.5"			
Strings	10-46			
Action	2.50mm	2.00mm	0.079	
Intonation	Ok			
Type Of Tuners	Silvertone	They are not great		
Nut Material	Aluminum			
Nut Slots	Ok	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	44.20mm 1.740"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood			
Inlay	Dots	Clay dots		
12th Fret Neck Width	53.51mm 2.106"			
1st Fret Neck Thickness	23.07mm 0.908"			
9th Fret Neck Thickness	20.98mm 0.826"			
Neck Shape	C	Feels like a thin Martin Neck		
Fretboard Radius	20			
Rolled Fretboard Edge?	Kinda	Not originally but well played yess		
Number of Frets	18			
Fret Material	Nickel			
Fret End Test	NA			
Bridge Test	Good			
Type Of Bridge	Silvertone			
Body Wood	Masonite			
Top Wood	Masonite			
Finish Type	Gloss Ish	Nitro		
Color	Black	with sparkles		
Guitar Weight	5.20 lbs 3.200kg			
Volume Control	250k			

Silvertone 1448		Geek Dive Average	Geek Dive Average	6/30/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Tone Control	250k			
Treble Bleed	No			
Switch	None			
Wiring	Good			
Shielded Cavity	Yes		Copper tape	
Pickup	Lipstick		Danelectro	
Trus Rod Type	NONE			
Did The guitar need a Set up	Yes			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes		Case with Tube amp	



# Guitar Score Card



PRS Chleo		Geek Dive Average		6/24/2025
Electric Guitar	Guitar Information	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	Maryland USA	ONLY 200 MADE		
Price	\$6900.00			
Neck Material	Maple	Quarter Sawn		
Neck Finish	Satin	Nitro		
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	9-42			
Action	1.75mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	PRS Locking Phase III			
Nut Material	Locking Gold			
Nut Slots	Perfect	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	44.30mm 1.744	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony			
Inlay	Dragons			
12th Fret Neck Width	53.54mm 2.108"			
1st Fret Neck Thickness	18.47mm 0.027"			
9th Fret Neck Thickness	21.6mm 0.829"			
Neck Shape	Feels like U			
Fretboard Radius	20			
Rolled Fretboard Edge?	Light	it doesn't feel harsh or sharp on edge		
Number of Frets	24			
Fret Material	Nickel	Jumbo		
Fret End Test	5 out of 5			
Bridge Test	Good			
Type Of Bridge	Gotoh	GE1996T		
Body Wood	Mahogany			
Top Wood	Flame Maple			
Finish Type	Satin	Nitro		
Color	Charcal Purple Burst			
Guitar Weight	7.0lbs 3.175kg			
Volume Control	25k	Push/pull coil split		

PRs Chleo		Geek Dive Average	Geek Dive Average	6/24/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Tone Control	25k	Push/pull coil split		
Treble Bleed	No			
Switch	5 way			
Wiring	Good			
Shielded Cavity	Yes			
Bridge Pickup	Fishman	Herman Li Model		
Middle Pickup	Fishman	Herman Li Model		
Neck Pickup	Fishman	Herman Li Model		
Trus Rod Wrench Size				
Trus Rod Type	Dual Action	with carbon rods		
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	PRs Molded Case		



# Guitar Score Card



Parker PM20		Geek Dive Average		6/17/2025
Electric Guitar	Guitar Information	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	South Korea	Some later on where made in Indonesia		
Price <small>Average used</small>	\$600.00	Depends on condition in used market		
Neck Material	Mahogany	Flat Sawn		
Neck Finish	Gloss	Poly		
Neck Relief	0.006	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	10-46			
Action	2.00mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Grover Mini	Grover Mini 18:1 Six inline die cast		
Nut Material	Graphite			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	41.98mm 1.653"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony			
Inlay Material	None			
12th Fret Neck Width	52.36mm 2.061"			
1st Fret Neck Thickness	21.16mm 0.833"			
9th Fret Neck Thickness	24.44mm 0.962"			
Neck Shape	C			
Fretboard Radius	12			
Rolled Fretboard Edge?	No	Not sharp or harsh		
Number of Frets	22			
Fret Material	Nickel			
Fret End Test	NA			
Bridge Test	Good			
Type Of Bridge	Hardail	String thru body		
Body Wood	Mahogany			
Finish Type	Gloss	Poly		
Color	Natural			
Guitar Weight	6.26lbs 2.840kg			
Volume Control	500K	Push/pull coil split		
Tone Control	500K	Push/pull coil split		

Parker PM20		Geek Dive Average	Geek Dive Average	6/17/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Treble Bleed	No			
Switch	3 way			
Wiring	Good			
Shielded Cavity	Yes			
Bridge Pickup	Parker			
Neck Pickup	Parker			
Bridge Resistance	14.31k			
Neck Resistance	7.90k			
Bridge Inductance	7.52			
Neck Inductance	2.94			
Trus Rod Wrench Size	4mm			
Trus Rod Type	Dual Action			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Gig bag was included when guitar was new		



# Guitar Score Card



Artist AT53 Relic		Geek Dive Average		6/5/2025
Electric Guitar	Guitar Information	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	China			
Price (On video launch date)	469.00	Depends on condition in used market		
Neck Material	Roasted Maple	Quarter Sawn		
Neck Finish	Satin	Poly		
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	10-46			
Action	2.00mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Locking	Six inline die cast		
Nut Material	Bone			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.15mm 1.659"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Rosewood			
Inlay Material	Abalone			
12th Fret Neck Width	52.34mm 2.060"			
1st Fret Neck Thickness	21.66m 0.853"			
9th Fret Neck Thickness	22.19mm 0.873"			
Neck Shape	C	feels like a slight U		
Fretboard Radius	16			
Rolled Fretboard Edge?	Yes	Very lightly		
Number of Frets	22			
Fret Material	Stainless Steel			
Fret End Test	4.5 out of 5	Very good		
Bridge Test	Good			
Type Of Bridge Saddle	Brass			
Body Wood	Paulownia			
Finish Type	Satin	Says Nitro feels and looks poly		
Color	Yellow	Looks like mustard		
Guitar Weight	6.32lbs 2.865kg			
Volume Control	250k	Alpha		
Tone Control	250k	Alpha with 0.047uf capacitor		

Artist AT53 Relic		Geek Dive Average	Geek Dive Average	6/5/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Treble Bleed	Yes			
Switch	3 way		Alpha PCB	
Wiring	Good			
Shielded Cavity	Yes		Copper Foil	
Bridge Pickup	Laohao		Hand Made Alnico V	
Neck Pickup	Laohao		Hand Made Alnico V	
Bridge Resistance	11.39k			
Neck Resistance	9.54k			
Bridge Inductance	3.58			
Neck Inductance	2.65			
Trus Rod Wrench Size	4mm			
Trus Rod Type	Dual Action			
Bridge wrench size	1.5mm			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	No		Included Strap locks and cable	



# Guitar Score Card



Kiesel Kyber		Geek Dive Average		6/1/2025
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings	6			
Country Of Origin	USA	Made in California		
Price (On video launch date)	\$1599.00	Base Price as tested \$2200		
Neck Material	Roasted Maple	One Piece Quarter Sawn		
Neck Finish	Natural			
Neck Relief	0.008	.15mm	0.006	
Scale Length	25.5 650mm			
Strings	10-46			
Action	1.75mm	2.00mm	0.079	
Intonation	Good			
Type Of Tuners	Locking	Kiesel Locking		
Nut Material	Graphtech			
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width	42.44mm 1.671"			
Fretboard Material	Maple			
Inlay Material	Abalone	Dots		
12th Fret Neck Width	51.66m 2.034"			
1st Fret Neck Thickness	19.15mm 0.754"			
12th Fret Neck Thickness	21.44mm 0.844"			
Neck Shape	C			
Fretboard Radius	14"			
Rolled Fretboard Edge?	No	But no hard edge		
Number of Frets	S4			
Fret Material	Stainless	Medium Jumbo		
Fret Width	.103"			
Fret Height	.048"			
Fret End Test	Good	5 out of 5		
Bridge Test	Good			
Type Of Bridge	Hipshot	tremolo		
Allen Wrench size for bridge	0.05"			
Body Wood	Alder			
Finish Type	Satin	Poly		
Color	Green	Tropical		

Kiesel Kyber		Geek Dive Average	Geek Dive Average	6/1/2025
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Guitar Weight	6.2 lbs			
Volume Control	500k	With Treble Bleed		
Wiring	good			
Shielded Cavity	Yes	Copper Tape		
Bridge Pickup	Humbucker			
Neck Pickup	Humbucker			
Trus Rod Type	Dual Action			
Trus Rode Size	4mm			
Did The guitar need a Set up	No			
Did the guitar need major fret work?	No			
Did the guitar need minor fret work	No			
Did the guitar need electronics work	No			
Did it include a Case or got Bag	Yes	Deluxe Kiesel Gig Bag		



# Guitar Score Card



Firefly FFTL		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters	Inches
Number Of Strings	6		
Country Of Origin	China		
Price (On video launch date)	\$229.99		
Neck Material	Roasted Maple Maple	One Piece	
Neck Finish	Satin		
Neck Relief	0.002	.15mm	0.006
Scale Length	25.5 650mm		
Strings	9 to 42		
Action	2.00mm	2.00mm	0.079
Intonation	Good		
Type Of Tuners	Locking	6 in line	
Nut Material	Bone	Stained red	
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016
Nut Width	42.5mm 1.655"		
Fretboard Material	Rosewood		
Inlay Material	Abalone	Dots	
12th Fret Neck Width	52.35mm 2.060"		
1st Fret Neck Thickness	21.22mm 0.835"		
12th Fret Neck Thickness	22.14mm 0.801"		
Neck Shape	C		
Fretboard Radius	Compound	9.5" to 12"	
Rolled Fretboard Edge?	Yes		
Number of Frets	22		
Fret Material	Stainless	Medium Jumbo	
Fret Width	2.64mm 0.104"		
Fret Height	1.20mm 0.047"		
Fret End Test	Great	5 out of 5	
Bridge Test	Good		
Type Of Bridge	Hard Tail		
Allen Wrench size for bridge	1.5mm		
Body Wood	Roasted mahogany		
Finish Type	Gloss	Poly	
Color	White		

Firefly FTL		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Infomation	Millimeters	Inches
Guitar Weight	8.08lbs 3.665kg		
Volume Control	500k		
Kill Switch	yes it does		
Wiring	good		
Shielded Cavity	Yes	Not done very well	
Bridge Pickup	Humbucker	Alnico 5	
Neck Pickup	Humbucker	Alnico 5	
Bridge Resistance	14.66k		
Neck Resistance	8.86k		
Trus Rod Type	Dual Action	Spoke wheel	
Trus Rode Size	NA		
Did The guitar need a Set up	No		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	No		



# Guitar Score Card



BC Rich Gunslinger Retro II		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters	Inches
Number Of Strings	6		
Country Of Origin	India		
Price (On video launch date)	\$899.00		
Neck Material	Maple	Two Piece Flat Sawn	
Neck Finish	Satin	Poly	
Neck Relief	0.002	.15mm	0.006
Scale Length	25.5 650mm		
Strings	9 to 42		
Action	3.00mm	2.00mm	0.079
Intonation	Good		
Type Of Tuners	Locking	Grover 18:1 Locking	
Nut Material	Floyd		
Nut Allen Wrench size	3mm		
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016
Nut Width	43.03mm 1.694"		
Fretboard Material	Maple		
Inlay Material	Black	Dots	
12th Fret Neck Width	52.99mm 2.086"		
1st Fret Neck Thickness	21.14mm 0.832"		
12th Fret Neck Thickness	23.27mm 0.916"		
Neck Shape	C		
Fretboard Radius	14"		
Rolled Fretboard Edge?	Yes		
Number of Frets	22		
Fret Material	Nickel silver	Jumbo	
Fret Width	2.82mm 0.111"		
Fret Height	1.44mm 0.056"		
Fret End Test	Bad	1 out of 5	
Bridge Test	Good		
Type Of Bridge	Floyd Rose	1000 Bridge	
Allen Wrench size for bridge	2.5mm		
Body Wood	Alder		
Finish Type	Gloss	Poly	
Color	White		

BC Rich Gunslinger Retro II		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Guitar Weight	7.68lbs 3.485kg		
Volume Control	500k		
Wiring	good		
Shielded Cavity	Yes	on bottom	
Bridge Pickup	Seymour Duncan	TB-6	
Bridge Resistance	17.10k		
Bridge Inductance	6.04		
Trus Rod Type	Dual Action		
Trus Rode Size	4mm		
Did The guitar need a Set up	YES		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	Yes		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	No		



# Guitar Score Card



Fender American Pro Sandblasted Tele		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters	Inches
Number Of Strings	6		
Country Of Origin	USA	California	
Price (On video launch date)	\$1,999.00		
Neck Material	Roasted Maple	One Piece Flat Sawn	
Neck Finish	Satin	Poly	
Neck Relief	0.008	.15mm	0.006
Scale Length	25.5 650mm		
Strings	9 to 42		
Action	1.75	2.00mm	0.079
Intonation	Good		
Type Of Tuners	Locking	Fender Six inline Black	
Nut Material	Bone		
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016
Nut Width	43.18 1.700		
Fretboard Material	Roasted Maple		
Inlay Material	Black		
12th Fret Neck Width	51.71mm 2.036		
1st Fret Neck Thickness	21.42mm 0.843		
9th Fret Neck Thickness	22.53mm 0.887		
Neck Shape	C		
Fretboard Radius	9.5		
Rolled Fretboard Edge?	Yes		
Number of Frets	22		
Fret Material	Nickel silver		
Fret End Test	Good		
Bridge Test	Good		
Type Of Bridge	Hardtail	Black	
Body Wood	Ash	Chambered Sandblasted	
Finish Type	Satin	Poly	
Color	Aged Natural	Butter Scotch kinda	
Guitar Weight	6.65 lbs 2.975kg		
Volume Control	500k		
Tone Control	500k		

Fender American Pro Sandblasted Tele		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Switch	3 way blade		
Wiring	good		
Shielded Cavity	None		
Bridge Pickup	Seymour Duncan	JB	
Neck Pickup	Seymour Duncan	59	
Bridge Resistance	16.87k		
Neck Resistance	7.37k		
Bridge Inductance	6.69		
Neck Inductance	4.24		
Trus Rod Type	Dual Action		
Did The guitar need a Set up	No		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	No		



# Guitar Score Card



Peavey T15 A.K.A Mississippi Mustang		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters	Inches
Number Of Strings	6		
Country Of Origin	USA	Mississippi	
Price (On video launch date)	\$350 to \$650	Depends on condition in used market	
Price NEW	\$250.00		
Neck Material	Maple	2 Piece	
Neck Finish	Gloss	Nitro	
Neck Relief	0.008	.15mm	0.006
Scale Length	23.5		
Strings	10-46		
Action	2.00	2.00mm	0.079
Intonation	Ok		
Type Of Tuners	Kluson Style	Six inline	
Nut Material	Aluminum		
Nut Slots	Ok	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016
Nut Width	43.10 mm 1.697"		
Fretboard Material	Maple		
Inlay Material	Black dots		
12th Fret Neck Width	49.86mm 1.963"		
1st Fret Neck Thickness	18.89mm 0.747		
12th Fret Neck Thickness	20.02mm 0.795		
Neck Shape	Small C		
Fretboard Radius	12"		
Rolled Fretboard Edge?	No		
Number of Frets	20 Medium Jumbo		
Fret Material	Nickel Silver		
Type Of Bridge Saddle	Die Cast	One piece molded	
Body Wood	Maple	6 Piece	
Finish Type	Satin	Nitro	
Color	Burst		
Guitar Weight	6.89 lbs 3.125kg		
Volume Control	250k	With treble bleed	
Tone Control	250K		
Switch	3 way		

Peavey T15 A.K.A Mississippi Mustang		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Wiring	Ok	Could be better	
Bridge Pickup	Single Coil	Super Ferrite Pickup with Ceramic Magnet	
Neck Pickup	Single Coil	Super Ferrite Pickup with Ceramic Magnet	
Bridge Resistance	5.61k		
Bridge Inductance	5.79k		
Neck Inductance	3.55		
Trus Rod Wrench Size	3.53		
Trus Rod Type	Single Acting		
Did The guitar need a Set up	No		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	Case	Some have a built in amp in the case	



# Guitar Score Card



Taylor Studio 414CE Sunset		Geek Dive Average		
Electric Guitar	Guitar Information	Millimeters		Inches
Number Of Strings	6			
Country Of Origin	USA			
Price (On video launch date)	\$2499.00			
Neck Material	Mahogany			
Neck Finish	Satin			
Neck Relief	0.008	.15mm		0.006
Scale Length	25.5"			
Strings	12-52			
Action	2.75mm	2.00mm		0.079
Intonation	Good			
Type Of Tuners	Taylor Gold			
Nut Material	NuBone			
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm
Nut Width	42.8 mm 1 11/16"	Low E, A .020	D,G .018	B Hi E .016
Fretboard Material	Ebony			
Inlay Material	Acrylic			
12th Fret Neck Width	52.56mm 2.069			
1st Fret Neck Thickness	21.61mm 0.851			
9th Fret Neck Thickness	22.71mm 0.894			
Neck Shape	Standard Taylor Profile			
Fretboard Radius	15"			
Rolled Fretboard Edge?	No			
Number of Frets	20			
Fret Material	Nickel Silver			
Dead Frets?	No			
Fret Polish Job	Good			
Fret End Test	4 out of 5			
Bridge Test	Good			
Type Of Bridge Saddle	Micarta	With a Ebony Bridge		
Wood Top	Torrefied Sitka Spruce	Solid top		
Body Wood	Indian Rosewood	Solid Back and sides		
Brace Pattern	V-class			
Finish Type	Satin			

Taylor Studio 414CE Sunset		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Color	Sunset Burst		
Guitar Weight	4.62 lbs		
Electronics	Expression System 2	Volume, Bass, treble	
Wiring	Good	Clean Looking	
Trus Rod Wrench Size	4mm		
Trus Rod Type	Dual Acting		
Did The guitar need a Set up	No		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	Gig Bag	Hard Deluxe Style	



# Guitar Score Card



Eastman Fullertone DC'62		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters	Inches
Number Of Strings	6		
Country Of Origin	China		
Price (On video launch date)	\$939.00		
Neck Material	Roasted Maple		
Neck Finish	True Tone		
Neck Relief	0.002	.15mm	0.006
Scale Length	25.5"		
Strings	10-46	D Addario NYXL	
Action	1.75	2.00mm	0.079
Intonation	Good		
Type Of Tuners	Kluson Style		
Nut Material	Bone		
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016
Nut Width	42.87mm 1.688		
Fretboard Material	Rosewood		
Inlay Material	Pearl Dots		
12th Fret Neck Width	52.49mm 2.066		
1st Fret Neck Thickness	22.16mm 0.872		
12th Fret Neck Thickness	25.68mm 1.011		
Neck Shape	Medium Round	Feels like 50s Strat Style	
Fretboard Radius	12"		
Rolled Fretboard Edge?	Yes		
Number of Frets	24		
Fret Material	Nickel	Jester FW47104-P	
Fret Width	0.104		
Fret Height	0.047		
Dead Frets?	No		
Fret Polish Job	Good		
Fret End Test	5 out of 5		
Bridge Test	Bad	Some players May want screws cut or replace	
Type Of Bridge	Brass Block Tremolo		
Body Wood	Roasted Black Limba		
Solid, Hollow, Semi Hollow, Weight Relief	Solid		

Eastman Fullertone DC'62		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Finish Type	Satin		
Color	Desert Sand		
Guitar Weight	7.3lbs 3.330kg		
Bridge Pickup	Tone Rider SBH-B-GF Soapbar		
Middle Pickup	ToneRider SQ1-WH Single Coil		
Neck Pickup	ToneRider SQ1-WH Single Coil		
Bridge Pickup Resistance	7.74k		
Middle Pickup Resistance	7.73k		
Neck Pickup Resistance	7.70k		
Bridge Pickup Inductance	3.93		
Middle Pickup Inductance	2.72		
Neck Pickup Inductance	2.78		
Wiring	Good	Clean Looking	
Switch	5 Way Blade Switch		
Volume Pot Value	250K	CTS Full Size	
Tone Pot Value	250K	CTS Full Size	
Tone Pot Cap	0.022uf	Orange Drop	
Treble Bleed	No		
Shielding In the cavity? Type	No		
Trus Rod Wrench Size	4mm		
Trus Rod Type	Dual Acting		
Bridge Saddle Wrench Size	0.09		
Did The guitar need a Set up	No		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	Gig Bag	Deluxe Style	



# Guitar Score Card



Journey OF660BP		Geek Dive Average						
Electric Guitar	Guitar Information	Millimeters		Inches				
Number Of Strings	6			NA				
Country Of Origin	Unkown			NA				
Price (On video launch date)	1399.99			NA				
Neck Material	Carbon Fiber			NA				
Neck Finish	Gloss Polyurethane			NA				
Neck Relief	0.008	.20mm	0.008					
Scale Length	24.50 (622.3mm)			NA				
Guitar overall length	35.5 (92cm)			NA				
Strings	12 - 53	No brand of string mentioned		NA				
Action	2.75	2.00mm	0.079					
Intonation	Great			Great				
Type Of Tuners	Grover 18:1	Chrome Locking		NA				
Nut Material	Bone	Bone		NA				
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Good
Nut Width	44.5mm			NA				
Fretboard Material	Carbon Fiber			NA				
Inlay Material	MOP			NA				
12th Fret Neck Width	2.2in (56mm)			NA				
1st Fret Neck Thickness	0.86in (21.8mm)			NA				
9th Fret Neck Thickness	0.96in (24.5mm)			NA				
String Spacing At Bridge	56.6mm							
Neck Shape	Thin D			NA				
Fretboard Radius	16in			NA				
Rolled Fretboard Edge?	no			NA				
Number of Frets	20			NA				
Fret Material	Nickel	Non Through Fret Slot Deluxe		NA				
Fret Width				NA				
Fret Height				NA				
Dead Frets?	No			Great				
Fret Size conclusion	Medium Jumbo			NA				
Fret Polish Job	Good			Good				
Fret End Test	5 out 5							
Guitar Top	Carbon Fiber							

Journey OF660BP		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Back and Sides	Fiberglass Reinforced Carbon Fiber		
type Of bracing	NA		
Bridge Test	Great		Great
Type Of Bridge Saddle	Bone		NA
Type Of Bridge	Carbon Fiber		
Type Of Bridge pins	Plastic		
Solid, Hollow, Semi Hollow, Weight Relief	Acoustic		NA
Guitar Body Length	18in (45.7cm)		
Guitar Body width	12.5in (31.8cm)		NA
Guitar Body thickness	4.64in (11.8cm)		NA
Finish Type	Gloss Polyurethane		NA
Color	Flip Flop Blue to Purple		NA
Guitar Weight	4.6lbs (2.1kg)		NA
Electronics	Passive	Under Saddle Type	NA
Type Of Power	None		NA
Controls	None		NA
Truss Rod Type	Dual Action		NA
Truss Rod Wrench Size	4mm		NA
Did The guitar need a Set up	No		NA
Did the guitar need major fret work?	No		NA
Did the guitar need minor fret work	No		NA
Did the guitar need electronics work	No		NA
Did it include a Case or got Bag	Yes	Deluxe gig bag	NA



# Guitar Score Card



D'Angelico Premier Mini DC		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters	Inches
Number Of Strings	6		
Country Of Origin	Indonesia		
Price (On video launch date)	\$899.99		
Neck Material	Maple		
Neck Finish	Poly		
Neck Relief	0.005	.15mm	0.006
Scale Length	25"		
Strings	10-46	D'Angelico	
Action	1.75	2.00mm	0.079
Intonation	Good		
Type Of Tuners	Grover	Grover 109 Super Rotomatic	
Nut Material	Graphtech	NuBone XL	
Nut Slots	Good	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016
Nut Width	42.55mm 1.675		
Fretboard Material	Pau Ferro		
Inlay Material	White pearl		
12th Fret Neck Width	51.78mm 2.038		
1st Fret Neck Thickness	18.90mm 0.748		
12th Fret Neck Thickness	21.79mm 0.858		
Neck Shape	Flat U Shape	Says its a C Shape	
Fretboard Radius	14"		
Rolled Fretboard Edge?	Yes		
Number of Frets	22		
Fret Material	Nickel		
Fret Width	2.72mm or 0.107		
Fret Height	0.96mm or .038		
Dead Frets?	No		
Fret Polish Job	Good		
Fret End Test	4 out of 5		
Bridge Test	Good		
Type Of Bridge	Tune-O-Matic		
Body Wood Back and sides	Laminated Maple		
Top Wood	Spruce Veneer		

D'Angelico Premier Mini DC		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Solid, Hollow, Semi Hollow, Weight Relief	Semi Hollow		
Finish Type	Poly		
Color	Brown Burst		
Guitar Weight	6.78lbs 3.075kg		
Bridge Pickup	Supro Bolt Bucker A2		
Neck Pickup	Supro Bolt Bucker A5		
Bridge Pickup Resistance	7.82k		
Bridge Pickup Inductance	4.33		
Neck Pickup Resistance	7.63k		
Neck Pickup Inductance	4.29		
Wiring	Good	Clean Looking	
Switch	3 Way Toggle		
Volume Pot Value	500K	Two Pots	
Tone Pot Value	500K	Two Pots	
Tone Pot Cap	0.022uf		
Treble Bleed	No		
Shielding In the cavity? Type	Yes		
Trus Rod Wrench Size	4mm		
Bridge Saddle Wrench Size	Phillips head screw		
Did The guitar need a Set up	No		
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	Gig Bag	Deluxe Style D'Angelico	



# Guitar Score Card



Epiphone Les Paul Special TV Yellow		Geek Dive Average		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters		Inches	
Number Of Strings	6				
Country Of Origin	China				
Price (On video launch date)	\$499.99				
Neck Material	Mahogany	One Piece			
Neck Finish	Poly	Feels unfinished			
Neck Relief	0.008	.15mm		0.006	
Scale Length	24.75"				
Strings	10-46	No brand of string mentioned			
Action	2.25	2.00mm		0.079	
Intonation	Yes	Was good with no real issues			
Type Of Tuners	Vintage Style	Kluson looking branded Epiphone			
Nut Material	Graphtech				
Nut Slots	Not Horrible	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020
Nut Width	42.82mm 1.686"				
Fretboard Material	Indian Laurel				
Inlay Material	Pearled Dots				
12th Fret Neck Width	53.51mm 2.016"				
1st Fret Neck Thickness	22.86mm 0.872"				
12th Fret Neck Thickness	25.22 or 0.992"				
Neck Shape	Vintage?				
Fretboard Radius	12" or 305mm				
Rolled Fretboard Edge?	No	Feels nice but not rolled very much			
Number of Frets	22				
Fret Material	Nickel				
Fret Width	2.33mm .091				
Fret Height	1.29mm .051				
Dead Frets?	No				
Fret Polish Job	Good				
Fret End Test	3.5 out of 5				
Bridge Test	Good				
Type Of Bridge	Wrap Around Bridge				
Body Wood	Mahogany				
Solid, Hollow, Semi Hollow, Weight Relief	Solid				

Epiphone Les Paul Special TV Yellow		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Finish Type	Poly		
Color	TV Yellow		
Guitar Weight	7.62lbs 3.455kg		
Bridge Pickup	P-90 Pro Soap Bar Single Coil		
Neck Pickup	P-90 Pro Soap Bar Single Coil		
Bridge Pickup Resistance	7.75k		
Bridge Pickup Inductance	6.13		
Neck Pickup Resistance	7.74k		
Neck Pickup Inductance	6.14		
Wiring	Good		
Switch	3 Way Toggle		
Volume Pot Value	500K	Two Pots	
Tone Pot Value	500K	Two Pots	
Tone Pot Cap	0.022uf		
Treble Bleed	No		
Shielding In the cavity? Type	Yes		
Trus Rod Wrench Size	4mm		
Bridge Saddle Wrench Size	1.5mm		
Did The guitar need a Set up	Yes	Bridge needed to be lowered	
Did the guitar need major fret work?	No		
Did the guitar need minor fret work	No		
Did the guitar need electronics work	No		
Did it include a Case or got Bag	No		



# Guitar Score Card



Bromo BAR 5CE Video 2/19/25		Geek Dive Average						
Electric Guitar	Guitar Information	Millimeters	Inches					
Number Of Strings	6			NA				
Country Of Origin	Indonesia			NA				
Price (On video launch date)	\$519.95			NA				
Neck Material	Mahogany with Ebony Strips			NA				
Neck Finish	Satin Poly			NA				
Neck Relief	0.008	.20mm	0.008					
Scale Length	25.50 or 648mm			NA				
Guitar overall length	39 3/8" Or 1000mm			NA				
Strings	12 - 52	No brand of string mentioned		NA				
Action	2.25mm	2.00mm	0.079					
Intonation	Good			Good				
Type Of Tuners	Deluxe Bromo	Black Grover Style		NA				
Nut Material	Nubone	Graph Tech Nubone XB		NA				
Nut Slots	Good	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Good
Nut Width	41.98mm or 1.653			NA				
Fretboard Material	Amara Ebony			NA				
Inlay Material	Abalone			NA				
12th Fret Neck Width	52.31 or 2.059			NA				
1st Fret Neck Thickness	22.35mm or 0.880			NA				
9th Fret Neck Thickness	22.94mm or 0.903			NA				
Sound Hole Size	3 5/8" or 92.5mm							
String Spacing At Bridge	7/16" overall 2 1/8"							
Neck Shape	C			NA				
Fretboard Radius	15 3/4" or 400mm			NA				
Rolled Fretboard Edge?	no			NA				
Number of Frets	20			NA				
Fret Material	Nickel	Non Through Fret Slot Deluxe		NA				
Fret Width	2.43mm or .096			NA				
Fret Height	1.24mm or .049			NA				
Dead Frets?	No			Great				
Fret Size conclusion	Medium Jumbo			NA				
Fret Polish Job	Ok			Ok				
Fret End Test	3 out of 5	Most players would want them polished		Ok				

Bromo BAR 5CE Video 2/19/25		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Guitar Top	Solid Sitka Spruce		
Back and Sides	Solid Amara Ebony		
type Of bracing	Tone Flow		
Bridge Test	Great		Great
Type Of Bridge Saddle	Nubone	Graph Tech Nubone XB	NA
Type Of Bridge	Eagle Wing	Amara Ebony	
Type Of Bridge pins	Ebony		
Solid, Hollow, Semi Hollow, Weight Relief	Acoustic		NA
Guitar Body Length	18 3/32" or 460mm		
Guitar Body width	14 9/16" or 370mm		NA
Guitar Body thickness	4 13/32" or 112mm		NA
Finish Type	Poly Satin	Feels like no finish	NA
Color	Natural		NA
Guitar Weight	4.53lbs or 72.5 oz or 2.055kg		NA
Electronics	Fishman Sonitone	Under Saddle Type	NA
Type Of Power	9v	Included	NA
Controls	Volume and Tone	Under Sound Hole	NA
Truss Rod Type	Dual Action		NA
Truss Rod Wrench Size	4mm	Extra long to fit recessed truss rod	NA
Did The guitar need a Set up	Yes	needed neck relief	NA
Did the guitar need major fret work?	No		NA
Did the guitar need minor fret work	Yes	Fret Sprout work	NA
Did the guitar need electronics work	No		NA
Did it include a Case or got Bag	Yes	12mm thick sponge padding Water resistant fabric	NA



# Guitar Score Card



Ibanez Standard AZ24S1F Video Feb 13 2025		Geek Dive Average		Geek Dive Average				
Electric Guitar	Guitar Information	Millimeters		Inches				
Number Of Strings	6			NA				
Country Of Origin	China			NA				
Price (On video launch date)	\$549.99 usd			NA				
Neck Material	Roasted Maple	One Piece		NA				
Neck Finish	Satin Polyurethane	Feels unfinished		NA				
Neck Relief	0.008	.15mm	0.006	Not Horrible				
Scale Length	25.5" or 648mm			NA				
Guitar overall length	38 in or 965mm			NA				
Strings	10-46	No brand of string mentioned		NA				
Action	2.25mm	2.00mm	0.079	Not Horrible				
Intonation	Good			Good				
Type Of Tuners	Ibanez Locking	Chrome		NA				
Nut Material	Plastic	looks like TusQ		NA				
Nut Slots	Not Horrible	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Not Horrible
Nut Width	42.54 or 1.675			NA				
Fretboard Material	Jatoba			NA				
Inlay Material	Mother Of Pearl			NA				
12th Fret Neck Width	52.52mm or 2.067			NA				
1st Fret Neck Thickness	19.97mm or 0.794			NA				
12th Fret Neck Thickness	22.14mm or 0.873			NA				
Neck Shape	Soft C To U Shape			NA				
Fretboard Radius	12" or 305mm			NA				
Rolled Fretboard Edge?	Yes, slight			NA				
Number of Frets	24			NA				
Fret Material	Stainless Steel			NA				
Fret Width	2.81mm or .110			NA				
Fret Height	1.47mm or .058			NA				
Dead Frets?	No			Good				
Fret Size conclusion	Jumbo			NA				
Fret Polish Job	Bad			Bad				
Fret End Test	4 out of 5			Good				
Bridge Test	5 out of 5			Great				
Type Of Bridge	Ibanez T106 Tremolo	Chrome includes chrome screw in trem arm		NA				

Ibanez Standard AZ24S1F Video Feb 13 2025		Geek Dive Average	Geek Dive Average
Electric Guitar	Guitar Information	Millimeters	Inches
Solid, Hollow, Semi Hollow, Weight Relief	Solid Body	Alder with maple top and flame veneer	
Guitar Body width	12.25 or 311mm		NA
Guitar Body thickness	47.06mm or 1,853		NA
Finish Type	Polyurethane Gloss		NA
Color	Transparent Turquoise Burst		NA
Guitar Weight	7.42lbs		NA
Bridge Pickup	Ibanez Modern Custom Humbucker	Alnico 5	
Middle Pickup	NA		NA
Neck Pickup	Ibanez Modern Custom Humbucker	Alnico 5	
Bridge Pickup Resistance	13.40k		NA
Bridge Pickup Inductance	6.60		NA
M Pickup Resistance	NA		NA
M Pickup Inductance	NA		NA
Neck Pickup Resistance	10.69k		NA
Neck Pickup Inductance	4.73		NA
Wiring	Looks good	Plastic wire	Good
Switch	5 Way Blade PCB	Ibanez MX10	NA
Volume Pot Value	500k	Dime Sized	NA
Tone Pot Value	500k	Dime Sized	NA
Tone Pot Cap	0.022uf	Green Polyester	NA
Treble Bleed	Yes	0.00033mF	NA
Shielding In the cavity? Type	Yes	Shielding paint	Not Horrible
Trus Rod Wrench Size	4mm	Included with guitar	NA
Bridge Saddle Wrench Size	1.5mm	Included with guitar	NA
Did The guitar need a Set up	Yes		NA
Did the guitar need major fret work?	No		NA
Did the guitar need minor fret work	yes - polish		NA
Did the guitar need electronics work	No		NA
Did it include a Case or got Bag	No		NA



# Guitar Score Card



Yamaha Pacifica PAC012DLX Video Feb 11th 2025		Geek Dive Average		Geek Dive Average				
Electric Guitar	Guitar Information	Millimeters		Inches				
Number Of Strings	6							
Country Of Origin	Indonesia			NA				
Price (On video launch date)	\$219.99 usd			NA				
Neck Material	Mahogany	Multiple pieces						
Neck Finish	Natural							
Neck Relief	0.008	.15mm	0.006	Not Horrible				
Scale Length	25.50							
Guitar overall length	99.69cm or 39.25							
Strings	9-42							
Action	2.25	2.00mm	0.079	Not Horrible				
Intonation	Bad			Bad				
Type Of Tuners	Yamaha Sealed	Chrome						
Nut Material	Urea	Plastic, Bone, Graphite NA		NA				
Nut Slots	Not Horrible	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	
Nut Width	40.87 or 1.609	NA		NA				
Fretboard Material	Rosewood							
Inlay Material	Mother Of Pearl							
12th Fret Neck Width	51.49mm or 2.027	NA		NA				
1st Fret Neck Thickness	20.42mm or 0.802	NA		NA				
12th Fret Neck Thickness	23.12mm or 0.916	NA		NA				
Neck Shape	C Modern							
Fretboard Radius	13.75	NA		NA				
Rolled Fretboard Edge?	No	NA		NA				
Number of Frets	22							
Fret Material	Nickel-Silver							
Fret Width	2.37mm or .093	NA		NA				
Fret Height	1.14mm or .045	NA		NA				
Dead Frets?	Yes	GOOD		GOOD				
Fret Polish Job	Not Horrible	Not Horrible		Not Horrible				
Fret End Test	2 out of 5	Not Horrible to Good		Not Horrible to Good				
Bridge Test	Bad	Not Horrible to Good		Not Horrible to Good				
Type Of Bridge	Vintage Strat Style							
Solid, Hollow, Semi Hollow, Weight Relief	Solid Body							

Yamaha Pacifica PAC012DLX Video Feb 11th 2025		Geek Dive Average		Geek Dive Average
Electric Guitar	Guitar Infomation	Millimeters		Inches
Type Or Body Wood	Mahogany			
Guitar Body width	33cm or 13in			
Guitar Body thickness	44.24mm or 1.742			
Finish Type	Polyurethane Gloss			
Color	Old Violin Sunburst			
Guitar Weight	7.25 lbs			NA
Bridge Pickup	Yamaha Ceramic Humbucker			
Middle Pickup	Yamaha Ceramic Single Coil			
Neck Pickup	Yamaha Ceramic Single Coil			
Bridge Pickup Resistance	9.74k	NA	NA	NA
Bridge Pickup Inductance	4.48	NA	NA	NA
M Pickup Resistance	5.82	NA	NA	NA
M Pickup Inductance	2.89	NA	NA	NA
Neck Pickup Resistance	5.41k	NA	NA	NA
Neck Pickup Inductance	2.84	NA	NA	NA
Wiring	Good	Not Horrible	Not Horrible	Good
Switch	5 Way Blade PCB			
Volume Pot Value	Alpha Dime 500k	NA	NA	NA
Tone Pot Value	Alpha Dime 500k	NA	NA	NA
Tone Pot Cap	0.022uf	NA	NA	NA
Treble Bleed	None	NA	NA	NA
Shielding In the cavity? Type	None	NA	NA	NA



# Guitar Score Card



1977 Vintage Ibanez 2355 Video Feb 4, 2025		Geek Dive Average		Geek Dive Average				
Electric Guitar	Guitar Information	Millimeters		Inches				
Number Of Strings	6							
Country Of Origin	Japan			NA				
Price (On video launch date)	\$1399.00			NA				
Neck Material	Mahogany							
Neck Finish	Nitro Lacquer							
Neck Relief	Good Ish	.15mm	0.006	Good Ish				
Scale Length	24.75							
Strings	10-46							
Action	1.75mm	2.00mm	0.079	Good				
Intonation	Good			Good				
Type Of Tuners	Non Locking Gotoh Style	Chrome						
Nut Material	Plastic	Plastic, Bone, Graphite		NA				
Nut Slots	Bad	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Bad
Nut Width	43.61mm or 1.717	NA		NA				
Fretboard Material	Rosewood							
Inlay Material	Mother Of Pearl							
12th Fret Neck Width	54.59mm or 2.149	NA		NA				
1st Fret Neck Thickness	21.37mm or 0.841	NA		NA				
9th Fret Neck Thickness	24.22mm or 0.953	NA		NA				
Neck Shape	Gibson 50s Style Medium							
Fretboard Radius	12"	NA		NA				
Rolled Fretboard Edge?	Yes	NA		NA				
Number of Frets	20							
Fret Material	Nickel-Silver							
Fret Width	2.72mm or 0.107	NA		NA				
Fret Height	0.96mm or .038	NA		NA				
Dead Frets?	Great	GOOD		GOOD				
Fret Polish Job	Bad	Not Horrible		Not Horrible				
Fret End Test	Great	Not Horrible to Good		Not Horrible to Good				
Bridge Test	Not Horrible	Not Horrible to Good		Not Horrible to Good				
Type Of Bridge	Wood							
Solid, Hollow, Semi Hollow, Weight Relief	Hollow body							
Type Or Body Wood	Maple							

1977 Vintage Ibanez 2355 Video Feb 4, 2025		Geek Dive Average		
Electric Guitar	Guitar Information	Millimeters	Inches	
Finish Type	Nitro Lacquer			
Color	Cherry Burst			
Guitar Weight	7.07			NA
Bridge Pickup	Super 70			
Middle Pickup	NA			
Neck Pickup	Super 70			
Bridge Pickup Resistance	7.74k	NA	NA	NA
Bridge Pickup Inductance	3.47	NA	NA	NA
M Pickup Resistance	NA	NA	NA	NA
M Pickup Inductance	NA	NA	NA	NA
Neck Pickup Resistance	7.81	NA	NA	NA
Neck Pickup Inductance	3.53	NA	NA	NA
Wiring	Good	Not Horrible	Not Horrible	Good
Volume Pot Value	500K Full Size	NA	NA	NA
Tone Pot Value	500K Full Size	NA	NA	NA
Tone Pot Cap	0.022uf	NA	NA	NA
Treble Bleed	None	NA	NA	NA
Shielding In the cavity? Type	NA	NA	NA	NA
<b>Its Not Magic, Its Math</b>				



# Guitar Score Card



Fender Standard Stratocaster, video on 1/30/2025		Geek Dive Average			Geek Dive Average			
Electric Guitar	Guitar's Measurement	Millimeters			Inches			
Neck Relief	0.254 mm or 0.01	.15mm			0.006			Not Horrible
Action	1.75 to 1.50 mm	2.00mm			0.079			Good
Intonation	Not Horrible	Good			Good			Not Horrible
Nut Material	Micarta	Plastic, Bone, Graphite			NA			Not Horrible
Nut Slots	Bad to Not Horrible	Low E, A .50mm	D,G .45mm	B Hi E .40mm	Low E, A .020	D,G .018	B Hi E .016	Bad to Not Horrible
Dead Frets?	No Bad Frets	GOOD			GOOD			GREAT
Fret Polish Job	Good	Not Horrible			Not Horrible			Good
Fret End Test	Feels Great	Not Horrible to Good			Not Horrible to Good			GREAT
Bridge Test	Not Horrible	Not Horrible to Good			Not Horrible to Good			Not Horrible
Fretboard Radius	9.5	NA			NA			NA
Nut Width	42.84mm or 1.687	NA			NA			NA
12th Fret Width	51.98mm or 2.047	NA			NA			NA
Rolled Fretboard Edge?	NO	NA			NA			NA
1st Fret Thickness	21.30mm or 0.838	NA			NA			NA
12th Fret Thickness	21.93mm or 0.863	NA			NA			NA
Fret Width	2.66 mm or .103	NA			NA			NA
Fret Height	1.31mm or .051	NA			NA			NA
Guitar Weight	7.43	NA			NA			NA
Bridge Pickup Resistance	5.15k	NA			NA			NA
Bridge Pickup Inductance	3.34	NA			NA			NA
M Pickup Resistance	5.12k	NA			NA			NA
M Pickup Inductance	3.35	NA			NA			NA
Neck Pickup Resistance	5.15k	NA			NA			NA
Neck Pickup Inductance	3.35	NA			NA			NA
Wiring	Not Horrible	Not Horrible			Not Horrible			Not Horrible
Volume Pot Value	250k Alpha Full Size	NA			NA			NA
Tone Pot Value	250k Alpha Full Size	NA			NA			NA
Tone Pot Cap	0.047uf	NA			NA			NA
Treble Bleed	None	NA			NA			NA
Shielding In the cavity? Type	Bad	NA			NA			Bad
Price (On video launch date)	\$599.99	NA			NA			NA
Country Of Origin	Indonesia	NA			NA			NA
<b>Its Not Magic, Its Math</b>								

Table 1



# Guitar Score Card



Fender Standard Telecaster, video on 1/28/2025		Geek Dive Average		
Electric Guitar	Guitar's Measurement	Millimeters	Inches	
Neck Relief	.20mm or 0.008	.15mm	0.006	Good
Action	2.25mm to 2.00mm	2.00mm	0.079	Not Horrible
Intonation	Not Horrible	Good	Good	Not Horrible
Nut Material	Micarta	Plastic, Bone, Graphite	NA	Not Horrible
Nut Slots	Not Horrible	Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	Not Horrible
Dead Frets?	No Bad Frets	GOOD	GOOD	GREAT
Fret Polish Job	Feels Great	Not Horrible	Not Horrible	GREAT
Fret End Test	Feels Great	Not Horrible to Good	Not Horrible to Good	GREAT
Bridge Test	Feels Great	Not Horrible to Good	Not Horrible to Good	GREAT
Fretboard Radius	9.5	NA	NA	NA
Nut Width	43.15mm or 1.699	NA	NA	NA
12th Fret Width	51.52mm or 2.028	NA	NA	NA
Rolled Fretboard Edge?	Yes	NA	NA	NA
1st Fret Thickness	20.78mm or 0.818	NA	NA	NA
12th Fret Thickness	22.82mm or 0.898	NA	NA	NA
Fret Width	2.66mm or 0.105	NA	NA	NA
Fret Height	1.20mm or 0.47	NA	NA	NA
Guitar Weight	7lbs 8 ounces	NA	NA	NA
Bridge Pickup Resistance	8.83k	NA	NA	NA
Bridge Pickup Inductance	5.14	NA	NA	NA
M Pickup Resistance	NA	NA	NA	NA
M Pickup Inductance	NA	NA	NA	NA
Neck Pickup Resistance	5.06k	NA	NA	NA
Neck Pickup Inductance	2.76	NA	NA	NA
Wiring	Not Horrible	Not Horrible	Not Horrible	Not Horrible
Volume Pot Value	250k Alpha Full Size	NA	NA	NA
Tone Pot Value	250k Alpha Full Size	NA	NA	NA
Tone Pot Cap	0.047uf	NA	NA	NA
Treble Bleed	Nope	NA	NA	NA
Shielding In the cavity? Type	Done very well	NA	NA	GREAT
Price (On video launch date)	\$599.99	NA	NA	NA
Country Of Origin	Indonesia	NA	NA	NA
Its Not Magic, Its Math				



# Guitar Score Card



		Geek Dive Average		Geek Dive Average	
Electric Guitar	Guitar Information	Millimeters		Inches	
Number Of Strings					
Country Of Origin					
Price (On video launch date)					
Neck Material					
Neck Finish					
Neck Relief					
		.15mm		0.006	
Scale Length					
Strings					
		2.00mm		0.079	
Intonation					
Type Of Tuners					
Nut Material		Plastic, Bone, Graphite NA			
Nut Slots		Low E, A D,G B Hi E		Low E, A D,G B Hi E	
		.50mm .45mm .40mm		.020 .018 .016	
Nut Width					
Fretboard Material					
Inlay Material					
12th Fret Neck Width					
1st Fret Neck Thickness					
9th Fret Neck Thickness					
Neck Shape					
Fretboard Radius					
Rolled Fretboard Edge?					
Number of Frets					
Fret Material					
Fret Width					
Fret Height					
Dead Frets?		GOOD		GOOD	
Fret Polish Job		Not Horrible		Not Horrible	
Fret End Test		Not Horrible to Good		Not Horrible to Good	
Bridge Test		Not Horrible to Good		Not Horrible to Good	
Type Of Bridge					
Solid, Hollow, Semi Hollow, Weight Relief					
Type Or Body Wood					
Finish Type					
Color					
Guitar Weight					
Bridge Pickup					
Middle Pickup					
Neck Pickup					
Bridge Pickup Resistance					
Bridge Pickup Inductance					
M Pickup Resistance					
M Pickup Inductance					
Neck Pickup Resistance					
Neck Pickup Inductance					
Wiring		Not Horrible		Not Horrible	
Volume Pot Value					
Tone Pot Value					
Tone Pot Cap					
Treble Bleed					
Shielding In the cavity? Type					
Its Not Magic, Its Math					



# Guitar Score Card



		Geek Dive Average		
Electric Guitar	Guitar Information	Millimeters	Inches	
Number Of Strings				
Country Of Origin				
Price (On video launch date)				
Neck Material				
Neck Finish				
Neck Relief		.15mm	0.006	
Scale Length				
Strings				
Action		2.00mm	0.079	
Intonation				
Type Of Tuners				
Nut Material		Plastic, Bone, Graphite NA		
Nut Slots		Low E, A .50mm D,G .45mm B Hi E .40mm	Low E, A .020 D,G .018 B Hi E .016	
Nut Width				
Fretboard Material				
Inlay Material				
12th Fret Neck Width				
1st Fret Neck Thickness				
9th Fret Neck Thickness				
Neck Shape				
Fretboard Radius				
Rolled Fretboard Edge?				
Number of Frets				
Fret Material				
Fret Width				
Fret Height				
Dead Frets?		GOOD	GOOD	
Fret Polish Job		Not Horrible	Not Horrible	
Fret End Test		Not Horrible to Good	Not Horrible to Good	
Bridge Test		Not Horrible to Good	Not Horrible to Good	
Type Of Bridge				
Solid, Hollow, Semi Hollow, Weight Relief				
Type Or Body Wood				

		Geek Dive Average	Geek Dive Average	
Electric Guitar	Guitar Infomation	Millimeters	Inches	
Finish Type				
Color				
Guitar Weight				
Bridge Pickup				
Middle Pickup				
Neck Pickup				
Bridge Pickup Resistance				
Bridge Pickup Inductance				
M Pickup Resistance				
M Pickup Inductance				
Neck Pickup Resistance				
Neck Pickup Inductance				
Wiring		Not Horrible	Not Horrible	
Volume Pot Value				
Tone Pot Value				
Tone Pot Cap				
Treble Bleed				
Shielding In the cavity? Type				
<b>Its Not Magic, Its Math</b>				