



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000017814F

Issue Date: 16.04.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 12.04.2022
6. Date of Sample Receipt : 13.04.2022
7. Sample Code : 18256
8. Analysis Starting Date : 14.04.2022
9. Analysis Completion Date : 16.04.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	61.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	21.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	19.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.40	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



:- END OF REPORT

Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000017815F

Issue Date: 16.04.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 12.04.2022
6. Date of Sample Receipt : 13.04.2022
7. Sample Code : 18257
8. Analysis Starting Date : 14.04.2022
9. Analysis Completion Date : 16.04.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	68.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	25.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	19.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.54	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note:
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000017816F

Issue Date: 16.04.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 12.04.2022
5. Date of Sample Receipt : 13.04.2022
6. Sample Code : 18258
7. Analysis Start Date : 14.04.2022
8. Analysis Completion Date : 16.04.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	14.03.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	72.4	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	18.8	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.2	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000017817F

Issued Date: 16.04.2022

- Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID : 3.5 TPH Boiler
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Date of Monitoring : 12.04.2022
- Date of Sample Receipt : 13.04.2022
- Sample Code : 18259
- Analysis Start Date : 14.04.2022
- Analysis Completion Date : 16.04.2022
- Particulars of sample : Sample collected with VSS 1
- Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	14.03.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	60.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	19.4	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.2	---

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000017818F

Issue Date: 16.04.2022

- Name of the industry** : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Date of Monitoring** : 12.04.2022
- Report Date** : 16.04.2022
- Particulars of Sample Collected** : Noise meter
- Method Adopted** : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	76.4	60.8	68.6	75
2	Near DG set	11.00am to 11.15 am	73.2	68.6	70.9	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by



Authorized Signature

Note: 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000017819F

Issue Date: 16.04.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 12.04.2022
7. Date of sample Receipt : 13.04.2022
8. Sample Code : 18260
9. Analysis Starting date : 14.04.2022
10. Analysis Completion Date : 16.04.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.14
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1752
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	26
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	712
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2892
7	Total Suspended solids	APHA 23 rd Edition	mg/L	178

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392 255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000017820F

Issue Date: 16.04.2022

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type : ETP - Treated water
- Sample Collected By : MSV Analytical Laboratories
- Particulars of Sample Collected : Grab Sample
- Sample description/condition : Good/Satisfactory
- Date of Monitoring : 12.04.2022
- Date of sample Receipt : 13.04.2022
- Sample Code : 18261
- Analysis Starting date : 14.04.2022
- Analysis Completion Date : 16.04.2022
- Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.10	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	78	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	32	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2042	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	24	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE	As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.
-----------	--

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: TC720722000017821F

Report Issued Date: 16.04.2022

- Name of the Industry** : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Date of Sample Receipt** : 12.04.2022
- Analysis Starting Date** : 14.04.2022
- Analysis Completion Date** : 16.04.2022
- Name of the parameter** : Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Main Gate	14.04.2022	8hours	1.48	Mg/m ³	---
2	Boiler area	14.04.2022	8hours	1.70	Mg/m ³	---

Verified by

Authorized Signatory



- Note:
- The results listed only to the tested samples & applicable parameters,
 - Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F 16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000018808F

Issue Date: 13.05.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 09.05.2022
6. Date of Sample Receipt : 10.05.2022
7. Sample Code : 19361
8. Analysis Starting Date : 11.05.2022
9. Analysis Completion Date : 13.05.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	61.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	22.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	19.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.42	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000018809F

Issue Date: 13.05.2022

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location : Boiler area
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sample : Sample collected with RDS 460BL and FDS
- Date of Monitoring : 09.05.2022
- Date of Sample Receipt : 10.05.2022
- Sample Code : 19362
- Analysis Starting Date : 11.05.2022
- Analysis Completion Date : 13.05.2022
- Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	69.2	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	25.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	15.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	19.8	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.56	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000018810F

Issue Date: 13.05.2022

- Name of the Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID** : 3.5 TPH Boiler
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Date of Monitoring** : 09.05.2022
- Date of Sample Receipt** : 10.05.2022
- Sample Code** : 19363
- Analysis Start Date** : 11.05.2022
- Analysis Completion Date** : 13.05.2022
- Particulars of sample** : Sample collected with VSS 1
- Sample Tested as Received**

GENERAL DETAILS

Date of Monitoring	13.05.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	72.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	19.2	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.4	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000018811F

Issued Date: 16.05.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 09.05.2022
5. Date of Sample Receipt : 10.05.2022
6. Sample Code : 19364
7. Analysis Start Date : 11.05.2022
8. Analysis Completion Date : 13.05.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	13.05.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	62.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	20.2	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.8	---

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000018812F

Issue Date: 16.05.2022

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 12.05.2022
4. Report Date : 16.05.2022
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	77.2	61.8	69.5	75
2	Near DG set	11.00am to 11.15 am	73.4	69.2	71.3	

INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Verified by



Authorized Signature

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000018813F

Issue Date: 16.05.2022

- Name of the Project** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type** : ETP - Untreated water
- Sample Collected By** : MSV Analytical Laboratories
- Particulars of Sample Collected** : Grab Sample
- Sample description/condition** : Good/Satisfactory
- Date of Monitoring** : 12.05.2022
- Date of sample Receipt** : 13.05.2022
- Sample Code** : 19365
- Analysis Starting date** : 14.05.2022
- Analysis Completion Date** : 16.05.2022
- Sample Tested as Received**

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.16
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1758
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	718
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2894
7	Total Suspended solids	APHA 23 rd Edition	mg/L	180

Verified by



:- END OF REPORT

Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000018814F

Issue Date: 16.05.2022

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type : ETP - Treated water
- Sample Collected By : MSV Analytical Laboratories
- Particulars of Sample Collected : Grab Sample
- Sample description/condition : Good/Satisfactory
- Date of Monitoring : 12.05.2022
- Date of sample Receipt : 13.05.2022
- Sample Code : 19366
- Analysis Starting date : 14.05.2022
- Analysis Completion Date : 16.05.2022
- Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25 ^o C	APHA 23 rd Edition	-	7.12	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	82	250
6	Bio-chemical Oxygen Demand (3 days at 27 ^o C), Max	APHA 23 rd Edition	mg/L	32	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2048	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	26	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE	As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.
-----------	--

Verified by



:- END OF REPORT :-

Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000019302F

Issue Date: 17.06.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 13.06.2022
6. Date of Sample Receipt : 14.06.2022
7. Sample Code : 20216
8. Analysis Starting Date : 15.06.2022
9. Analysis Completion Date : 17.06.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	64.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	23.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.50	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by



Authorized signature

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000019803F

Issue Date: 17.06.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 13.06.2022
6. Date of Sample Receipt : 14.06.2022
7. Sample Code : 20217
8. Analysis Starting Date : 15.06.2022
9. Analysis Completion Date : 17.06.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	70.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	17.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.4	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.62	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by



:- END OF REPORT :-

Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000019804F

Issue Date: 17.06.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2022
5. Date of Sample Receipt : 14.06.2022
6. Sample Code : 20218
7. Analysis Start Date : 15.06.2022
8. Analysis Completion Date : 17.06.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	17.06.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	74.6	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	20.4	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.2	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No** : Mob : 94498 03895, (O) : 9945456764, 08392 255169
Email : labmsv@gmail.com, msvlabellary2018@gmail.com, msv.lab01@gmail.com **Web ID** : www.msvlabellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000019805F

Issued Date: 17.06.2022

- Name of the Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID** : 3.5 TPH Boiler
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Date of Monitoring** : 13.06.2022
- Date of Sample Receipt** : 14.06.2022
- Sample Code** : 20219
- Analysis Start Date** : 15.06.2022
- Analysis Completion Date** : 17.06.2022
- Particulars of sample** : Sample collected with VSS 1
- Sample Tested as Received** :

GENERAL DETAILS

Date of Monitoring	17.06.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	63.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	20.8	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.6	---

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No** : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com **Web ID** : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000019806F

Issue Date: 17.06.2022

- Name of the industry** : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Date of Monitoring** : 13.06.2022
- Report Date** : 17.06.2022
- Particulars of Sample Collected** : Noise meter
- Method Adopted** : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	78.4	62.8	70.6	75
2	Near DG set	11.00am to 11.15 am	74.2	70.6	72.4	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by

Authorized Signature



- Note :
- The results listed only to the tested samples & applicable parameters,
 - Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000019807F

Issue Date: 17.06.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 13.06.2022
7. Date of sample Receipt : 14.06.2022
8. Sample Code : 20220
9. Analysis Starting date : 15.06.2022
10. Analysis Completion Date : 17.06.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.22
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1768
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	708
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2914
7	Total Suspended solids	APHA 23 rd Edition	mg/L	184

Verified by



Authorized Signature

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000019808F

Issue Date: 17.06.2022

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type : ETP - Treated water
- Sample Collected By : MSV Analytical Laboratories
- Particulars of Sample Collected : Grab Sample
- Sample description/condition : Good/Satisfactory
- Date of Monitoring : 13.06.2022
- Date of sample Receipt : 14.06.2022
- Sample Code : 20221
- Analysis Starting date : 15.06.2022
- Analysis Completion Date : 17.06.2022
- Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25 ^o C	APHA 23 rd Edition	-	7.18	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	92	250
6	Bio-chemical Oxygen Demand (3 days at 27 ^o C), Max	APHA 23 rd Edition	mg/L	36	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2048	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	26	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE

As per KSPCB Consent,
Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000019795F

Issue Date: 22.07.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 18.07.2022
6. Date of Sample Receipt : 19.07.2022
7. Sample Code : 2065
8. Analysis Starting Date : 20.07.2022
9. Analysis Completion Date : 22.07.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	65.2	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	23.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.4	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.52	2

INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000019796F

Issue Date: 22.07.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 18.07.2022
6. Date of Sample Receipt : 19.07.2022
7. Sample Code : 2066
8. Analysis Starting Date : 20.07.2022
9. Analysis Completion Date : 22.07.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	70.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	18.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.60	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000019797F

Issue Date: 22.07.2022

- Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID : 3.5 TPH Boiler
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Date of Monitoring : 18.07.2022
- Date of Sample Receipt : 19.07.2022
- Sample Code : 2067
- Analysis Start Date : 20.07.2022
- Analysis Completion Date : 22.07.2022
- Particulars of sample : Sample collected with VSS 1
- Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	22.07.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	75.2	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	20.8	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.4	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com **Web ID :** www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000019798F

Issued Date: 22.07.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2022
5. Date of Sample Receipt : 19.07.2022
6. Sample Code : 2068
7. Analysis Start Date : 20.07.2022
8. Analysis Completion Date : 22.07.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	22.07.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	64.2	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.4	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.8	---

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



:- END OF REPORT :-

Authorized Signature
Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000019799F

Issue Date: 22.07.2022

- Name of the industry** : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Date of Monitoring** : 18.07.2022
- Report Date** : 22.07.2022
- Particulars of Sample Collected** : Noise meter
- Method Adopted** : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	79.4	62.8	71.1	75
2	Near DG set	11.00am to 11.15 am	74.8	71.2	73	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by

:- END OF REPORT -:-



Authorized Signature

- Note:
- The results listed only to the tested samples & applicable parameters,
 - Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000019800F

Issue Date: 22.07.2022

- Name of the Project** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type** : ETP - Untreated water
- Sample Collected By** : MSV Analytical Laboratories
- Particulars of Sample Collected** : Grab Sample
- Sample description/condition** : Good/Satisfactory
- Date of Monitoring** : 18.07.2022
- Date of sample Receipt** : 19.07.2022
- Sample Code** : 2069
- Analysis Starting date** : 20.07.2022
- Analysis Completion Date** : 22.07.2022
- Sample Tested as Received**

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.22
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1768
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	708
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2914
7	Total Suspended solids	APHA 23 rd Edition	mg/L	184

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000019801F

Issue Date: 22.07.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 18.07.2022
7. Date of sample Receipt : 19.07.2022
8. Sample Code : 2070
9. Analysis Starting date : 20.07.2022
10. Analysis Completion Date : 22.07.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.18	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	92	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	36	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2048	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	26	100

BDL: Below detectable limit, (Oil & Grease – 1.0 mg/L)

INFERENCE	As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.
-----------	--

Verified by



:- END OF REPORT

Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvbellary.com



MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: TC720722000019802F

Report Issued Date: 22.07.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Sample Receipt : 18.07.2022
4. Analysis Starting Date : 20.07.2022
5. Analysis Completion Date : 22.07.2022
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Main Gate	13.06.2022	8hours	1.56	Mg/m ³	---
2	Boiler area	13.06.2022	8hours	1.62	Mg/m ³	---

Verified by



END OF REPORT

Authorized Signatory

Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000020689F

Issue Date: 12.08.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.08.2022
6. Date of Sample Receipt : 09.08.2022
7. Sample Code : 2179
8. Analysis Starting Date : 10.08.2022
9. Analysis Completion Date : 12.08.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	65.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	23.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.4	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.52	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvlabellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvlabellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000020690F

Issue Date: 12.08.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.08.2022
6. Date of Sample Receipt : 09.08.2022
7. Sample Code : 2180
8. Analysis Starting Date : 10.08.2022
9. Analysis Completion Date : 12.08.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	71.2	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	18.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.62	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No** : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com **Web ID** : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000020691F

Issue Date: 12.08.2022

- Name of the Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID** : 3.5 TPH Boiler
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Date of Monitoring** : 08.08.2022
- Date of Sample Receipt** : 09.08.2022
- Sample Code** : 2181
- Analysis Start Date** : 10.08.2022
- Analysis Completion Date** : 12.08.2022
- Particulars of sample** : Sample collected with VSS 1
- Sample Tested as Received**

GENERAL DETAILS

Date of Monitoring	12.08.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	75.2	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	20.8	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.4	300

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000020692F

Issued Date: 12.08.2022

- Name of the Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID** : 3.5 TPH Boiler
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Date of Monitoring** : 08.08.2022
- Date of Sample Receipt** : 09.08.2022
- Sample Code** : 2182
- Analysis Start Date** : 10.08.2022
- Analysis Completion Date** : 12.08.2022
- Particulars of sample** : Sample collected with VSS 1
- Sample Tested as Received** :

GENERAL DETAILS

Date of Monitoring	12.08.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	64.6	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.4	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.8	---

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000020693F

Issue Date: 12.08.2022

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 08.08.2022
4. Report Date : 12.08.2022
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	80.2	64.4	72.3	75
2	Near DG set	11.00am to 11.15 am	74.8	72.6	73.7	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by

Authorized Signature



:- END OF REPORT

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000020694F

Issue Date: 12.08.2022

- Name of the Project** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type** : ETP - Untreated water
- Sample Collected By** : MSV Analytical Laboratories
- Particulars of Sample Collected** : Grab Sample
- Sample description/condition** : Good/Satisfactory
- Date of Monitoring** : 08.08.2022
- Date of sample Receipt** : 09.08.2022
- Sample Code** : 2183
- Analysis Starting date** : 10.08.2022
- Analysis Completion Date** : 12.08.2022
- Sample Tested as Received**

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.24
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1782
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	712
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2914
7	Total Suspended solids	APHA 23 rd Edition	mg/L	184

Verified by



Authorized Signature

- Note :
- The results listed only to the tested samples & applicable parameters,
 - Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000020695F

Issue Date: 12.08.2022

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type : ETP - Treated water
- Sample Collected By : MSV Analytical Laboratories
- Particulars of Sample Collected : Grab Sample
- Sample description/condition : Good/Satisfactory
- Date of Monitoring : 08.08.2022
- Date of sample Receipt : 09.08.2022
- Sample Code : 2184
- Analysis Starting date : 10.08.2022
- Analysis Completion Date : 12.08.2022
- Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25 ^o C	APHA 23 rd Edition	-	7.20	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	94	250
6	Bio-chemical Oxygen Demand (3 days at 27 ^o C), Max	APHA 23 rd Edition	mg/L	36	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2048	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	26	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE	As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.
-----------	--

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000020316F

Issue Date: 16.09.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 12.09.2022
6. Date of Sample Receipt : 13.09.2022
7. Sample Code : 2136
8. Analysis Starting Date : 14.09.2022
9. Analysis Completion Date : 16.09.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	66.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	23.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.54	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000020317F

Issue Date: 16.09.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 12.09.2022
6. Date of Sample Receipt : 13.09.2022
7. Sample Code : 2137
8. Analysis Starting Date : 14.09.2022
9. Analysis Completion Date : 16.09.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	71.6	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	18.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.66	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvlabellary2018@gmail.com, msvlab01@gmail.com Web ID : www.msvlabellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000020318F

Issue Date: 16.09.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 12.09.2022
5. Date of Sample Receipt : 13.09.2022
6. Sample Code : 2138
7. Analysis Start Date : 14.09.2022
8. Analysis Completion Date : 16.09.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	12.09.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	76.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.6	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.4	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000020319F

Issued Date: 16.09.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 12.09.2022
5. Date of Sample Receipt : 13.09.2022
6. Sample Code : 2139
7. Analysis Start Date : 14.09.2022
8. Analysis Completion Date : 16.09.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	12.09.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	66.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.6	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	25.2	---

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000020320F

Issue Date: 16.09.2022

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 12.09.2022
4. Report Date : 16.09.2022
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	80.2	60.4	70.3	75
2	Near DG set	11.00am to 11.15 am	74.6	71.2	72.9	

INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000020321F

Issue Date: 16.09.2022

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type : ETP - Untreated water
- Sample Collected By : MSV Analytical Laboratories
- Particulars of Sample Collected : Grab Sample
- Sample description/condition : Good/Satisfactory
- Date of Monitoring : 12.09.2022
- Date of sample Receipt : 13.09.2022
- Sample Code : 2140
- Analysis Starting date : 14.09.2022
- Analysis Completion Date : 16.09.2022
- Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.30
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1786
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	22
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	714
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2914
7	Total Suspended solids	APHA 23 rd Edition	mg/L	182

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Junsdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000020322F

Issue Date: 16.09.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 12.09.2022
7. Date of sample Receipt : 13.09.2022
8. Sample Code : 2141
9. Analysis Starting date : 14.09.2022
10. Analysis Completion Date : 16.09.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.24	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	98	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	38	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2052	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	28	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE

As per KSPCB Consent,

Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000021369F		Issue Date: 14.10.2022
1. Name of the Project	:	M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location	:	Near main gate
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4. Particulars of the sample	:	Sample collected with RDS 460BL and FDS
5. Date of Monitoring	:	10.10.2022
6. Date of Sample Receipt	:	11.10.2022
7. Sample Code	:	2236
8. Analysis Starting Date	:	12.10.2022
9. Analysis Completion Date	:	14.10.2022
10. Sample Tested as Received	:	

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	66.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	24.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	21.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.56	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by

Ramul



Authorized signature
Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392 255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000021370F

Issue Date: 14.10.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 10.10.2022
6. Date of Sample Receipt : 11.10.2022
7. Sample Code : 2237
8. Analysis Starting Date : 12.10.2022
9. Analysis Completion Date : 14.10.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	71.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	19.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.4	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.66	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000021371F

Issue Date: 14.10.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 10.10.2022
5. Date of Sample Receipt : 11.10.2022
6. Sample Code : 2238
7. Analysis Start Date : 12.10.2022
8. Analysis Completion Date : 14.10.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	10.10.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	76.6	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.4	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	23.8	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by

Ramesh



K. T. C. C.
Authorized Signature

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22008-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000021372F

Issued Date: 14.10.2022

- Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID : 3.5 TPH Boiler
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Date of Monitoring : 10.10.2022
- Date of Sample Receipt : 11.10.2022
- Sample Code : 2239
- Analysis Start Date : 12.10.2022
- Analysis Completion Date : 14.10.2022
- Particulars of sample : Sample collected with VSS 1
- Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	10.10.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	66.2	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.8	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	25.4	---

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by

Ramesh



[Signature]
Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Junsdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000021373F

Issue Date: 14.10.2022

- Name of the industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Date of Monitoring** : 10.10.2022
- Report Date** : 14.10.2022
- Particulars of Sample Collected** : Noise meter
- Method Adopted** : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	81.4	60.8	71.1	75
2	Near DG set	11.00am to 11.15 am	77.2	72.6	74.9	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by



Authorized Signature

- Note :
- The results listed only to the tested samples & applicable parameters,
 - Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000021374F

Issue Date: 14.10.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 10.10.2022
7. Date of sample Receipt : 11.10.2022
8. Sample Code : 2240
9. Analysis Starting date : 12.10.2022
10. Analysis Completion Date : 14.10.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.30
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1786
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	714
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2916
7	Total Suspended solids	APHA 23 rd Edition	mg/L	184

Verified by

Ramul

Longer C. L.
Authorized Signature



- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Junsdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000021375F

Issue Date: 14.10.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 10.10.2022
7. Date of sample Receipt : 11.10.2022
8. Sample Code : 2241
9. Analysis Starting date : 12.10.2022
10. Analysis Completion Date : 14.10.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25 ^o C	APHA 23 rd Edition	-	7.24	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	98	250
6	Bio-chemical Oxygen Demand (3 days at 27 ^o C), Max	APHA 23 rd Edition	mg/L	40	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2052	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	28	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)


INFERENCE

As per KSPCB Consent,

Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by

Ramul



Logu U. R.
Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: TC720722000021376F

Report Issued Date: 14.10.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Sample Receipt : 11.10.2022
4. Analysis Starting Date : 12.10.2022
5. Analysis Completion Date : 14.10.2022
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Main Gate	13.09.2022	8hours	1.60	Mg/m ³	---
2	Boiler area	13.09.2022	8hours	1.68	Mg/m ³	---

Verified by



Authorized Signatory

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.
 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000022365F

Issue Date: 18.11.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 14.11.2022
6. Date of Sample Receipt : 15.11.2022
7. Sample Code : 2368
8. Analysis Starting Date : 16.11.2022
9. Analysis Completion Date : 18.11.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	67.6	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	24.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	21.4	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.58	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000022366F

Issue Date: 18.11.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 14.11.2022
6. Date of Sample Receipt : 15.11.2022
7. Sample Code : 2369
8. Analysis Starting Date : 16.11.2022
9. Analysis Completion Date : 18.11.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	72.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	19.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.70	2

INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by

Authorized signature



- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392 255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000022367F

Issue Date: 18.11.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 14.11.2022
5. Date of Sample Receipt : 15.11.2022
6. Sample Code : 2370
7. Analysis Start Date : 16.11.2022
8. Analysis Completion Date : 18.11.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	14.11.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	78.4	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.2	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.8	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000022368F

Issued Date: 18.11.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 14.11.2022
5. Date of Sample Receipt : 15.11.2022
6. Sample Code : 2371
7. Analysis Start Date : 16.11.2022
8. Analysis Completion Date : 18.11.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	14.11.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	66.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.2	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	25.6	---

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000022369F

Issue Date: 18.11.2022

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 14.11.2022
4. Report Date : 18.11.2022
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	82.8	61.4	72.1	75
2	Near DG set	11.00am to 11.15 am	78.6	72.8	75.7	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by



:- END OF REPORT :-

Authorized Signature

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000022370F

Issue Date: 18.11.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 14.11.2022
7. Date of sample Receipt : 15.11.2022
8. Sample Code : 2372
9. Analysis Starting date : 16.11.2022
10. Analysis Completion Date : 18.11.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.34
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1790
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	716
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2918
7	Total Suspended solids	APHA 23 rd Edition	mg/L	184

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392 255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000022371F

Issue Date: 18.11.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 14.11.2022
7. Date of sample Receipt : 15.11.2022
8. Sample Code : 2373
9. Analysis Starting date : 16.11.2022
10. Analysis Completion Date : 18.11.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.28	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	104	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	42	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2054	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	28	100

BDL: Below detectable limit, (Oil & Grease – 1.0 mg/L)

INFERENCE	As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.
-----------	--

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000023482F

Issue Date: 16.12.2022

- Name of the Project** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location** : Near main gate
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sample** : Sample collected with RDS 460BL and FDS
- Date of Monitoring** : 12.12.2022
- Date of Sample Receipt** : 13.12.2022
- Sample Code** : 2659
- Analysis Starting Date** : 14.12.2022
- Analysis Completion Date** : 16.12.2022
- Sample Tested as Received** :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	67.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	24.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	15.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	21.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.58	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000023483F

Issue Date: 16.12.2022

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location : Boiler area
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sample : Sample collected with RDS 460BL and FDS
- Date of Monitoring : 12.12.2022
- Date of Sample Receipt : 13.12.2022
- Sample Code : 2660
- Analysis Starting Date : 14.12.2022
- Analysis Completion Date : 16.12.2022
- Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	72.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.6	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	19.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.4	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.68	2

INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by

MSV ANALYTICAL LABORATORIES
BELLARY
-: END OF REPORT :-



Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000023484F

Issue Date: 16.12.2022

- Name of the Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID** : 3.5 TPH Boiler
- Sample Collected By** : MSV Analytical Laboratories, Bellary
- Date of Monitoring** : 12.12.2022
- Date of Sample Receipt** : 13.12.2022
- Sample Code** : 2661
- Analysis Start Date** : 14.12.2022
- Analysis Completion Date** : 16.12.2022
- Particulars of sample** : Sample collected with VSS 1
- Sample Tested as Received**

GENERAL DETAILS

Date of Monitoring	12.12.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	78.2	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.6	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.4	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



:- END OF REPORT

Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000023485F

Issued Date: 16.12.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 12.12.2022
5. Date of Sample Receipt : 13.12.2022
6. Sample Code : 2662
7. Analysis Start Date : 14.12.2022
8. Analysis Completion Date : 16.12.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	12.12.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	66.6	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.2	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	26.4	---

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



:- END OF REPORT

Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000023486F

Issue Date: 16.12.2022

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 12.12.2022
4. Report Date : 16.12.2022
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	82.8	61.2	72	75
2	Near DG set	11.00am to 11.15 am	78.6	74.4	76.5	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000023487F

Issue Date: 16.12.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 12.12.2022
7. Date of sample Receipt : 13.12.2022
8. Sample Code : 2663
9. Analysis Starting date : 14.12.2022
10. Analysis Completion Date : 16.12.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.32
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1792
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	716
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2914
7	Total Suspended solids	APHA 23 rd Edition	mg/L	188

Verified by

Authorized Signature



:- END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000023488F

Issue Date: 16.12.2022

- Name of the Project** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type** : ETP - Treated water
- Sample Collected By** : MSV Analytical Laboratories
- Particulars of Sample Collected** : Grab Sample
- Sample description/condition** : Good/Satisfactory
- Date of Monitoring** : 12.12.2022
- Date of sample Receipt** : 13.12.2022
- Sample Code** : 2664
- Analysis Starting date** : 14.12.2022
- Analysis Completion Date** : 16.12.2022
- Sample Tested as Received**

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.28	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	102	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	40	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2054	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	28	100

BDL: Below detectable limit, (Oil & Grease – 1.0 mg/L)

INFERENCE

As per KSPCB Consent,
Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note :
- The results listed only to the tested samples & applicable parameters,
 - Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC72072300000094F

Issue Date: 13.01.2023

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location : Near main gate
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sample : Sample collected with RDS 460BL and FDS
- Date of Monitoring : 09.01.2023
- Date of Sample Receipt : 10.01.2023
- Sample Code : 101
- Analysis Starting Date : 11.01.2023
- Analysis Completion Date : 13.01.2023
- Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	68.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	24.6	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	15.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	22.8	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.60	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



:- END OF REPORT

Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720723000000095F

Issue Date: 13.01.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 09.01.2023
6. Date of Sample Receipt : 10.01.2023
7. Sample Code : 102
8. Analysis Starting Date : 11.01.2023
9. Analysis Completion Date : 13.01.2023
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	72.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	20.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	20.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.70	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC72072300000096F

Issue Date: 13.01.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 09.01.2023
5. Date of Sample Receipt : 10.01.2023
6. Sample Code : 103
7. Analysis Start Date : 11.01.2023
8. Analysis Completion Date : 13.01.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	09.01.2023
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	78.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.2	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.6	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvballary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvballary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC72072300000097F

Issued Date: 13.01.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 09.01.2023
5. Date of Sample Receipt : 10.01.2023
6. Sample Code : 104
7. Analysis Start Date : 11.01.2023
8. Analysis Completion Date : 13.01.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	09.01.2023
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	67.2	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.8	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	26.6	---

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakalvu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720723000000098F

Issue Date: 13.01.2023

- Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Date of Monitoring : 09.01.2023
- Report Date : 13.01.2023
- Particulars of Sample Collected : Noise meter
- Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	84.6	61.2	72.9	75
2	Near DG set	11.00am to 11.15 am	78.8	74.4	76.6	

INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : tabmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC72072300000099F

Issue Date: 13.01.2023

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type : ETP - Untreated water
- Sample Collected By : MSV Analytical Laboratories
- Particulars of Sample Collected : Grab Sample
- Sample description/condition : Good/Satisfactory
- Date of Monitoring : 09.01.2023
- Date of sample Receipt : 10.01.2023
- Sample Code : 105
- Analysis Starting date : 11.01.2023
- Analysis Completion Date : 13.01.2023
- Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.34
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1796
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	718
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2918
7	Total Suspended solids	APHA 23 rd Edition	mg/L	190

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 **Contact No** : Mob : 94498 03895, (D) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com **Web ID** : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720723000000100F

Issue Date: 13.01.2023

- Name of the Project** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Type** : ETP - Treated water
- Sample Collected By** : MSV Analytical Laboratories
- Particulars of Sample Collected** : Grab Sample
- Sample description/condition** : Good/Satisfactory
- Date of Monitoring** : 09.01.2023
- Date of sample Receipt** : 10.01.2023
- Sample Code** : 106
- Analysis Starting date** : 11.01.2023
- Analysis Completion Date** : 13.01.2023
- Sample Tested as Received**

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.30	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	104	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	42	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2056	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	30	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE

As per KSPCB Consent,
Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: TC720723000000101F

Report Issued Date: 13.01.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Sample Receipt : 09.01.2023
4. Analysis Starting Date : 11.01.2023
5. Analysis Completion Date : 13.01.2023
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Main Gate	09.01.2023	8hours	1.66	Mg/m ³	---
2	Boiler area	09.01.2023	8hours	1.80	Mg/m ³	---

Verified by

Authorized Signatory



END OF REPORT

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakalku Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/1021

Issue Date: 10.02.2023

- Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location : Near main gate
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sample : Sample collected with RDS 460BL and FDS
- Date of Monitoring : 06.02.2023
- Date of Sample Receipt : 07.02.2023
- Sample Code : 1102
- Analysis Starting Date : 08.02.2023
- Analysis Completion Date : 10.02.2023
- Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	68.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	25.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	15.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	23.4	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.62	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/1022

Issue Date: 10.02.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 06.02.2023
6. Date of Sample Receipt : 07.02.2023
7. Sample Code : 1103
8. Analysis Starting Date : 08.02.2023
9. Analysis Completion Date : 10.02.2023
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	73.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	21.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	21.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.72	2

INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com

MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/1023

Issue Date: 10.02.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 06.02.2023
5. Date of Sample Receipt : 07.02.2023
6. Sample Code : 1104
7. Analysis Start Date : 08.02.2023
8. Analysis Completion Date : 10.02.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	06.02.2023
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	79.2	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.4	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.8	300

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/1024

Issued Date: 10.02.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 06.02.2023
5. Date of Sample Receipt : 07.02.2023
6. Sample Code : 1105
7. Analysis Start Date : 08.02.2023
8. Analysis Completion Date : 10.02.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	06.02.2023
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	67.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.2	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	26.4	---

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com

MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: MSVAL/2023/1025

Issue Date: 10.02.2023

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 06.02.2023
4. Report Date : 10.02.2023
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	86.2	62.4	74.3	75
2	Near DG set	11.00am to 11.15 am	80.4	76.6	78.5	

INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/1026

Issue Date: 10.02.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 06.02.2023
7. Date of sample Receipt : 07.02.2023
8. Sample Code : 1106
9. Analysis Starting date : 08.02.2023
10. Analysis Completion Date : 10.02.2023
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	MSV PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.38
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1812
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	724
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2920
7	Total Suspended solids	APHA 23 rd Edition	mg/L	192

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com

MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/1027

Issue Date: 10.02.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 06.02.2023
7. Date of sample Receipt : 07.02.2023
8. Sample Code : 1107
9. Analysis Starting date : 08.02.2023
10. Analysis Completion Date : 10.02.2023
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.32	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	108	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	44	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2058	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	32	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE

As per KSPCB Consent,

Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/3504

Issue Date: 10.03.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 06.03.2023
6. Date of Sample Receipt : 07.03.2023
7. Sample Code : 3867
8. Analysis Starting Date : 08.03.2023
9. Analysis Completion Date : 10.03.2023
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	69.2	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	24.8	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	15.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	23.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.62	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

Note: 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/3505

Issue Date: 10.03.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 06.03.2023
6. Date of Sample Receipt : 07.03.2023
7. Sample Code : 3868
8. Analysis Starting Date : 08.03.2023
9. Analysis Completion Date : 10.03.2023
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	73.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	26.6	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	20.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	21.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.74	2

INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/3506

Issue Date: 10.03.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 06.03.2023
5. Date of Sample Receipt : 07.03.2023
6. Sample Code : 3869
7. Analysis Start Date : 08.03.2023
8. Analysis Completion Date : 10.03.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	06.03.2023
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	79.4	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.8	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	25.2	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/3507

Issued Date: 10.03.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 06.03.2023
5. Date of Sample Receipt : 07.03.2023
6. Sample Code : 3870
7. Analysis Start Date : 08.03.2023
8. Analysis Completion Date : 10.03.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	06.03.2023
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	68.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.2	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	26.8	---

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No** : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com **Web ID** : www.msvalbellary.com

MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: MSVAL/2023/3508

Issue Date: 10.03.2023

- Name of the industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Date of Monitoring** : 06.03.2023
- Report Date** : 10.03.2023
- Particulars of Sample Collected** : Noise meter
- Method Adopted** : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	85.8	61.4	73.6	75
2	Near DG set	11.00am to 11.15 am	69.6	75.8	72.7	

INFERENCE

As per KSPCB Standards

Report Status :- Noise level for the all locations has crossed the limits

Verified by



:- END OF REPORT :-

Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/3509

Issue Date: 10.03.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 06.03.2023
7. Date of sample Receipt : 07.03.2023
8. Sample Code : 3871
9. Analysis Starting date : 08.03.2023
10. Analysis Completion Date : 10.03.2023
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.36
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1812
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	APHA 23 rd Edition	mg/L	724
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2920
7	Total Suspended solids	APHA 23 rd Edition	mg/L	192

Verified by



Authorized Signature

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/3510

Issue Date: 10.03.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikisugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 06.03.2023
7. Date of sample Receipt : 07.03.2023
8. Sample Code : 3872
9. Analysis Starting date : 08.03.2023
10. Analysis Completion Date : 10.03.2023
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25 ^o C	APHA 23 rd Edition	-	7.32	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	112	250
6	Bio-chemical Oxygen Demand (3 days at 27 ^o C), Max	APHA 23 rd Edition	mg/L	44	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2058	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	32	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.