




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 05.04.2021
7. Date of Sample Receipt : 06.04.2021
8. Sample Code : 5752
9. Analysis Starting Date : 07.04.2021
10. Analysis Completion Date : 10.04.2021
11. Report Issue Date : 10.04.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000005472F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	72.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	27.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	26.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.42	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 05.04.2021
7. Date of Sample Receipt : 06.04.2021
8. Sample Code : 5753
9. Analysis Starting Date : 07.04.2021
10. Analysis Completion Date : 10.04.2021
11. Report Issue Date : 10.04.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000005473F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	68.4	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	25.7	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	14.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	21.2	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.38	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



END OF REPORT:-

Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikisugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.04.2021
5. Date of Sample Receipt : 06.04.2021
6. Sample Code : 5754
7. Analysis Starting Date : 07.04.2021
8. Analysis Completion Date : 10.04.2021
9. Report Issue date : 10.04.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000005474F

GENERAL DETAILS


Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	108
Velocity (m/s)	6.84
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	72.2	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.3	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	28.7	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---


Analysed by



Authorised Signatory

Renukamma
Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

- Name and Address of the Industry : M/s.Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Stack ID : 380 KVA DG SET
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Date of Monitoring : 05.04.2021
- Date of Sample Receipt : 06.04.2021
- Sample Code : 5759
- Analysis Starting Date : 07.04.2021
- Analysis Completion Date : 10.04.2021
- Report Issue date : 10.04.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000005478F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	92
Velocity (m/s)	6.40
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	45.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.3	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	34.8	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 09.04.2021
- Report Issue Date : 10.04.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC720721000005475F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	5755	10.45AM to 11.00AM	68.4	66.3	67.3	75
2	Near DG set	5756	1.30PM to 1.45PM	70.8	67.6	69.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikisugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 05.04.2021
8. Date of sample receipt : 06.04.2021
9. Sample Code : 5757
10. Analysis Starting Date : 07.04.2021
11. Analysis Completion Date : 11.04.2021
12. Report Issue Date : 11.04.2021

Discipline: Chemical

Group: Pollution & Environment


Sub Group: Waste Water

ULR No: TC720721000005476F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+B-APHA 23rd Edn: 2017	-	6.35
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1562
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	14
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	520
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2658
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	164

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filler papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695(A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 05.04.2021
8. Date of sample receipt : 06.04.2021
9. Sample Code : 5758
10. Analysis Starting Date : 07.04.2021
11. Analysis Completion Date : 11.04.2021
12. Report Issue Date : 11.04.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000005477F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.06	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	130	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	2	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	40	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1840	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	32	100

Analysed by



Authorised Signatory

Renuka
Renuka
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2021/04585

Report Issued Date: 20.06.2023


1.	Name of the Industry	:	M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Date of Sample Receipt	:	06.04.2021
4.	Analysis Starting Date	:	07.04.2021
5.	Analysis Completion Date	:	11.04.2021
6.	Name of the parameter	:	Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				Result	Units	Std
1	Main Gate	05.04.2021	8hours	1.08	Mg/m ³	---
2	Boiler Area	05.04.2021	8hours	1.32	Mg/m ³	---

Analysed by

Authorised Signatory

Renukamma
Quality Manager



- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.05.2021
7. Date of Sample Receipt : 19.05.2021
8. Sample Code : 6725
9. Analysis Starting Date : 19.05.2021
10. Analysis Completion Date : 24.05.2021
11. Report Issue Date : 24.05.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution


Sub Group: Ambient Air

ULR No: TC720721000006543F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	71.6	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	24.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	16.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	27.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.30	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renub
Renubamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.05.2021
7. Date of Sample Receipt : 19.05.2021
8. Sample Code : 6726
9. Analysis Starting Date : 19.05.2021
10. Analysis Completion Date : 24.05.2021
11. Report Issue Date : 24.05.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000006544F


S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	69.1	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	25.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	12.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	22.2	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.48	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renukamma
Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94499 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2021
5. Date of Sample Receipt : 19.05.2021
6. Sample Code : 6727
7. Analysis Starting Date : 19.05.2021
8. Analysis Completion Date : 24.05.2021
9. Report Issue date : 24.05.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000006545F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	108
Velocity (m/s)	6.72
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	75.5	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.1	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	26.8	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note :
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2021
5. Date of Sample Receipt : 19.05.2021
6. Sample Code : 6732
7. Analysis Starting Date : 19.05.2021
8. Analysis Completion Date : 24.05.2021
9. Report Issue date : 24.05.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000006549F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	86
Velocity (m/s)	6.28
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	53.3	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	25.5	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	31.1	---

Analysed by



Authorised Signatory

Renukamma
Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 19.05.2021
- Report Issue Date : 20.05.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC720721000006546F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	6728	10.00AM to 10.15AM	70.4	68.3	69.3	75
2	Near DG set	6729	12.30PM to 12.45PM	68.8	66.6	67.7	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorised Signatory

Renuka
Renukamma
Quality Manager



- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & G.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 18.05.2021
8. Date of sample receipt : 19.05.2021
9. Sample Code : 6730
10. Analysis Starting Date : 19.05.2021
11. Analysis Completion Date : 24.05.2021
12. Report Issue Date : 24.05.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000006547F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.08
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1458
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	12
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	486
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2112
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	142

Analysed by



Authorised Signatory

Renukamma
Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 18.05.2021
8. Date of sample receipt : 19.05.2021
9. Sample Code : 6731
10. Analysis Starting Date : 19.05.2021
11. Analysis Completion Date : 24.05.2021
12. Report Issue Date : 24.05.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000006548F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.15	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	180	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	2	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	60	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1680	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	28	100

Analysed by



Authorised Signatory

Renuka
Renukamma
Quality Manager

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 15.06.2021
7. Date of Sample Receipt : 16.06.2021
8. Sample Code : 7792
9. Analysis Starting Date : 17.06.2021
10. Analysis Completion Date : 21.06.2021
11. Report Issue Date : 21.06.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000007460F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	75.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	32.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	16.0	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	27.8	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.42	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renuka
Renukamma
Quality Manager

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 15.06.2021
7. Date of Sample Receipt : 16.06.2021
8. Sample Code : 7793
9. Analysis Starting Date : 17.06.2021
10. Analysis Completion Date : 21.06.2021
11. Report Issue Date : 21.06.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000007461F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	65.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	20.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	12.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	19.5	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.32	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & G.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 15.06.2021
5. Date of Sample Receipt : 16.06.2021
6. Sample Code : 7794
7. Analysis Starting Date : 17.06.2021
8. Analysis Completion Date : 21.06.2021
9. Report Issue date : 21.06.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000007462F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	116
Velocity (m/s)	7.32
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	65.5	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	17.3	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	22.2	300

INFERENCE. As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits


Analysed by



Authorised Signatory

Renukamma
Quality Manager

Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 15.06.2021
5. Date of Sample Receipt : 16.06.2021
6. Sample Code : 7799
7. Analysis Starting Date : 17.06.2021
8. Analysis Completion Date : 21.06.2021
9. Report Issue date : 21.06.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000007466F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	92
Velocity (m/s)	6.38
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	42.2	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.8	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	27.4	---

Analysed by



Authorised Signatory

Renukanamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganekallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 21.06.2021
- Report Issue Date : 22.06.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC720721000007463F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	7795	11.45AM to 12.00PM	72.4	68.2	70.3	75
2	Near DG set	7796	3.30PM to 3.45PM	69.2	62.5	65.8	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note :
- The results listed only to the tested samples & applicable parameters.
 - Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 15.06.2021
8. Date of sample receipt : 16.06.2021
9. Sample Code : 7797
10. Analysis Starting Date : 17.06.2021
11. Analysis Completion Date : 21.06.2021
12. Report Issue Date : 21.06.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000007464F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS.3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.15
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1825
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	608
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2012
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	166

Analysed by



Authorised Signatory

Renulkamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY


1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
 2. Sample Marked as : ETP - Treated water
 3. Name of the location : ---
 4. Sample Collected By : MSV Analytical Laboratories, Bellary.
 5. Sample quantity : Pet Bottle, 2 Liter.
 6. Sample Description/condition : Water/Good
 7. Date of Sample Collection : 15.06.2021
 8. Date of sample receipt : 16.06.2021
 9. Sample Code : 7798
 10. Analysis Starting Date : 17.06.2021
 11. Analysis Completion Date : 21.06.2021
 12. Report Issue Date : 21.06.2021
- Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water

ULR No: TC720721000007465F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.45	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	135	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	2	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	35	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1982	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	28	100

Analysed by



Authorised Signatory

Renulamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified, ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 05.07.2021
7. Date of Sample Receipt : 06.07.2021
8. Sample Code : 7982
9. Analysis Starting Date : 07.07.2021
10. Analysis Completion Date : 10.07.2021
11. Report Issue Date : 10.07.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000007645F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	72.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	22.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	25.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.48	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renlikamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s.Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 05.07.2021
7. Date of Sample Receipt : 06.07.2021
8. Sample Code : 7983
9. Analysis Starting Date : 07.07.2021
10. Analysis Completion Date : 10.07.2021
11. Report Issue Date : 10.07.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000007646F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	75.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	24.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	15.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	30.2	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.60	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.


Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.07.2021
5. Date of Sample Receipt : 06.07.2021
6. Sample Code : 7984
7. Analysis Starting Date : 07.07.2021
8. Analysis Completion Date : 10.07.2021
9. Report Issue date : 10.07.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000007647F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	116
Velocity (m/s)	7.44
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	64.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.2	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	26.6	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.07.2021
5. Date of Sample Receipt : 06.07.2021
6. Sample Code : 7989
7. Analysis Starting Date : 07.07.2021
8. Analysis Completion Date : 10.07.2021
9. Report Issue date : 10.07.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000007651F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	80
Velocity (m/s)	6.66
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	42.3	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	21.1	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	27.2	---

Analysed by

Authorised Signatory

Renukamma
Quality Manager



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 05.07.2021
- Report Issue Date : 06.07.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC720721000007648F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leg
				Maximum in dB(A) Leg	Minimum in dB(A) Leg	Avg. in dB(A) Leg	
1	Near office	7985	10.45AM to 11.00AM	72.0	66.3	69.1	75
2	Near DG set	7986	1.45PM to 1.50PM	68.1	59.0	63.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
------------------	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 05.07.2021
8. Date of sample receipt : 06.07.2021
9. Sample Code : 7987
10. Analysis Starting Date : 07.07.2021
11. Analysis Completion Date : 10.07.2021
12. Report Issue Date : 10.07.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000007649F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25 ^o C	4500 H+ B-APHA 23rd Edn: 2017	-	6.20
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1645
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	14
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	IS 3025(Part-44): 2019	mg/L	548
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2842
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	184

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 05.07.2021
8. Date of sample receipt : 06.07.2021
9. Sample Code : 7988
10. Analysis Starting Date : 07.07.2021
11. Analysis Completion Date : 10.07.2021
12. Report Issue Date : 10.07.2021

Discipline: Chemical

Group: Pollution & Environment


Sub Group: Waste Water

ULR No: TC720721000007650F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.44	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	140	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	2	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	60	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1846	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	30	100

Analysed by



-: END OF REPORT :-

Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days; Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2021/08448

Report Issued Date: 20.06.2023

1.	Name of the Industry	:	M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Date of Sample Receipt	:	06.07.2021
4.	Analysis Starting Date	:	07.07.2021
5.	Analysis Completion Date	:	10.07.2021
6.	Name of the parameter	:	Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				Result	Units	Std
1	Main Gate	05.07.2021	8hours	1.08	Mg/m ³	---
2	Boiler Area	05.07.2021	8hours	1.32	Mg/m ³	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.08.2021
7. Date of Sample Receipt : 17.08.2021
8. Sample Code : 13214
9. Analysis Starting Date : 18.08.2021
10. Analysis Completion Date : 23.08.2021
11. Report Issue Date : 23.08.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution


Sub Group: Ambient Air

ULR No: TC720721000011790F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	70.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	28.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	16.5	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	27.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.50	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.08.2021
7. Date of Sample Receipt : 17.08.2021
8. Sample Code : 13215
9. Analysis Starting Date : 18.08.2021
10. Analysis Completion Date : 23.08.2021
11. Report Issue Date : 23.08.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution


Sub Group: Ambient Air

ULR No: TC720721000011791F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	76.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	26.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	16.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	30.2	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.62	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renuka
Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Valdathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.08.2021
5. Date of Sample Receipt : 17.08.2021
6. Sample Code : 13216
7. Analysis Starting Date : 18.08.2021
8. Analysis Completion Date : 23.08.2021
9. Report Issue date : 23.08.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000011792F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	114
Velocity (m/s)	7.36
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	70.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.3	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	27.9	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---


Analysed by

Authorised Signatory

Renukappa
Quality Manager



- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.08.2021
5. Date of Sample Receipt : 17.08.2021
6. Sample Code : 13221
7. Analysis Starting Date : 18.08.2021
8. Analysis Completion Date : 23.08.2021
9. Report Issue date : 23.08.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000011796F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	86
Velocity (m/s)	6.06
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	42.3	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	25.8	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	32.2	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 16.08.2021
- Report Issue Date : 23.08.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution


Sub Group: Ambient Noise

ULR NO: TC720721000011793F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	13217	12.45PM to 01.00PM	70.4	67.3	68.8	75
2	Near DG set	13218	01.30PM to 01.45PM	74.8	69.6	72.2	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits


Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified.
 - The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikisugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.08.2021
8. Date of sample receipt : 17.08.2021
9. Sample Code : 13219
10. Analysis Starting Date : 18.08.2021
11. Analysis Completion Date : 23.08.2021
12. Report Issue Date : 23.08.2021

Discipline: Chemical

Group: Pollution & Environment


Sub Group: Waste Water

ULR No: TC720721000011794F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25 ^o C	4500 H+ B-APHA 23rd Edn: 2017	-	6.02
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn: 2017	mg/L	1652
4	Oil & Grease	5520 D-APHA 23rd Edition: 2017	mg/L	14
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	IS 3025(Part-44): 2019	mg/L	552
6	Total Dissolved solids	2540 C APHA 23rd Edn: 2017	mg/L	2462
7	Total Suspended solids	2540 F APHA 23rd Edn: 2017	mg/L	146

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified, ILC sample will be destroyed after 1 month from the date of last certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.08.2021
8. Date of sample receipt : 17.08.2021
9. Sample Code : 13220
10. Analysis Starting Date : 18.08.2021
11. Analysis Completion Date : 23.08.2021
12. Report Issue Date : 23.08.2021

Discipline: Chemical

Group: Pollution & Environment


Sub Group: Waste Water

ULR No: TC720721000011795F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Black	-
2	Odor	IS 3025 Part 5: 2018		Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017		7.55	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	190	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	2	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	65	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1932	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	30	100

Analysed by



Authorised Signatory

Renukaamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 05.09.2021
7. Date of Sample Receipt : 06.09.2021
8. Sample Code : 1320
9. Analysis Starting Date : 07.09.2021
10. Analysis Completion Date : 11.09.2021
11. Report Issue Date : 11.09.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000011790F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	70.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	28.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	15.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	28.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.78	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.


Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03995, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location : Boiler area
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 05.09.2021
- Date of Sample Receipt : 06.09.2021
- Sample Code : 1321
- Analysis Starting Date : 07.09.2021
- Analysis Completion Date : 11.09.2021
- Report Issue Date : 11.09.2021
- Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000011791F


S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	78.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	27.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	16.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	27.2	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.68	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by




-: END OF REPORT

Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 095/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.09.2021
5. Date of Sample Receipt : 06.09.2021
6. Sample Code : 1322
7. Analysis Starting Date : 07.09.2021
8. Analysis Completion Date : 11.09.2021
9. Report Issue date : 11.09.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000011792F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	114
Velocity (m/s)	7.64
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	75.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.2	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	26.8	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---


Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.09.2021
5. Date of Sample Receipt : 06.09.2021
6. Sample Code : 1327
7. Analysis Starting Date : 07.09.2021
8. Analysis Completion Date : 11.09.2021
9. Report Issue date : 11.09.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000011796F


GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	80
Velocity (m/s)	6.32
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	40.3	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	26.6	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	32.4	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S Na. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 07.09.2021
- Report Issue Date : 08.09.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution


Sub Group: Ambient Noise

ULR NO: TC720721000011793F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	1323	11.00AM to 11.15AM	74.5	67.3	70.9	75
2	Near DG set	1324	1.30PM to 1.45PM	70.0	62.2	66.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorised Signatory

Rentukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 05.09.2021
8. Date of sample receipt : 06.09.2021
9. Sample Code : 1325
10. Analysis Starting Date : 07.09.2021
11. Analysis Completion Date : 11.09.2021
12. Report Issue Date : 11.09.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000011794F


RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.56
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1524
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	6
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	508
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2842
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	174

Analysed by

Authorised Signatory

Renukamma
Quality Manager



- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified, ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 593103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 05.09.2021
8. Date of sample receipt : 06.09.2021
9. Sample Code : 1326
10. Analysis Starting Date : 07.09.2021
11. Analysis Completion Date : 11.09.2021
12. Report Issue Date : 11.09.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000011795F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.44	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn: 2017	mg/L	220	250
4	Oil & Grease	5520 D APHA 23rd Edition: 2017	mg/L	4	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	74	100
6	Total Dissolved solids	2540 C APHA 23rd Edn: 2017	mg/L	1644	2100
7	Total Suspended solids	2540 F APHA 23rd Edn: 2017	mg/L	38	100


Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 04.10.2021
7. Date of Sample Receipt : 05.10.2021
8. Sample Code : 1321
9. Analysis Starting Date : 05.10.2021
10. Analysis Completion Date : 09.10.2021
11. Report Issue Date : 09.10.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC72072100001254F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	71.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	30.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	17.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	26.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.45	2

INFERENCE. As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renuka
Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location : Boiler area
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 04.10.2021
- Date of Sample Receipt : 05.10.2021
- Sample Code : 1322
- Analysis Starting Date : 05.10.2021
- Analysis Completion Date : 09.10.2021
- Report Issue Date : 09.10.2021
- Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC72072100001255F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	65.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	22.4	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	14.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	22.2	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.40	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Rehukaffma
Quality Manager

END OF REPORT

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s.Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 04.10.2021
5. Date of Sample Receipt : 05.10.2021
6. Sample Code : 1323
7. Analysis Starting Date : 05.10.2021
8. Analysis Completion Date : 09.10.2021
9. Report Issue date : 09.10.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC72072100001256F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	109
Velocity (m/s)	6.92
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	60.6	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	18.8	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	26.6	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvballary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvballary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 04.10.2021
5. Date of Sample Receipt : 05.10.2021
6. Sample Code : 1328
7. Analysis Starting Date : 05.10.2021
8. Analysis Completion Date : 09.10.2021
9. Report Issue date : 09.10.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000001260F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	80
Velocity (m/s)	6.12
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	43.3	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	24.4	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	29.6	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 04.10.2021
- Report Issue Date : 09.10.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC72072100001257F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leg	Minimum in dB(A) Leg	Avg. in dB(A) Leg	Permissible limits in dB(A) Leg
1	Near office	1324	10.45AM to 11.00AM	74.2	68.5	71.3	75
2	Near DG set	1325	1.30PM to 1.45PM	69.2	62.0	65.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 04.10.2021
8. Date of sample receipt : 05.10.2021
9. Sample Code : 1326
10. Analysis Starting Date : 05.10.2021
11. Analysis Completion Date : 09.10.2021
12. Report Issue Date : 09.10.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC72072100001258F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.08
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1624
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	12
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	548
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2842
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	184

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY


1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
 2. Sample Marked as : ETP - Treated water
 3. Name of the location : ---
 4. Sample Collected By : MSV Analytical Laboratories, Bellary.
 5. Sample quantity : Pet Bottle, 2 Liter.
 6. Sample Description/condition : Water/Good
 7. Date of Sample Collection : 04.10.2021
 8. Date of sample receipt : 05.10.2021
 9. Sample Code : 1327
 10. Analysis Starting Date : 05.10.2021
 11. Analysis Completion Date : 09.10.2021
 12. Report Issue Date : 09.10.2021
- Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water

ULR No: TC72072100001259F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.56	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	160	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	4	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	60	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1924	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	28	100


Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters;
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2021/9878

Report Issued Date: 20.06.2023

1.	Name of the Industry	:	M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Date of Sample Receipt	:	05.10.2021
4.	Analysis Starting Date	:	06.10.2021
5.	Analysis Completion Date	:	09.10.2021
6.	Name of the parameter	:	Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				Result	Units	Std
1	Main Gate	04.10.2021	8hours	1.32	Mg/m ³	---
2	Boiler Area	04.10.2021	8hours	1.64	Mg/m ³	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 22.11.2021
7. Date of Sample Receipt : 23.11.2021
8. Sample Code : 17383
9. Analysis Starting Date : 24.11.2021
10. Analysis Completion Date : 27.11.2021
11. Report Issue Date : 27.11.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000015529F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	69.9	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	27.5	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	16.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	29.4	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.47	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorised Signatory

Renukamma
Quality Manager



- Note:
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 22.11.2021
7. Date of Sample Receipt : 23.11.2021
8. Sample Code : 17384
9. Analysis Starting Date : 24.11.2021
10. Analysis Completion Date : 27.11.2021
11. Report Issue Date : 27.11.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000015530F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	65.4	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	24.0	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	12.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	21.5	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.32	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



:- END OF REPORT :-

Authorised Signatory

Renukamma
Quality Manager

- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 22.11.2021
5. Date of Sample Receipt : 23.11.2021
6. Sample Code : 17385
7. Analysis Starting Date : 24.11.2021
8. Analysis Completion Date : 27.11.2021
9. Report Issue date : 27.11.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000015531F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	32
Stack Temperature (°C)	118
Velocity (m/s)	7.44
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	60.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	20.2	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	26.6	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---


Analysed by



Authorised Signatory

Renukamma
Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 22.11.2021
5. Date of Sample Receipt : 23.11.2021
6. Sample Code : 17390
7. Analysis Starting Date : 24.11.2021
8. Analysis Completion Date : 27.11.2021
9. Report Issue date : 27.11.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000015535F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	32
Stack Temperature (°C)	96
Velocity (m/s)	6.38
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143


RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	54.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	26.8	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	32.2	---

Analysed by

Authorised Signatory

Renukamma
Quality Manager



- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 22.11.2021
5. Report Issue Date : 23.11.2021
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC720721000015532F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	17386	12.45PM to 01.00PM	67.6	65.1	66.3	75
2	Near DG set	17387	03.30PM to 03.45PM	74.8	68.4	71.6	

INFERENCE

As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified, ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 22.11.2021
8. Date of sample receipt : 23.11.2021
9. Sample Code : 17388
10. Analysis Starting Date : 24.11.2021
11. Analysis Completion Date : 27.11.2021
12. Report Issue Date : 27.11.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000015533F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25 ^o C	4500 H+ B-APHA 23rd Edn: 2017	-	6.45
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1284
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	14
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	IS 3025(Part-44): 2019	mg/L	428
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2826
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	152

Analysed by



Authorised Signatory

Renukamma
Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 22.11.2021
8. Date of sample receipt : 23.11.2021
9. Sample Code : 17389
10. Analysis Starting Date : 24.11.2021
11. Analysis Completion Date : 27.11.2021
12. Report Issue Date : 27.11.2021

Discipline: Chemical

Group: Pollution & Environment


Sub Group: Waste Water

ULR No: TC720721000015534F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.32	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	172	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	4	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	60	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1962	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	28	100

Analysed by



- END OF REPORT -

Authorised Signatory

Renuka
Renukamma
Quality Manager

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days; Filler papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & G.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 13.12.2021
7. Date of Sample Receipt : 14.12.2021
8. Sample Code : 19258
9. Analysis Starting Date : 15.12.2021
10. Analysis Completion Date : 18.12.2021
11. Report Issue Date : 18.12.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000015709F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	72.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	27.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	26.1	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.45	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorised Signatory

Renukamata
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified, ILCC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 13.12.2021
7. Date of Sample Receipt : 14.12.2021
8. Sample Code : 19259
9. Analysis Starting Date : 15.12.2021
10. Analysis Completion Date : 18.12.2021
11. Report Issue Date : 18.12.2021
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC720721000015710F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	69.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	22.7	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	12.1	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	25.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.32	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorised Signatory

Renukamma
Quality Manager



- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.12.2021
5. Date of Sample Receipt : 14.12.2021
6. Sample Code : 19260
7. Analysis Starting Date : 15.12.2021
8. Analysis Completion Date : 18.12.2021
9. Report Issue date : 18.12.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000015711F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	114
Velocity (m/s)	6.86
Height (m)	33
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	68.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	22.2	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	26.8	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorised Signatory

Renukamma
Renukamma
Quality Manager



- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.12.2021
5. Date of Sample Receipt : 14.12.2021
6. Sample Code : 19265
7. Analysis Starting Date : 15.12.2021
8. Analysis Completion Date : 18.12.2021
9. Report Issue date : 18.12.2021

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000015714F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	
Ambient Temperature (°C)	28
Stack Temperature (°C)	88
Velocity (m/s)	6.24
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	48.7	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	24.4	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	30.6	---

Analysed by

Authorised Signatory

Renukamma
Quality Manager



Note : 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 13.12.2021
- Report Issue Date : 14.12.2021
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC720721000015712F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	19261	11.45AM to 12.00PM	70.8	68.2	69.9	75
2	Near DG set	19262	1.30PM to 1.45PM	69.1	65.0	67.0	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 13.12.2021
8. Date of sample receipt : 14.12.2021
9. Sample Code : 19263
10. Analysis Starting Date : 15.12.2021
11. Analysis Completion Date : 18.12.2021
12. Report Issue Date : 18.12.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000015713F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25 ^o C	4500 H+ B-APHA 23rd Edn: 2017	-	6.56
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1916
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	6
5	Bio-chemical Oxygen Demand (3 days at 27 ^o C)	IS 3025(Part-44): 2019	mg/L	638
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2165
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	170

Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9445456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 13.12.2021
8. Date of sample receipt : 14.12.2021
9. Sample Code : 19264
10. Analysis Starting Date : 15.12.2021
11. Analysis Completion Date : 18.12.2021
12. Report Issue Date : 18.12.2021

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC720721000015714F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	<5	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	8.12	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	120	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	8	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	45	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1862	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	26	100


Analysed by



Authorised Signatory

Renukamma
Quality Manager

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No - Mob : 94498 03895, (0) : 9946456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000014356F

Issue Date: 11.01.2022


1. Name of the Project : M/s. Vaidathru Pharnia Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 06.01.2022
6. Date of Sample Receipt : 07.01.2022
7. Sample Code : 15625
8. Analysis Starting Date : 08.01.2022
9. Analysis Completion Date : 11.01.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	59.2	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	20.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2) - 2001	µg / m ³	14.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	17.8	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.34	2


INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by

Longy L. 2
Authorized signature



- Note
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days. Filter papers & Thinbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000014357F


Issue Date: 11.01.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 06.01.2022
6. Date of Sample Receipt : 07.01.2022
7. Sample Code : 15626
8. Analysis Starting Date : 08.01.2022
9. Analysis Completion Date : 11.01.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	64.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	23.6	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	18.8	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.48	2


INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature

- Note
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bailari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000014358F

Issue Date: 11.01.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 06.01.2022
5. Date of Sample Receipt : 07.01.2022
6. Sample Code : 15627
7. Analysis Start Date : 08.01.2022
8. Analysis Completion Date : 11.01.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	06.01.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	70.4	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	17.8	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	22.2	300


INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized Signature


- Note
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 13 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000014359F

Issued Date: 11.01.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 06.01.2022
5. Date of Sample Receipt : 07.01.2022
6. Sample Code : 15628
7. Analysis Start Date : 08.01.2022
8. Analysis Completion Date : 11.01.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS


Date of Monitoring	06.01.2022
Hight (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	59.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	17.8	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	21.2	---


INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits.
-----------	--

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 - Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000014360F


Issue Date: 11.01.2022

- Name of the industry : M/s. Vaidathiru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Date of Monitoring : 06.01.2022
- Report Date : 11.01.2022
- Particulars of Sample Collected : Noise meter
- Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	73.7	63.4	68.6	75
2	Near DG set	11.00am to 11.15 am	70.8	69.8	70.3	

INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Verified by



Authorized Signature

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water samples will destroyed after 10days, Filter papers & Thinlites will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 - Sampling is not done by us unless otherwise specified. b. The tests and/or calibrations marked with an are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 1B & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392 255169
Email : iabmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000014361F


Issue Date: 11.01.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 06.01.2022
7. Date of sample Receipt : 07.01.2022
8. Sample Code : 15629
9. Analysis Starting date : 08.01.2022
10. Analysis Completion Date : 11.01.2022
11. Sample Tested as Received

RESULTS


S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.12
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1732
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	18
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	934
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2872
7	Total Suspended solids	APHA 23 rd Edition	mg/L	172

Verified by



Authorized Signature

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days. Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. I.C sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-265189

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000014362F

Issue Date: 11.01.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 06.01.2022
7. Date of sample Receipt : 07.01.2022
8. Sample Code : 15630
9. Analysis Starting date : 08.01.2022
10. Analysis Completion Date : 11.01.2022
11. Sample Tested as Received


RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	6.92	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	64	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	26	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2032	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	20	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)


INFERENCE As per KSPCB Consent,
Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days. Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. H.C sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/02

ANALYSIS REPORT OF VOC IN AMBIENT AIR


Test Report No: TC720722000014363F

Report Issued Date: 11.01.2022

- Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Date of Sample Receipt : 06.01.2022
- Analysis Starting Date : 08.01.2022
- Analysis Completion Date : 11.01.2022
- Name of the parameter : Volatile Organic Compounds


S. No	Name of the location	Date of Sampling	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17	Result	Units
1	Main Gate		8hours	1.40	Mg/m ³	---
2	Boiler area		8hours	1.60	Mg/m ³	---

Verified by



Authorized Signatory

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water samples will be destroyed after 10 days; Filter papers & Tumbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/AJ32/B1, Block No:10 (1st & 2nd Floor)

Sanganakallu Road, KES Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 0945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000015427F


Issue Date: 13.02.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.02.2022
6. Date of Sample Receipt : 09.02.2022
7. Sample Code : 16325
8. Analysis Starting Date : 10.02.2022
9. Analysis Completion Date : 13.02.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	60.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	21.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	18.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.36	2

INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature
Authorized signature

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C.W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000015428F


Issue Date: 13.02.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.02.2022
6. Date of Sample Receipt : 09.02.2022
7. Sample Code : 16326
8. Analysis Starting Date : 10.02.2022
9. Analysis Completion Date : 13.02.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	65.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	24.2	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	14.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	19.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.50	2


INFERENCE As per NAAQS Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Verified by



Authorized signature
Authorized signature

- Note
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days; Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C.W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000015429F

Issue Date: 13.02.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 08.02.2022
5. Date of Sample Receipt : 09.02.2022
6. Sample Code : 16327
7. Analysis Start Date : 10.02.2022
8. Analysis Completion Date : 13.02.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	06.01.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	71.2	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	18.2	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	22.8	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits.

Verified by

- END OF REPORT -



Authorized Signature

- Note :
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.




MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (01) : 9045456764 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000015430F

Issued Date: 13.02.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 08.02.2022
5. Date of Sample Receipt : 09.02.2022
6. Sample Code : 16328
7. Analysis Start Date : 10.02.2022
8. Analysis Completion Date : 13.02.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	06.01.2022
Hight (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	60.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	18.8	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	22.6	---


INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9845456764, 08392-255189

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000015431F

Issue Date: 13.02.2022

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & DU), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 08.02.2022
4. Report Date : 13.02.2022
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	10.40 am to 10.55 am	74.8	62.6	68.7	75
2	Near DG set	11.00am to 11.15 am	71.2	70.4	70.8	

INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Verified by



Authorized Signature

- Note
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No.19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9045456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000015432F

Issue Date: 13.02.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 08.02.2022
7. Date of sample Receipt : 09.02.2022
8. Sample Code : 16329
9. Analysis Starting date : 10.02.2022
10. Analysis Completion Date : 13.02.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.14
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1742
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	20
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	696
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2878
7	Total Suspended solids	APHA 23 rd Edition	mg/L	174

Verified by



Authorized Signature

Note: 1 The results listed only to the tested samples & applicable parameters.

2 Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5 Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 095/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (01) 9345456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000015433F

Issue Date: 13.02.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 08.02.2022
7. Date of sample Receipt : 09.02.2022
8. Sample Code : 16330
9. Analysis Starting date : 10.02.2022
10. Analysis Completion Date : 13.02.2022
11. Sample Tested as Received


RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25 ^o C	APHA 23 rd Edition	-	6.98	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	72	250
6	Bio-chemical Oxygen Demand (3 days at 27 ^o C), Max	APHA 23 rd Edition	mg/L	28	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2034	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	22	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)


INFERENCE As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. H.C sample will be destroyed after 1 month from the date of test certificate/issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an asterisk are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakalle Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03805, (0) : 9945456764, 08392-255168
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



TC-7207

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000016621F


Issue Date: 18.03.2022

1. Name of the Project : M/s. Valdathru Pharma Private Limited, Plot no 28, Raichur Growth Centre Industrial area, Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 14.03.2022
6. Date of Sample Receipt : 15.03.2022
7. Sample Code : 17365
8. Analysis Starting Date : 16.03.2022
9. Analysis Completion Date : 18.03.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	60.8	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	21.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2) - 2001	µg / m ³	14.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	18.6	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.38	2


INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Verified by



Authorized signature

- Note :
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will be destroyed after 10 days. Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. HLC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 895/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94408 03895, (O) : 9945456764, 08382-255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: TC720722000016622F


Issue Date: 18.03.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre Industrial area, Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 14.03.2022
6. Date of Sample Receipt : 15.03.2022
7. Sample Code : 17366
8. Analysis Starting Date : 16.03.2022
9. Analysis Completion Date : 18.03.2022
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	66.2	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	24.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2) - 2001	µg / m ³	14.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	19.2	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.52	2


INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by



Authorized signature

- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 19 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94488 03895, (0) 9945456764, 08392-255168

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC72072200016623F

Issue Date: 18.03.2022

1. Name of the Industry : M/s. Valdathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre Industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 14.03.2022
5. Date of Sample Receipt : 15.03.2022
6. Sample Code : 17367
7. Analysis Start Date : 16.03.2022
8. Analysis Completion Date : 18.03.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	14.03.2022
Height (m)	33
Stack Temperature (°C)	102
Velocity (m/s)	7.2
Internal Diameter (mm)	50


RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	71.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	18.2	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	22.6	300


INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Verified by

Authorized Signature



- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. H.C sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 1B (1st & 2nd Floor)

Sanganakolu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03885, (O) : 9945456764, 08302 255199

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: TC720722000016624F

Issued Date: 18.03.2022

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 14.03.2022
5. Date of Sample Receipt : 15.03.2022
6. Sample Code : 17368
7. Analysis Start Date : 16.03.2022
8. Analysis Completion Date : 18.03.2022
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Date of Monitoring	14.03.2022
Height (m)	6.0
Stack Temperature (°C)	98
Velocity (m/s)	7.36
Outer Diameter (mm)	110


RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	60.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	18.8	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	22.6	---

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---


Verified by

END OF REPORT



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will be destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tasks and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 1B & C.T.C W.No.16 T.S No. 885/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392 255169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: TC720722000016625F


Issue Date: 18.03.2022

1. Name of the industry : M/s. Valdathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 14.03.2022
4. Report Date : 18.03.2022
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	78.4	62.6	70.5	75
2	Near DG set	11.00am to 11.15 am	72.8	70.4	71.6	


INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Verified by



Authorized Signature

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified, I.C sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 095/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakalu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) 9945456764, 08382-259169
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalbellary@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000016626F

Issue Date: 18.03.2022

1. Name of the Project : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 14.03.2022
7. Date of sample Receipt : 15.03.2022
8. Sample Code : 17369
9. Analysis Starting date : 16.03.2022
10. Analysis Completion Date : 18.03.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.12
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	1748
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	24
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	698
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	2884
7	Total Suspended solids	APHA 23 rd Edition	mg/L	176

Verified by



Authorized Signature

- Note :
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrators marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO-14001:2015, ISO 22000:2018, ISO 45001:2018, ISO 9001:2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03806, (O) : 9945456764, 08382-255180

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: TC720722000016627F

Issue Date: 18.03.2022

1. Name of the Project : M/s. Valdathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 14.03.2022
7. Date of sample Receipt : 15.03.2022
8. Sample Code : 17370
9. Analysis Starting date : 16.03.2022
10. Analysis Completion Date : 18.03.2022
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.02	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	4	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	74	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	30	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	2038	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	24	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE	As per KSPCB Consent, Report Status: - The analyzed values for above measured parameters are within the limits.
-----------	--

Verified by



Authorized Signature

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water samples will destroyed after 10 days, Filter papers & Thimbles will be destroyed 3 months from the date of issue of test certificate unless otherwise specified. I.C sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.