



# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/16/03

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/6144

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.04.2023
6. Date of Sample Receipt : 10.04.2023
7. Sample Code : 6893
8. Analysis Starting Date : 11.04.2023
9. Analysis Completion Date : 14.04.2023
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM <sub>10</sub>	IS-5182(Part-23) - 2006	µg / m <sup>3</sup>	71.3	100
2	Particulate Matter PM <sub>2.5</sub>	LAB SOP	µg / m <sup>3</sup>	23.4	60
3	Sulphur Dioxide as SO <sub>x</sub>	IS-5182(Part-2) - 2001	µg / m <sup>3</sup>	21.9	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6) - 2006	µg / m <sup>3</sup>	22.1	80
7	Carbon Monoxide as CO	LAB SOP	mg / m <sup>3</sup>	0.28	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/16/03

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/6143

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.04.2023
6. Date of Sample Receipt : 10.04.2023
7. Sample Code : 6892
8. Analysis Starting Date : 11.04.2023
9. Analysis Completion Date : 14.04.2023
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM <sub>10</sub>	IS-5182(Part-23) - 2006	µg / m <sup>3</sup>	62.4	100
2	Particulate Matter PM <sub>2.5</sub>	LAB SOP	µg / m <sup>3</sup>	22.9	60
3	Sulphur Dioxide as SO <sub>x</sub>	IS-5182(Part-2) - 2001	µg / m <sup>3</sup>	17.7	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6) - 2006	µg / m <sup>3</sup>	22.1	80
7	Carbon Monoxide as CO	LAB SOP	mg / m <sup>3</sup>	0.30	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

B.Chinga Lingana Gouda  
Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/18/03

## ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/6145

Issue Date: 14.04.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 08.04.2023
5. Date of Sample Receipt : 10.04.2023
6. Sample Code : 6894
7. Analysis Start Date : 11.04.2023
8. Analysis Completion Date : 14.04.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

### GENERAL DETAILS

Date of Monitoring	08.04.2023
Height (m)	33
Stack Temperature (°C)	106
Velocity (m/s)	7.8
Internal Diameter (mm)	50

### RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm <sup>3</sup>	70.3	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm <sup>3</sup>	20.7	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm <sup>3</sup>	24.1	300

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory





# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/18/02

## ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/6146

Issued Date: 14.04.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 08.04.2023
5. Date of Sample Receipt : 10.04.2023
6. Sample Code : 6895
7. Analysis Start Date : 11.04.2023
8. Analysis Completion Date : 14.04.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

### GENERAL DETAILS

Date of Monitoring	08.04.2023
Height (m)	6.0
Stack Temperature (°C)	95
Velocity (m/s)	7.30
Outer Diameter (mm)	110

### RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm <sup>3</sup>	66.6	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm <sup>3</sup>	22.4	---
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm <sup>3</sup>	27.7	---

**INFERENCE** As per CFO Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory

:- END OF REPORT :-





# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/17/03

## NOISE LEVEL MONITORING REPORT

Test Report No: MSVAL/2023/6147

Issue Date: 14.04.2023

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 08.04.2023
4. Report Date : 14.04.2023
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	83.7	60.3	72.1	75
2	Near DG set	11.00am to 11.15 am	64.6	70.7	67.7	

<b>INFERENCE</b>	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
------------------	---

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

## ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/6148

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 08.04.2023
7. Date of sample Receipt : 10.04.2023
8. Sample Code : 6896
9. Analysis Starting date : 11.04.2023
10. Analysis Completion Date : 14.04.2023
11. Sample Tested as Received

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 <sup>rd</sup> Edition	-	Black
2	Odor	APHA 23 <sup>rd</sup> Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 <sup>rd</sup> Edition	-	6.52
3	Chemical Oxygen Demand	APHA 23 <sup>rd</sup> Edition	mg/L	2048
4	Oil & Grease, Max	APHA 23 <sup>rd</sup> Edition	mg/L	18
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 <sup>rd</sup> Edition	mg/L	760
6	Total Dissolved solids	APHA 23 <sup>rd</sup> Edition	mg/L	3215
7	Total Suspended solids	APHA 23 <sup>rd</sup> Edition	mg/L	186

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

## ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/6149

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 08.04.2023
7. Date of sample Receipt : 10.04.2023
8. Sample Code : 6897
9. Analysis Starting date : 11.04.2023
10. Analysis Completion Date : 14.04.2023
11. Sample Tested as Received

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 <sup>rd</sup> Edition	-	Colorless	-
2	Odor	APHA 23 <sup>rd</sup> Edition	-	Un Objectionable	-
3	pH @ 25 <sup>o</sup> C	APHA 23 <sup>rd</sup> Edition	-	7.48	5.5-8.5
4	Oil & Grease, Max	APHA 23 <sup>rd</sup> Edition	mg/L	2	10
5	Chemical Oxygen Demand	APHA 23 <sup>rd</sup> Edition	mg/L	60	250
6	Bio-chemical Oxygen Demand (3 days at 27 <sup>o</sup> C), Max	APHA 23 <sup>rd</sup> Edition	mg/L	15	100
7	Total Dissolved solids, Max	APHA 23 <sup>rd</sup> Edition	mg/L	1648	2100
8	Total Suspended solids, Max	APHA 23 <sup>rd</sup> Edition	mg/L	38	100

BDL: Below detectable limit, ( Oil & Grease - 1.0 mg/L)

**INFERENCE** As per KSPCB Consent,  
Report Status: - The analyzed values for above measured parameters are within the limits.

Analysed by

Authorized Signatory

B.Chilina Lingana Gouda  
Chief executive of the laboratory





# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

## ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/6339

Issue Date: 18.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : High Effluent Water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 11.04.2023
7. Date of sample Receipt : 12.04.2023
8. Sample Code : 6846
9. Analysis Starting date : 12.04.2023
10. Analysis Completion Date : 18.04.2023
11. Sample Tested as Received

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 <sup>rd</sup> Edition	-	Black
2	Odor	APHA 23 <sup>rd</sup> Edition	-	Objectionable
3	pH @ 25 <sup>o</sup> C	APHA 23 <sup>rd</sup> Edition	-	9.35
3	Chemical Oxygen Demand	APHA 23 <sup>rd</sup> Edition	mg/L	22400
4	Oil & Grease, Max	APHA 23 <sup>rd</sup> Edition	mg/L	20
5	Bio-chemical Oxygen Demand (3 days at 27 <sup>o</sup> C)	APHA 23 <sup>rd</sup> Edition	mg/L	8960
6	Total Dissolved solids	APHA 23 <sup>rd</sup> Edition	mg/L	7074
7	Total Suspended solids	APHA 23 <sup>rd</sup> Edition	mg/L	126

Verified by

*Ramul*

END OF REPORT



Authorized Signature

*Signature*





# MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

## ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/6340

Issue Date: 18.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : Low Effluent Water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 11.04.2023
7. Date of sample Receipt : 12.04.2023
8. Sample Code : 6847
9. Analysis Starting date : 12.04.2023
10. Analysis Completion Date : 18.04.2023
11. Sample Tested as Received

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 <sup>rd</sup> Edition	-	Yellow
2	Odor	APHA 23 <sup>rd</sup> Edition	-	Objectionable
3	pH @ 25 <sup>o</sup> C	APHA 23 <sup>rd</sup> Edition	-	7.53
4	Oil & Grease, Max	APHA 23 <sup>rd</sup> Edition	mg/L	28
5	Chemical Oxygen Demand	APHA 23 <sup>rd</sup> Edition	mg/L	23200
6	Bio-chemical Oxygen Demand (3 days at 27 <sup>o</sup> C), Max	APHA 23 <sup>rd</sup> Edition	mg/L	9280
7	Total Dissolved solids, Max	APHA 23 <sup>rd</sup> Edition	mg/L	43814
8	Total Suspended solids, Max	APHA 23 <sup>rd</sup> Edition	mg/L	138

Verified by

END OF REPORT



Authorized Signature



# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location** : Near main gate
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BL
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 16.05.2023
- Date of Sample Receipt** : 17.05.2023
- Sample Code** : 0378
- Analysis Starting Date** : 17.05.2023
- Analysis Completion Date** : 22.05.2023
- Report Issue Date** : 23.05.2023
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000000256F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	µg / m <sup>3</sup>	66.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	µg / m <sup>3</sup>	24.3	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	µg / m <sup>3</sup>	19	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	µg / m <sup>3</sup>	24.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m <sup>3</sup>	0.68	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory





# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakalu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location** : Boiler area
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BL
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 16.05.2023
- Date of Sample Receipt** : 17.05.2023
- Sample Code** : 0379
- Analysis Starting Date** : 17.05.2023
- Analysis Completion Date** : 22.05.2023
- Report Issue Date** : 23.05.2023
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC40712300000257F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	µg / m <sup>3</sup>	76.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	µg / m <sup>3</sup>	25.1	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	µg / m <sup>3</sup>	23	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	µg / m <sup>3</sup>	26.7	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m <sup>3</sup>	0.72	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory





# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.05.2023
5. Date of Sample Receipt : 17.05.2023
6. Sample Code : 0380
7. Analysis Starting Date : 17.05.2023
8. Analysis Completion Date : 22.05.2023
9. Report Issue date : 23.05.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000000258F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	120
Velocity (m/s)	7.0
Height (m)	---
Diameter (m)	0.2
Cross sectional area (m <sup>2</sup> )	0.03143

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	73.8	100

**INFERENCE** As per CPCB Standards  
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 16.05.2023
5. Report Issue Date : 23.05.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000000262F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	0384	10.35am to 10.50am	68.4	65.3	66.9	75
2	Near DG set	0385	11.15am to 11.30am	70.3	68.6	69.5	

### INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory





# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

## ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.05.2023
8. Date of sample receipt : 17.05.2023
9. Sample Code : 0382
10. Analysis Starting Date : 17.05.2023
11. Analysis Completion Date : 22.05.2023
12. Report Issue Date : 23.05.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000000260F

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.82
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1742
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	14
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	725
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2846
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	184

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

## ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as** : ETP - Treated water
- Name of the location** : ---
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Sample quantity** : Pet Bottle, 2 Liter.
- Sample Description/condition** : Water/Good
- Date of Sample Collection** : 16.05.2023
- Date of sample receipt** : 17.05.2023
- Sample Code** : 0383
- Analysis Starting Date** : 17.05.2023
- Analysis Completion Date** : 22.05.2023
- Report Issue Date** : 23.05.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000000261F

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Black	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.39	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	115	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	6	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	42	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2032	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	34	100

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)  
NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- |   |   |  |
|---|---|--|
| 1. Name and Address of Industry           | : | M/s. Valdathru Pharma Private Limited,<br>Plot no 28, Raichur Growth Centre industrial area,<br>Chiksugur, Raichur (Tq & Dt), Karnataka. |
| 2. Name of the location                   | : | Near main gate   |
| 3. Sample Collected By                    | : | MSV Analytical Laboratories, Bellary.  |
| 4. Particulars of the sampling Equipments | : | Sample collected with FDS & RDS 460BL  |
| 5. Duration of Monitoring                 | : | 8 Hours  |
| 6. Date of Monitoring                     | : | 30.06.2023   |
| 7. Date of Sample Receipt                 | : | 01.07.2023   |
| 8. Sample Code                            | : | 5261   |
| 9. Analysis Starting Date                 | : | 01.07.2023   |
| 10. Analysis Completion Date              | : | 04.07.2023   |
| 11. Report Issue Date                     | : | 05.07.2023   |
| 12. Sampling Protocol                     | : | IS 5182 : Part 14 : 2019   |

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000003438F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	µg / m <sup>3</sup>	72.1	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	µg / m <sup>3</sup>	27.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	µg / m <sup>3</sup>	15.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	µg / m <sup>3</sup>	23.3	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m <sup>3</sup>	0.52	2

<b>INFERENCE</b>	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
------------------	--

Analysed by

Authorized Signatory  
*B.Chinna Lingana Gouda*  
B.Chinna Lingana Gouda  
Chief executive of the laboratory







# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 30.06.2023
7. Date of Sample Receipt : 01.07.2023
8. Sample Code : 5262
9. Analysis Starting Date : 01.07.2023
10. Analysis Completion Date : 04.07.2023
11. Report Issue Date : 05.07.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000003439F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	µg / m <sup>3</sup>	69.7	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	µg / m <sup>3</sup>	25.8	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	µg / m <sup>3</sup>	12.2	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	µg / m <sup>3</sup>	19.7	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m <sup>3</sup>	0.68	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 30.06.2023
5. Date of Sample Receipt : 01.07.2023
6. Sample Code : 5263
7. Analysis Starting Date : 01.07.2023
8. Analysis Completion Date : 04.07.2023
9. Report Issue date : 05.07.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000003440F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	36
Stack Temperature (°C)	118
Velocity (m/s)	7.1
Height (m)	---
Diameter (m)	0.2
Cross sectional area (m <sup>2</sup> )	0.03143

## RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm <sup>3</sup>	70.9	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm <sup>3</sup>	24.6	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm <sup>3</sup>	28.1	300

<b>INFERENCE</b>	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by



Authorised Signatory

Renukamma  
Quality Manager



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 30.06.2023
5. Date of Sample Receipt : 01.07.2023
6. Sample Code : 5268
7. Analysis Starting Date : 01.07.2023
8. Analysis Completion Date : 04.07.2023
9. Report Issue date : 05.07.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000003444F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	26
Stack Temperature (°C)	98
Velocity (m/s)	6.06
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m <sup>2</sup> )	0.03143

### RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm <sup>3</sup>	76.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm <sup>3</sup>	24.4	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm <sup>3</sup>	30.6	---

Analysed by



Authorised Signatory

Renukamma  
Quality Manager



# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)  
NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 30.06.2023
- Report Issue Date : 05.07.2023
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000003441F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	5264	10.35am to 10.50am	60.9	58.2	59.6	75
2	Near DG set	5265	11.15am to 11.30am	68.9	66.4	67.7	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory





# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)  
NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

## ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 30.06.2023
8. Date of sample receipt : 01.07.2023
9. Sample Code : 5266
10. Analysis Starting Date : 01.07.2023
11. Analysis Completion Date : 04.07.2023
12. Report Issue Date : 05.07.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000003442F

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.72
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1782
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	12
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	594
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2746
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	124

Analysed by



Authorized Signatory  
  
B.Chithra Lingana Gouda  
Chief executive of the laboratory



# MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)  
NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

## ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,  
Plot no 28, Raichur Growth Centre industrial area,  
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 30.06.2023
8. Date of sample receipt : 01.07.2023
9. Sample Code : 5267
10. Analysis Starting Date : 01.07.2023
11. Analysis Completion Date : 04.07.2023
12. Report Issue Date : 05.07.2023

Discipline: Chemical

Group: Pollution & Environment


Sub Group: Waste Water

ULR No: TC407123000003443F

## RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Black	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.26	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	120	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	8	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	40	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2024	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	32	100

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory