



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/6143

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.04.2023
6. Date of Sample Receipt : 10.04.2023
7. Sample Code : 6892
8. Analysis Starting Date : 11.04.2023
9. Analysis Completion Date : 14.04.2023
10. Sample Tested as Received :


S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	62.4	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	22.9	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	17.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	22.1	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.30	2

INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

B.Chinda Lingana Gouda
Chief executive of the laboratory

Note : 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T/C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/16/03

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/6144

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sample : Sample collected with RDS 460BL and FDS
5. Date of Monitoring : 08.04.2023
6. Date of Sample Receipt : 10.04.2023
7. Sample Code : 6893
8. Analysis Starting Date : 11.04.2023
9. Analysis Completion Date : 14.04.2023
10. Sample Tested as Received :

S.No	Parameter	Protocols	Units	Results	NAAQ standards
1	Particulate Matter PM ₁₀	IS-5182(Part-23) - 2006	µg / m ³	71.3	100
2	Particulate Matter PM _{2.5}	LAB SOP	µg / m ³	23.4	60
3	Sulphur Dioxide as SO _x	IS-5182(Part-2) - 2001	µg / m ³	21.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6) - 2006	µg / m ³	22.1	80
7	Carbon Monoxide as CO	LAB SOP	mg / m ³	0.28	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/18/03

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/6145

Issue Date: 14.04.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 08.04.2023
5. Date of Sample Receipt : 10.04.2023
6. Sample Code : 6894
7. Analysis Start Date : 11.04.2023
8. Analysis Completion Date : 14.04.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received

GENERAL DETAILS

Date of Monitoring	08.04.2023
Height (m)	33
Stack Temperature (°C)	106
Velocity (m/s)	7.8
Internal Diameter (mm)	50

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	70.3	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	20.7	600
Nitrogen dioxide	IS-11255(Part-7)	mg/Nm ³	24.1	300


INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



Note: 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com

MSVAL/A/F/18/02

ANALYSIS REPORT FOR SOURCE EMISSION

Test Report No: MSVAL/2023/6146

Issued Date: 14.04.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 08.04.2023
5. Date of Sample Receipt : 10.04.2023
6. Sample Code : 6895
7. Analysis Start Date : 11.04.2023
8. Analysis Completion Date : 14.04.2023
9. Particulars of sample : Sample collected with VSS 1
10. Sample Tested as Received :

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	90
Velocity (m/s)	5.3
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	58.6
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	17.3
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	23.4

Analysed by



Authorized Signatory

Handumanthaijah. P
Technical Manager

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/17/03

NOISE LEVEL MONITORING REPORT

Test Report No: MSVAL/2023/6147

Issue Date: 14.04.2023

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 08.04.2023
4. Report Date : 14.04.2023
5. Particulars of Sample Collected : Noise meter
6. Method Adopted : Instrument Manual Method

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Max. in dB(A) Leq	Min. in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	10.40 am to 10.55 am	83.7	60.3	72.1	75
2	Near DG set	11.00am to 11.15 am	64.6	70.7	67.7	

INFERENCE	As per KSPCB Standards Report Status :- Noise level for the all locations has crossed the limits
-----------	---

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

Note : 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/6148

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Untreated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 08.04.2023
7. Date of sample Receipt : 10.04.2023
8. Sample Code : 6896
9. Analysis Starting date : 11.04.2023
10. Analysis Completion Date : 14.04.2023
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	APHA 23 rd Edition	-	Black
2	Odor	APHA 23 rd Edition	-	Un Objectionable
3	pH @ 25° C	APHA 23 rd Edition	-	6.52
3	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	2048
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	18
5	Bio-chemical Oxygen Demand (3 days at 27°C)	APHA 23 rd Edition	mg/L	760
6	Total Dissolved solids	APHA 23 rd Edition	mg/L	3215
7	Total Suspended solids	APHA 23 rd Edition	mg/L	186

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

Note : 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO-14001-2015, ISO 22000-2018, ISO 45001-2018, ISO 9001-2015)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/14/03

ANALYSIS REPORT OF WATER QUALITY

Test Report No: MSVAL/2023/6149

Issue Date: 14.04.2023

1. Name of the Project : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Type : ETP - Treated water
3. Sample Collected By : MSV Analytical Laboratories
4. Particulars of Sample Collected : Grab Sample
5. Sample description/condition : Good/Satisfactory
6. Date of Monitoring : 08.04.2023
7. Date of sample Receipt : 10.04.2023
8. Sample Code : 6897
9. Analysis Starting date : 11.04.2023
10. Analysis Completion Date : 14.04.2023
11. Sample Tested as Received

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	APHA 23 rd Edition	-	Colorless	-
2	Odor	APHA 23 rd Edition	-	Un Objectionable	-
3	pH @ 25° C	APHA 23 rd Edition	-	7.48	5.5-8.5
4	Oil & Grease, Max	APHA 23 rd Edition	mg/L	2	10
5	Chemical Oxygen Demand	APHA 23 rd Edition	mg/L	60	250
6	Bio-chemical Oxygen Demand (3 days at 27°C), Max	APHA 23 rd Edition	mg/L	15	100
7	Total Dissolved solids, Max	APHA 23 rd Edition	mg/L	1648	2100
8	Total Suspended solids, Max	APHA 23 rd Edition	mg/L	38	100

BDL: Below detectable limit, (Oil & Grease - 1.0 mg/L)

INFERENCE

As per KSPCB Consent,
Report Status: - The analyzed values for above measured parameters are within the limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



Note : 1. The results listed only to the tested samples & applicable parameters,

2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/6155

Issued Date: 14.04.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 08.04.2023
4. Date of Sample Receipt : 10.04.2023
5. Analysis Starting Date : 11.04.2023
6. Analysis Completion Date : 14.04.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.82	Mg/m ³	---
2	Near Boiler area	8 hours	0.90	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msvalab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.05.2023
7. Date of Sample Receipt : 17.05.2023
8. Sample Code : 0378
9. Analysis Starting Date : 17.05.2023
10. Analysis Completion Date : 22.05.2023
11. Report Issue Date : 23.05.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000000256F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	66.8	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	24.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	19	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	24.6	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m^3	0.68	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.05.2023
7. Date of Sample Receipt : 17.05.2023
8. Sample Code : 0379
9. Analysis Starting Date : 17.05.2023
10. Analysis Completion Date : 22.05.2023
11. Report Issue Date : 23.05.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000000257F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	76.2	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	25.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	23	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	26.7	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m^3	0.72	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.05.2023
5. Date of Sample Receipt : 17.05.2023
6. Sample Code : 0380
7. Analysis Starting Date : 17.05.2023
8. Analysis Completion Date : 22.05.2023
9. Report Issue date : 23.05.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000000258F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	120
Velocity (m/s)	7.0
Height (m)	---
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	73.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	19.6	600
Oxides of Nitrogen	IS-11255(Part-7) -2017.	mg/Nm ³	25.7	300

INFERENCE	As per CPCB Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	--

Analysed by

Romy

:- END OF REPORT



Authorized Signatory

Hanumanthalah. P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.05.2023
5. Date of Sample Receipt : 17.05.2023
6. Sample Code : 0381
7. Analysis Starting Date : 17.05.2023
8. Analysis Completion Date : 22.05.2023
9. Report Issue date : 23.05.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000000259F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	96
Velocity (m/s)	5.7
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	56.6
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	14.7
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	22.6

Analysed by

Romy

:- END OF REPORT



Authorized Signatory

Hanumanthaiah. P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 16.05.2023
5. Report Issue Date : 23.05.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000000262F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	0384	10.35am to 10.50am	68.4	65.3	66.9	75
2	Near DG set	0385	11.15am to 11.30am	70.3	68.6	69.5	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



- Note :
1. The results listed only to the tested samples & applicable parameters,
 2. Water samples will be destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.05.2023
8. Date of sample receipt : 17.05.2023
9. Sample Code : 0382
10. Analysis Starting Date : 17.05.2023
11. Analysis Completion Date : 22.05.2023
12. Report Issue Date : 23.05.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000000260F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.82
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1742
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	14
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	725
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2846
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	184

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

- Note : 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing. .
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001-2015, ISO 45001-2018, ISO 9001-2015, ISO 22000:2018)

NABL Accredited Laboratory

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : labmsv@gmail.com, msvalbellary2018@gmail.com, msv.lab01@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.05.2023
8. Date of sample receipt : 17.05.2023
9. Sample Code : 0383
10. Analysis Starting Date : 17.05.2023
11. Analysis Completion Date : 22.05.2023
12. Report Issue Date : 23.05.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000000261F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Black	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.39	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	115	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	6	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	42	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2032	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	34	100

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

- Note: 1. The results listed only to the tested samples & applicable parameters,
2. Water samples will destroyed after 10days, Filter papers & Thimbles will be destroyed 3months from the date of issue of test certificate unless otherwise specified. ILC sample will be destroyed after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
5. Sampling is not done by us unless otherwise specified. 6. The tests and/or calibrations marked with an are not accredited by NABL.



MSV Analytical Laboratories

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/0114

Issued Date: 23.05.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 16.05.2023
4. Date of Sample Receipt : 17.05.2023
5. Analysis Starting Date : 17.05.2023
6. Analysis Completion Date : 22.05.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b		
			Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.74	Mg/m ³	---
2	Near Boiler area	8 hours	0.83	Mg/m ³	---

Analyzed by

Authorized Signatory

Handmanthaiah. P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lal sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 30.06.2023
7. Date of Sample Receipt : 01.07.2023
8. Sample Code : 5261
9. Analysis Starting Date : 01.07.2023
10. Analysis Completion Date : 04.07.2023
11. Report Issue Date : 05.07.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000003438F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	72.1	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	27.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	15.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	23.3	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m^3	0.52	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

END OF REPORT



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat : sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 30.06.2023
7. Date of Sample Receipt : 01.07.2023
8. Sample Code : 5262
9. Analysis Starting Date : 01.07.2023
10. Analysis Completion Date : 04.07.2023
11. Report Issue Date : 05.07.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000003439F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm)PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	69.7	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	25.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	12.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	19.7	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m^3	0.68	2

INFERENCE	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 30.06.2023
5. Date of Sample Receipt : 01.07.2023
6. Sample Code : 5263
7. Analysis Starting Date : 01.07.2023
8. Analysis Completion Date : 04.07.2023
9. Report Issue date : 05.07.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000003440F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	36
Stack Temperature (°C)	118
Velocity (m/s)	7.1
Height (m)	---
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	70.9	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	24.6	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	28.1	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 30.06.2023
5. Date of Sample Receipt : 01.07.2023
6. Sample Code : 5268
7. Analysis Starting Date : 01.07.2023
8. Analysis Completion Date : 04.07.2023
9. Report Issue date : 05.07.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC720721000003444F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	26
Stack Temperature (°C)	98
Velocity (m/s)	6.06
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	76.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	24.4	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	30.6	---

Analysed by

:- END OF REPORT



Authorized Signatory

Hanumanthaiah.P
Technical Manager

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab@msv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 30.06.2023
5. Report Issue Date : 05.07.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000003441F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	5264	10.35am to 10.50am	60.9	58.2	59.6	75
2	Near DG set	5265	11.15am to 11.30am	68.9	66.4	67.7	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory



:- END OF REPORT

Hanumanthaiah.P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat : sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 30.06.2023
8. Date of sample receipt : 01.07.2023
9. Sample Code : 5266
10. Analysis Starting Date : 01.07.2023
11. Analysis Completion Date : 04.07.2023
12. Report Issue Date : 05.07.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000003442F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.72
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1782
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	12
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	594
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2746
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	124

Analysed by

Authorized Signatory

Hanumanthaiah P.
Technical Manager

:- END OF REPORT



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre Industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as** : ETP - Treated water
- Name of the location** : ---
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Sample quantity** : Pet Bottle, 2 Liter.
- Sample Description/condition** : Water/Good
- Date of Sample Collection** : 30.06.2023
- Date of sample receipt** : 01.07.2023
- Sample Code** : 5267
- Analysis Starting Date** : 01.07.2023
- Analysis Completion Date** : 04.07.2023
- Report Issue Date** : 05.07.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000003443F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Black	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.26	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	120	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	8	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	40	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2024	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	32	100

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

:- END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/0947

Issued Date: 05.07.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 30.06.2023
4. Date of Sample Receipt : 01.07.2023
5. Analysis Starting Date : 01.07.2023
6. Analysis Completion Date : 04.07.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.92	Mg/m ³	---
2	Near Boiler area	8 hours	0.79	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

:- END OF REPORT.



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - A
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2023
5. Date of Sample Receipt : 14.06.2023
6. Sample Code : 3106
7. Analysis Starting Date : 15.06.2023
8. Analysis Completion Date : 16.06.2023
9. Report Issue date : 18.06.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000002180F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	68
Velocity (m/s)	7.1
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	33.2	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	8.3	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Ramul

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - B
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2023
5. Date of Sample Receipt : 14.06.2023
6. Sample Code : 3107
7. Analysis Starting Date : 15.06.2023
8. Analysis Completion Date : 16.06.2023
9. Report Issue date : 18.06.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000002181F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	--
Ambient Temperature (°C)	28
Stack Temperature (°C)	72
Velocity (m/s)	6.4
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	30.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	8.6	35

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2023
5. Date of Sample Receipt : 14.06.2023
6. Sample Code : 3108
7. Analysis Starting Date : 15.06.2023
8. Analysis Completion Date : 16.06.2023
9. Report Issue date : 18.06.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000002182F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	--
Ambient Temperature (°C)	28
Stack Temperature (°C)	64
Velocity (m/s)	6.8
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	28.7	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	7.4	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:2
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2023
5. Date of Sample Receipt : 14.06.2023
6. Sample Code : 3109
7. Analysis Starting Date : 15.06.2023
8. Analysis Completion Date : 16.06.2023
9. Report Issue date : 18.06.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000002183F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	68
Velocity (m/s)	7.2
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	30.7	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	9.2	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Ramyl

Authorized Signatory

Hannanthaiah.P
Hannanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvbellary2018@gmail.com, lat : isv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location : Near main gate
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 28.07.2023
- Date of Sample Receipt : 29.07.2023
- Sample Code : 9132
- Analysis Starting Date : 29.07.2023
- Analysis Completion Date : 02.08.2023
- Report Issue Date : 03.08.2023
- Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000005587F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	75.8	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	25.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	16.8	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	22.1	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m^3	0.50	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Ramji

Authorized Signatory

Harumanthiah P

Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab: msval@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location** : Boiler area
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BL
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 28.07.2023
- Date of Sample Receipt** : 29.07.2023
- Sample Code** : 9133
- Analysis Starting Date** : 29.07.2023
- Analysis Completion Date** : 02.08.2023
- Report Issue Date** : 03.08.2023
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000005588F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	65.4	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	24.7	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	13.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	18.4	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.65	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

Hanumanthiah P

Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab@msv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.07.2023
5. Date of Sample Receipt : 29.07.2023
6. Sample Code : 9134
7. Analysis Starting Date : 29.07.2023
8. Analysis Completion Date : 02.08.2023
9. Report Issue date : 03.08.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000005589F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	36
Stack Temperature (°C)	115
Velocity (m/s)	7.6
Height (m)	---
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	73.8	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.7	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	27.5	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah P
Technical Manager

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvballary2018@gmail.com, lab msv@gmail.com Web ID : www.msvballary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.07.2023
5. Date of Sample Receipt : 29.07.2023
6. Sample Code : 9135
7. Analysis Starting Date : 29.07.2023
8. Analysis Completion Date : 02.08.2023
9. Report Issue date : 03.08.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000005590F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	26
Stack Temperature (°C)	95
Velocity (m/s)	6.9
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	75.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	23.3	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	29.1	---

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvallbellary2018@gmail.com, lab@msv@gmail.com Web ID : www.msvallbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.07.2023
5. Report Issue Date : 03.08.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000005591F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	9136	10.35am to 10.50am	61.7	55.2	58.45	75
2	Near DG set	9137	11.15am to 11.30am	67.6	65.1	66.35	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Ramya

Authorized Signatory

Hanumanthaiah P
Technical Manager

*** End of Report ***



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab_msval@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 28.07.2023
8. Date of sample receipt : 29.07.2023
9. Sample Code : 9138
10. Analysis Starting Date : 29.07.2023
11. Analysis Completion Date : 02.08.2023
12. Report Issue Date : 03.08.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000005592F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.32
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1820
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	12
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	615
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2894
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	136

Analysed by

Romy



*** End of Report ***

Authorized Signatory

Hanumanthaiah P
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lat msval@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as : BTP - Treated water
- Name of the location : ---
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Sample quantity : Pet bottle, 2 Liter.
- Sample Description/condition : Water/Good
- Date of Sample Collection : 28.07.2023
- Date of sample receipt : 29.07.2023
- Sample Code : 9139
- Analysis Starting Date : 29.07.2023
- Analysis Completion Date : 02.08.2023
- Report Issue Date : 03.08.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000005593F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.57	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/ L	85	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/ L	2	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 (Part-44): 2019	mg/L	30	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1222	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	12	100

Analysed by

Ram

Authorized Signatory

Hanumanthaiah P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/1799

Issued Date: 03.08.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 28.07.2023
4. Date of Sample Receipt : 29.07.2023
5. Analysis Starting Date : 29.07.2023
6. Analysis Completion Date : 02.08.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.88	Mg/m ³	---
2	Near Boiler area	8 hours	0.69	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

:- END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 15 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 26.08.2023
7. Date of Sample Receipt : 28.08.2023
8. Sample Code : 12976
9. Analysis Starting Date : 28.08.2023
10. Analysis Completion Date : 30.08.2023
11. Report Issue Date : 30.08.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000007630F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	69.6	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	26.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	15.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	25.0	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.65	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

*** Enc of Report ***



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 26.08.2023
7. Date of Sample Receipt : 28.08.2023
8. Sample Code : 12977
9. Analysis Starting Date : 28.08.2023
10. Analysis Completion Date : 30.08.2023
11. Report Issue Date : 30.08.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Air

ULR No: TC407123000007631F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	75.8	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	27.8	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	17.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	29.0	80
5	Carbon Monoxide as CO	LAB SOP MSVAL/SOP/A/007	mg / m ³	0.70	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 15 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 26.08.2023
5. Date of Sample Receipt : 28.08.2023
6. Sample Code : 12978
7. Analysis Starting Date : 28.08.2023
8. Analysis Completion Date : 30.08.2023
9. Report Issue date : 30.08.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000007632F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	36
Stack Temperature (°C)	125
Velocity (m/s)	7.0
Height (m)	---
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	72.1	150
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	27.4	600
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	29.1	300

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

*** End of Report ***



- Notes:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 15 T.S No. 695/A/32/B1, Block No 18 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 26.08.2023
5. Date of Sample Receipt : 28.08.2023
6. Sample Code : 13021
7. Analysis Starting Date : 28.08.2023
8. Analysis Completion Date : 30.08.2023
9. Report Issue date : 30.08.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000007669F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	80
Velocity (m/s)	6.6
Height (m)	6.0
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	77.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	24.3	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	32.8	---

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 26.08.2023
5. Report Issue Date : 30.08.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000007633F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	12979	10.35am to 10.50am	64.2	62.2	63.2	75
2	Near DG set	12980	11.15am to 11.30am	58.3	55.2	56.8	

INFERENCE

As per KSPCB Standards

Report Status : The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 15 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Untreated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 26.08.2023
8. Date of sample receipt : 28.08.2023
9. Sample Code : 12981
10. Analysis Starting Date : 28.08.2023
11. Analysis Completion Date : 30.08.2023
12. Report Issue Date : 30.08.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000007634F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.84
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1872
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	14
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	624
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1442
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	132

Analysed by



Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 26.08.2023
8. Date of sample receipt : 28.08.2023
9. Sample Code : 12982
10. Analysis Starting Date : 28.08.2023
11. Analysis Completion Date : 30.08.2023
12. Report Issue Date : 30.08.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407123000007635F

RESULTS

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.46	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	140	250
	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	6	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 (Part-44): 2019	mg/L	46	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1020	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	30	100

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/3402

Issued Date: 30.08.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 26.08.2023
4. Date of Sample Receipt : 28.08.2023
5. Analysis Starting Date : 28.08.2023
6. Analysis Completion Date : 30.08.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.90	Mg/m ³	---
2	Near Boiler area	8 hours	0.83	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 28.09.2023
7. Date of Sample Receipt : 29.09.2023
8. Sample Code : 17042
9. Analysis Starting Date : 29.09.2023
10. Analysis Completion Date : 03.10.2023
11. Report Issue Date : 03.10.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000010132F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	67.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	25.3	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	12.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	17.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.42	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

End of Report

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location** : Boiler area
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with RDS APM460 and FDS GTI-131
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 28.09.2023
- Date of Sample Receipt** : 29.09.2023
- Sample Code** : 17043
- Analysis Starting Date** : 29.09.2023
- Analysis Completion Date** : 03.10.2023
- Report Issue Date** : 03.10.2023
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000010133F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm)PM ₁₀	IS-5182(Part-23):2017	µg / m ³	62.6	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	22.7	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	15.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	19.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.50	2

INFERENCE	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
------------------	--

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.09.2023
5. Date of Sample Receipt : 29.09.2023
6. Sample Code : 17044
7. Analysis Starting Date : 29.09.2023
8. Analysis Completion Date : 03.10.2023
9. Report Issue date : 03.10.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000010134F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	32
Stack Temperature (°C)	118
Velocity (m/s)	6.9
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	75.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	28.8	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	35.3	300

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

:- END OF REPORT :-

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 380 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 28.09.2023
5. Date of Sample Receipt : 29.09.2023
6. Sample Code : 17127
7. Analysis Starting Date : 29.09.2023
8. Analysis Completion Date : 03.10.2023
9. Report Issue date : 03.10.2023

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission

ULR No: TC407123000010185F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	32
Stack Temperature (°C)	60
Velocity (m/s)	6.3
Height (m)	5 mtr ARL
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	43.4
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	16.6
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	22.7

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvallbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvallbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 28.09.2023
5. Report Issue Date : 03.10.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000010135F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near office	17045	10.35am to 10.50am	68.9	64.3	66.6	75
2	Near DG set	17046	11.15am to 11.30am	74.6	71.2	72.9	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

B.Chirna Lingana Gouda

Chief executive of the laboratory

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 18 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as : ETP - Raw water
- Name of the location : ---
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Sample quantity : Pet Bottle, 2 Liter.
- Sample Description/condition : Water/Good
- Date of Sample Collection : 28.09.2023
- Date of sample receipt : 29.09.2023
- Sample Code : 17047
- Analysis Starting Date : 29.09.2023
- Analysis Completion Date : 03.10.2023
- Report Issue Date : 03.10.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407123000010136F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	5.68
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1025
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	16
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	385
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	2124
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	126

Analysed by

Authorized Signatory

B.Chirna Lingana Gouda

Chief executive of the laboratory

:- END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as** : ETP - Treated water
- Name of the location** : ---
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Sample quantity** : Pet Bottle, 2 Liter.
- Sample Description/condition** : Water/Good
- Date of Sample Collection** : 28.09.2023
- Date of sample receipt** : 29.09.2023
- Sample Code** : 17048
- Analysis Starting Date** : 29.09.2023
- Analysis Completion Date** : 03.10.2023
- Report Issue Date** : 03.10.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407123000010137F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.57	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	85	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	4	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 (Part-44): 2019	mg/L	35	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	994	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	16	100

INFERENCE

BDL - Below Detectable Limit

Report Status: - The analyzed values for above measured parameters are within the Limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

:- END OF REPORT :-



- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103, Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/4275

Issued Date: 03.10.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 28.09.2023
4. Date of Sample Receipt : 29.09.2023
5. Analysis Starting Date : 29.09.2023
6. Analysis Completion Date : 03.10.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1.	Near Main gate	8 hours	0.72	Mg/m ³	---
2.	Near Boiler area	8 hours	0.77	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

:- END OF REPORT :-



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - A
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.09.2023
5. Date of Sample Receipt : 06.09.2023
6. Sample Code : 14206
7. Analysis Starting Date : 07.09.2023
8. Analysis Completion Date : 08.09.2023
9. Report Issue date : 09.09.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000008396F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	27
Stack Temperature (°C)	64
Velocity (m/s)	6.6
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	38.7	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	9.2	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Romy



Authorized Signatory

Hannanthaiah.P
Technical Manager

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08302-255169
Email : msvbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - B
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.09.2023
5. Date of Sample Receipt : 06.09.2023
6. Sample Code : 14207
7. Analysis Starting Date : 07.09.2023
8. Analysis Completion Date : 08.09.2023
9. Report Issue date : 09.09.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000008397F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	26
Stack Temperature (°C)	74
Velocity (m/s)	6.6
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	28.9	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	8.4	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Romy

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvbellary2018@gmail.com, lab : sv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.09.2023
5. Date of Sample Receipt : 06.09.2023
6. Sample Code : 14208
7. Analysis Starting Date : 07.09.2023
8. Analysis Completion Date : 08.09.2023
9. Report Issue date : 09.09.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000008398F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	66
Velocity (m/s)	7.0
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	29.3	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	7.0	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Romey

Authorized Signatory

Hannanthaiah.P
Technical Manager



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikisugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:2
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 05.09.2023
5. Date of Sample Receipt : 06.09.2023
6. Sample Code : 14209
7. Analysis Starting Date : 07.09.2023
8. Analysis Completion Date : 08.09.2023
9. Report Issue date : 09.09.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000008399F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	72
Velocity (m/s)	7.18
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	26.6	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	7.4	35

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by
Ramey



Authorized Signatory
Hanumanthaiah.P
Technical Manager

*** End of Report ***

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 20.10.2023
7. Date of Sample Receipt : 21.10.2023
8. Sample Code : 19994
9. Analysis Starting Date : 21.10.2023
10. Analysis Completion Date : 26.10.2023
11. Report Issue Date : 26.10.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000011904F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	68.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	27.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	18.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	24.1	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.58	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 10 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS APM460 and FDS GTI-131
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 20.10.2023
7. Date of Sample Receipt : 21.10.2023
8. Sample Code : 19995
9. Analysis Starting Date : 21.10.2023
10. Analysis Completion Date : 26.10.2023
11. Report Issue Date : 26.10.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000011905F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	78.9	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	31.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	19.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	30.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m^3	0.73	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location** : Between Production Block A&B
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BL
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 20.10.2023
- Date of Sample Receipt** : 21.10.2023
- Sample Code** : 19996
- Analysis Starting Date** : 21.10.2023
- Analysis Completion Date** : 26.10.2023
- Report Issue Date** : 26.10.2023
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000011906F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	62.9	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	24.5	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	17.7	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	22.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.50	2

INFERENCE	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
------------------	--

Analysed by

HP



Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, lat : sv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 20.10.2023
5. Date of Sample Receipt : 21.10.2023
6. Sample Code : 19997
7. Analysis Starting Date : 21.10.2023
8. Analysis Completion Date : 26.10.2023
9. Report Issue date : 26.10.2023

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission
ULR No: TC407123000011907F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	112
Velocity (m/s)	6.5
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	75.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	25.6	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	30.2	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by



Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals like copper & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 400 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 20.10.2023
5. Date of Sample Receipt : 21.10.2023
6. Sample Code : 19998
7. Analysis Starting Date : 21.10.2023
8. Analysis Completion Date : 26.10.2023
9. Report Issue date : 26.10.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000011908F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	80
Velocity (m/s)	6.0
Height (m)	5 mtr ARL
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	76.3
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	24.1
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	30.8

Analysed by



Authorized Signatory

Renukamma
Quality Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lal sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 20.10.2023
5. Report Issue Date : 26.10.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000011909F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	19999	10.35am to 10.50am	52.2	50.1	51.2	75
2	Near DG set	20000	11.15am to 11.30am	68.9	66.1	67.5	
				Results (Night time)			
1	Near office	19999	10.00pm to 10.15pm	50.1	49.5	49.8	70
2	Near DG set	20000	10.30pm to 10.45pm	67.9	62.8	65.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by



Authorized Signatory

Renukamma
Quality Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Raw water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 20.10.2023
8. Date of sample receipt : 21.10.2023
9. Sample Code : 20001
10. Analysis Starting Date : 21.10.2023
11. Analysis Completion Date : 26.10.2023
12. Report Issue Date : 26.10.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407123000011910F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23 rd Edn: 2017	-	6.77
3	Chemical Oxygen Demand	5230 B-APHA 23 rd Edn : 2017	mg/L	1936
4	Oil & Grease	5520 D APHA 23 rd Edition : 2017	mg/L	16
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	640
6	Total Dissolved solids	2540 C APHA 23 rd Edn : 2017	mg/L	1560
7	Total Suspended solids	2540 F APHA 23 rd Edn : 2017	mg/L	138

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

END OF REPORT:-

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab : sv@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 20.10.2023
8. Date of sample receipt : 21.10.2023
9. Sample Code : 20002
10. Analysis Starting Date : 21.10.2023
11. Analysis Completion Date : 26.10.2023
12. Report Issue Date : 26.10.2023

Discipline: Chemical

Group: Pollution & Environment


Sub Group: Waste Water

ULR NO: TC407123000011911F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.37	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	168	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	6	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	52	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1042	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	28	100

INFERENCE BDL - Below Detectable Limit
Report Status: - The analyzed values for above measured parameters are within the Limits.

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

END OF REPORT

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/4908

Issued Date: 26.10.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 20.10.2023
4. Date of Sample Receipt : 21.10.2023
5. Analysis Starting Date : 21.10.2023
6. Analysis Completion Date : 26.10.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.83	Mg/m ³	---
2	Near Boiler area	8 hours	0.76	Mg/m ³	---

Analyzed by

Authorized Signatory

Hannanthalah. P
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvballary2018@gmail.com, labmsv@gmail.com Web ID : www.msvballary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 23.11.2023
7. Date of Sample Receipt : 24.11.2023
8. Sample Code : 24052
9. Analysis Starting Date : 24.11.2023
10. Analysis Completion Date : 28.11.2023
11. Report Issue Date : 29.11.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000014388F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm)PM ₁₀	IS-5182(Part-23):2017	µg / m ³	70.3	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	25.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	15.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	23.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.62	2

INFERENCE	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
------------------	--

Analysed by



Authorized Signatory

R Chinnna Lingana Gouda

Chief executive of the laboratory

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (D) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS APM460 and FDS GTI-131
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 23.11.2023
7. Date of Sample Receipt : 24.11.2023
8. Sample Code : 24053
9. Analysis Starting Date : 24.11.2023
10. Analysis Completion Date : 28.11.2023
11. Report Issue Date : 29.11.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000014389F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	74.3	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	28.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	17.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	29.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.68	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

B.Chhna Lingana Gouda

Chief executive of the laboratory



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 23.11.2023
5. Date of Sample Receipt : 24.11.2023
6. Sample Code : 24054
7. Analysis Starting Date : 24.11.2023
8. Analysis Completion Date : 28.11.2023
9. Report Issue date : 29.11.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000014390F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	95
Velocity (m/s)	6.3
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	70.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	25.3	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	27.6	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 400 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 23.11.2023
5. Date of Sample Receipt : 24.11.2023
6. Sample Code : 24141
7. Analysis Starting Date : 24.11.2023
8. Analysis Completion Date : 28.11.2023
9. Report Issue date : 29.11.2023

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission

ULR No: TC407123000014441F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	29
Stack Temperature (°C)	115
Velocity (m/s)	7
Height (m)	5 mtr ARL
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	75.3
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	25.6
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	30.5

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidathru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 23.11.2023
5. Report Issue Date : 29.11.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000014391F/A

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	24055	10.00am to 10.15am	62.0	60.9	61.4	75
2	Near DG set	24056	10.20am to 10.35am	69.4	67.6	68.5	
				Results (Night time)			
1	Near office	24055 A	10.40pm to 10.55pm	53.4	51.4	52.4	70
2	Near DG set	24056 A	11.00pm to 11.15pm	68.7	62.4	65.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

:- END OF REPORT.



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Raw water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 23.11.2023
8. Date of sample receipt : 24.11.2023
9. Sample Code : 24058
10. Analysis Starting Date : 24.11.2023
11. Analysis Completion Date : 28.11.2023
12. Report Issue Date : 29.11.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407123000014393F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.5
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1860
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	610
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1430
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	128

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 23.11.2023
8. Date of sample receipt : 24.11.2023
9. Sample Code : 24142
10. Analysis Starting Date : 24.11.2023
11. Analysis Completion Date : 28.11.2023
12. Report Issue Date : 29.11.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407123000014442F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.5	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	125	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	4	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	40	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1010	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	26	100

INFERENCE

BDL - Below Detectable Limit

Report Status: - The analyzed values for above measured parameters are within the Limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/5751

Issued Date: 29.11.2023

1. Name of the Industry : M/s. Vaidathru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 23.11.2023
4. Date of Sample Receipt : 24.11.2023
5. Analysis Starting Date : 24.11.2023
6. Analysis Completion Date : 28.11.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.90	Mg/m ³	---
2	Near Boiler area	8 hours	0.79	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthiah. P
Technical Manager

:- END OF REPORT :-



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab_msval@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre Industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.12.2023
7. Date of Sample Receipt : 18.12.2023
8. Sample Code : 28205
9. Analysis Starting Date : 19.12.2023
10. Analysis Completion Date : 20.12.2023
11. Report Issue Date : 26.12.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000016903F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	71.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	29.2	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	17.4	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	26.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.61	2

INFERENCE	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
-----------	--

Analysed by



Authorized Signatory

Hanumanthaiah I
Technical Manager

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab: msval@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS APM460 and FDS GTI-131
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.12.2023
7. Date of Sample Receipt : 18.12.2023
8. Sample Code : 28026
9. Analysis Starting Date : 19.12.2023
10. Analysis Completion Date : 20.12.2023
11. Report Issue Date : 26.12.2023
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407123000016904F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	78.6	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	28.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	18.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	20.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m^3	0.71	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lab : isv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.12.2023
5. Date of Sample Receipt : 18.12.2023
6. Sample Code : 28207
7. Analysis Starting Date : 19.12.2023
8. Analysis Completion Date : 20.12.2023
9. Report Issue date : 26.12.2023

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission

ULR No: TC407123000016905F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	31
Stack Temperature (°C)	112
Velocity (m/s)	6.5
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	65.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	24.6	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	28.7	300

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat : isv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 400 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.12.2023
5. Date of Sample Receipt : 18.12.2023
6. Sample Code : 28212
7. Analysis Starting Date : 19.12.2023
8. Analysis Completion Date : 20.12.2023
9. Report Issue date : 26.12.2023

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission

ULR No: TC407123000016909F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	80
Velocity (m/s)	6.0
Height (m)	5 mtr ARL
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	76.2
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	24.2
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	32.6

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

:- END OF REPORT:-



Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lab: isv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 16.12.2023
5. Report Issue Date : 26.12.2023
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407123000016906

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	28208	10.00am to 10.15am	54.4	50.3	52.4	75
2	Near DG set	28209	10.20am to 10.35am	70.6	65.5	68.1	
				Results (Night time)			
1	Near office	28208 A	10.40pm to 10.55pm	44.4	40.3	42.4	70
2	Near DG set	28209 A	11.00pm to 11.15pm	65.6	60.1	62.9	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Handumanthaiah.P
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No: 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab msval@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Raw water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.12.2023
8. Date of sample receipt : 18.12.2023
9. Sample Code : 28210
10. Analysis Starting Date : 19.12.2023
11. Analysis Completion Date : 23.12.2023
12. Report Issue Date : 26.12.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407123000016907F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.81
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1870
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	12
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	560
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1586
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	130

Analysed by

Authorized Signatory

Haumanthaiah P
Technical Manager



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lab : sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Treated water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.12.2023
8. Date of sample receipt : 18.12.2023
9. Sample Code : 28211
10. Analysis Starting Date : 19.12.2023
11. Analysis Completion Date : 23.12.2023
12. Report Issue Date : 26.12.2023

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407123000016908F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.36	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	146	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	2	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	46	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1220	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	32	100

INFERENCE

BDL - Below Detectable Limit

Report Status: - The analyzed values for above measured parameters are within the Limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager



- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2023/6446

Issued Date: 26.12.2023

1. Name of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 16.12.2023
4. Date of Sample Receipt : 18.12.2023
5. Analysis Starting Date : 19.12.2023
6. Analysis Completion Date : 26.12.2023
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.92	Mg/m ³	---
2	Near Boiler area	8 hours	0.78	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

:- END OF REPORT :-



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lab : sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - A
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.12.2023
5. Date of Sample Receipt : 18.12.2023
6. Sample Code : 28213
7. Analysis Starting Date : 19.12.2023
8. Analysis Completion Date : 23.12.2023
9. Report Issue date : 26.12.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000016910F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	66
Velocity (m/s)	6.5
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	36.6	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	9.0	35

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
------------------	---

Analysed by

Authorized Signatory

Haimanathiah P
Technical Manager

-: END OF REPORT :-



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, lab : sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - B
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.12.2023
5. Date of Sample Receipt : 18.12.2023
6. Sample Code : 28214
7. Analysis Starting Date : 19.12.2023
8. Analysis Completion Date : 23.12.2023
9. Report Issue date : 26.12.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000016911F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	25
Stack Temperature (°C)	70
Velocity (m/s)	6.7
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	27.4	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	8.2	35

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorised Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & T himbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lab : sv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.12.2023
5. Date of Sample Receipt : 18.12.2023
6. Sample Code : 28215
7. Analysis Starting Date : 19.12.2023
8. Analysis Completion Date : 23.12.2023
9. Report Issue date : 26.12.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000016912F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	27
Stack Temperature (°C)	66
Velocity (m/s)	7.2
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	28.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	7.4	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorised Signatory

Hanumanthaiah P
Technical Manager

:- EN



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, lat. msv@gmail.com Web ID : www.msvbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:2
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.12.2023
5. Date of Sample Receipt : 18.12.2023
6. Sample Code : 28216
7. Analysis Starting Date : 19.12.2023
8. Analysis Completion Date : 23.12.2023
9. Report Issue date : 26.12.2023

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407123000016913F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	26
Stack Temperature (°C)	78
Velocity (m/s)	6.64
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	24.2	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	6.8	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorised Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.01.2024
7. Date of Sample Receipt : 19.01.2024
8. Sample Code : 2595
9. Analysis Starting Date : 19.01.2024
10. Analysis Completion Date : 22.01.2024
11. Report Issue Date : 23.01.2024
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000001635F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	70.6	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	29.4	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	15.6	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	26.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m^3	0.54	2

INFERENCE	As per NAAQS Standards Report Status: - The analyzed values for above measured parameter are within the limits.
-----------	--

Analysed by

Authorized Signatory

Handumthaiah p
Technical Manager

-: END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS APM460 and FDS GTI-131
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.01.2024
7. Date of Sample Receipt : 19.01.2024
8. Sample Code : 2596
9. Analysis Starting Date : 19.01.2024
10. Analysis Completion Date : 22.01.2024
11. Report Issue Date : 23.01.2024
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000001636F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm)PM ₁₀	IS-5182(Part-23):2017	µg / m ³	78.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	32.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	18.3	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	29.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.65	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah p
Technical Manager

:- END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.15 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08382-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Phanna Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.01.2024
5. Date of Sample Receipt : 19.01.2024
6. Sample Code : 2597
7. Analysis Starting Date : 19.01.2024
8. Analysis Completion Date : 22.01.2024
9. Report Issue date : 23.01.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission
ULR No: TC407124000001637F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	112
Velocity (m/s)	6.5
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	76.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	28.4	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	30.1	300

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test report unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 400 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.01.2024
5. Date of Sample Receipt : 19.01.2024
6. Sample Code : 2575
7. Analysis Starting Date : 19.01.2024
8. Analysis Completion Date : 22.01.2024
9. Report Issue date : 23.01.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission
ULR No: TC407124000001634F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	80
Velocity (m/s)	6.6
Height (m)	5 mtr ARL
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	75.6
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	23.9
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	30.1

Analysed by

Authorized Signatory

Renuka
Renukamma
Quality Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 18.01.2024
5. Report Issue Date : 23.01.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407124000001638F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	2598	10.00am to 10.15am	54.2	62.9	58.6	75
2	Near DG set	2599	10.20am to 10.35am	58.4	46.2	52.3	
				Results (Night time)			
1	Near office	2600	10.40pm to 10.55pm	60.3	58.2	59.3	70
2	Near DG set	2601	11.00pm to 11.15pm	62.9	60.8	61.9	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Renukamma
Quality Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, lat sv@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Raw water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 18.01.2024
8. Date of sample receipt : 19.01.2024
9. Sample Code : 2600
10. Analysis Starting Date : 19.01.2024
11. Analysis Completion Date : 22.01.2024
12. Report Issue Date : 23.01.2024

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407124000001639F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.74
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1962
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	16
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	588
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1524
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	138

Analysed by

Authorized Signatory

Hanumanthaiah p
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thinbries will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as : ETP - Treated water
- Name of the location : ---
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Sample quantity : Pet Bottle, 2 Liter.
- Sample Description/condition : Water/Good
- Date of Sample Collection : 18.01.2024
- Date of sample receipt : 19.01.2024
- Sample Code : 2601
- Analysis Starting Date : 19.01.2024
- Analysis Completion Date : 22.01.2024
- Report Issue Date : 23.01.2024

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407124000001640F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.54	5.5-9.0
4	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	150	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	8	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 (Part-44): 2019	mg/L	45	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1148	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	32	100

INFERENCE

BDL – Below Detectable Limit

Report Status: - The analyzed values for above measured parameters are within the Limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2024/0402

Issued Date: 23.01.2024

1. Name of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 18.01.2024
4. Date of Sample Receipt : 19.01.2024
5. Analysis Starting Date : 19.01.2024
6. Analysis Completion Date : 22.01.2024
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.63	Mg/m ³	---
2	Near Boiler area	8 hours	0.59	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

END OF REPORT



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.02.2024
7. Date of Sample Receipt : 17.02.2024
8. Sample Code : 6825
9. Analysis Starting Date : 17.02.2024
10. Analysis Completion Date : 21.02.2024
11. Report Issue Date : 22.02.2024
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000004406F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 μm) PM ₁₀	IS-5182(Part-23):2017	$\mu\text{g} / \text{m}^3$	71.4	100
2	Particulate Matter (Size less than 2.5 μm) or PM _{2.5}	IS-5182(Part-24):2019	$\mu\text{g} / \text{m}^3$	30.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	$\mu\text{g} / \text{m}^3$	14.2	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	$\mu\text{g} / \text{m}^3$	19.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m^3	0.60	2

INFERENCE

As per NAAQS Standards

Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

END OF REPORT



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note:

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Boiler area
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with RDS APM460 and FDS GTI-131
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 16.02.2024
7. Date of Sample Receipt : 17.02.2024
8. Sample Code : 6826
9. Analysis Starting Date : 17.02.2024
10. Analysis Completion Date : 21.02.2024
11. Report Issue Date : 22.02.2024
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000004407F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	74.3	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	32.6	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	16	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	24	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.65	2

INFERENCE

As per NAAQS Standards

Report Status:- The analyzed values for above measured parameter are within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 18 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.02.2024
5. Date of Sample Receipt : 17.02.2024
6. Sample Code : 6827
7. Analysis Starting Date : 17.02.2024
8. Analysis Completion Date : 21.02.2024
9. Report Issue date : 22.02.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission
ULR No: TC407124000004408F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	29
Stack Temperature (°C)	115
Velocity (m/s)	7
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	70.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	25.4	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	29.2	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

--: END OF REPORT:--



Authorized Signatory

Hanumanthaiah P
Technical Manager

- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 400 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 16.02.2024
5. Date of Sample Receipt : 17.02.2024
6. Sample Code : 6824
7. Analysis Starting Date : 17.02.2024
8. Analysis Completion Date : 21.02.2024
9. Report Issue date : 22.02.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission
ULR No: TC407124000004405F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	28
Stack Temperature (°C)	95
Velocity (m/s)	6.3
Height (m)	5 mtr ARL
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	75.4
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	26.1
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	30.2

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No. 16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

- Name of the industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Collected By : MSV Analytical Laboratories, Bellary
- Particulars of Sample Collected : Noise meter
- Date of Monitoring : 16.02.2024
- Report Issue Date : 22.02.2024
- Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407124000004409F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	6828	10.00am to 10.15am	58.4	56.2	57.3	75
2	Near DG set	6829	10.20am to 10.35am	70.9	68.4	69.7	
				Results (Night time)			
1	Near office	6830	10.40pm to 10.55pm	61.4	57.2	59.3	70
2	Near DG set	6831	11.00pm to 11.15pm	63.7	61.3	62.5	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT



- Note:
- The results listed only to the tested samples & applicable parameters.
 - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission.
 - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 - Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Marked as : ETP - Raw water
3. Name of the location : ---
4. Sample Collected By : MSV Analytical Laboratories, Bellary.
5. Sample quantity : Pet Bottle, 2 Liter.
6. Sample Description/condition : Water/Good
7. Date of Sample Collection : 16.02.2024
8. Date of sample receipt : 17.02.2024
9. Sample Code : 6831
10. Analysis Starting Date : 17.02.2024
11. Analysis Completion Date : 21.02.2024
12. Report Issue Date : 22.02.2024

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407124000004411F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.75
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1865
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	12
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	559
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1565
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	130

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as : ETP - Treated water
- Name of the location : ---
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Sample quantity : Pet Bottle, 2 Liter.
- Sample Description/condition : Water/Good
- Date of Sample Collection : 16.02.2024
- Date of sample receipt : 17.02.2024
- Sample Code : 6830
- Analysis Starting Date : 17.02.2024
- Analysis Completion Date : 21.02.2024
- Report Issue Date : 22.02.2024

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407124000004410F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.35	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	135	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	6	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 (Part-44): 2019	mg/L	40	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1010	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	28	100

INFERENCE

BDL - Below Detectable Limit

Report Status: - The analyzed values for above measured parameters are within the Limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2024/1098

Issued Date: 21.02.2024

1. Name of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 16.02.2024
4. Date of Sample Receipt : 17.02.2024
5. Analysis Starting Date : 17.02.2024
6. Analysis Completion Date : 21.02.2024
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b		
			Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.81	Mg/m ³	---
2	Near Boiler area	8 hours	0.77	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

:- END OF REPORT



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Name of the location : Near main gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 13.03.2024
7. Date of Sample Receipt : 14.03.2024
8. Sample Code : 8970
9. Analysis Starting Date : 14.03.2024
10. Analysis Completion Date : 18.03.2024
11. Report Issue Date : 18.03.2024
12. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000006486F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	72.4	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	24.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	14.9	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	19.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.62	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
- Name of the location** : Boiler area
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with RDS APM460 and FDS GTI-131
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 13.03.2024
- Date of Sample Receipt** : 14.03.2024
- Sample Code** : 8971
- Analysis Starting Date** : 14.03.2024
- Analysis Completion Date** : 18.03.2024
- Report Issue Date** : 18.03.2024
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000006487F

S.No	Parameter	Protocols	Units	Result in Avg.	Tolerance limits
1	Particulate Matter (Size less than 10 µm) PM ₁₀	IS-5182(Part-23):2017	µg / m ³	72.2	100
2	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	IS-5182(Part-24):2019	µg / m ³	29.1	60
3	Sulphur Dioxide as SO ₂	IS-5182(Part-2):2017	µg / m ³	18.1	80
4	Oxides of Nitrogen as NO _x	IS-5182(Part-6):2017	µg / m ³	30.1	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	mg / m ³	0.68	2

INFERENCE As per NAAQS Standards
Report Status: - The analyzed values for above measured parameter are within the limits.

Analysed by



Authorized Signatory

Hanumanthiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 3.5 TPH Boiler
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.03.2024
5. Date of Sample Receipt : 14.03.2024
6. Sample Code : 9003
7. Analysis Starting Date : 14.03.2024
8. Analysis Completion Date : 18.03.2024
9. Report Issue date : 18.03.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000006501F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	112
Velocity (m/s)	6.5
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	76.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	24.1	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	28.2	300

INFERENCE As per CFO Standards
Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



--: END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : 400 KVA DG SET
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.03.2024
5. Date of Sample Receipt : 14.03.2024
6. Sample Code : 8972
7. Analysis Starting Date : 14.03.2024
8. Analysis Completion Date : 18.03.2024
9. Report Issue date : 18.03.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission

ULR No: TC407124000006488F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	80
Velocity (m/s)	6.0
Height (m)	5 mtr ARL
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm ³	79.1
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm ³	30.4
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm ³	21.6

Analysed by

Authorized Signatory

Hanumanthiah P
Technical Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chikusugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - A
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.03.2024
5. Date of Sample Receipt : 14.03.2024
6. Sample Code : 9068
7. Analysis Starting Date : 14.03.2024
8. Analysis Completion Date : 18.03.2024
9. Report Issue date : 18.03.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000006555F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	68
Velocity (m/s)	6.4
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	38.7	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	8.4	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

:- END OF REPORT :-



Authorised Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - B
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.03.2024
5. Date of Sample Receipt : 14.03.2024
6. Sample Code : 9069
7. Analysis Starting Date : 14.03.2024
8. Analysis Completion Date : 18.03.2024
9. Report Issue date : 18.03.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000006556F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	76
Velocity (m/s)	6.42
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	25.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	8.2	35

INFERENCE

As per CFO Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorised Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:1
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.03.2024
5. Date of Sample Receipt : 14.03.2024
6. Sample Code : 9070
7. Analysis Starting Date : 14.03.2024
8. Analysis Completion Date : 18.03.2024
9. Report Issue date : 18.03.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000006557F

GENERAL DETAILS


Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	74
Velocity (m/s)	6.86
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	26.7	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	7.3	35

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorised Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Vaidhatru Pharma Private Limited, Plot no 28, Raichur Growth Centre industrial area, Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Stack ID : Scrubber Block - C No:2
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.03.2024
5. Date of Sample Receipt : 14.03.2024
6. Sample Code : 9071
7. Analysis Starting Date : 14.03.2024
8. Analysis Completion Date : 18.03.2024
9. Report Issue date : 18.03.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000006558F

GENERAL DETAILS


Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	30
Stack Temperature (°C)	77
Velocity (m/s)	6.32
Height (m)	10 Agl
Diameter (m)	0.2
Cross sectional area (m ²)	0.03143

RESULTS

Parameters	Protocol	Unit	Result	CFO Standards
Particulate Matter	IS-11255(Part-1)	mg/Nm ³	25.8	---
Sulphur dioxide	IS-11255(Part-2)	mg/Nm ³	BDL	---
Oxides of Nitrogen	IS-11255(Part-7)	mg/Nm ³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002	mg/Nm ³	7.1	35

INFERENCE	As per CFO Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorised Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 13.03.2024
5. Report Issue Date : 18.03.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR NO: TC407124000006489F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near office	8973	10.00am to 10.15am	54.2	52.7	53.5	75
2	Near DG set	8974	10.20am to 10.35am	65.8	63.9	64.9	
				Results (Night time)			
1	Near office	8973	10.40pm to 10.55pm	52.6	50.9	51.8	70
2	Near DG set	8974	11.00pm to 11.15pm	60.8	59.6	60.2	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry** : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as** : ETP - Raw water
- Name of the location** : ---
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Sample quantity** : Pet Bottle, 2 Liter.
- Sample Description/condition** : Water/Good
- Date of Sample Collection** : 13.03.2024
- Date of sample receipt** : 14.03.2024
- Sample Code** : 8975
- Analysis Starting Date** : 14.03.2024
- Analysis Completion Date** : 18.03.2024
- Report Issue Date** : 18.03.2024

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407124000006490F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT
1	Color	IS 3025 Part 4: 2021	Hazeen	Black
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	6.81
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	1740
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	16
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	520
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1364
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	128

Analysed by



Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

- Name and Address of Industry** : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chiksugur, Raichur (Tq & Dt), Karnataka.
- Sample Marked as** : ETP - Treated water
- Name of the location** : ---
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Sample quantity** : Pet Bottle, 2 Liter.
- Sample Description/condition** : Water/Good
- Date of Sample Collection** : 13.03.2024
- Date of sample receipt** : 14.03.2024
- Sample Code** : 8976
- Analysis Starting Date** : 14.03.2024
- Analysis Completion Date** : 18.03.2024
- Report Issue Date** : 18.03.2024

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR NO: TC407124000006491F

S.NO	PARAMETERS	PROTOCOL	UNIT	RESULT	KSPCB Standards
1	Color	IS 3025 Part 4: 2021	Hazeen	Colorless	-
2	Odor	IS 3025 Part 5: 2018	-	Un Objectionable	-
3	pH @ 25° C	4500 H+ B-APHA 23rd Edn: 2017	-	7.40	5.5-9.0
3	Chemical Oxygen Demand	5230 B-APHA 23rd Edn : 2017	mg/L	160	250
4	Oil & Grease	5520 D APHA 23rd Edition : 2017	mg/L	8	10
5	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	42	100
6	Total Dissolved solids	2540 C APHA 23rd Edn : 2017	mg/L	1106	2100
7	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	26	100

INFERENCE	BDL – Below Detectable Limit Report Status: - The analyzed values for above measured parameters are within the Limits.
------------------	---

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

---: END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103, Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2024/1642

Issued Date: 18.03.2024

1. Name of the Industry : M/s. Vaidhatru Pharma Private Limited,
Plot no 28, Raichur Growth Centre industrial area,
Chikmagalur, Raichur (Tq & Dt), Karnataka.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Date of Monitoring : 13.03.2024
4. Date of Sample Receipt : 14.03.2024
5. Analysis Starting Date : 14.03.2024
6. Analysis Completion Date : 18.03.2024
7. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Duration of monitoring	Method		
			EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
			Result	Units	Std
1	Near Main gate	8 hours	0.77	Mg/m ³	---
2	Near Boiler area	8 hours	0.84	Mg/m ³	---

Analyzed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

---END OF REPORT---



- Note:
1. The results listed only to the tested samples & applicable parameters.
 2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
 3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
 4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
 5. Sampling is not done by us unless otherwise specified.