

FOR DRY SKIN



GLASS SKIN BOOSTER

3ml/5ea
5vial/1box

Axo glass skin booster

Ingredients | Water, Glycerin, Sodium Chloride, Sodium Hyaluronate, Phenoxyethanol, Butylene Glycol, Niacinamide, Sodium DNA, 1,2-Hexanediol, Sodium Bicarbonate, Palmitoyl Tripeptide-5, Glycine, Caprylyl Glycol, Serine, Glutamic Acid, Aspartic Acid, Hydrogenated Lecithin, Leucine, Cyanocobalamin, Caprylic/Capric Triglyceride, Alanine, Lysine, Polyglyceryl-10 Stearate, Arginine, Tyrosine, Phenylalanine, Hydrolyzed Collagen, Proline, Threonine, Ethylhexylglycerin, Valine, Dextrin, Isoleucine, Adenosine, Propylene Glycol, Panthenol, Histidine, Cysteine, Methionine, Tocopheryl Acetate, Polysorbate 80, Sodium Ascorbyl Phosphate, Glutathione, Copper Tripeptide-1, Octapeptide-7, sh-Polypeptide-9, sh-Polypeptide-3, sh-Polypeptide-22, sh-polypeptide-1, sh-Pentapeptide-19, sh-Oligopeptide-9, sh-Oligopeptide-2, sh-Oligopeptide-1, sh-Octapeptide-4, sh-Decapeptide-7, Galloyl Pentapeptide-33, Ubiquinone, Glyceryl Arachidonate, Glyceryl Linolenate, Pyridoxine, Folic Acid, Thiamine HCl, Biotin, Retinyl Palmitate



Axo glass skin booster

Dry skin

Hydration & Glow

✓ Excellent moisturizing power and hydration through Ha Transom penetration technology

✓ Synergy between 15 peptides and 17 amino acid and minerals that boost skin elasticity


✓ No skin irritation and side effect proven by Korea dermatology research center

Hybrid Skin booster Booster for Shiny glow skin



Clinically tested

-15.005% improvement in skin moisturizing effect*



개선율(%) = [(after-before)] / before * 100 p<0.05 by Paired t- test

Table 2023-04-11									
Assessment of Human Skin Patch Test									
No.	2023-04-11 01-12					2023-04-11 01-12			
	1	2	3	4	5	6	7	8	9
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0

Irritation index	0	0
Result	Non-irritating	Non-irritating
	* Measured 30 minutes after removing the patch	