

Prepared for:
Midwest Craft

9000 Hudson Road, Ste 616
Woodbury, MN USA 55125


2000mg Full Spectrum CBD Heating-Cooling Salve

Batch ID or Lot Number: 605424	Test: Potency	Reported: 01Mar2024	USDA License: N/A
Matrix: Unit	Test ID: T000272671	Started: 28Feb2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Feb2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	7.878	24.567	91.750	2.30	# of Servings = 1, Sample Weight=39.5g
Cannabichromenic Acid (CBCA)	7.206	22.471	ND	ND	
Cannabidiol (CBD)	23.727	64.982	1918.840	48.60	
Cannabidiolic Acid (CBDA)	24.336	66.648	ND	ND	
Cannabidivarin (CBDV)	5.612	15.369	25.590	0.60	
Cannabidivarinic Acid (CBDVA)	10.152	27.802	ND	ND	
Cannabigerol (CBG)	4.473	13.949	81.680	2.10	
Cannabigerolic Acid (CBGA)	18.699	58.310	ND	ND	
Cannabinol (CBN)	5.835	18.197	ND	ND	
Cannabinolic Acid (CBNA)	12.758	39.783	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	22.277	69.468	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	20.232	63.090	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	17.925	55.898	ND	ND	
Tetrahydrocannabivarin (THCV)	4.069	12.687	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	15.811	49.304	ND	ND	
Total Cannabinoids			2117.860	53.60	
Total Potential THC			0.000	0.00	
Total Potential CBD			1918.840	48.60	

Final Approval



Karen Winternheimer
01Mar2024
10:08:00 AM MST

PREPARED BY / DATE



Phillip Travisano
01Mar2024
10:10:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/19ecf731-dc52-4494-829b-e60dbf45663d>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
19ecf731dc524494829be60dbf45663d.1