

1500mg Broad Spectrum Roll-On

Prepared for:
Midwest Craft

Batch ID or Lot Number: 1500RO091222	Test: Potency	Reported: 20Sep2022	USDA License: N/A
Matrix: Unit	Test ID: T000221395	Started: 16Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	11.843	36.734	12.340	0.20	# of Servings = 1, Sample Weight=59.8g
Cannabichromenic Acid (CBCA)	10.832	33.599	ND	ND	
Cannabidiol (CBD)	32.890	96.421	1530.730	25.60	
Cannabidiolic Acid (CBDA)	33.734	98.895	ND	ND	
Cannabidivarin (CBDV)	7.779	22.805	ND	ND	
Cannabidivarinic Acid (CBDVA)	14.072	41.254	ND	ND	
Cannabigerol (CBG)	6.724	20.856	200.590	3.40	
Cannabigerolic Acid (CBGA)	28.108	87.187	ND	ND	
Cannabinol (CBN)	8.772	27.209	155.580	2.60	
Cannabinolic Acid (CBNA)	19.177	59.485	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	33.487	103.871	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	30.412	94.334	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	26.945	83.580	ND	ND	
Tetrahydrocannabivarin (THCV)	6.116	18.971	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	23.767	73.721	ND	ND	
Total Cannabinoids			1899.240	31.76	
Total Potential THC			ND	ND	
Total Potential CBD			1530.730	25.60	

Final Approval



Daniel Weidensaul
20Sep2022
01:20:00 PM MDT



Jacob Miller
20Sep2022
01:21:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/49f04122-716f-4260-ba5c-e10deeffd768>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
49f04122716f4260ba5ce10deeffd768.1