

Prepared for:


300mg Broad Spec CBD w/ Wild Alaskan Salmon Oil Midwest Craft


Batch ID or Lot Number: 203023	Test: Potency	Reported: 07Feb2023	USDA License: N/A
Matrix: Unit	Test ID: T000234617	Started: 03Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 03Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.797	5.042	ND	ND	# of Servings = 1, Sample Weight=28.8g
Cannabichromenic Acid (CBCA)	1.643	4.612	ND	ND	
Cannabidiol (CBD)	4.781	13.931	322.360	11.20	
Cannabidiolic Acid (CBDA)	4.903	14.289	ND	ND	
Cannabidivarin (CBDV)	1.131	3.295	8.000	0.30	
Cannabidivarinic Acid (CBDVA)	2.045	5.960	ND	ND	
Cannabigerol (CBG)	1.020	2.863	38.190	1.30	
Cannabigerolic Acid (CBGA)	4.264	11.968	ND	ND	
Cannabinol (CBN)	1.331	3.735	ND	ND	
Cannabinolic Acid (CBNA)	2.909	8.166	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	5.080	14.258	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.614	12.949	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	4.088	11.473	ND	ND	
Tetrahydrocannabivarin (THCV)	0.928	2.604	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.606	10.120	ND	ND	
Total Cannabinoids			368.550	12.80	
Total Potential THC			ND	ND	
Total Potential CBD			322.360	11.20	

Final Approval


 Sam Smith
 07Feb2023
 11:17:00 AM MST
 PREPARED BY / DATE


 Karen Winternheimer
 07Feb2023
 11:26:00 AM MST
 APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c2cf6f9e-5e6e-4c17-8f28-2b1d4d98bfa9>

Definitions
 % = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
 Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
 c2cf6f9e5e6e4c178f282b1d4d98bfa9.1