



CURTAIN WALL SECTION - 40 mm.



SL. No.	Section No.	A	B	C	Weight kg/m
1	35814	55.00	1.50	1.50	0.918
2	35815	95.00	1.60	1.80	1.343




SL. No.	Section No.	A	R	Weight kg/m
1	35810	125.00	150.00	1.143
2	35811	105.00	125.00	0.994
3	35812	80.00	75.00	0.810

MATCHING WITH 35817


35816

0.271 kg/m




35817

0.449 kg/m




S6035

0.252 kg/m




S6036

0.319 kg/m



S6034



1.089 kg/m



CURTAIN WALL SECTION - 45 mm.

22705


1.915 kg/m



SL. No.	Section No.	A	Weight kg/m
1	22754	1.40	0.765
2	22717	1.80	0.951


35680

1.708 kg/m



22765


1.254 kg/m



CURTAIN WALL SECTION - 45 mm.


22704

0.245 kg/m




22706

0.529 kg/m




22779

0.387 kg/m




22769

0.243 kg/m




22720

2.341 kg/m




36004

2.006 kg/m




22777

1.889 kg/m



22782


1.532 kg/m



CURTAIN WALL SECTION - 45 mm.


35650

2.545 kg/m




35751

3.537 kg/m




35985

1.133 kg/m





35986

0.822 kg/m




CURTAIN WALL SECTION - 50 mm.



22850


2.926 kg/m



CURTAIN WALL SECTION - 50 mm.


22773

0.318 kg/m




22774

0.404 kg/m




22809

0.539 kg/m




22810

0.259 kg/m




35998

2.910 kg/m



35994


4.299 kg/m



CURTAIN WALL SECTION - 50 mm.


22849

2.264 kg/m




22775

5.291 kg/m




22788

1.359 kg/m




22845

1.500 kg/m




22784

3.775 kg/m




CURTAIN WALL SECTION - 50 mm.

22787



3.440 kg/m


22797



1.485 kg/m

MATCHING SECTION No. 22798


22798



0.447 kg/m


MATCHING SECTION No. 22797

35549




1.592 kg/m

35976



1.882 kg/m

35657




3.052 kg/m

CURTAIN WALL SECTION - 50 mm.


35799

3.230 kg/m




35800

0.548 kg/m




35801

0.822 kg/m




36002

0.219 kg/m




36003

0.365 kg/m




36001

0.252 kg/m




S6407

1.276 kg/m



S6406


1.790 kg/m



CURTAIN WALL SECTION - 50 mm.


S6438

0.515 kg/m



S6439


0.360 kg/m



CURTAIN WALL SECTION - 54 mm.


22729

0.441 kg/m




22731

0.527 kg/m




22730

0.820 kg/m




22725

1.476 kg/m




22734

4.443 kg/m




22728

0.366 kg/m




CURTAIN WALL SECTION - 54 mm.



SL. No.	Section No.	A	Weight kg/m
1	29217	40.00	1.557
2	29218	100.00	2.367


35521

3.961 kg/m




35835

2.798 kg/m



22727


2.286 kg/m



CURTAIN WALL SECTION - 55 mm.


36022

2.084 kg/m





35978

1.732 kg/m



36052


3.707 kg/m



SL. No.	Section No.	A	B	C	Weight kg/m
1	S5631	160.00	5.00	3.50	4.611
2	36065	165.00	5.00	3.75	4.877


CURTAIN WALL SECTION - 55 mm.

S6210 0.568 kg/m




MATCHING WITH S6209, S6211


S6211 0.335 kg/m




S6209 0.468 kg/m




22748 1.701 Kg/m




29190 0.277 kg/m




36053 1.872 kg/m




35679 1.684 kg/m



22749 2.783 Kg/m




29191 0.532 kg/m



CURTAIN WALL SECTION - 55 mm.


35567

0.531 kg/m




35568

0.392 kg/m




35642

2.591 kg/m




35707

2.862 kg/m







36123

2.672 kg/m



CURTAIN WALL SECTION - 56 mm.




SL. No.	Section No.	A	B	C	Weight kg/m
1	29188	56.00	30.00	2.70	1.458
2	29187	76.00	50.00	2.70	1.674
3	29189	131.00	105.00	2.70	2.268
4	35637	166.00	140.00	2.00	2.517
5	35638	91.00	65.00	2.00	1.707
6	35639	181.00	155.00	2.00	2.679

CURTAIN WALL SECTION - 56 mm.

35818


2.357 kg/m



CURTAIN WALL SECTION - 57 mm.


22795

2.921 kg/m




22721

1.946 kg/m




22722

1.965 kg/m




22744

2.553 kg/m




22838

1.303 kg/m





35562


2.703 kg/m



CURTAIN WALL SECTION - 57 mm.




22711 0.434 kg/m




MATCHING WITH 22712

22712 0.343 kg/m



MATCHING WITH 22711


CURTAIN WALL SECTION - 57 mm.

SL. No.	Section No.	A	B	Weight kg/m
1	35793	15.00	3.00	3.308
2	S6012	14.30	3.75	4.097

CURTAIN WALL SECTION - 60 mm.


S5807

2.490 kg/m



S6107

2.894 kg/m





S6156

2.375 kg/m

35535


1.754 kg/m



CURTAIN WALL SECTION - 60 mm.


S5764

1.711 kg/m



36109

4.175 kg/m





36110






1.043 kg/m

22751


1.402 kg/m



CURTAIN WALL SECTION - 60 mm.




CURTAIN WALL SECTION - 60 mm.



SL. No.	Section No.	A	B	C	Weight kg/m
1	22822	2.00	2.00	2.00	3.270
2	22821	5.50	2.50	4.50	4.616


22803

4.208 kg/m



22804


5.626 kg/m



CURTAIN WALL SECTION - 60 mm.


22805

3.874 kg/m



22813

2.826 kg/m





22814

1.395 kg/m

22815


0.644 kg/m



CURTAIN WALL SECTION - 60 mm.


22743

2.359 kg/m




22832

1.711 kg/m




22833

3.300 kg/m




22847

2.615 kg/m




CURTAIN WALL SECTION - 60 mm.


35516 1.946 kg/m




35515 2.962 kg/m




35517 0.872 kg/m




35518 1.111 kg/m




35527 1.697 kg/m




35528 1.281 kg/m



35529 0.602 kg/m




35530 0.550 kg/m



CURTAIN WALL SECTION - 60 mm.


35525

2.612 kg/m




35526

1.987 kg/m




35533

4.957 kg/m




35534

1.587 kg/m



35572


1.707 kg/m



CURTAIN WALL SECTION - 60 mm.


35536

4.429 kg/m




35537

5.063 kg/m




35541

3.619 kg/m




35693

0.563 kg/m



35705


0.541 kg/m



CURTAIN WALL SECTION - 60 mm.


35694

3.606 kg/m




35708

2.298 kg/m




35748

2.239 kg/m




35804

1.011 kg/m



35802


2.421 kg/m



CURTAIN WALL SECTION - 60 mm.


35798

1.889 kg/m




35822

1.902 kg/m




35826

1.396 kg/m




35819

0.902 kg/m




35820

0.776 kg/m




35823

2.990 kg/m




CURTAIN WALL SECTION - 60 mm.

35834




35836




35842

0.931 kg/m




35837

0.756 kg/m




35853

3.949 kg/m




CURTAIN WALL SECTION - 60 mm.

35868




35983

1.875 kg/m




S4756

3.593 kg/m



S5291


0.499 kg/m



MATCHING WITH 35534


S5770

2.026 kg/m



S5805



3.078 kg/m



CURTAIN WALL SECTION - 60 mm.

S6412


3.436 kg/m



SL. No.	Section No.	A	Weight kg/m
1	S6411	12.00	0.309
2	S6409	15.00	0.330


S6410

0.420 kg/m



S6413


2.293 kg/m



CURTAIN WALL SECTION - 61.5 mm.


22707

0.395 kg/m




22709

0.536 kg/m




35972

3.373 kg/m




35971

1.735 kg/m




22710

2.166 kg/m




35973

0.398 kg/m



CURTAIN WALL SECTION - 61.5 mm.




SL No	SECTION No	A	B	C	WEIGHT kg/m
1	35505	82.00	70.00	2.00	1.595
2	35506	97.00	85.00	2.50	2.128

CURTAIN WALL SECTION - 65 mm.


35927

3.539 kg/m




35928

2.399 kg/m




35929

1.968 kg/m




35930

1.646 kg/m




35931


0.755 kg/m



CURTAIN WALL SECTION - 67 mm.




SL. No.	Section No.	A	B	C	D	E	Weight kg/m
1	22842	56.00	25.00	31.00	2.00	2.00	1.406
2	S5432	96.00	65.00	31.00	2.00	2.00	1.852
3	35678	111.16	80.00	31.16	2.00	2.00	1.972
4	35991	115.00	85.00	30.00	3.00	3.00	2.895
5	22843	131.00	100.00	31.00	2.00	2.00	2.216
6	35962	140.00	109.00	31.00	4.00	3.00	3.345
7	S6457	155.00	123.84	31.16	1.80	1.80	2.267
8	35504	155.00	123.84	31.16	2.50	2.50	2.966
9	35501	155.00	123.84	31.16	5.00	3.00	3.781
10	22844	166.00	135.00	31.00	5.00	3.00	3.929
11	35990	170.00	140.00	30.00	4.00	3.00	4.078
12	35968	191.00	160.00	31.00	5.00	3.00	4.365




SL No	SECTION No	A	B	C	D	WEIGHT kg/m
1	22736	81.16	50.00	2.00	2.00	1.615
2	22737	131.16	100.00	3.70	2.20	2.594
3	35553	151.16	120.00	2.80	2.80	3.143
4	35508	151.16	120.00	3.70	2.35	2.947


CURTAIN WALL SECTION - 67 mm.



SL No	SECTION No	A	WEIGHT kg/m
1	22738	81.16	1.294
2	22739	131.16	1.881




SL. No.	Section No.	A	B	C	Weight kg/m
1	35855	131.00	100.00	3.00	3.266
2	35854	166.00	135.00	5.00	5.863
3	35924	166.00	135.00	3.00	3.854



SL. No.	Section No.	A	B	Weight kg/m
1	S5947	2.50	2.50	4.183
2	S5948	6.10	5.50	5.173


CURTAIN WALL SECTION - 67 mm.



SL. No.	Section No.	A	B	Weight kg/m
1	35901	166.00	3.00	3.361
2	35857	166.00	5.00	5.062
2	S5433	96.00	2.00	1.508


35824

2.244 kg/m




35951

5.500 kg/m




35975

3.560 kg/m




CURTAIN WALL SECTION - 67 mm.


36076 1.925 kg/m




36077 0.718 kg/m




22840 0.693 kg/m




22841 0.849 kg/m




22740 0.586 kg/m



35856 1.506 kg/m




35782 4.320 kg/m



CURTAIN WALL SECTION - 67 mm.


35502

0.599 kg/m




35510

0.681 kg/m




35503


2.976 kg/m



CURTAIN WALL SECTION - 70 mm.




SL No	SECTION No	A	B	C	D	WEIGHT kg/m
1	29248	70.00	55.00	2.00	2.00	1.738
2	29221	70.00	55.00	2.50	2.50	2.040
3	29223	130.00	115.00	2.00	2.25	2.663



SL No	SECTION No	A	WEIGHT kg/m
1	29156	85.00	2.321
2	22837	157.00	3.293

29222


3.875 kg/m



CURTAIN WALL SECTION - 70 mm.


29224

0.572 kg/m




29225

0.722 kg/m




35963

3.382 kg/m




S6204

2.112 kg/m




35964

4.459 kg/m



S5662


5.927 kg/m



CURTAIN WALL SECTION - 70 mm.

S5653


1.231 kg/m



MATCHING WITH S5655

S5654


1.393 kg/m



MATCHING WITH S5655


S5656

2.007 kg/m




S5657

2.416 kg/m




S5661

6.277 kg/m




S6225

0.263 kg/m



S6226


0.434 kg/m



CURTAIN WALL SECTION - 70 mm.


36023

3.108 kg/m



S6203

3.759 kg/m





S6364

0.767 kg/m

S6365


0.724 kg/m



CURTAIN WALL SECTION - 70 mm.


35805

3.093 kg/m




35808

2.667 kg/m




35806

2.370 kg/m




35807

1.985 kg/m




35813

1.034 kg/m



35671


1.035 kg/m



CURTAIN WALL SECTION - 70 mm.

35809


0.358 kg/m



MATCHING WITH 35671, 35813


35849

2.386 kg/m




35850

1.883 kg/m




35895

6.651 kg/m



35896


1.080 kg/m



CURTAIN WALL SECTION - 70 mm.


22801

2.005 kg/m




22800

1.592 kg/m




22799

1.006 kg/m




22806

1.069 kg/m








35948

6.043 kg/m




CURTAIN WALL SECTION - 75 mm.



CURTAIN WALL SECTION - 75 mm.

S5774


4.715 kg/m



CURTAIN WALL SECTION - 80 mm.


36061

14.464 kg/m




36062

0.609 kg/m




36063

2.014 kg/m




36064

0.513 kg/m




41508

0.066 kg/m



36060


11.131 kg/m



CURTAIN WALL SECTION - 80 mm.


22819

1.971 kg/m




22823

2.848 kg/m



22825


0.528 kg/m



MATCHING WITH 22826


35532

2.426 kg/m



22826


0.618 kg/m



MATCHING WITH 22825

35569


4.080 kg/m



CURTAIN WALL SECTION - 80 mm.


35749

2.649 kg/m




29099

2.473 kg/m




28911

2.432 kg/m




29026

2.095 kg/m



35898


3.067 kg/m




CURTAIN WALL SECTION - 80 mm.

35899


5.625 kg/m




CURTAIN WALL SECTION



SL. No.	Section No.	A	B	C	D	E	Weight kg/m
1	22719	63.50	63.50	2.50	5.00	5.00	1.755
2	22796	64.00	58.00	1.63	5.00	5.00	1.126
3	22716	64.00	58.00	2.00	10.00	5.00	1.450
4	29231	64.00	58.00	1.50	10.00	3.00	1.081
5	35704	64.00	58.00	1.70	5.00	5.00	1.197
6	22735	64.00	58.00	1.70	10.00	5.00	1.264
7	22718	114.30	63.50	2.50	5.00	5.00	2.440




SL. No.	Section No.	A	B	C	Weight kg/m
1	22715	64.00	2.00	2.00	1.777
2	22713	101.60	2.10	2.00	2.187
3	22702	101.60	3.00	2.50	2.664
4	22714	101.60	4.00	3.00	3.124




SL. No.	Section No.	A	B	Weight kg/m
1	35861	0.80	1.10	0.484
2	22786	1.10	1.40	0.634
3	22768	1.32	2.20	0.796

22783


0.957 kg/m



CURTAIN WALL SECTION




SL. No.	Section No.	A	B	C	D	E	Weight kg/m
1	35587	55.00	50.00	5.00	1.40	1.40	0.754
2	35586	69.00	58.00	5.00	1.40	1.40	0.920
3	35752	74.00	67.00	24.00	1.50	3.00	1.119
4	35871	85.50	51.00	5.00	1.64	1.95	1.162
5	35551	86.00	50.00	6.00	1.90	1.80	1.324
6	35544	86.00	50.00	6.00	2.85	1.80	1.942
7	35862	86.00	50.00	6.00	3.00	2.80	2.054
8	35548	86.50	50.00	26.50	3.00	2.00	1.498
9	35512	91.50	57.00	28.00	2.25	6.00	1.863
10	22753	93.00	51.00	12.50	1.64	1.95	1.201
11	22764	112.00	55.00	12.00	2.00	2.00	1.696
12	35565	134.30	63.50	20.00	2.50	3.00	2.494
13	35648	150.00	57.00	10.00	3.00	5.00	2.506
14	22776	160.00	50.00	10.00	2.00	2.00	2.171
15	35750	160.16	67.00	24.00	2.00	3.00	2.346
16	22785	175.00	50.00	25.00	2.00	2.00	2.252
16	S4206	190.00	50.00	10.00	3.00	5.00	3.764
17	S5519	86.00	50.00	6.00	1.80	4.00	1.293
18	S5520	56.00	50.00	6.00	1.80	4.00	1.002
19	35984	55.00	50.00	5.00	3.00	3.00	1.564





SL. No.	Section No.	A	B	Weight kg/m
1	35872	49.55	33.80	2.952
2	35873	31.30	27.30	2.698

CURTAIN WALL SECTION

35573 3.072 kg/m





35577 2.843 kg/m




SL. No.	Section No.	A	Weight kg/m
1	35778	65.00	1.600
2	35845	93.50	1.870
3	35844	120.00	2.120

35781 0.305 kg/m




SL. No.	Section No.	A	Weight kg/m
1	35779	93.50	1.510
2	35846	120.00	1.767



SL. No.	Section No.	A	B	Weight kg/m
1	35780	24.15	3.65	0.703
2	35847	31.65	6.15	0.774


35848 0.813 kg/m



CURTAIN WALL SECTION


21391

0.906 kg/m




21392

0.955 kg/m




21471

0.957 kg/m



36025


0.744 kg/m



CURTAIN WALL SECTION


35995

4.449 kg/m




35996

4.521 kg/m



35997

1.101 kg/m




MATCHING WITH 35784

CURTAIN WALL SECTION

S5714


0.217 kg/m



MATCHING WITH S5704, S5705
S5707, S5708, S5709


S5706

1.334 kg/m



S5704


2.558 kg/m



MATCHING WITH S5689


S5709

3.453 kg/m




S5705

2.607 kg/m



S5707


2.402 kg/m



CURTAIN WALL SECTION


S5712

0.809 kg/m




S5713

1.388 kg/m




S5708

2.509 kg/m




S5721

3.793 kg/m



S5722


4.121 kg/m



CURTAIN WALL SECTION


S5688

2.843 kg/m




S5690

3.195 kg/m



S5692


1.480 kg/m



MATCHING WITH S5691


S5676

0.404 kg/m




36079

0.157 kg/m




36017

0.614 kg/m




36080

1.490 kg/m



36018


2.494 kg/m



CURTAIN WALL SECTION


S5691

3.972 kg/m




36019

2.680 kg/m




36020

2.850 kg/m








36021

0.180 kg/m



MATCHING WITH 36019, 36020, S5688, S5690


CURTAIN WALL SECTION



CURTAIN WALL SECTION


S5553

2.876 kg/m




S5554

2.376 kg/m



S5589

0.369 kg/m




MATCHING WITH S5545 & S5546

CURTAIN WALL SECTION


S5739

2.549 kg/m




S5740

2.054 kg/m



S5741


0.347 kg/m



CURTAIN WALL SECTION

S5787


0.193 kg/m



MATCHING WITH S5785, S5786


S5779

1.248 kg/m




S5785

1.882 kg/m




S5786

2.299 kg/m




S5778

1.696 kg/m



S5780


0.969 kg/m



CURTAIN WALL SECTION


S5781

0.947 kg/m




S5782

0.594 kg/m




S5783

0.502 kg/m




S5784

3.289 kg/m



S5789


3.820 kg/m



CURTAIN WALL SECTION

S5788


2.646 kg/m



CURTAIN WALL SECTION


S5811

3.380 kg/m




36056

3.299 kg/m



S5812


3.055 kg/m



CURTAIN WALL SECTION


S5810

1.144 kg/m




36057

2.909 kg/m



S5815



2.604 kg/m



CURTAIN WALL SECTION

S5835


1.255 kg/m



SL. No.	Section No.	A	Weight kg/m
1	S5847	25.45	0.228
2	S5851	30.00	0.246


S5837

0.322 kg/m




S5845

0.418 kg/m




S5852

0.470 kg/m




S5846

3.030 kg/m




S5848

3.288 kg/m



S5854


1.561 kg/m



CURTAIN WALL SECTION


S5853

3.834 kg/m




S5856

2.502 kg/m



S5857


2.935 kg/m



CURTAIN WALL SECTION


S5855

2.809 kg/m




S5859

3.171 kg/m




S5860

3.557 kg/m




S5861

0.517 kg/m



S5865


0.563 kg/m



MATCHING WITH S5866

S5866

0.299 kg/m




MATCHING WITH S5865

CURTAIN WALL SECTION


36084

0.437 kg/m




36090

0.558 kg/m




36083

0.529 kg/m




36085

1.062 kg/m




36086

1.591 kg/m




36087

1.183 kg/m



36089


3.286 kg/m



CURTAIN WALL SECTION


36088

4.177 kg/m




36091

4.164 kg/m



36092


3.000 kg/m



CURTAIN WALL SECTION

36093


2.371 kg/m



CURTAIN WALL SECTION


36095

0.399 kg/m




S6138

0.610 kg/m




36117

0.526 kg/m




36116

0.404 kg/m




36112

2.338 kg/m



36114


3.256 kg/m



CURTAIN WALL SECTION


36094

2.609 kg/m




36096

2.322 kg/m






36115

2.964 kg/m




CURTAIN WALL SECTION



CURTAIN WALL SECTION


36098

2.773 kg/m




36099

2.986 kg/m



36121


3.090 kg/m



CURTAIN WALL SECTION


S6241

4.127 kg/m




S6242

3.252 kg/m



S6243


2.939 kg/m



CURTAIN WALL SECTION


S6244

2.319 kg/m



S6245


4.073 kg/m



CURTAIN WALL SECTION


S6262

1.196 kg/m




S6257

2.676 kg/m




S6256

1.932 kg/m



S6258


2.425 kg/m



CURTAIN WALL SECTION


S6259

3.212 kg/m




S6260

2.368 kg/m




S6261

1.965 kg/m




CURTAIN WALL SECTION


35710 0.360 kg/m



35711 0.330 kg/m




35712 0.475 kg/m




35713

3.072 kg/m




35714

1.736 kg/m




35719

0.792 kg/m



35717


4.972 kg/m



CURTAIN WALL SECTION


35715

4.375 kg/m




35720

5.033 kg/m



35721


3.893 kg/m



CURTAIN WALL SECTION


35718

6.022 kg/m




35722

5.816 kg/m




35723

3.065 kg/m



35724


2.409 kg/m



CURTAIN WALL SECTION


35726

4.923 kg/m




35716

0.564 kg/m




35730

0.445 kg/m




35727

3.600 kg/m




35731

1.025 kg/m



35736


0.732 kg/m



CURTAIN WALL SECTION


35725

4.370 kg/m




35728

3.385 kg/m



35732


3.945 kg/m



CURTAIN WALL SECTION


35729

2.760 kg/m




35742

4.355 kg/m



35743


3.839 kg/m



CURTAIN WALL SECTION


35738

5.501 kg/m




35739

5.046 kg/m




35746

5.424 kg/m




35740

0.599 kg/m



35741


0.648 kg/m



CURTAIN WALL SECTION


35744

0.441 kg/m




35745

0.416 kg/m




35733

4.234 kg/m




35734

3.332 kg/m



35735


4.659 kg/m



CURTAIN WALL SECTION

35737


4.252 kg/m



CURTAIN WALL SECTION


S4645

2.529 kg/m




S4646

1.879 kg/m




S4647

0.509 kg/m




S4650

0.301 kg/m




S4651

0.294 kg/m




S4648

2.755 kg/m



S4649


2.104 kg/m



CURTAIN WALL SECTION


S4662

2.647 kg/m




S4654

2.148 kg/m




S4658

1.844 kg/m




S4657

0.900 kg/m




S4652

0.280 kg/m



S4660


2.661 kg/m



CURTAIN WALL SECTION


S4655

3.574 kg/m




S4661

2.901 kg/m



S4664


2.630 kg/m



CURTAIN WALL SECTION


S4659

2.722 kg/m




S4663

2.180 kg/m




S4675

2.142 kg/m




S4665

0.795 kg/m



S4790


2.203 kg/m



CURTAIN WALL SECTION


S4789

2.853 kg/m




S4791

3.079 kg/m




S4792

2.428 kg/m



S4793


2.466 kg/m



CURTAIN WALL SECTION


S4796

3.253 kg/m




S4800

3.209 kg/m



S4798


4.030 kg/m



CURTAIN WALL SECTION


S4667

0.646 kg/m




S4666

0.804 kg/m




S4794

0.546 kg/m




S4795

3.120 kg/m




S4797

2.884 kg/m



S4799


2.531 kg/m



CURTAIN WALL SECTION


S4801

2.006 kg/m




S4802

2.697 kg/m



S4803


3.381 kg/m



CURTAIN WALL SECTION


S6388

2.790 kg/m



S6389

2.339 kg/m





S6392

1.576 kg/m


S6393

0.225 kg/m



S6398


4.528 kg/m



CURTAIN WALL SECTION


S6390

3.701 kg/m




S6391

3.547 kg/m



S6394


3.233 kg/m



CURTAIN WALL SECTION


S6395

10.507 kg/m




S6396

11.259 kg/m



S6397


5.815 kg/m



CURTAIN WALL SECTION


S6399

0.425 kg/m




S6404

2.399 kg/m




S6400

3.509 kg/m




S6401

3.001 kg/m



S6403


3.036 kg/m



CURTAIN WALL SECTION


S6402

4.856 kg/m




S6405

2.132 kg/m



S6427

4.268 kg/m





CURTAIN WALL SECTION - SPACER

35598

0.886 kg/m

35616

0.647 kg/m





35920

0.467 kg/m


35882

0.477 kg/m



35881


3.300 kg/m



CURTAIN WALL SECTION - BRACKET


29230

8.278 kg/m




35821

1.201 kg/m




35606

3.942 kg/m




35614

4.284 kg/m



22912


2.504 kg/m



CURTAIN WALL SECTION - BRACKET


35863

15.131 kg/m




35864

18.108 kg/m



35866


12.957 kg/m



CURTAIN WALL SECTION - BRACKET


27995

24.039 kg/m




35884

16.184 kg/m



35935


5.045 kg/m



CURTAIN WALL SECTION - BRACKET


35936

8.247 kg/m




29551

11.133 kg/m



35992


12.277 kg/m



CURTAIN WALL SECTION - BRACKET


36024

4.860 kg/m




S6142

5.285 kg/m




35561

19.995 kg/m



35974


9.841 kg/m



CURTAIN WALL SECTION - BRACKET


S5958

19.953 kg/m




S6238

24.148 kg/m




CURTAIN WALL SECTION - TOGGLE

29038 0.268 kg/m




29073 0.230 kg/m




MATCHING WITH S6219


29104 0.218 kg/m




29083 0.738 kg/m




29295 0.207 kg/m




29103 0.215 kg/m




35560 0.220 kg/m




35589 0.164 kg/m




35644 0.083 kg/m




35660 0.304 kg/m




35684 0.183 kg/m




35685 0.147 kg/m




35781 0.305 kg/m



35784 0.314 kg/m




35803 0.160 kg/m




CURTAIN WALL SECTION - TOGGLE


35809 0.358 kg/m



35832 0.207 kg/m




35878 0.177 kg/m




MATCHING SECTION No. 35874


35879 0.238 kg/m




35947 0.268 kg/m




S4651 0.294 kg/m




36050 0.252 kg/m




36058 0.216 kg/m




35965 0.349 kg/m




21181 0.171 kg/m



S5930 0.213 kg/m




S5471 0.253 kg/m




MATCHING WITH S5472


S5714 0.217 kg/m



S5833 0.296 kg/m




S5834 0.335 kg/m



MATCHING WITH S5704, S5705
S5707, S5708, S5709


CURTAIN WALL SECTION - TOGGLE

S5589 0.369 kg/m




MATCHING WITH S5545 & S5546

S5655 0.375 kg/m



MATCHING WITH S5653 & S5654

36021 0.180 kg/m





MATCHING WITH 36019, 36020
S5688, S5690, S5691

CURTAIN WALL SECTION

21017

126.4


2.888 kg/m



SL. No.	Section No.	A	Weight kg/m
1	22703	14.00	1.751
2	22741	18.00	1.869

22723

1.144 kg/m



22752


3.389 kg/m



CURTAIN WALL SECTION


22724

0.279 kg/m




22742

0.879 kg/m




22750

0.792 kg/m




22824

3.328 kg/m



22828


0.501 kg/m



MATCHING WITH 22827

22827


1.848 kg/m



MATCHING WITH 22828

22830



1.445 kg/m



CURTAIN WALL SECTION

22835


1.976 kg/m



SL. No.	Section No.	A	B	Weight kg/m
1	22836	2.70	4.50	2.923
2	35946	2.00	3.50	2.478

28847


3.996 kg/m



CURTAIN WALL SECTION


28846

2.351 kg/m




28851

2.351 kg/m




28852

1.881 kg/m



28854


2.140 kg/m



CURTAIN WALL SECTION


28850

0.640 kg/m




28853

2.481 kg/m




28855

3.305 kg/m




28875

1.123 kg/m



28879


0.791 kg/m



CURTAIN WALL SECTION


28908

2.592 kg/m




28909

3.121 kg/m




28910

2.749 kg/m




28911

2.432 kg/m



29055


1.665 kg/m



CURTAIN WALL SECTION


28912

4.542 kg/m




28941

2.517 kg/m



28942


3.190 kg/m



CURTAIN WALL SECTION


28943

2.961 kg/m




28944

3.437 kg/m




28965

2.814 kg/m



29027


2.809 kg/m



CURTAIN WALL SECTION


28945

1.632 kg/m




29023

1.967 kg/m



29025


1.281 kg/m



MATCHING WITH 29027

29101


2.750 kg/m



CURTAIN WALL SECTION


29094

3.682 kg/m




29097

2.242 kg/m



29098


2.241 kg/m



CURTAIN WALL SECTION


29084

0.881 kg/m




29102

1.215 kg/m




29100

1.553 kg/m




29105

0.497 kg/m




29106

1.379 kg/m



29107


3.399 kg/m



CURTAIN WALL SECTION


29108

3.334 kg/m




29154

1.497 kg/m




29155

0.688 kg/m




29157

0.783 kg/m




29245

1.626 kg/m



29161


2.638 kg/m



CURTAIN WALL SECTION


29214

2.896 kg/m




29215

2.181 kg/m




29216

2.007 kg/m




29259

1.872 kg/m



29260


1.925 kg/m



CURTAIN WALL SECTION


29296

2.737 kg/m




29299

3.198 kg/m




29302

1.832 kg/m



29371


7.136 kg/m



CURTAIN WALL SECTION


35563

4.135 kg/m




35507

1.482 kg/m




35542

2.255 kg/m




35547

0.459 kg/m



35543


4.230 kg/m



CURTAIN WALL SECTION


35550

4.598 kg/m




35555

4.975 kg/m




35566

0.755 kg/m




35559

3.490 kg/m




35571

2.402 kg/m




35509

1.021 kg/m



CURTAIN WALL SECTION


35575



3.236 kg/m


35580

0.545 kg/m




35576

0.589 kg/m




35582

0.471 kg/m




35585

1.120 kg/m




35593

1.470 kg/m



35591


4.862 kg/m



CURTAIN WALL SECTION


35579

6.157 kg/m




35588

3.201 kg/m



35604


2.444 kg/m



CURTAIN WALL SECTION


35596

0.367 kg/m




35607

0.579 kg/m




35621

0.284 kg/m




35599

1.853 kg/m




35608

2.935 kg/m




35618

2.456 kg/m




35622

0.525 kg/m



35623


0.836 kg/m



CURTAIN WALL SECTION


35624

1.304 kg/m




35626

0.397 kg/m




35625

3.447 kg/m




35627

0.976 kg/m




35628

0.726 kg/m



35631


2.143 kg/m



CURTAIN WALL SECTION


35629

0.860 kg/m




35630

0.368 kg/m




35632

1.780 kg/m




35634

3.098 kg/m



35635


2.111 kg/m



CURTAIN WALL SECTION


35636

0.565 kg/m




35640

0.446 kg/m




35643

1.570 kg/m




35647

1.552 kg/m




35645

2.125 kg/m




35646

2.447 kg/m




35662

0.715 kg/m



35661


1.030 kg/m



CURTAIN WALL SECTION


35641

4.494 kg/m




35659

1.813 kg/m




35687

1.192 kg/m



35667


5.721 kg/m



CURTAIN WALL SECTION


35663

1.809 kg/m




35669

2.972 kg/m




35668

4.920 kg/m



35670


4.334 kg/m



CURTAIN WALL SECTION


35674

0.882 kg/m




35675

0.659 kg/m




35672

0.984 kg/m




35673

1.286 kg/m




35677

4.405 kg/m



35676


5.021 kg/m



CURTAIN WALL SECTION


35683

0.314 kg/m




35686

0.292 kg/m




35688

2.764 kg/m




35691

3.257 kg/m




35695

1.975 kg/m



35706


0.757 kg/m



CURTAIN WALL SECTION


35692

4.545 kg/m




35698

0.280 kg/m




35699

0.237 kg/m




35701

5.280 kg/m



35703


5.391 kg/m



CURTAIN WALL SECTION


35700

5.121 kg/m




35702

5.047 kg/m




35697

0.669 kg/m



35709


2.876 kg/m



CURTAIN WALL SECTION


35747

3.157 kg/m




35753

0.551 kg/m




35754

0.496 kg/m




35755

0.239 kg/m




35759

1.824 kg/m



35762


2.131 kg/m



CURTAIN WALL SECTION


35756

1.291 kg/m




35757

3.703 kg/m




35758

1.653 kg/m




35760

2.128 kg/m



35761


2.411 kg/m



CURTAIN WALL SECTION


35763

2.427 kg/m




35765

4.118 kg/m



35770


3.659 kg/m



CURTAIN WALL SECTION


35764

3.054 kg/m




35766

1.042 kg/m




35767

0.802 kg/m




35768

3.270 kg/m



35771

1.840 kg/m




MATCHING SECTION No. 35770

CURTAIN WALL SECTION


35772

1.970 kg/m




35773

2.071 kg/m




35785

5.634 kg/m



35786


4.246 kg/m



CURTAIN WALL SECTION


35774

1.925 kg/m




35797

8.352 kg/m




35775

1.674 kg/m




35787

4.862 kg/m




35790

0.714 kg/m



35791


0.478 kg/m



CURTAIN WALL SECTION


35788

5.113 kg/m




35789

6.328 kg/m



35796


2.068 kg/m



CURTAIN WALL SECTION


35794

3.764 kg/m




35792

0.487 kg/m



35795


1.742 kg/m



MATCHING WITH 35796


35825

0.588 kg/m




35827

0.575 kg/m




35828

0.443 kg/m




35829

0.583 kg/m




35832

0.207 kg/m




35833

0.112 kg/m




CURTAIN WALL SECTION


35830 2.127 kg/m




35831 2.083 kg/m




35858 0.553 kg/m




35860 0.834 kg/m




35838 1.500 kg/m




35839 1.434 kg/m



35840 5.151 kg/m




35841 0.433 kg/m



CURTAIN WALL SECTION


35843

3.486 kg/m




35859

4.041 kg/m




35852

5.641 kg/m




35865

0.350 kg/m




35874

0.818 kg/m



35867


3.709 kg/m



CURTAIN WALL SECTION


35851

6.946 kg/m




35870

2.756 kg/m




35883

5.786 kg/m



35875


2.594 kg/m



CURTAIN WALL SECTION


35877

0.969 kg/m




35869

0.648 kg/m




35876

2.621 kg/m




35880

1.813 kg/m




35890

1.605 kg/m




35885

0.221 kg/m



35886


0.811 kg/m



CURTAIN WALL SECTION


35887

3.657 kg/m




35891

2.581 kg/m




35892

4.674 kg/m



35894


5.124 kg/m



CURTAIN WALL SECTION


35888

2.531 kg/m




35889

3.553 kg/m




35893

4.210 kg/m




CURTAIN WALL SECTION


35897 83.15 2.754 kg/m




35900 0.938 kg/m




35902 0.855 kg/m




35911 0.351 kg/m




35903 5.825 kg/m



35905 0.435 kg/m




35904 1.892 kg/m



CURTAIN WALL SECTION


35906

4.262 kg/m




35907

4.785 kg/m




35908

3.247 kg/m



35910


2.936 kg/m



CURTAIN WALL SECTION


35909

0.179 kg/m



35913


1.491 kg/m



MATCHING WITH 35908, 35910, 35912, 35915


35915

2.925 kg/m




35914

0.372 kg/m




35919

0.835 kg/m



35922


3.331 kg/m



CURTAIN WALL SECTION


35912

3.870 kg/m




35916

2.379 kg/m




35918

1.202 kg/m




35917

1.742 kg/m



35921


1.093 kg/m



CURTAIN WALL SECTION


35923

6.941 kg/m




35925

0.616 kg/m




35926

1.027 kg/m




35941

1.257 kg/m




35938

1.765 kg/m



35942


2.103 kg/m



CURTAIN WALL SECTION


35932

2.617 kg/m




35933

2.597 kg/m



35934


2.685 kg/m



CURTAIN WALL SECTION


35937

3.359 kg/m




35939

2.866 kg/m



35940


2.161 kg/m



CURTAIN WALL SECTION


35943

3.205 kg/m




35944

2.717 kg/m




35945

3.693 kg/m



35952


6.570 kg/m



CURTAIN WALL SECTION


35956

1.813 kg/m




35957

0.921 kg/m




35949

0.848 kg/m




35950

0.956 kg/m




35953

0.753 kg/m




36007

1.141 kg/m



35954


2.779 kg/m



CURTAIN WALL SECTION


35981

3.654 kg/m




35982

2.515 kg/m



35979


9.413 kg/m



CURTAIN WALL SECTION


35999

2.566 kg/m




36039

0.346 kg/m




36040

0.300 kg/m




36042

0.310 kg/m




36041

0.774 kg/m




36043

1.150 kg/m




36044

1.262 kg/m



36045


1.357 kg/m



CURTAIN WALL SECTION


36000

1.288 kg/m




36005

1.193 kg/m




36049

3.375 kg/m




36046

2.603 kg/m




36047

0.133 kg/m



36048


1.406 kg/m



CURTAIN WALL SECTION


S5040

3.673 kg/m




S5037

2.773 kg/m




35955

3.548 kg/m



S5038


2.999 kg/m



CURTAIN WALL SECTION


S5039

3.497 kg/m




36066

0.714 kg/m




35987

0.703 kg/m




36033

2.219 kg/m




36036

2.279 kg/m




29022

1.902 kg/m



36029


0.905 kg/m



CURTAIN WALL SECTION


36032

1.298 kg/m




36030

0.339 kg/m




36059

0.171 kg/m




36031

0.279 kg/m




36038

0.275 kg/m




36034

2.145 kg/m




36035

1.434 kg/m




36037

2.151 kg/m



S5174


0.838 kg/m



CURTAIN WALL SECTION


S5724

1.103 kg/m




35966

0.492 kg/m




S5723

1.368 kg/m




35967

0.770 kg/m




35959

1.442 kg/m




35958

1.026 kg/m




35960

1.695 kg/m










35961

0.632 kg/m




CURTAIN WALL SECTION



CURTAIN WALL SECTION


36106

1.812 kg/m




36107

0.801 kg/m




36108

0.532 kg/m




36008

3.857 kg/m




36009

3.844 kg/m



36016


2.344 kg/m



CURTAIN WALL SECTION


36011

3.993 kg/m




36012

2.739 kg/m



36014


4.578 kg/m



CURTAIN WALL SECTION


36013

3.380 kg/m




36015

1.432 kg/m




36010

0.192 kg/m




36120

0.770 kg/m




S5376

1.380 kg/m



S5375


1.859 kg/m



CURTAIN WALL SECTION


S5329

0.370 kg/m




S5377

0.563 kg/m




35949

0.848 kg/m




35950

0.956 kg/m




S5420

1.317 kg/m




S5869

0.601 kg/m



S5472


0.465 kg/m



MATCHING WITH S5471

S5517

5.152 kg/m




MATCHING WITH 35579

CURTAIN WALL SECTION


S5483

6.560 kg/m




S5505

6.440 kg/m




S5925

0.950 kg/m




S5924

0.565 kg/m




S5682

2.828 kg/m



S6101


0.539 kg/m



CURTAIN WALL SECTION


S5884

8.546 kg/m




S5906

3.276 kg/m




S5926

1.231 kg/m




S5928

0.693 kg/m




S6067

0.662 kg/m



S5929


0.261 kg/m



CURTAIN WALL SECTION


S5969

2.267 kg/m




S6038

0.475 kg/m




S6039

1.012 kg/m




S6068

1.153 kg/m




S6078

0.698 kg/m




S6145

4.139 kg/m



S6146


1.054 kg/m



CURTAIN WALL SECTION


36118

0.446 kg/m




36119

1.690 kg/m




36081

0.494 kg/m




36082

0.674 kg/m



S6219


0.826 kg/m



MATCHING WITH 29073


S6220

0.428 kg/m




S6221

0.338 kg/m



S6224


0.766 kg/m



CURTAIN WALL SECTION


S6239

3.886 kg/m




35977

5.545 kg/m



35980


0.763 kg/m



MATCHING WITH 35867


36026

1.844 kg/m




36027

1.551 kg/m



36028


0.794 kg/m



CURTAIN WALL SECTION


36067

2.318 kg/m




36070

3.209 kg/m



36069


3.112 kg/m



CURTAIN WALL SECTION


36068

1.816 kg/m




36074

0.834 kg/m




36075

1.431 kg/m




36071

2.590 kg/m




36072

1.407 kg/m




36073

0.282 kg/m




CURTAIN WALL SECTION


36122 51.3 1.077 kg/m




S5516 2.013 kg/m




S5840 0.423 kg/m




S6272 0.321 kg/m




S6273 2.091 kg/m




S6284 0.560 kg/m



S6286 2.574 kg/m




S6285 0.886 kg/m



CURTAIN WALL SECTION


S6314

8.208 kg/m




S6325

4.639 kg/m




S6326

4.259 kg/m



S6288


3.016 kg/m



CURTAIN WALL SECTION


S6287

2.881 kg/m




S6327

0.230 kg/m




S6340

0.911 kg/m



S6341


1.143 kg/m



CURTAIN WALL SECTION


S6436

0.737 kg/m




S6444

0.658 kg/m




S6440

3.211 kg/m




S6441

2.934 kg/m



S6442


3.462 kg/m



CURTAIN WALL SECTION


S6443

4.432 kg/m




S6445

1.049 kg/m




S6446

1.982 kg/m




S6447

0.354 kg/m




S6450

0.821 kg/m



S6448


5.844 kg/m



CURTAIN WALL SECTION


S6449

1.435 kg/m




S6451

2.342 kg/m



S6452

0.188 kg/m



S6453

0.553 kg/m

