

COMPACTOR

Stationary
Compactor




ELITE CONTAINERS

PROUDLY MANUFACTURING WASTE
HANDLING EQUIPMENT

211 BROOKSIDE RD WATERBURY, CT 06708

Call: 203-456-8811 or

Fax: 475-235-6149



Introducing the Northeast's top-tier manufacturer of waste handling equipment! Though our name is fresh, our members and employees bring a combined history of more than 50 years of experience in the waste industry. Trust us to deliver cutting-edge solutions infused with a legacy of expertise.

A notable example is our industry's distinctive design for Stationary compactors. By employing abrasive-resistant metal for the floors and ram floors, we create a magnetic charge that allows the ram to float above the compactor floor. This innovative approach significantly extends the lifespan of the compactor compared to other units in the industry. There is no labor-intensive guides or shoes to replace routinely. Experience our cross-cylinder design with extra heavy-duty cylinders delivering 5" to 11" of ram penetration (set at order) for maximum packing power.

We put our best effort in every build.

EliteContainerSales.com

Stationary compactor ideal for:

- Supermarkets
- Fast Food
- Restaurants
- Hotels
- Casinos
- Food handling companies
- Hospitals

FEATURING:

- MEETS ANSI STANDARDS
- OPERATOR CONTROLS: 15' REMOTE OR FIXED-MOUNT BOX ON 15' SEALTITE
- TEFC MOTORS (TRI-VOLTAGE)

STATIONARY COMPACTOR SPECIFICATIONS

GENERAL SPECIFICATIONS

Charge Box Capacity (Mfg. Rating)	2 Cubic Yards
Industrial Rating	1.24 Cubic Yards
Clear Top Opening (L x W)	42 inches long x 57 inches wide
Capacity Per Hour	135 Cubic Yards

PERFORMANCE CHARACTERISTICS

Cycle Time	33 seconds
Total Normal Force	40,800 pounds
Total Maximum Force	52,100 pounds
Normal Ram Face Pressure	22.7 PSI
Maximum Ram Face Pressure	28.9 PSI
Ram Penetration	5 to 11 inches (set at order)

ELECTRICAL EQUIPMENT

Electric Motor (3/60 - 208/230/460)	10 HP
Electrical Control Voltage	120 VAC
UL Label Panel Box	Yes
NEMA Type	—
All Electric Fused	Yes
Standard Controls	Keylock, Start, Stop, Forward/Reverse Selector Switch

HYDRAULIC EQUIPMENT

Pump Capacity	10.5 GPM
Normal Pressure	1,800 PSI
Maximum Pressure	2,100 PSI
Hydraulic Cylinder Bore	6 1/2 inches
Rod	2 1/2 inches / 4 inches
Stroke	37 inches


STRUCTURAL

Charge Box Sides	1/4 inch plate
Charge Box Floor	1/2 inch plate
Ram Face Plate	3/8 inch plate
Ram Bottom	1/2 inch plate
Ram Top	1/4 inch plate
Breaker Bar	6 inches x 6 inches x 1 inch angle

OPTIONS

- Single Phase Voltage
- Bio hydraulic oil
- Guide Rails
- Ozone Odor Control System
- Doghouse w/ door one side or both
- Hopper setups
- Thru-wall chute to rear or side
- Hatchway setups
- Customized options available

EliteContainerSales.com



	2 Yard Head	3 Yard Head	4 Yard Head	5 Yard Head
A	48"	48"	53"	53"
B	120"	170 3/4"	170 3/4"	239"
C	58"	58"	58"	58"
D	42"	42"	47"	47"
E	58"	58"	58"	58"
F	64"	64"	64"	96"
Cylinder	6 1/2" Bore	6 1/2" Bore	6 1/2" Bore	6 1/2" Bore
Rod	2 1/2"	4"	4"	4"

ELITE CONTAINERS

Call: 203-456-8811 or
Fax: 475-235-6149

PROUDLY MANUFACTURING WASTE
HANDLING EQUIPMENT


211 BROOKSIDE RD WATERBURY, CT 06708

EliteContainerSales.com



STATIONARY COMPACTORS READY TO DELIVER

Single Units and High Volume Orders



EliteContainerSales.com

211 Brookside Rd., Waterbury, CT 06708
CALL: 203-456-8811 FAX: 475-235-6149

We put our best
effort in every build.