

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
A and A Melters	210 Gallon Rubberized Asphalt Melter trailer	A-210	210 Gallon Rubberized Asphalt Melter trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$102,151.11
A and A Melters	380 Gallon Rubberized Asphalt Melter trailer	A-380	380 Gallon Rubberized Asphalt Melter trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$124,799.07
A and A Melters	500 Gallon Rubberized Asphalt Melter trailer	A-500	500 Gallon Rubberized Asphalt Melter trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$134,157.71
Accelerated Media Technologies	30 Foot Equipment Container	FD 30 FEC	30 Foot Container command center. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$281,847.07
Accelerated Media Technologies	MQ-25A 53' Trailer	MQ-25A	MQ-25A 53' Trailer - Custom trailer with many optional interior configurations to include Electronics, Safes, cabinetry, workstations, & surveillance equipment. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$968,964.54
Accelerated Media Technologies	Mobile Command Center	AMT - 1M	Mobile Command Center - Custom truck with many options from Electronics, Generators, shelving, lighting, cabinetry, workstations, & security. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$1,459,314.92
Accelerated Media Technologies	Command Service Trailer	ACM - CST	Command Service Trailer - DOT approved up to 26' enclosed trailer with side entry, Dual rear axles to accommodate trailer load, High Powered HVAC units with up to 15000 BTU, interior LED lighting, custom work station configurations, Audio/Video. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$435,482.85
Accelerated Media Technologies	Mobile Command Trailer	AMT-150-T	The AMT-150-T offers ample space for a workcenter. This trailer body is all aluminum construction and can haul equipment and supplies up to 10,000 lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$209,935.91
Accelerated Media Technologies	Mobile Command Vehicle	AMT-250	The AMT-250 offers a full length console to accommodate up to 4 workstations, Wi-Fi, multiple camera configurations for both day and night surveillance. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$332,315.02
Accelerated Media Technologies	Command Center Trailer	AMT-400	Command center Trailer - Mobile command and operation centers, designed to meet the rigorous standards required for military and government applications. Options include: Aluminum construction, Designed to suit your specific needs for any application, Tradeshow support, Multiple slide-outs, Generators/ air compressor, Satellite dish - AV components- data network, Custom lounges/ restrooms. Trailer is customized to specifications outlined by customer requirements. Fedharmony offers many types of custom upfitting, from Mobile command trailers/vehicles, Dive trailers, emergency response trailers, hazmat, food trailers / trucks, communication trailers and much more. For additional information contact Jeanne @ 571-266-9082 or Email: Jeanne@Fedharmony.com	\$627,742.83
Accelerated Media Technologies	Mobile Command Post Vehicle	ACM-SCIF	Command center Trailer - Mobile command and operation centers, designed to meet the rigorous standards required for military and government applications. Options include: Aluminum construction, Designed to suit your specific needs for any application, Tradeshow support, Multiple slide-outs, Generators/ air compressor, Satellite dish ? AV components- data network, Custom lounges/ restrooms. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$621,708.57
Accelerated Media Technologies	Test Transportable Trailer -100	EOT-100	This is a command and control platform for remote site support. This equipment will be used to support all flight test operations that use the RTPS V Computer System.	\$833,300.56
Accelerated Media Technologies	Mobile Command Center	FH-40MCC-1	Mobile Command Center on a Freightliner M2 106 conventional cab. Load space area 83" high x 102" wide x 40' long custom all aluminum dry van body. Four slide outs. 6 workstations with laptop docking stations, Bench for ten. 2 conference area. Wireless Access points. 8 Channel HVR. 20ft antenna mast with IP addressable IR camera. Whelen light package. Vinyl graphics. Color back up camera system. Galley with coffee maker, microwave and refrigerator. Toilet and wash sink. Custom fabricated aluminum cabinets with dry erase boards. 4Ton HVAC, 120/240VAC electrical with Smart UPS, and 2 ea. 12vdc electrical system. Six 24" Smart LED HDTV, for 47" LED HDTV, one 55" Sun Direct Out-door HDTV, GPS, rear color monitor, radio, telephone and networking at all work stations and conference tables and throughout and many more customizable options	\$1,113,732.63
Acela Truck Company	25-Tray Containerized Disaster Portable Morgue Unit	20CDPMU	25-Tray Containerized Disaster Portable Morgue Unit - 20-Foot ISO Refrigerated Shipping Container, 8 "W x 20'L x 7'6"H Interior Dimensions, Low-Floor Design for Easy Cart Roll On/ Off, Rear Ramp Extension and Ramp Gap Cover, HD Insulation Throughout, Seamless Steel Exterior Skin, White, Seamless Composite Sidewall and Ceiling Liner, Sealed Edges, Double Door Opening, Non-Skid, One Piece Marine Grade Rubber Coin Flooring, 12VDC LED Interior Lights (6) & Exterior Lights (6), Wall-Mounted Folding Racking System (5 Racks / 5 Trays Each), 23" x 78" Stainless Steel Cadaver Trays (25) and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$121,473.00
Acela Truck Company	High Water Flood Rescue Truck 6x6	Monterra 6x6	High Water Flood Rescue Truck 6x6 - Diesel Powered, high ground clearance, dependable, Seats 17 - 27 including driver, Central tire inflation system, high water fording kit, capable of operation in 50 inches of water, multiple options include lighting, plows for moving debris/snow, high speed, emergency and scene lighting and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$330,722.91

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Acela Truck Company	High Water Flood Rescue Truck 4x4	Monterra 4x4	High Water Flood Rescue Truck 4x4 - Diesel Powered, high ground clearance, dependable, Seats 17 - 27 including driver, Central tire inflation system, high water fording kit, capable of operation in 50 inches of water, multiple options include lighting, plows for moving debris/snow, high speed, emergency and scene lighting and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$277,697.00
Acela Truck Company	Access Stair Platform Extension Rig	CASPER	Access Stair Platform Extension Rig - Lowers the Entry Level Height from 63" to 14", Compatible with all A0, A1, A1R, A1P2 and A2 LMTV/MTV Cargo Variants (M1078, M1081, M1083, M1085, M1093), Load and Unload Passengers by Ground-Level Safety Stairs or to/from Boat or Loading Dock, Integrated Heavy-Duty Retracting Stairs with Safety Handrails. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$24,870.00
Acela Truck Company	6X6 Water Truck	2500-Gallon Water Truck - Highway	2500-Gallon Water Truck - Highway: Monterra GL 6X6 Extreme Duty Chassis, Versatile in off-road conditions with high ground clearance and AWD, All Wheel Drive, Multiple Gas tank options for extended run time, Capabilities include 50-inch water fording, 2,500-Gallon A36 Steel Tank, Fully Welded, Ladder, Manhole, Options include: High-Speed Gearing, 3-Person Cab, Back-up Camera and alarm, (2) Transverse Baffles with Crawl Holes, Waterproof Starter and Alternator, (2) Front Sprays, Air Valves, Cab-Controlled, (1) Side Spray, Air Valve, Cab-Controlled (Driver Side), U.S. Army Ultra-Reliable Certification, (2) Rear Sprays, Air Valves, Cab-Controlled, Square Stinger, 4x3 Centrifugal Pump, 800 GPM, 3-Inch Schedule 40 Plumbing, 2.5" Hydrant Fill, Fill Hose, LED DOT Lighting, Hot Shift PTO, High Ground Clearance for capabilities in high water or rough terrain, Clear Sight Gauge (Rear) & 1 Year Reliable Warranty and parts availability. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$339,000.00
Acela Truck Company	Mobile Morgue Trailer	MMET 17-24	Mobile Morgue Trailer - 17- to 31-Foot Interior Length (16-48-cadavers), Motion-Sensing Interior Lighting, 4" Nominal Closed-Cell Polyurethane Insulation, Seamless, Heavy-Duty Commercial Flooring, Maintains 35 °F (1°C) in 110 °F (43°C) Ambient Temps, Aluminum or Composite Interior Walls, Bumper-Pull, Aluminum Rolling Racks and Trays, Low Floor, Easy-Access Ramp Systems, 30+ Year Lifespan, Options: Generator Backup Power, Audible/Visual Alarms, Transfer Switches, Exterior Scene Lighting, Tray Locking System Collapsing, Rolling Rack Systems Solar Battery, Chargers Maintenance, and Storage Solutions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$146,850.98
Acela Truck Company	Mobile Morgue Trailer	MMET53	53-Foot Insulated/Refrigerated Semi-Trailer, Self-Contained Refrigeration Unit, 48-Inch Wide x 24-Foot Long/ 1,500 lb. Capacity Rear Access Ramp with Handrails (Color-Coded Assembly), Rear Insulated Wall with Integrated Cooler Door for Easy Access, Interior LED Lighting (120VAC), (14) 4-Tray Aluminum (Lightweight) Heavy-Duty Rolling Cadaver Racks, (56) Aluminum (Lightweight) Heavy Duty Cadaver Trays with Cam Straps, Rear Motion-Controlled LED Area//Ramp Lighting, 100' HD Power Cable for Interior Lighting, Crates and straps to secure all loose items, Manuals, Guides, Etc. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$268,071.46
Acela Truck Company	Acela Paladin 12-Body Portable Morgue	Cube MMET-12	Acela Paladin MMET-12 Portable Refrigerated Morgue Expansion Cube (Mobile Mortuary Refrigerator / Temporary Mortuary Cold Storage Unit). Provides refrigerated body storage capacity for up to 12 decedents, including 3 bariatric positions. Maintains approximately 35°F interior temperature and operates on standard 120V/15A power. Designed for temporary or surge mortuary capacity in hospitals, medical examiner facilities, disaster response, mass fatality incidents, emergency preparedness, and public health applications. Indoor-deployable portable mortuary cooler with compact footprint, rapid 30-minute setup without tools, integrated shelving and cadaver trays, and 10,000 lb load capacity. Alternative to refrigerated morgue trailers or walk-in mortuary coolers for temporary body storage.	\$37,200.00
Acela Truck Company	TerrainForce Wildland Engine	TerrainForce5	The TerrainForce Type 5 Wildland Fire Engine is a high-mobility off-road firefighting platform designed for demanding wildland and remote-terrain operations. Built on a rugged chassis, it combines military-grade durability with modern firefighting capability to operate effectively in steep, uneven, and undeveloped environments.  The TerrainForce features 22-inch ground clearance, large off-road tires, and a central tire inflation system that allows operators to adjust tire pressure for highway, sand, mud, or cross-country conditions while in motion. A 500-gallon reinforced water tank, foam injection system, remote-controlled turrets, and a Kubota-driven Darley pump support rapid wildland attack and sustained suppression operations. With an estimated operating weight of 26,000-33,000 lbs, the TerrainForce delivers exceptional access, reliability, and performance for municipal, federal, and industrial wildfire response missions.	\$1,052,631.58
Ace Truck Body Inc	Maintenance Truck	TMAX30K	Maintenance Truck -Mounted on a medium-duty commercial truck chassis, Complete undercoating, with a minimum of 3 mils of petroleum base material, Torq-isolator crane support design, Rugged 14-gauge two-sided A-40 galvalneal steel body shell, Stainless steel billet style hinge, Bodies are finished with two-part polyurethane enamel, 3-Point compression latches, The doors are made of 5000 series aluminum and feature a two-panel design, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$191,219.26

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Alum-Line	Utility Trailer	BPU 56	Utility Trailer - Up to 18' length, Bumper pull, Non-skid tongue and groove aluminum extruded flooring, Electric brakes on each axle, Enclosed electrical wiring with a junction box, 7 Sealed beam marker lights, Break-away switch and battery, Safety chains, Castor wheel jack, Optional Trickle charger for breakaway battery, Tilting bed option. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$14,966.52
Alum-Line	Command Office Trailer	AL-COT	Command Office Trailer - BP Enclosed Cargo Trailer, Extruded bedrail, and roof rail. Extruded wall posts, 7' inside height standard, Tandem Dexter torsion axle with electric brakes, HD Extruded tongue and groove aluminum flooring, White baked enamel 0.040" thick exterior aluminum skin, Bumper hitch, safety chains, breakaway switch, caster-wheel jack, One-piece aluminum roof, Choice of full-swing or double rear doors, and side door. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$109,129.38
Alum-Line	Gooseneck Livestock Trailer	GNL	The Gooseneck Livestock trailer comes standard with non-skid tongue and groove aluminum extruded flooring, steel rim with radial tires and spare tire carrier, and electric brakes on each axle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$58,754.52
Alum-Line	Custom Enclosed Trailer	ALUMBP	Enclosed Trailer - Up to 30' enclosed cargo trailer, Stone guard on the front, Tandem Axle, Aluminum exterior skin, (2) 5200 lb axles for 10,000 GVWR, One-piece aluminum roof, aluminum fenders, aluminum trim, Brakes on all 4 wheels, Flooring: HD aluminum extruded, V-nose, 3/8 plywood wall covering. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$73,711.44
Alum-Line	Enclosed Trailer	DFSNC	Enclosed Trailer - Up to 24' enclosed cargo trailer, Stone guard on front, Tandem Axle, Aluminum exterior skin, (2) 5200 lb axles for 10,000 GVWR, One-piece aluminum roof, aluminum fenders, aluminum trim, Brakes on all 4 wheels, Flooring: HD aluminum extruded, V-nose, 3/8 plywood wall covering. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$35,956.80
Alum-Line	Aluminum Utility Trailer	BPUC Series	Aluminum Utility Trailer - Lightweight Up to 18' Long, Torsion Electric Brakes, Open Trailer, Tie Down Hooks, Ramp, 5-year written warranty, Single Axle, 10-year warranty on aluminum extrusions, Aluminum Decking, All Aluminum Construction, Durable aluminum construction allows longer life span in humid environments. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$25,236.59
Alum-Line	Enclosed Trailer	BPDF24X8	Enclosed Trailer - Up to 24' enclosed cargo trailer, Stone guard on front, Tandem Axle, Aluminum exterior skin, (2) 5200 lb axles for 10,000 GVWR, One-piece aluminum roof, aluminum fenders, aluminum trim, Brakes on all 4 wheels, Flooring: HD aluminum extruded, V-nose, 3/8 plywood wall covering. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$46,050.84
Alum-Line	Tilt Deck Trailer	BPTDT-Series	Tilt Deck Trailer - scissor lift style hydraulic hoist, Diamond Plate on Bottom of Ramp, Rub rail with Stake Pockets, Treated Lumber Deck, Multiple Tie Down Points, Swivel type D-rings, Bumper Pull, Drop Leg Jacks, Torsion Bar Axles with Oil Bath, Lockable Front Toolbox, Spare Tire with Mount, Safety Chains, All Weather Wiring, Electric Brakes All Wheels, Electrical Connector & 5-year workmanship warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$39,450.00
Alum-Line	Car Hauling Trailer	16' Car Trailer	Car Hauling Trailer- Ball Hitch, Steel rims with radial tires, Seven Way Plug, Electric brakes on each axle, Non-skid tongue and groove aluminum extruded flooring, Rub rail and stake pockets, 8' Width, Heavy-duty 6' ramps with storage, Rubber torsion axles, Adjustable coupler, Enclosed electrical wiring with connections junction box, Safety chains, Sealed beam marker lights, Heavy-duty spring-loaded landing leg, Sealed beam stop/tail/turn lights, Winch bracket, L.E.D. clearance lights, L.E.D. taillights, Break-away switch and battery & Tires and trailer are weight rated. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$16,914.00
Alum-Line	Aluminum Utility Trailer	BPDF14	Aluminum Utility Trailer BPDF14: V Nose, Leaf spring suspension, Electric brakes, hitch, Ramp style cargo door, curbside cargo door, Trailer body color black, stone guards polished aluminum and diamond plate texture, fenders can match either color, Interior lights, Tandem axles, All DOT required exterior lights, Tongue jack, Extruded side posts on centers, All-aluminum heavy-duty construction, Enclosed wiring with inside dome light, Tongue and groove aluminum flooring, RV light and wiring package, Storage compartment in tongue area, Rubber torsion axles, 5 year written warranty & 10 year warranty on aluminum extrusions. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$25,419.00
Alum-Line	Flatbed Trailer	GN Flatbed Trailer	Flatbed Trailer- Non-skid tongue and groove aluminum extruded flooring, Toolbox Between Jacks, Tandem Dual Axles with Brakes on both axles, Under Body Toolboxes, Heavy Duty Spring Assisted Ramps, Matching Spare Tire / Wheel- Mounted to Trailer, Rub rail and stake pockets , Trailer Lights to LED, two electric/hydraulic jacks, Steel rims with radial tires, Enclosed electrical wiring with connections junction box, Heavy-duty spring-loaded landing leg, Sealed beam marker lights, Extra landing leg, Sealed beam stop/tail/turn lights, Winch bracket, Break-away switch and battery, thick aluminum channel super structure, Safety chains & reinforced nose design. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,694.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Alum-Line	Enclosed Trailer	BPEAT20X8	Enclosed trailer BPEAT20X8: Tube Frame and Tongue, Breakaway switch with battery, On-Center C-Channel Floor Crossmembers, drop leg jack, Triple-Tube Tongue, Beavertail, Safety chains, Aluminum door holder, 7-way RV-Style molded plug, Heavy duty rear ramp door w/wood flap, RV side door, Flow through scoop vents, Aluminum fenders, Engineered wood floor, Brakes on both axles, LED Lighting, E-Z Lube Hubs, Recessed D-rings, Rubberized undercoating, & Limited 3-year warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$54,460.00
Alum-Line	Aluminum Gooseneck Horse Trailer	GNHT26	Aluminum Gooseneck Horse Trailer GNHT26: Straight wall tack room with exterior door, Dual Axle Torsion Suspension with a minimum 7000-pound rating per axle – Minimum, Adjustable height gooseneck tow hitch/coupler, Aluminum wheels, Self-closing slip hook safety chains, Matching spare tire mounted on trailer, Structural Tubing in Walls, Exterior Flood/loading Lights (LED), Single jack/landing gear with 2 stage (high & low) single crank handle, Coupling area lighting for chains and hitch, 7 Way RV style electrical plug, Extruded Aluminum Ribbed Running Boards and Fenders, Cleated Rubber Floor mats in Stall Area Minimum three quarter inch nonslip rubber, Slatted Air Space (Plexiglass Ready), Dual axle electric trailer brakes with emergency breakaway system, Solid Center Gate with Slam Latch, mid-point of livestock compartment, Rubber Coating Under Gooseneck, Livestock compartment Escape Door (Curbside), Gravel guard on bulkhead & Solid Single Swing Rear Gate Without Slider. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$60,595.00
Alum-Line	Aluminum Utility Trailer	BPOA18X8	Aluminum Utility Trailer BPOA18X8: Open utility heavy duty, Electric brakes on each axle, Rubber torsion axles, Rub rail and stake pockets, E-Z lube axle Bearing caps, Stainless steel recessed rope rings, Aluminum wheels, Two automotive style slide away ramps with storage, Spare tire and carrier, Ball type coupler, Enclosed electrical wiring with connections junction box, Aluminum E-track tie down system, Sealed beam marker lights, 2 Sealed beam stop/tail/turn lights, LED lighting, utility railing, Non-Skid Tongue and groove aluminum extruded flooring, Castor wheel jack, Tow-Rax tie down system on & 5 Year Manufacturer Warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$20,820.00
Alum-Line	Enclosed Trailer	ALUMBP SN22	Enclosed Trailer ALUMBP SN22: Tandem axle, White baked enamel aluminum outside skin, Steel rims with radial tires, Enclosed electrical wiring with connections junction box, Spare tire and carrier, Dome light, Electric brakes on each side, Sealed beam marker lights, Ball-type tow coupler, Sealed beam stop, tail, turn lights, LED Interior-Exterior Trailer Lighting Package, D-rings mounted on floor, Break-away switch and battery, Fuel doors on driver's side above interior floor, Safety chains, Minimum 3 interior ski guides (1 on either side & 1 at center) & rubberized trackpad or lugs, or durable bed, Castor wheel jack, Ventilation & drain, Trunk style, hitch storage compartment with lock & 5 Year Workmanship Warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$39,480.00
Alum-Line	Aluminum Enclosed Trailer	BPDPF Series	Aluminum Enclosed Trailer - Deck Width: 96" Wide rear opening, Axles: 4800# Torsion axles, Deck Type: All-Aluminum, Overall Length: up to 20', Deck Material: All-Aluminum, Deck Length: 20', Frame Construction: 2"x5" Tube Main Frame with Walls, ceiling, floor on 16" centers, Deck Height: 8' overhead cabinet, Electric Brakes. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$54,776.67
Alum-Line	Enclosed Trailer	BPDPF20X8	Enclosed Trailer - All-Aluminum construction, Extended Tongue, Ramp Door spring assist, Ramp Door and extension Diamond plated, Multiple hitch configurations, V-Nose, or standard flat design, Spare Tire w/ Mount Inside Trailer, 3/4 High-Performance Floor White, 18 inch LED Interior, 3/8 plywood to be used in the Interior of the walls up to the roof, Tandem 3500# torsion axles, GVWR 7700#, Roof Top Air Conditioner, Electric brakes on both axles, E Track, LED DOT Lighting, E Track installed on the floor, Generator, E track tie Down Bolts, 110V outlet. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$51,259.34
Alum-Line	Enclosed Trailer	BPDPF612	Enclosed Trailer BPDPF612: Non-skid tongue and groove aluminum extruded flooring, Spare tire and carrier, Tubular side posts, Electric brakes on each axle, Extruded tubular rear frame, Ramp door in the rear opening, Rubber torsion axles, Ball type coupler, Steel rims with radial tires, White baked enamel .040 aluminum outside skin, Enclosed electrical wiring with connections junction box, Break-away switch, and battery, One inside dome light, Safety chains, Sealed beam marker lights, Castor wheel jack, Sealed beam stop/tail/turn lights, Trunk style, hitch storage compartment with lock, L.E.D. light package, & 5 Year Warranty Against Structural Framework. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$20,658.00
Alum-Line	Utility Trailer	BPU12X6	Utility Trailer BPU12X6: Tandem axle, Removable aluminum fenders, Easy lube hubs, Extruded aluminum floors, Electric Brakes, Front & side retaining rails, Breakaway kit, A-framed aluminum tongue, Ball-type tow coupler, Stake pockets, Recessed tie rings, Non-skid tongue and groove aluminum extruded flooring, Single-wheel swivel tongue jack, Rubber torsion axles, LED lighting package, Steel rims with radial tires (see tire chart for specifications), Safety Chains, Enclosed electrical wiring with connections junction box, Pull out ramps & 5 Year Warranty Against Structural Framework. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$11,520.00
Alum-Line	Enclosed Trailer	ALUMBP7X16	Enclosed Trailer ALUMBP7X16: Smooth ride tandem torsion axles, Tubular side posts, Sloped V-Nose bumper pull, Extruded tubular rear frame, Rear door zinc bar lock, Steel rims with radial tires (see tire chart for specifications), Side door, Spare tire and carrier, Non-skid tongue and groove aluminum extruded flooring, Electric brakes on each axle, Ball type coupler, Sealed beam stop/tail/turn light, White baked enamel aluminum outside skin, L.E.D. light package, Enclosed electrical wiring with connections junction box, Break-away switch, and battery, One inside dome light, Castor wheel jack, Sealed beam marker lights, & 5 Year Warranty Against Structural Framework. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$25,953.60

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Alum-Line	LivestockTrailer	BPHT16	Livestock Trailer BPHT16: Tack room, Rubber torsion axles, Non-skid tongue and groove aluminum extruded flooring, Steel rims with radial tires (see tire chart for specifications), Tubular side posts on centers, Side Escape Door, V-nose with natural colored skin and diamond plate rock guard, Center Partition gate, Rear rubber dock bumpers across the lower rear frame with skid plate, Slam latches that open from both the inside and outside of the trailer, Easy latch holdbacks on all doors and dividers, One inside dome light, Full-opening back-end gate with slide-by door, Sealed beam marker lights, Ball type coupler, Sealed beam stop/tail/turn lights, Side panel layout, Break-away switch, batter, and safety chains, Enclosed electrical wiring with connections junction box, & 5 Year Warranty Against Structural Framework. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$42,000.00
Alum-Line	Heavy Duty Aluminum Trailer	GNHT Series	All-Aluminum construction, Drop leg jack (electric if possible), 2 5/16" Gooseneck hitch, Adjustable, Full length running boards, 6 Stall trailer, (2) 7000 LB - 9000 LB axles, 7' width, Outside loading and sidelights, aluminum flooring, Hayrack, Polyplast spray in flooring and sidewalls, Slide roof air vents, Swing-out back door, Installed manger on the left side of trailer w/ storage underneath, Side door w/ butterfly latch, Polyplast floor, Interior lights, Boot box, Tie rings, 72" to 84" Clothing rack for uniforms. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$148,283.71
Alum-Line	Aluminum Utility Trailer	BP812	Aluminum Utility Trailer - All-Aluminum construction, Length: 12.00 ft, Width: 6.42 ft, Tandem axle, Removable aluminum fenders, Extruded aluminum floor, Electric brakes, breakaway kit, Front & side retaining rails, A-Framed aluminum tongue, 48" long with 2-5/16" coupler, Pull out ramps - 2-4' (7812), (4) Stake pockets (2 per side), Overall width= 101", (4) Recessed tie rings, SS 2000#, Single-wheel swivel tongue jack, 1500# capacity, GVWR: 7000.00 lbs, LED Lighting package, safety chains, Payload: 5950 lbs, 2-3500lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$19,230.28
Alum-Line	Gooseneck Livestock Trailer	GNL716	Gooseneck Livestock Trailer - All-Aluminum construction, 10K Drop Leg Jack, Trailer Length 16', 7' Width minimum; and 6'6" Height minimum, top air spaces, Two - 4800 LBS electric brake torsion axles, Three - 1 1/2" pipe rear bumper rubber dock bumper, Tapered gooseneck, Rear Door: full swing stock gate with lockable slider & air spaces that match the sides, Natural .063 aluminum exterior sheets on lengths up to and including 30', Full-width drop-down drop gate, 7-Way Round Plug, Safety Chains, Breakaway Kit, LED Lighting, 4" cross members = 12" centers, WARRANTY: Two to Three-year limited bumper to bumper; Five to 10-year limited structural warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$51,926.29
Alum-Line	Enclosed Trailer	BPDPF 72	Enclosed Trailer - All-Aluminum construction Inside walls plywood, Constructed with a .040 aluminum skin, ground clearance of at min 10 inches, "V" Nose, payload capacity of at least 10,500 lbs, Min 20 ft long and NO MORE THAN 22 ft long cargo box length. Inside width dimensions of approx 83", 2 and 5/16 inch adjustable coupler, Weatherproof, and be sealed to prevent water intrusion, Equipped with a minimum of a 12,000-pound spring return jack, cross-members 12 in., Fully enclosed, with a MINIMUM internal height of 7 foot, 6 inches measured at the walls., The walk-through side door on the passenger side, a min of 32 inches wide with two externally keyed locking deadbolts. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$53,416.44
Alum-Line	Utility Trailer	SKDTLT718	Utility Trailer - All-aluminum heavy-duty construction with 1/2" thick mainframe, Four recessed swivel type tie-down rings, Seal beam lights, Top quality components from front to rear, stainless steel fasteners, 2" extruded tongue and groove aluminum flooring, Double axels with 7,000 lb. ratings each, Heavy-duty walk-on fenders, 2 adjustable fold up 5' ramps, Stop bar in front, 4 to 6 tie-down fittings with a front stop rail and side rub rails, Spare tire carrier, Torsion axles, Tilt equipment hauling trailer with capacity for loads up to 14,000 lbs, Loads without ramps and has a bed length of 18 feet and a bed width of 84 inches (82 inches between fenders), 10K Winch, Ball hitch trailer with a 2 5/16" trailer ball receiver, 5-year written warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$36,364.28
Alum-Line	Gooseneck Livestock Trailer	GNLS247	Gooseneck Livestock Trailer - All-Aluminum construction, Center partition gate with walk-through door, Widths and lengths to customer specifications: length 15'-43?; width 5'-8?, Full opening back end gate with slide-by doors on DS, Inside height, 6'-8?; custom heights available, 8? gooseneck nose assembly, On-skid tongue and groove extruded flooring, Gooseneck includes gate in the nose, Side escape door; curbside or streetside, Side panel layout includes 2-5? air on top and 1-2? at the bottom, 2 front air vents under the gooseneck, torsion axles: 7000# GN 19-29?, Brakes on all wheels; hydraulic brakes optional, Twelve or more running light, license plate light, 4 stop lights ? all LED, Breakaway switch, battery, and safety chains, Rear rubber dock bumpers, 5-year written warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$66,590.84
Alum-Line	Aluminum Utility Trailer	BP714	Aluminum Utility Trailer - All-aluminum heavy-duty construction, Overall width with rail 101 1/2", 1/2" x 10" aluminum channel, Includes 2" rub rail with heavy-duty stake pockets on 24" centers, 5" x 3 1/2" x 1/2" thick side and end rails (3" I-beam cross members on 24" centers), Tongue and groove aluminum flooring ? cross member built into flooring every 4", 80" X 48" SQUARE BI-FOLD REAR RAMP GATE, LED LIGHTS, 3500LB SINGLE AXLE, enclosed electrical wiring, quality built axles, tires, and a top-notch light package, All seal beam lighting, breakaway switch with battery, Made in the USA, 5-year warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$18,086.86
Alum-Line	Livestock Trailer	BPHT Series	Livestock Trailer - All aluminum construction, Bumper pull Livestock Trailer, 2 HUB electric brakes with breakaway kit, Height: up to 7 ft, safety chains w/clevis hook, latch, Width: 79", Crank type jack, Multiple hitch configurations, Standard a-frame tongue, bumper pull hitch, 9600 lb. GVWR, Center gate, LED interior and exterior lights, Full swing rear gate w/ lockable sliding gate with rear drop ramp, Rubber Horse vet mat, Side door, 10-yr structural warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,759.11

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Alum-Line	Gooseneck Enclosed Trailer	GNDF Series	Gooseneck Enclosed Trailer - All-aluminum heavy-duty construction, Full swing or double rear doors, White baked enamel .040 aluminum skin, Rubber torsion axles, three axles on single axle models, 2" extruded tongue and groove aluminum flooring, One-piece aluminum roof, Electric brakes on all wheels, Inside height 6'6", Extruded side posts on 16" centers. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$78,942.00
Alum-Line	Gooseneck Tilt Trailer	GNFTL Series	Gooseneck Tilt Trailer - All-aluminum heavy-duty construction, Spare tire and carrier, Non-skid tongue and groove aluminum extruded flooring, Electric brakes on each axle, Rub rail and stake pockets on 24" centers, E-Z lube axle bearing caps, Recessed swivel tie rings, Tilting bed option with closed hydraulic system, Tow-Rax tie down system on, LED, light package, Break-away switch and battery, Safety chains, Winch bracket, Heavy duty walk on fenders, and Landing Gear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$55,338.00
Alum-Line	Aluminum Equipment Trailer	HDBP Series	Aluminum Equipment Trailer - All-Aluminum construction, Length: up to 22', Width: 8.5 ft, Dual axle, Removable aluminum fenders, Extruded aluminum floor, Electric brakes, breakaway kit, Front & side retaining rails, A-Framed aluminum tongue with coupler, Pull out ramps, Stake pockets, Recessed tie rings, swivel tongue jack, LED Lighting package, safety chains, For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$42,036.80
Alum-Line	High Capacity Kennel Trailer	DBT 16-24	High Capacity Kennel Trailer - All Aluminum Construction, up to 16+ Stalls, Ducted A/C w/ Ducted adjustable Air handler for each stall, Dual High BTU A/C units with heat, Drain Holes with plugs, Height Adjustable coupler attachment, Minimum Dog Kennel Size: 29" x 40" x 36" tall, Drop Leg Jack, Generator, Tandem Axles with electrical brake systems, Storage Compartment, 120 Volt outlet, Tie-down the rack, Thermometer Read out for interior temperature, Inner Bar door, 4 rooftop vents, Heavy-duty snaps, and chains for each stall door, Pan Style Flooring, 10 YEAR Structural Warranty / 5 Year Workmanship. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$104,400.00
Alum-Line	Gooseneck Livestock Trailer	GNHT27	Gooseneck Livestock Trailer - slant gooseneck trailer, Trailer Front gravel guard, Two Axle, Slide/Swing rear gate single construction with air gaps, Spare tire bracket w/spare tire, Four Wheel Electric Brakes, Metal Fenders, saddle & tack door, prefer to be inset, rubber floor mats, additional mat protecting rear wall, rear gate, walls along slant wall, Minimum of three adjustable swing out saddle racks, tie rings in each stall, Rods for saddle blankets, brush & curry comb tray, Air gaps, & HD extruded walk on fenders. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$54,629.00
Alum-Line	Enclosed Stock Trailer	BPHT17	Enclosed Stock Trailer - Trailer with Tack Room, Sidewall: triple wall construction, Two Axles, Fenders, Trailer Front gravel guard, Four Wheel Electric Brakes, Slide/Swing rear gate single construction with air gaps, Torsion Axle, External mounted Spare tire bracket w/spare tire, One-piece roof, tie rings in each stall, Air gaps, One roof vent & Escape Door. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$41,731.00
Alum-Line	Enclosed Trailer	BPDP16X7	Bumper pull/rear door drop-down ramp style, plywood walls, Tandem torsion axle's with aluminum wheels, skid plate, electric brakes, license plate, side door, mounted spare tire, aluminum floor, landing gear, aluminum frame and skin, clearance lights, running boards, rubber mats, Breakaway Kit, rubber dock bumper, safety chains, tapered fender, led lights & warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$34,440.00
Alum-Line	Gooseneck Enclosed Trailer	GNHT16	Gooseneck Aluminum Trailer, Rear Door: full swing stock gate with lockable slider & air spaces that match the sides, Tapered, Rear rubber dock bumper, Two top air spaces, Inner tapered fender, Drop Leg Jack, Aluminum frame, skin & front gooseneck sheets, Full-width drop-down gate, Aluminum floor, Skid resistant extruded aluminum floor, Running boards, Open Center Floor with Rubber Mats, Way Plug, Full Swing Rear Door, Breakaway Kit, LED Lighting Skid plate, Warranty, Full width drop down gate & Mounted Spare Tire. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$42,720.00
Alum-Line	Livestock Trailer	BPLS16	Livestock Trailer - Aluminum Frame & Body, interior & exterior Tie-out loops, extruded tongue and groove flooring, side escape door, Length 16 feet, DOT LED lights, Center gate with slider, Tandem axles, side vents, safety chains, aluminum winch stand, clevis hook latch, Breakaway Kit, skid-resistant floor, DOT Reflective Tape, interior LED lights, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$37,340.00
American Fire Training Systems	ST-SINGLE	ST-Single	The ST-Single is a single-story structure fire trainer unit that can be "Legoeo" with other ST units for a larger single floor trainer or a multistory trainer. A tower can also be added. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$171,484.20
American Fire Training Systems	ST-Tower	ST-Tower	ST-Tower is a tower unit for a structure fire trainer that can be "Legoeo" with other ST units to build a complex fire trainer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$61,021.05
American Fire Training Systems	Series of pipes and modified containers	P512	Series of pipes and modified containers to simulate confined space emergency response conditions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$180,068.25
American Fire Training Systems	Modified container to simulate fire fighting training evolutions	P494G-01	Modified container to simulate fire fighting training evolutions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$280,886.25
American Fire Training Systems	Mobile Class A Fire Trainer	AFTSP420	Mobile Class A Fire Trainer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$89,291.06
American Fire Training Systems	Flashover Trainer	P720	Flashover Trainer - Noncombustible material and corrosion resistant & doors open to the outside, adequate drainage of water to the exterior. Exterior wall panels are constructed of corrugated Corten steel with continuous seam welded to structural members, non-skid stainless steel flooring. Railings are open areas with a vertical distance greater than thirty inches above grade OSHA-compliant railings. The cube container shall be used for the lower chamber & upper chamber inner wall lining reinforced. The second high cube container for the upper chamber & Lower chamber has two swing away stainless steel baffles. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$214,800.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
American Fire Training Systems	The ST-Multi	ST-Multi	The ST-Multi is an upper floor unit for a multi story structure fire trainer unit that can be "Legged" with other ST units to build a multistory trainer. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$161,063.16
American Fire Training Systems	High Rise Emergency Rescue Trainer	NDW-3	High Rise Emergency Rescue Trainer. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$1,191,126.31
American Fire Training Systems	Car Prop	GEFH-010	Car Prop - 18 evolutions for vehicle incidents, including Class A burns. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$74,969.55
AMS Aircraft Recovery	Canopy Crane	9720-010	Canopy Crane - Max Lift Capacity 1500 LB, Max Towing Speed 15 MPH, Towing Turn Radius 17 ft., Rotation of Load 360°, Winch Two-Speed Spur-Gear Hand Winch, Lift Cable Diameter 5/16 in., Min Outrigger Clearance Height 8 in., Max Overall Height 258 in., Outrigger Footprint 18 ft. x 18 ft., Net Weight 2200 LB, Casters 4 Spring Loaded w/Brake & Swivel Lock, Footpads Adjustable for Leveling, Air Transportation Certified for C-130, C-130J, C-17, C-5. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$120,450.00
AMS Aircraft Recovery	15 Ton Aircraft Lifting Air bags	9314-010	Aircraft Lifting Air Bags - NSN: 5120-01-284-2611YZ. Aircraft Lift Bag System for the recovery of crash damaged or disabled aircraft (CDDAR). Unmatched stability and safety are achieved through the use of independent modules composed of three elements each. Low operating pressure prevents the risk of secondary damage. Multiple units can be stacked, up to five-high, as needed. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$97,170.00
AMS Aircraft Recovery	Fuselage Lifting System Mil Airframe	FLS-CAT2	Fuselage Lifting System - CAT2 - Designed to lift in accordance with relevant ARM/ARD and IATA's recommendations, Widebody commercial aircraft: B767, MD-11, DC10, A330, A340 Regional Aircraft, military aircraft: C-130, KC-135, KC-10, KC-46, E-3, P-8A, Narrow body commercial aircraft: B737 Series, B757, A320 Series, MD80 Series Single point lift for small aircraft/fighter jet, Air container transportable, Fixed Pitch Sling, slings overlap the fuselage frames, Working load limit: 24 ton for single spreader beam lift, 48 ton for 2 over 2 spreader beam configuration, a safety factor of spreader beam is 5:1, slings are 7:1. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$102,950.00
AMS Aircraft Recovery	Fuselage Lifting System Narrow Body	FLS-CAT1	Fuselage Lifting System Narrow Body - CAT1 - Designed to lift in accordance with relevant ARM/ARD and IATA's recommendations, Aircraft Capabilities: A318/A319/A320/A321/B707/B727/B737/B757, Quick and easy to assemble, Embraer E-Jet and ERJ families, FLS-CAT1 System is suitable for common narrow-body commercial aircraft, Bombardier CRJ family, Regional Prop Aircraft, Business Jets and more, Maximum fuselage diameter: 4.5m, Air container transportable. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$37,589.33
AMS Aircraft Recovery	Aircraft Recovery Control Console	9316-010	Aircraft Recovery Control Console - NSN:1730-01-305-6846 Control Console works in conjunction with aircraft lifting bags, Models 9314-010 (15-ton capacity) and 9315-010 (26-ton capacity), Net Weight: 150 LBS, Console Dimensions: 68.25 (l) x 31.5 (w) x 49 (h) in, Crated Weight: 300 LBS, Crate Dimensions: 72 (l) x 34 (w) x 57 (h) in, Individual control valves located on top of the console, with their corresponding pressure gauges, Class 1 Gauge for contact element, System pressure regulator maintains 15 psi internal pressure throughout the console, Combined Pressure Regulator and Moisture Filtration Unit fitted, Allows the operator to monitor and control the internal pressure and lift of each element, 15, 17 or 20 outlet consoles available, Stainless steel cased gauges. Essential to aid in Crash Damaged Disabled Aircraft Recovery (CDDAR). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$15,300.00
AMS Aircraft Recovery	Turntable - 50 TON	10060-154	Turntable - 50-Ton Capacity, Approx. net weight: 4,500kg (Turntable Only), Dimensions (l x w x h): 3.00 x 2.00 x 1.15m (118 x 79 x 45 in.), Designed for use with 30tonne airbags to interface with aircraft fuselage, Minimum working height: 0.84m, Transportable in ISO shipping containers, Min. height including AMS Transporter: 1.71m, Specifically designed to deal with nose gear failures for aircraft up to the size of the A380, Max. height with spacers & AMS Transporter: 2.51m (including AMS Transporter), Curved profile / contoured deck, Custom built, cost-effective & robust design. Essential to aid in Crash Damaged Disabled Aircraft Recovery (CDDAR). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$151,719.06
AMS Aircraft Recovery	Turntable - 26 TON	10060-219	Turntable - 26-ton capacity, Custom built, cost-effective & robust design, little or no maintenance, 2.0 x 1.8m Platform, Low insertion height under the aircraft, Designed for use with airbag as an interface, Transportable in standard ISO shipping containers, The airbags will form to the fuselage shape, prevents secondary damage during aircraft movement, Precision engineered bearings for rotation, Securing positions for webbing straps, Manufacture by a company with 25 years in the Aircraft Recovery System industry, Adaptable to multiple aircraft types. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$34,200.00
AMS Aircraft Recovery	Aircraft De-Bogging Kit - 25tonne, Single	10060-234	De-Bogging Kit - 25tonne, Single - 1730-99-027-6752 Simple and highly effective kit, proven in demanding circumstances, Fast deployment to recover aircraft quickly and safely, high-quality slings, shackles & load cells, Synthetic round slings with protective sheaving, Radio link load cell indicators to record and control the load applied ARM/ARD from airframe OEM advises that all loads applied to an aircraft during the recovery operation should be recorded. Essential to aid in Crash Damaged Disabled Aircraft Recovery (CDDAR). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$17,940.00
AMS Aircraft Recovery	Aircraft Tethering Set Twin	10040-023	Aircraft Tethering Set Twin - Typical for tethering loads 3-5 tons, Essential for aircraft stabilization during outdoor lifting operations, Manual winch with 20m wire rope, Direct read load cell for load monitoring, Resists wind loadings, Ground anchor with plates and ground spikes, Stabilizes the aircraft during the leveling operation, Slings and shackles, Single fuselage sling, Multiple sets provide essential information to the lifting team, load monitoring, Synthetic Round slings have a safety factor of 7:1, Stabilizes aircraft during recoveries, Essential to aid in Crash Damaged Disabled Aircraft Recovery (CDDAR). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$24,962.25

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
AMS Aircraft Recovery	Aircraft Tethering Set Single	10040-019	Aircraft Tethering Set Single - Typical for tethering loads 3-5 tons, Essential for aircraft stabilization during outdoor lifting operations, Manual winch with 20m wire rope, Direct read load cell for load monitoring, Resists wind loadings, Ground anchor with plates and ground spikes, Stabilizes the aircraft during the leveling operation, Slings and shackles, Single fuselage sling, Multiple sets provide essential information to the lifting team, load monitoring, Synthetic Round slings have a safety factor of 7:1, Stabilizes aircraft during recoveries, Essential to aid in Crash Damaged Disabled Aircraft Recovery (CDDAR). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$13,443.53
AUSA	Rough Terrain Forklift	C351	Rough Terrain Forklift - Load capacity 7000 lb, Load capacity to 600 mm (24 in) 7000 lb, Noise level 104 dB(A), Transmission Hydrostatic, Maximum gradient 44 %, Maximum lift 17.88 ft, Traction 4x2 / 4x4 FullGrip, Power 41.8 hp, Torque 159,8@1600. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$120,158.05
AUSA	Rough Terrain Forklift	C251	Rough Terrain Forklift - Load Capacity: 5000 lb, Engine: Kubota V2403-CR, Load Capacity to 500 mm: 5500 lb, Load Capacity to 600 mm: 5000 lb, Engine: Power - 41.8 hp, Torque - 159.8@1600, 4 cylinders, Empty Weight: 9400 lb, Noise Level: 104 dB(A), Transmission: Hydrostatic, Max Speed: 12.4 mph, Maximum Lift: 17.88 ft, Maximum Gradient: 38%. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$106,741.59
AUSA	Rough Terrain Forklift	C150	Rough Terrain Forklift - Load Capacity: 3000 lbs, Engine: Kubota V1505-E4B, Load Capacity to 500mm: 3300 lbs, Load Capacity to 600mm: 3000lbs, Engine: 24.8 hp, Empty Weight: 5950 lbs, Torque: 92.6@1700, Transmission: Hydrostatic, 4 Cylinders, Maximum Lift: 13.12 ft, Noise Level: 101 dB(A), Max Speed: 12 mph, Hydraulic System: Hydraulic Circuit - 5.8 gal/min, Working Pressue - 2901 psi , Maximum Gradient: 25%. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$77,196.51
AUSA	Site Dumper	D601AHG	Site Dumper - Unloading System: Rotating, Heaped Hopper Capacity: 4.12 cy, Load Capacity: 13200 lb, Empty Weight: 10648 lb, Chassis: Articulated, Transmission: Hydrostatic, Water Hopper Capacity: 2.18 cy, Reversibility: Reversible, Level Hopper Capacity: 3.21 cy, Engine: Deutz. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$103,973.49
AUSA	Site Dumper	D350AHG	Site Dumper - Unloading System: Rotating, Heaped Hopper Capacity: 2.78 cu yd, Loading Capacity: 7700 lb, Empty Weight: 6241 lb, Chassis: Articulated, Transmission: Hydrostatic, Water Hopper Capacity: 1.33 cu yd, Reversibility: Non-reversible, Level Hopper Capacity: 2.34 cu yd, Engine: Kubota. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$78,807.93
AUSA	Site Dumper	D150AH	Site Dumper - Unloading System: High Heaped Hopper Capacity: 1.1 cu yd , Load Capacity: 3300 lb, Empty Weight: 3330 lb, Chassis: Articulated, Transmission: Hydrostatic, Water Hopper Capacity: 0.79 cu yd, Reversibility: Non-reversible, Level Hopper Capacity: 0.89 cu yd, Engine: Kubota. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$52,094.37
AUSA	Site Dumper	D100AH	Site Dumper - Unloading System: High, Heaped Hopper Capacity: 0.74 cu, Load Capacity: 2200 lbs, Empty Weight: 2866 lb, Chassis: Articulated, Transmission: Hydrostatic, Water Hopper Capacity: 0.45 cu yd, Reversibility: Non-reversible, Level Hopper Capacity: 0.52, Engine: Kubota. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$50,993.37
AUSA	Rough Terrain Forklift	C501H	C501H all-terrain forklift with a 5000 kg (11,000 lbs) payload. Real-time digital screen next to the steering wheel: speed, temperature, alarms, sensors, etc. You can interact with it using the cab's joystick and run self-diagnostics on the unit. Empty Weight: 17000 lbs, Transmission: Hydrostatic, Maximum Lift: 17.88 ft, Noise level: 104 dB(A), Max Speed: 12.4 mph, Hydraulic System: Hydraulic Circuit - 15.6 gal/min, Working Pressure - 3408 psi, Max Gradient: 35%, Fluid Capacity: Fuel - 91 gal, Hydraulic System - 30 g. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$149,057.42
AUSA	Compact Telehandler	T204	Compact Telehandler - Kubota Diesel powered engine or equal, Maximum reach 8.43 ft, Permanent 4x4 transmission, 2-speed Hydrostatic, Max Speed 14.9 mph, 3 steering modes (front, crab and coordinated), Gradeability under full load 50%, Load Capacity at max height 4400 lbs, Working pressure 3480 psi, Maximum lift 13.77 ft, Service brakes Hydraulic - Disc and Mechanical parking brake. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$116,508.17
AUSA	8K Rough Terrain Forklift	C401H	8K Rough Terrain Forklift - Load capacity 8000 lb, Empty weight 16300 lb, Transmission Hydrostatic, Maximum lift 17.88 ft, Power 74.3 hp, Torque 330@1600, Max. speed 12.4 mph, Maximum gradient 35 %, External turning radius 173 in, Carriage width 65.3 in. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$142,735.67
AUSA	Compact Telehandler	T235H	Compact Telehandler - Maximum lift capacity: 5000 lbs, Carriage tilt total F/B variable through lift arc: 111 degree, Maximum lift height: 16.4 feet, Equipped with Kubota 42.9hp diesel, Maximum forward reach: 92.4 inches, Weight: 10250 lbs, Maximum load at maximum reach: 1764 lbs, Turning radius: 113 inches, Counterbalanced lift truck, (ROPS) Roll-Over Protection and (FOPS) Falling Object Protection) compliant Front screen guard. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$125,392.63
AUSA	8K Rough Terrain Forklift	C400	8K Rough Terrain Forklift - Load capacity 8000 lb, Empty weight 16300 lb, Transmission Hydrostatic, Maximum lift 17.88 ft, Power 74.3 hp, Torque 330@1600, Max. speed 12.4 mph, Maximum gradient 35 %, External turning radius 173 in, Carriage width 65.3 in. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$138,148.19
Auto Crane	Maintenance Service Truck	Titan 16	Maintenance Service Truck - Maintenance body Mounted on a Ford F550 medium duty diesel truck chassis or equal. Multiple crane options, Heavy-duty performance and extended service life, One-piece 10 gauge side-pack design for rugged, off-road use minimizes weld seams for less cracking and rust, Integral crane box transfers load directly to outriggers reducing stress on the chassis ? reinforced up to 16,000 ft-lb, Internal stainless steel hinges reduce potential corrosion points, Double-paneled A60 Galvaneal doors for added strength, Rounded door corners throughout reduce effect of load on stress points. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$192,649.30

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Auto Crane	Medium Duty Maintenance Service Truck	TITAN 38	Maintenance Truck with Crane - Mounted on a Diesel-powered commercial truck chassis or equal. One-piece 10 gauge (3.6mm) side-pack design for rugged, off-road use minimizes weld seams for less cracking and rust, Gas door struts, 12 gauge (2.8mm) tread plate on tops and cargo area for added durability, Rounded door corners throughout reduce the effect of load on stress points, Integral crane box transfers load directly to outriggers reducing stress on the chassis ? reinforced up to 38,000 ft-lbs., and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$199,436.95
Autoquip	Self-Powered Body Fuel Tank Loader trailer	TRK-091-0080	Self-Powered Body Fuel Tank Loader trailer with Options: Onsite support / training, Back up battery system with charger, Electrical adapter / converter for recharging from flight line power units, and 2 rows of ball transfer lanes 28 x 230 with 40" center open lane (176 balls). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$618,827.10
Bay-Lynx Manufacturing Inc.	Volumetric Mixer Truck	T450	The T450's service life is increased over 200% compared to that of a standard mixer due to the Hardox steel.The Hardox steel and redesigned frame accounts for over 1350 lbs of weight savings, allowing for much greater payload. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$328,431.03
Bay-Lynx Manufacturing Inc.	22 Yd Capacity Spreader Truck	UL20	A lighter body and components means you can carry a heavier load. Aluminum also polishes to an eye-catching shine, meaning your spreader becomes a memorable marketing tool for your business. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$328,431.03
Bay-Lynx Manufacturing Inc.	14 Yd Capacity Spreader	MC15	Used by Quarry Operators, Haulers, Landscapers, contractors, all across North America, to spread multiple products, up to 100 ft. from rear bumper, in hard to access areas such as: Basements, Tile Beds, Backfilling, Curbs, Utility Trenches, and many more applications. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$328,431.03
Bay-Lynx Manufacturing Inc.	Volumetric Concrete Mixer	4M	Volumetric Concrete Mixer - Large Capacity hopper, Accommodate flowable fill and Type III (High Early Yield End Strength) cement design mixes, Pintle hitch ability to accommodate between 18-in. and 40-in. in height, Mountable on a tandem axle straight frame trailer, Separate compartments for sand, aggregate, and cement, Aggregate conveyor (with anti-spillage, strike-off gate and belt wiper), mixing and calibrations systems. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$345,690.49
Bay-Lynx Manufacturing Inc.	Volumetric Mixer	MDM-Series	Volumetric Mixer - Large Capacity Cubic Yard Hopper, Separate pressure washer system and tank, Multiple Auger configurations, Mounted on HD Flatbed trailer, Aux engine to run the hydraulic pump, HD Landing Gear to support trailer, Dry material conveyor belt system, Multiple working lights, Onboard Mix water tank, Hydraulic mixing pump, conveyor system, dual-stage Water System, Multiple Admix systems, Options include Liquid cooler, wireless remote, Variable displacement load sensing Hydraulic system, in-field training available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$305,147.13
Behnke Enterprises Inc.	Hydraulic Beavertail Trailer	FB8X32GN	Hydraulic Beavertail Trailer - Multiple bed Lengths Bed; 10' Hydraulic Beavertail, 12" 22lb. I-Beam Frame, 12,000 lb. oil bath axels with electric brakes, 6" trailer gooseneck, 2 5/16 gooseneck hitch (30,000 lb. rating), 12-volt hydraulic pump, (2) 4" Bore Cylinders, (2) 3/8 Safety Chains, Upgraded 3rd 12K axle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$67,921.42
Behnke Enterprises Inc.	Gooseneck Flatbed Trailer	FB8X30GN	Gooseneck Flatbed Trailer - Multiple bed Lengths, (2) dual speed 12,000 lb. spring loaded drop leg jack, 5' self-cleaning angle iron beavertail w/ (2) flip-over spring assisted ramps, 12" x 18" x 48" Underbody toolbox, (2) Dexter 8,000 lb. axels, Cold weather harness, 10,000 lb. heavy duty spring loaded jack, 2 5/16 Gooseneck Hitch, 12 x 22 lb. I-beam frame. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$49,177.54
Behnke Enterprises Inc.	Pull-type Flatbed Trailer	FB8X25GN	Pull-type Flatbed Trailer - GVWR: 16000 lbs, Flatbed, Electric-over-hydraulic disc brakes, 5' self-cleaning angle iron beavertail, Upgrade to dual 25K drop leg landing gears, (2) spring assisted flip over ramps, 2 5/16" Gooseneck coupler, (2) Dexter 8,000 lb. axles, 2 x 8 Treated Wood Floor, Stake Pockets & Rub Rail, Modular Wire Harness -- Rubber Mounted Sealed LED Lights, (2) Drop Leg Supports, Mud Flaps, Reflector tape, 38" W x 14" D x 20" H Chest style toolbox between gooseneck uprights. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$38,569.08
Behnke Enterprises Inc.	Gooseneck Flatbed Trailer	FB8X35GN	Gooseneck Flatbed Trailer - GVWR 23,900 lbs, 2 5/16 Adjustable Gooseneck Hitch, 12" 19 lb I-Beam Frame, (2) 10,000lb General Duty Oil Bath Axles w/ Electric Brakes, 5' self-cleaning angle iron beaver tail, Dexter HDSS suspension, (2) spring-assisted flip-over ramps, 2-speed dual jacks, Rub Rail & Stake Pockets, Modular Wire Harness, wood floor, Rubber Mounted Sealed LED Lights, (2) 1/2" Grade 70 Safety Chain, Mud Flaps, Reflector Tape. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$39,860.98
Behnke Enterprises Inc.	Gooseneck Flatbed Trailer	FB8X40GN	Gooseneck Flatbed Trailer - Bumper pull or gooseneck hitch and then add any of our beavertail and ramp options, Unloaded Deck Height 34", Axles 22,500 lb. Dexter Air Brake, Side Rails 8" channel, Suspension Hutch H9700, I-beam frame, Models are available with electric, electric over hydraulic, or air brakes, dual speed semi-style landing gears, Tie-Downs, Toolbox storage, Hardwood flooring with rubber optional. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$46,897.85
Behnke Enterprises Inc.	Liquid Transport Trailer	T14ETDOT	Liquid Transport Trailer - Main Frame 2" x 6" Tube or Channel, Frame width 59", Capacity up to 14,000 GVW, Finish and Paint Bead blasted, acid washed, zinc-rich primed, powder-coated, Jack top wind 15" travel; 5,000 lb., Overall length 16'6", Adjustable height Clevis hitch, 12" x 12" fill step, 7,000 lb Dexter Spring axels and suspension. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$40,686.36
Behnke Enterprises Inc.	Triple Axle Deck Trailer	M872 - CE	Triple Axle Deck Trailer - Up to 48' length, hardwood flooring, triple heavy duty axels, 5th wheel king pin hitch, heavy duty landing gear and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$101,042.04

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Behnke Enterprises Inc.	M871 (Commercial Equivalent) Tandem Axle Drop Deck Trailer	M871 - CE	M871 (Commercial Equivalent) Tandem Axle Drop-Deck designed with 22.5 ton capacity Commercial Equivalent to M871 trailer, ISO container transportable capable. D-Ring load and trailer restraints/tie downs. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$75,138.36
Behnke Enterprises Inc.	Trailer Hydraulic Drop Deck Body	HDT40SS-60L	Trailer Hydraulic Drop Deck Body. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$229,188.96
Behnke Enterprises Inc.	Tri-Axle Flatbed Trailer	FB8X30SDPT	Tri-Axle Tag Flatbed Trailer - Hutch 9700 spring suspension, 60,000 lb.GVWR, Custom welded beam (1 piece I-beam construction, 80 KSI web, T1 flanges), 42" wide x 6' long self-cleaning angle iron air-assisted ramps, 24' main deck w/ 6' self-cleaning angle iron beavertail, 3" Adjustable Pintle Hitch rated @ 66,000 lbs., (3) 22,500 lb. Dexter air brake axles, 7' long tongue. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$73,559.07
Behnke Enterprises Inc.	Dump Trailer	LPD89X	Dump Trailer - Length: 14', 16' or 18' bed w/ 2' or 3' sides, Width 83", 8" Channel frame, Unloaded Deck Height 29 1/2", Side Rails 10 gauge steel sides, Crossmembers 3" channels, Fenders HD Fully Welded 11 gauge, Jack Single 12K drop leg, Safety Chains(2) 1/2" Gr. 80, Multiple hitch configurations. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$54,571.98
Behnke Enterprises Inc.	Freeze Seal Trailer	CT24EX-40	Freeze Seal Trailer. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$34,980.00
Behnke Enterprises Inc.	Step Deck Flatbed Trailer	FB8X53SS	Step Deck Flatbed Trailer - Flat Deck dual standard axle, with optional 3rd axle to support up to 80,000 lb GVWR, Air Ride Suspension, ABS brakes, dual speed landing gear. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$123,940.28
Behnke Enterprises Inc.	30K Gooseneck Flatbed Trailer	FB8X30	30K Gooseneck Flatbed Trailer - Our 24,000 lb. to 30,000 lb. GVW deckover flatbed trailers are built with a heavy 12" x 22 lb. I-beam frame. These models are available with electric, electric over hydraulic, or air brakes. Design your trailer with either a bumper pull or gooseneck hitch and then add any of our beavertail and ramp options for the perfect set-up. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$42,835.32
Behnke Enterprises Inc.	40K Flatbed Tilt Trailer	FTT40	40K Flatbed Tilt Trailer - Our highly popular tag-style 40,000 lb. - 50,000 lb. deckover tilt is perfect for loading the heaviest equipment in your fleet. These models come standard air brakes and our custom 1-piece fabricated I-beam construction that produces a higher tensile strength beam than the steel mills produce. 24° tilt decks come standard, then you are able to choose between a 4° - 10° stationary deck to fit whatever equipment you plan to haul on it. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$51,012.71
Behnke Enterprises Inc.	40K Tag Flatbed Trailer	FB8X40	40K Tag Flatbed Trailer - Our 40K tag trailers are pull-type trailers with (2) 22,500 lb. air brake axles and dual 235/75R 17.5 tires, which provide an ultra-low 34" unloaded deck height. These trailers utilize a one piece fabricated I-beam construction (80 ksi) with 4" jr. I-beam x-members (80 ksi) and oak decking. Bed lengths are available in 20-32' lengths and a 6' self cleaning angle iron beavertail is standard, but many other beavertail and ramp combos are available. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$46,606.56
Behnke Enterprises Inc.	43' Step Deck Flatbed Trailer	SDFT43	43' Step Deck Flatbed Trailer - Our low model of OTR semi trailers comes standard with tandem 22,500 lb. air brake axles and 235/75R-17.5 tires. This model has a 35" deck height and is built with our custom fabricated high tensile strength 1-piece I-beam construction and comes in tandem and triple axle configurations. Available in a variety of lengths and with an optional 6' beavertail and load ramps. Air ride suspension and lightweight apitong hardwood decking are also standard on this model to give over the road truckers the best hauling experience possible. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$57,881.25
Behnke Enterprises Inc.	50K Flatbed Tilt Trailer	FTT50	50K Flatbed Tilt Trailer - Our highly popular tag-style 40,000 lb. - 50,000 lb. deckover tilt is perfect for loading the heaviest equipment in your fleet. These models come standard air brakes and our custom 1-piece fabricated I-beam construction that produces a higher tensile strength beam than the steel mills produce. 24° tilt decks come standard, then you are able to choose between a 4° - 10° stationary deck to fit whatever equipment you plan to haul on it. Various traction options are also available to give you some extra stability for loading on wet and muddy days. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$56,729.64
Behnke Enterprises Inc.	50K Tag Flatbed Trailer	FB8X50	50K Tag Flatbed Trailer - Pull-type trailer with (3) 22,500 lb. air brake axles and dual 235/75R 17.5 tires, which provide an ultra-low 34" unloaded deck height. Trailer utilize a one piece fabricated I-beam construction (80 ksi) with 4" jr. I-beam x-members (80 ksi) and oak decking. Bed lengths are available in 20-32' lengths and a 6' self cleaning angle iron beavertail is standard, but many other beavertail and ramp combos are available (see options). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$50,735.51
Behnke Enterprises Inc.	14K Partial Tilt Trailer	TBCT2214	14K Partial Tilt Trailer - The 14-16K tube tilt is equipped with either 7K or 8K torflex axles. The framework on both trailers utilizes an 8" tube design and both are 83" wide between the fenders. Trailers come with 2-8' stationary decks and 16' or 18' tilt decks. Pull-type and gooseneck configurations are available. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$24,614.04
Behnke Enterprises Inc.	20K Low Profile Dump Trailer	LPD20	The 20K dump series comes with newly improved design features and expands upon the current option offerings of the low-profile dump series. The chassis is riding on (2) Dexter 10,000-lb general-duty axles with oil bath hubs and 235/75R-17.5 super-single 18-ply tires. Loading equipment and materials into the dump box remains a breeze mainly because of a 29" deck height and 83" inside box width. This provides a key advantage for loading equipment, over traditional 20K capacity dump trailers that are often deckover style, which in turn have a taller deck height. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$38,229.85
Behnke Enterprises Inc.	Special Transport Trailer	FB9.5X34SS-60H	Special Transport Trailer - Custom and built to transport medium capacity payloads. Tandem axle rated up to 25000lbs, steel fenders, Custom mounting plates to secure load, Dual Voltage available 12/24v, Outriggers, steel fenders and deck. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$65,865.36
Behnke Enterprises Inc.	Step Deck Flatbed Trailer	FB8X48 - 53	Step Deck Flatbed Trailer - Flat Deck dual standard axle, with optional 3rd axle to support up to 80,000 lb GVWR, Air Ride Suspension, ABS brakes, dual speed landing gear. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$82,349.51

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Behnke Enterprises Inc.	Flatbed Trailer	FBsX48SS	Flatbed Tilt Trailer - Triple Axle -- 80,000 lb. GVWR Trailer, Rated for 80,000 lbs. distributed, 52,000 lb. rating in 10' concentrated area, Dual, dual speed semi-style landing gears. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$76,733.47
Behnke Enterprises Inc.	Flatbed Tilt Trailer	FBsX33TPT	Flatbed Tilt Trailer - 60,000 lb. GVWR, 6' stationary deck, 27' tilt deck (Includes an approx. 12" approach plate w/ traction channels, 22,500 lb. Dexter axle Air Brakes, ABS Auto Slack Adjust & Parking brakes on all axles, 3" pintle hitch (66,000 lb. capacity). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$66,259.41
Behnke Enterprises Inc.	Tandem Axle Beavertail trailer	FBsX32SDPT	Tandem Axle Beavertail trailer - 26' main deck w/ 6' angle iron self-cleaning beavertail, Frame --1 Piece I-beam Construction, 80 ksi web and T1 flanges, Axles -- (1) 20,000 lb. axle w/ ABS Air Brakes, Spring Ride, (2) 20,000 lb. axle Non-ABS Air Brake, Spring Ride, Beavertail -- 6' Self Cleaning Angle Iron Beavertail, Hitch -- 3" Adjustable Pintle Hitch (Rated at 66,000 lbs.), Floor -- 2" Nominal Oak Deck, Tongue Mount Toolbox, Jack -- (2) Dual Speed Semi-Style Landing Gear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com .	\$56,134.32
Behnke Enterprises Inc.	Gooseneck Beavertail Trailer	FBsX40SS	Gooseneck Beavertail trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$71,437.16
Behnke Enterprises Inc.	Gooseneck Tilt Trailer	GDFB8X	Gooseneck Tilt Trailer - 4' Stationary, 20' Tiltbed, 10" Channel Frame, 10" Channel Gooseneck, (2) 10,000 lb. Dexter Oil Bath Axles, Spring Suspension, Electric and Forward Self-Adjusting Brakes Both Axle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$51,297.84
Behnke Enterprises Inc.	Dovetail Trailer	FBsX25	Dovetail Trailer - Hardwood Deck, D-rings for extra securement of trailer load, Under-body toolbox, Transporter Safety Chains, Jack in center of tongue or Dual Jacks, Channel Side Rail, Rubber Mounted LED Lights, and Steel Fenders Over the Wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$50,488.68
Behnke Enterprises Inc.	Flatbed Semi Trailer	FBsX48SS-60H	Flatbed Tilt Trailer - Triple Axle -- 60,000 lb. GVWR Trailer, Rated for 60,000 lbs. distributed, 52,000 lb. rating in 10' concentrated area, Dual, dual speed semi-style landing gears. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$60,310.80
Behnke Enterprises Inc.	Step Deck Flatbed Trailer	FBsX53SS-OTR-80H	Step Deck Flatbed Trailer - Flat Deck dual-standard axle, with optional 3rd axle to support up to 80,000 lb GVWR, Air Ride Suspension, ABS brakes, dual speed landing gear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$80,744.40
Behnke Enterprises Inc.	Step Deck Flatbed Trailer	FBsX53SS-OTR-60H	Step Deck Flatbed Trailer - Flat Deck dual-standard axle, with optional 3rd axle to support up to 60,000 lb GVWR, Air Ride Suspension, ABS brakes, dual speed landing gear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$73,576.80
Behnke Enterprises Inc.	Flatbed Tilt Trailer	FBsX28TPT-50L	50K Air Tag Flatbed Tilt Trailer -4' stationary wood deck, 24' wood tilting deck w/knife edge beavertail, dual cushioned cylinders, 102" wide. Two 25,000 lbs axles, Dexter HDSS suspension, Bendix ABS. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$61,340.40
Behnke Enterprises Inc.	Flatbed Tilt Trailer	FBsX28TPT-40L	40K Air Tag Flatbed Tilt Trailer - 4' stationary wood deck, 24' wood tilting deck w/knife edge beavertail, dual cushioned cylinders, 102" wide. Two 25,000 lbs axles, Dexter HDSS suspension, Bendix ABS. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$55,638.00
Behnke Enterprises Inc.	50K Air Tag Flatbed Trailer	FBsX31SDPT-50L	50K Air Tag Flatbed Trailer - 20-32' w/ 6' beavertail, 50,000 lb.GVWR, Custom welded beam (1 piece I-beam construction, 80 KSI web, T1 flanges), 42" wide x 6' long self-cleaning angle iron air-assisted ramps, 20-32' main deck w/ 6' self-cleaning angle iron beavertail, 3" Adjustable Pintle Hitch rated @ 90,000 lbs., (3) 22,500 lb. air brake axles. Trailer can be slightly modified to meet customer requirements. For additional information contact Jeanne @ 571-266-9082 or Email: Jeanne@Fedharmony.com Global has trailers to satisfy customer requirements: Mobile command, emergency response, enclosed, Dry Van, Refrigerated, equipment, Hydraulic Drop Deck, Sliding Axle, M Series, and more	\$55,360.80
Behnke Enterprises Inc.	40K Air Tag Flatbed Trailer	FBsX31SDPT-40L	50K Air Tag Flatbed Trailer - 20-32' w/ 6' beavertail, 50,000 lb.GVWR, Custom welded beam (1 piece I-beam construction, 80 KSI web, T1 flanges), 42" wide x 6' long self-cleaning angle iron air-assisted ramps, 20-32' main deck w/ 6' self-cleaning angle iron beavertail, 3" Adjustable Pintle Hitch rated @ 90,000 lbs., (3) 22,500 lb. air brake axles. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$51,242.40
Behnke Enterprises Inc.	20K Dump Trailer	LPD83X16E102	20K Dump Trailer - Length: 14-16' bed w/ 2' or 3' sides, Width 83", 8" Channel frame, Unloaded Deck Height 29 1/2", Side Rails 10 gauge steel sides, Crossmembers 3" channels, Fenders HD Fully Welded 11 gauge, Jack Single 12K drop leg, Safety Chains(2) 1/2" Gr. 80, Multiple hitch configurations. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$41,302.80
Behnke Enterprises Inc.	16K Dump Trailer	LPD83X16E802	16K Dump Trailer - Length: 14-16' bed w/ 2' or 3' sides, Width 83", 8" Channel frame, Unloaded Deck Height 29 1/2", Side Rails 10 gauge steel sides, Crossmembers 3" channels, Fenders HD Fully Welded 11 gauge, Jack Single 12K drop leg, Safety Chains(2) 1/2" Gr. 80, Multiple hitch configurations. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$38,966.40
Behnke Enterprises Inc.	14K Dump Trailer	LPD83X14E702	14K Dump Trailer - Length: 12-16' bed w/ 2' or 3' sides, Width 83", 8" Channel frame, Unloaded Deck Height 29 1/2", Side Rails 10 gauge steel sides, Crossmembers 3" channels, Fenders HD Fully Welded 11 gauge, Jack Single 12K drop leg, Safety Chains(2) 1/2" Gr. 80, Multiple hitch configurations. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$34,056.00
Behnke Enterprises Inc.	20K Partial Tilt Trailer	TBCT2220	20K Partial Tilt Trailer - The 20K tube tilt is equipped with 10K torflex axles. The framework utilizes an 8" tube design and is 83" wide between the fenders. The trailer comes with a 2-6' stationary deck and a 16-18' tilt deck. Pull-type and gooseneck configurations are available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$34,936.26
Behnke Enterprises Inc.	16K Partial Tilt Trailer	TBCT2216	16K Partial Tilt Trailer - The 16K tube tilt is equipped with 8K torflex axles. The framework on utilizes an 8" tube design and is 83" wide between the fenders. The trailer comes with a 2-6' stationary deck and a 16-18' tilt deck. Pull-type and gooseneck configurations are available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$29,750.44

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Behnke Enterprises Inc.	30K Gooseneck Flatbed Trailer	FB8X30GN-30E	Gooseneck Flatbed Trailer - Multiple bed Lengths, (2) dual speed 12,000 lb. spring loaded drop leg jack, 5' self-cleaning angle iron beavertail w/ (2) flip-over spring assisted ramps, 12" x 18" x 48" Underbody toolbox, (2) Dexter 8,000 lb. axels, Cold weather harness, 10,000 lb. heavy duty spring loaded jack, 2 5/16 Gooseneck Hitch, 12 x 22 lb. I-beam frame. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,480.40
Behnke Enterprises Inc.	24K Gooseneck Flatbed Trailer	FB8X30GN-24E	Gooseneck Flatbed Trailer - Multiple bed Lengths, (2) dual-speed 12,000 lb. spring loaded drop leg jack, 5' self-cleaning angle iron beavertail w/ (2) flip-over spring assisted ramps, 12" x 18" x 48" Underbody toolbox, (2) Dexter 8,000 lb. axels, Cold weather harness, 10,000 lb. heavy duty spring loaded jack, 2 5/16 Gooseneck Hitch, 12 x 22 lb. I-beam frame. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$44,629.20
Behnke Enterprises Inc.	Flatbed Semi Trailer	FB8X48SS-80H	Flatbed Trailer - Triple Axle -- 80,000 lb. GVWR Trailer, Rated for 80,000 lbs. distributed, 52,000 lb. rating in 10' concentrated area, Dual, dual speed semi-style landing gears. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$67,478.40
Behnke Enterprises Inc.	Tilt Trailer	TBCT2016	Tilt Trailer - GVWR = 17,600 lbs, Tilt Latch Mechanism, Tube Frame, Solid Front Rail Channel Crossmembers, oak decking, (2) 8,000 lb. Torflex Dexter E-Z Lube Axles, 16' Tilt, 4' Stationary, Electric and Forward Self-Adjusting Brakes, Both Axles, Flush Floor, Cushion Cylinder--Gravity up & down w/ dampening cylinder & side mounted hydraulic flow valve , Pallet Fork Holders, Accessories: Pintle Hitch, Bolt-on winch stand mounted on tongue of trailer, Solar charger w/ cover for breakaway battery, (1) 12,000 lb. spring loaded drop leg jack, (4) D-rings, 12-Volt Breakaway Kit with Full Charge Indicator, Switch, and Battery, Spare tire, rim & mount. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$33,069.27
Behnke Enterprises Inc.	Flat Bed Tilt Trailer	FB8X31TPT	Flat Bed Tilt Trailer - 6' stationary w/ 25' tilt deck, 22,500 lb. Dexter Axles w/ Air Brakes, ABS Auto Slack Adjust & Park Brake, I-beam construction (100 KSI web w/ T1 flanges), tubed top frame, Hutch 9700 spring suspension, channel side rails, Dual gravity tilt cylinders w/ airbag assist, Pintle hitch, Safety chains, Dual, Dual Speed Semi-Style Landing Gears, tongue mount toolbox, LED lights, Oak Floor w/ 4" jr. I-beam cross members on 16" centers, Zinc primer and powder coat finish - "Black", D-rings, Side steps. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$72,984.24
Behnke Enterprises Inc.	Flat Bed Trailer	FB8X31SD	Flat Bed Trailer - 40,000 GVW, 1 Piece I-beam Construction, 80 ksi web and T1 flanges, 25' Bed, 6' Self-Cleaning Angle Iron Beavertail, 20,000 lb. axle w/ ABS Air Brakes, Spring Ride, Double break beavertail, 42" wide x 6' long self-cleaning angle iron air-assist ramps, Hutch 9700 Spring, 75" long tongue, Extra D-rings, D-rings Every 4', (2) Dual Speed Semi-Style Landing Gear, 6' Self Cleaning Angle Iron Beavertail, Solid Front Rail, 6" High, 3" Adjustable Pintle Hitch (Rated at 66,000 lbs.), 4" Jr. I-beam Crossmembers on 16" centers, Oak Deck, 8"x 11.5 Lb. Channel Side Rail, Tongue Mount Toolbox, 1/4" Steel Over the Wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$67,433.49
Behnke Enterprises Inc.	Flat Bed Trailer	FB8X40SS-FD	Flat Bed Trailer - 60,000 lb. GVWR, Semi style hitch, 40' Flat Deck Semi Trailer, Dual, dual speed semi-style landing gears, 25,000 lb. axles w/ Air Brakes, ABS auto slack adjust & park brake, apitong flooring, Ridewell RAR-260 air ride suspension, Stake pockets -- Rub rail, Mud flaps, Standard tandem rear wheels with air brakes, Rubber mounted sealed LED lights, King Pin Hitch, underbody toolbox, Zinc powder primed and powder coat top finish - "Black", Standard Axle Spacing, 35,000 weight capacity, Air brakes. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$68,517.29
Behnke Enterprises Inc.	Tilt Bed Trailer	TBCT2224	Tilt Bed Trailer - 16' Tilt, 6' Stationary, Spare tire, Payload capacity of 16,000lbs, Over-all width: 8 ft. 6 in. (approx.), Height 23 in. (minimum loaded height), 12" x 12" x 48" toolbox, Hitch: standard GN 2-5/16" (25,000 lb) with a gooseneck length of 8'8", 5 x 5 x 5/16" Angle Frame Upper Frame, Expanded metal traction strips, 8" x 2" x 3/8" Tube Frame for Lower Frame, Expanded metal welded on beavertail for traction, 5" Tall Solid Front Rail --Flush Floor. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$57,239.61
Brush Hawg	Knuckle Boom Grapple Loader	Brush Hawg AWC	Brush Hawg is the mobile, truck-mounted knuckle-boom grapple loader ideal for municipal brush and limb collection, and offers the highest load capacity, versatility, and reliability in its class. Up to 20' reach in all directions, 4-way Adjustable Stabilizers, Over 9000 lb. Lift Capacity, 30' Diameter Slewing Bearing, In-Cab Joy Stick Controls (4-door cab chassis), Planetary Gear Drive, In-Cab rear-facing operator controls, Single Stage Direct-Mount Pump, 3 Camera Monitoring and roof window for safe in-cab operation, Telescopic Tip Boom Extensions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$255,579.00
Brush Hawg	Knuckle Boom Grapple Loader	Brush Hawg C	Brush Hawg is the mobile, truck-mounted knuckle-boom grapple loader ideal for municipal brush and limb collection, and offers the highest load capacity, versatility, and reliability in its class. Heavy Duty 30" Diameter Slewing Ring Bearing, 48" x 60" Bucket w/ Bolt-On Cylinder Covers and Reversible Bolt-On Edges, 2-Stage Planetary Gear Box and Disc-Valve Motor, Single Stage Direct-Mount Pump, 20'-8" Overall Reach, Telescopic Tip Boom Extension, Boom Designed to Enhance Below Grade Reach, Continuous Bucket Rotator, Dual Stand-Up Operator Stations w/Direct Linkage Controls, 18' Tapered Dump Body (42' x 74'). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$234,585.00
BWS Manufacturing Inc.	Commercial Triple Axle Flatbed Trailer (Mil Equal)	HF3X - Mil	Commercial Triple Axle Flatbed Trailer (Mil Equal) - up to 48 ft in length, flatbed trailer with hardwood flooring, triple axles, heavy duty landing gear, air brakes, heavy duty suspension and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$96,865.56
BWS Manufacturing Inc.	Nuclear Cask Trailer	45DD3X	Overall length of 44 feet, 5 inches, Overall width of 102 inches, Floor of 2 inch plate with 30 inches, 3 lbs., mesh front and rear, Three axles of 25,000 lb capacity each - 77.5 inch track with 3/4 inch wall, Ridewell RAR 240 suspension, 1 Wishbone, 2 Underslung Air Ride suspension, 30,000 lb 6 1/2 inch ride height, adjustable ride height - includes air gauge and automatic dump valve. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$159,734.03

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
BWS Manufacturing Inc.	Equipment Trailer	48ET2X	Equipment Trailer - Up to 48' in length, Loaded Deck Height 35 in., Main Frame 3/8 in. x 5 in. Top and Bottom Flanges 100 KSI, Cross members Hi-Tensile Standard 6 in. I-beam @ 12 in. O/C on Lower Deck w/ Knee Braces, Floor 1 1/2 in. Hardwood, Air Brake System 2S/1M with Automatic Slack Adjusters, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$79,182.84
BWS Manufacturing Inc.	Immobilized Low-Activity Trailer	50DD4X	Immobilized Low-Activity Trailer - Custom Fabricated Heavy-Duty Steel Trailer, Multi axle double drop down trailer, 5th wheel Coupler Weld in King Pin, Twist locks, LED DOT/FVMSS approved lighting for low light visibility, Air Ride suspension for smooth and stable transport, Landing Gear Dual 2 Speed and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$310,314.84
BWS Manufacturing Inc.	47DD3X	47DD3X	Nuclear Cask Trailer - Loading and unloading is performed efficiently and safely, Increase productivity & safety, A, B & RT-100 casks ready, All casks can be accommodated, Lower operating cost, Quality built for nuclear environment, Exceptional durability. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$235,375.80
Capacity Trucks	Yard Tractor Truck	TJ9000	Yard Tractor Truck - Warehouse and Distribution Application, Sheppard M-100 Steering, 12V Electrical System, Front Axle: Meritor FL-941 16,000 lb. Capacity, GCVWR 125,001 to 242,000 lbs., Rear Axle: Meritor MOR-32 12.28:1 Ratio 70,000 lb. Terminal Rating, Cummins QSBT4-Final 6.7L 173 Horsepower, 2300 RPM Turbocharged and Charge Air Cooled, Rear Suspension, Planetary, Rigid, Allison RDS-3500, Holland Hitch FW2870 - 100,000 lb. Lift Capacity, 16" Lift Height w/ Air Activated Dual Locking jaws with Manual Lock out. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$206,388.60
Capacity Trucks	Yard Spotter Tractor	TJ 6500	Yard Spotter Tractor - The TJ 6500 comes in off-highway and DOT Certified models. The off-highway model is designed to move trailers within the facility around warehousing industries. It features a tandem axle and has GCWR of up to 125,000-lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$202,257.98
Capacity Trucks	Terminal Truck Options package	Cap - OP	Terminal Truck Options package - The Terminal option package, can include multiple engine, cab, transmission, Axle, suspension, steering, frame, lights, mirror, fifth wheel, trailer, paint battery, wheel and tire options. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$79,510.33
Capacity Trucks	Yard Spotter Tractor	TJ 5000	The Capacity 5000 Series are comfortable, functional tractors, which include off-highway and DOT Certified models. The off-highway model is designed to move trailers within the facility around warehousing industries. With its 30,000 lb. rear axle, this unit is perfect for light manufacturing and warehousing/distribution applications. It has a GCW of 81,000 lbs. and gradeability of 81,000 lbs. at 22% grade. The TJ5000 DOT Certified unit is built with a highway package that includes a variety of street legal features offering superior versatility. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$188,014.47
Clark Material Handling Company	Forklift	C80	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$103,297.00
Combilift USA	8 Ton Multidirectional Lift Truck	C8000	Designed to improve your workflow by effectively becoming three forklifts in one, a sideloader, counterbalance and narrow aisle forklift. This revolutionary design eliminates costly double handling of material and improves productivity. The Combi C-series has the ability to quickly change the direction of its wheels and move in any direction. This 4-way movement gives this forklift the versatility to transport long loads through narrow doorways and around objects with confidence and utmost safety lift. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$102,842.85
Combilift USA	6 Ton Multidirectional Lift Truck	CB6000	The diminutive stature combined with the forklifts maneuverability makes the Combi-CB the perfect all-round forklift having the ability to transport a very diverse range of goods, from palletised loads to long length materials such as timber or steel beams. Its low profile and compact design enable the CB to offload HGV's and bring goods to racking or to feed production lines. The combi-CB is also small enough to enter containers for stuffing or de-stuffing. A further advantage of the CB's innovative 4-way steering and compact design is that it provides you with the versatility to operate it as a narrow aisle forklift. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$90,477.89
Combilift USA	Powered Pallet Truck	PPT15	Powerful, economical and thoughtfully-designed, Combilift's Powered Pallet Truck is a highly versatile option, suitable for small to medium-sized warehouses and production facilities, with a lifting capacity up to 8,000 kg. lift. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$100,236.94
Combilift USA	Counterbalanced Stacker	CS20	Combi-CS Combilift Combi-CS - walkie reach stacker for safer operation, maximum visibility and narrow aisle performance. Equipped with Combilift's patented multi-position tiller arm, the Combi-CS provides complete visibility and full steering control, enhancing overall safety. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,288.66
Combilift USA	Aisle Master Lift Truck	AM33	With the ability to operate in very narrow aisles, VNA, in the warehouse ? as narrow as 1.6m ? the Aisle-Master articulated forklift increases and maximises storage capacity. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$74,824.58
Combilift USA	5 Ton Sideloader Lift Truck	C10000SL	The multi-directional abilities offer numerous benefits over traditional sloaders in that they are extremely maneuverable, can work in narrow aisles and are able to block or bulk stack for better space utilization. Features such as the rubber mounted cab, all-wheel hydrostatic drive, load sensing steering, plus of course a choice of customized options such as reverse cab position or front access cab. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$130,696.77
Combilift USA	3 Ton Multidirectional Lift Truck	C30000JD	Designed to improve your workflow by effectively becoming three forklifts in one, a sideloader, counterbalance and narrow aisle forklift. This revolutionary design eliminates costly double handling of material and improves productivity. It's very low center of gravity and integrated platform provides a very stable base for resting long loads on while transporting. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$294,734.39

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Combilift USA	Container Handler-Straddle Carrier	SC3	Combilift's range of straddle carriers and our mobile gantry provide safe, efficient solutions for even the most extreme load handling situations. Distribution, shipping, aerospace, steel fabricators, wind turbines and precast concrete & there's no load too large or heavy for these workhorses. Economical, highly maneuverable and fully customizable, the innovative design of our Combi SC range combines power and reliability with a lighter footprint unmatched by any comparable technology, delivering fantastic fuel efficiency and the ability to operate on poor terrain without the need for costly reinforcement. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$348,163.84
Combilift USA	Agricultural Lift Truck	CRT6000	The Combi-RT was designed specifically to meet the harsh demands of the poultry industry, but its impressive handling and robust construction make it a valuable workhorse for any agricultural business. Large diameter tires on a three-wheel chassis with all-wheel traction and differential lock give the Combi-RT a compact turning circle and excellent grip on rough terrain, while a generous 1 foot ground clearance ensures minimal disturbance of litter. Ultra-smooth controls permit quieter, more refined handling for optimal livestock welfare. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$89,466.73
Combilift USA	Aisle Master Lift Truck	AM44	With the ability to operate in very narrow aisles, VNA, in the warehouse & as narrow as 1.6m, the Aisle-Master articulated forklift increases and maximises storage capacity. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$107,932.22
Combilift USA	Walkie Reach Stacker	WR4	Combilift Combi-WR - walkie reach stacker for safer operation, maximum visibility, and narrow aisle performance. Equipped with Combilift's patented multi-position tiller arm, the Combi-WR provides complete visibility and full steering control, enhancing overall safety. Counterbalanced Stacker can be slightly modified to satisfy mission requirements. Global supports customer needs with Material Handling Equipment (MHE), Forklifts, Marine Forklifts, Warehouse Tugs, Extended Reach Forklifts (Telehandlers), warehouse trailers, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$78,648.00
Combilift USA	Aisle Master Lift Truck	AM33NE	Aisle Master Lift Truck - With the ability to operate in very narrow aisles, VNA, in the warehouse - as narrow as 1.6m - the Aisle-Master articulated forklift increases and maximizes storage capacity. What's more, by using the one truck, users can increase productivity and eliminate time-consuming double handling and speed up "truck to rack" operations. Lift Truck can be slightly modified to satisfy mission requirements. Global supports customer needs with Material Handling Equipment (MHE), Forklifts, Marine Forklifts, Warehouse Tugs, Extended Reach Forklifts (Telehandlers), warehouse trailers and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$96,896.00
Combilift USA	Walkie Reach Stacker	WR4400	Walkie Reach Stacker WR4400: Motion Alarm, Standard Forks, Pantograph, Multi Position Tiller with Offset Mode, Power Steering, Rear Wheel Drive, Hydraulic Fork positioner (Open Width 37", No S-S with this option), Polyurethane Front Tires, Vulkollan Rear Tire, Side Shift, Tilt, high load back rest, Duplex mast with free lift, Electronic speed control: Nexsys Maintenance Free Nattery (24v) & Charger, 4400lbs Capacity @ 24" Load Center, Rubber Bumper At Foot Level, Color Yellow / Grey, AC Motor technology, & 1 Year or 1,500 Hours, whichever comes first, Full Parts & Labor Standard Warranty & Up to 2,500 Hours or additional 1 Year, whichever comes first, Parts Only Warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$66,393.00
Combilift USA	Walkie Reach Stacker	WR4-4400	Walkie Reach Stacker WR4-4400: Motion Alarm, Multi Position Tiller with Offset Mode. Pantograph, Rubber Bumper At Foot Level, Power Steering, Battery Charger, Rear Wheel Drive, AC Motor technology, Polyurethane Front Tires, Vulkollan Rear Tire, Rear wheel drive, high load back rest, Electronic speed control, Plug in 120-volt Charger, counterbalanced for exploiting vertical space, has the ability to handle long awkward materials, & WARRANTY: 1 Year or 1,500 Hours, whichever comes first, Full Parts & Labor Standard Warranty & Up to 2,500 Hours or additional 1 Year, whichever comes first, Parts Only Warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$81,103.89
Combilift USA	Counterbalanced Stacker	CS3200	Counterbalanced Stacker - Standard Lift Height 98" additional mast heights available, 4" x 1.38" x 42" Standard Forks, Battery - 24V, Charger, 3" ground clearance, 118" Duplex Mast with 59" Freelif, Electronic speed control: Max 4 mph, 2 speed switch, Electric braking, Tilting Mast (2° Forward/ 4.5° Backward), AC Power steering / Traction / Auxiliary, Patented multi-position tiller arm offers safer operation, maximum operator visibility and narrow aisle performance, AC Electric Pump Motor 24V, WARRANTY: 1 Year or 1,500 Hours. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$71,550.00
Combilift USA	Articulating Forklift	AM44NE	Articulating Forklift - Up to 5000 lbs Capacity, Works aisles as narrow as 5'6", ANSI B56.1 compliant, Integrated Side-shift (+/- 4"), Over articulation, Overhead Guard, Front Wheel drive, Flashing Beacon & LED work lights, Forks (37" to 42"), Spring Applied Hydraulic Brake, 48V Lithium-ion Battery & Charger, Integrated Side Shifting Fork Positioner, Mast Range 164" to 591", Battery Capacity Range 620 Ah to 930 Ah, WARRANTY: 1 Year or 1,500 Hours Full Parts & Labor Standard Warranty & An Additional 4 Years or up to 5,000 Hours Parts Only Warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$147,942.00
Combilift USA	Articulating Forklift	AM44E	Articulating Forklift - Mast Range 164" to 591", Capacity 3200lbs - 5000lbs, Battery Capacity Range 620 Ah to 930 Ah, Capacity 3200lbs - 5000lbs, ANSI B56.1 compliant, Integrated Side-shift (+/- 4"), Over articulation, Overhead Guard, Front Wheel drive, Back up Alarm, Rubber cushion tires, Multi-Functional Joystick, Spring Applied Hydraulic Brake, Flashing Beacon & LED work lights (Standard long Forks (37" to 42")), Mast mounted camera with LCD monitor, 48V Battery and Charger. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$132,230.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Combilift USA	Articulating Electric Forklift	AM 33E	Articulating Electric Forklift - Maximum load capacity: 3300 lbs, Power is Electric, Forklift turns to the left or to the right on the aisle w/size 80 in, Side shifting carriage, 198" lift height, Protection roof, Grammer Suspension Seat, Flashing Beacon & 3 LED work lights (2 forward,1 rear), Charger for the battery: 50HZ, 380v, 3 PH, Adjustable distance between forks, Front Wheel Drive, Standard long Forks (37" to 42"), Back up Alarm, Hour meter, Meets the design and construction requirements for powered industrial ANSI B56.1-1969, Battery 48v, Warranty: 1 Year or 1,500 Hours Full Parts & Labor Standard Warranty is An Additional 4 Years or up to 5,000 Hours Parts Only Warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$90,530.77
Combilift USA	Multi-Directional Forklift	CBE6000	Multi-Directional Forklift - 6,000 lb. Nominal Capacity @ 24" Load Center, 3-Stage Full Free Lift Mast, 193" Triplex Mast with 52" Free, Standard Construction - Operating Temperatures +32° F to +120° F, Lift (closed height 88"), Key Switch Start, 38.5" (977mm) Wide - Class II - Hook Type Integral Sideshift Carriage, (2) GNB Industrial Batteries Totaling 48V with Single Point, 48" (1220mm) High Load Backrest Extension, Watering System and Indicating Lights, 5" x 2" x 42" Forks, 3 Function (1 Auxiliary) Hydraulic Control Valve, Overhead Guard, Mechanical Lever Hydraulic Controls - Seat Side, Rear Drive Handle with Horn Button, Hoses 1 Auxiliary Function Hose Group - 2 Hoses: Internally Mounted, Suspension Seat, 4 LED Worklights, Display - High Mount, Warranty: 1 Year or 1,500 Hours, whichever comes first, Full Parts & Labor Standard. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$127,058.31
Combilift USA	Walkie Reach Stacker	Combi-WR	Combilift Combi-WR - walkie reach stacker for safer operation, maximum visibility, and narrow aisle performance. Equipped with Combilift's patented multi-position tiller arm, the Combi-WR provides complete visibility and full steering control, enhancing overall safety. C For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$73,333.20
Combilift USA	Counterbalanced Stacker	CS2750	Counterbalanced Stacker - walkie reach stacker for safer operation, maximum visibility, and narrow aisle performance. Equipped with Combilift's patented multi-position tiller arm, the Combi-CS provides complete visibility and full steering control, enhancing overall safety.For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,185.27
Combilift USA	Counterbalanced Stacker	CS4400	Counterbalanced Stacker - walkie reach stacker for safer operation, maximum visibility, and narrow aisle performance. Equipped with Combilift's patented multi-position tiller arm, the Combi-CS provides complete visibility and full steering control, enhancing overall safety. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$56,541.00
Combilift USA	Multidirectional Lift Truck	C6000ET	Multidirectional Lift Truck - The forklift's maneuverability makes the Combi-CB the perfect all-round forklift having the ability to transport a very diverse range of goods, from palletized loads, long length materials such as timber or steel beams. Low profile and compact design enable. Small enough to enter containers for Loading/Unloading. Innovative 4-way steering allows versatility to operate it as a narrow aisle forklift. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$134,107.00
Combilift USA	Counterbalanced Stacker	Combi-CS	Counterbalanced Stacker - Capacity: 2200lbs - 3300lbs, Electronic speed control: Max 4 mph, Standard 1.38" x 4" x 37.5" forks, 2-speed switch, 2" ground clearance, Electric braking, Chassis width 35", Operator safety button, Outside spread of forks 24", Rear wheel drive, All controls on Tiller Handle, Tilting Mast (2° Forward/ 5° Back), Rubber Bumper At Foot Level, AC Power steering/ Traction/ Auxiliary, Battery - 24 Volt, Multi-Position Tiller, Charger - High-Frequency 24V. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$52,998.17
Combilift USA	Counterbalanced Stacker	CS2200	Counterbalanced Stacker - walkie reach stacker for safer operation, maximum visibility, and narrow aisle performance. Equipped with Combilift's patented multi-position tiller arm, the Combi-CS provides complete visibility and full steering control, enhancing overall safety. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$48,120.00
Combilift USA	Container Handler-Straddle Carrier Standard	SC3 Standard	Single stack, Lifting Capacity of up to 220,000 lbs., Load Area Width 118", Height Load Area 181", Unladen Weight 37,370 lbs, 5% fully loaded tradability, 6 mph maximum ground speed, 12 volt electrical system, Soft Solid picture proof tires, Highly customizable, Rough terrain & ramp friendly, works on compacted stone, bitumen and light concrete, Exceptional 3-wheel maneuverability, Same Unit can lift 20', 30', 40', 45' Containers, 360 degree vision when load is lifted. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$426,120.00
Construction Trailer Specialists	Elliptical End Dump Trailer	SMDT40	Elliptical End Dump Trailer - 40' Length x 102' Width x 76' Side Height, Standard LED Lighting, King Pin/Coupler Ht. 182' / 49', Color White, Black or Gray, Body 1/4" AR 450 Wear Plate, Nose & Gate 3/16" AR 450 Wear Plate, Tail Gate Barn Door with Cam Over Center Air Operated, Bottom Latch and Ratchet Operated Side Latch. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$114,972.00
Construction Trailer Specialists	Half Round End Dump Trailer	HRT32	Half Round End Dump Trailer - can haul a variety of materials including dirt, gravel and rip rap. Because our half round can be configured so many different ways, it can be used in metropolitan areas as well as gravel pits and quarries. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$90,354.00
Construction Trailer Specialists	Grain Trailer	HMG40	Grain Trailer - 40' Length x 96' Width x 68' Side Height, Standard LED Lighting, King Pin/Coupler Height 182' / 49', Color White, Black or Gray, Internal Viewing Sight Glass Windows on Driver's Side, Sides 14 GA, Corrugated Walls, Hoppers (2) 14 GA. Hoppers, 24' Openings. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$80,826.24
Construction Trailer Specialists	Standard Belly Dump Trailer	SPMB20	Standard Belly Dump Trailer - The Pack Mule bottom dump trailer is the industry leader in the belly dump market. Over many months of engineering and testing, we have been able to make significant changes to our bottom dump that combines the strength of our standard belly dump with the efficiency of the lightweight option. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$72,649.17

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Construction Trailer Specialists	Cross-Gate Belly Dump Trailer	CGB20	Cross-Gate Belly Dump Trailer - Instead of the lower hopper running the length of the trailer, it runs perpendicular to the upper hopper. This allows for a wider path during the dumping process. This particular style is popular with municipalities. The cross gate bottom dump features slope sheets on the front and back as well as the extended push block. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$84,797.06
Construction Trailer Specialists	Cross Gate Bottom Dump Trailer	PMB36	Cross Gate Bottom Dump Trailer - Instead of the lower hopper running the length of the trailer, it runs perpendicular to the upper hopper. This allows for a wider path during the dumping process. This particular style is popular with municipalities. The cross gate bottom dump features slope sheets on the front and back as well as the extended push block. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$86,512.07
Construction Trailer Specialists	Bottom Dump Trailer	PMB40	Bottom Dump Trailer with a 23.5 yard bed, multiple axles, DOT Lighting, external air and oil filter options. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$89,418.12
Cooper Research Technology	Pavement Core Drill	CRT-T1	Pavement Core Drill - Diesel or Gasoline powered engine, Trailer mounted, Two speed drill motor, hydraulic front stabilizing legs, control panel, Warning Beacon, Working lights and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$111,042.36
CS&P Technologies, LP	4000 Gal Nitrogen Transport Truck	CSP-N2-4000BL	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$1,005,553.68
Curbtender	Rear Loading Refuse Truck	Fury	Fury is the ideal rear loader for mixed residential and commercial trash collection. This heavy-duty rear loader is available in 20 and 25 cubic yds. models. Its unique split tailgate feature allows the top portion of the tailgate to be unbolted and hydraulically lifted, allowing for unrivaled ease in servicing the packing panel, Curved, chiseled body sidewall, Split Tailgate, Auto back-pack, Engine accelerator, 30X34" Access door (street-side), Backup alarm, Driver alert buzzer (curbside), LED S/T/T and Work Lights, 12 Month Body 24 Month Cylinder Warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$280,876.52
Curbtender	Regenerative Air Street Sweeper	Sentry 650	Regenerative Air Street Sweeper mounted on Freightliner Medium duty truck chassis or cab-over equal, Standard DOT lighting with multiple lighting options to include Rear working lights, gutter broom, and engine compartment lights, Large Capacity: 6.5 Cubic yards hopper, 77" Pickup head for maximum cleaning area coverage, Electronic operational controls are back by a 3 year warranty. This includes I/O modules, controllers, proximity switches, smart switches, and the controls display screen and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$400,985.33
Curbtender	Street Sweeper	Sentry 450	Street Sweeper - mounted on Medium duty truck chassis or cab-over equal, Standard DOT lighting with multiple lighting options to include Rear working lights, gutter broom, and engine compartment lights, Large Capacity: 4.5 Cubic yards hopper, 77" Pickup head for maximum cleaning area coverage, Electronic operational controls are back by a 3 year warranty. This includes I/O modules, controllers, proximity switches, smart switches, and the controls display screen and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$294,349.70
Curbtender	Refuse Truck	Titan 40	Traditional high compaction front loader that can be equipped with the optional ?Cardboard Package? to maximize payload with cardboard recycling routes. The Titanium is a lightweight front loader with a body inspired by a rear loader body design. . For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$397,460.52
Curbtender	Rear Loading Refuse Truck	Quantum	Rear Loading Refuse Truck - Up to 10 cubic yrd Hopper, unique packing mechanism utilizes a ?swing panel? instead of a ?slide panel.? This key design change allows the packer to clear more trash in a shorter amount of time and with a smaller hopper requirement. The net result is a faster, lighter rear loader with industry leading legal payload. hopper is also wide enough to receive commercial rear load containers without the use of a ?flared hopper? modification. Lastly, the Quantum is rated for high compaction. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$164,516.40
Curbtender	Rear Loading Refuse Truck	Phoenix	Curbtender's Phoenix provides 32 yard capacity, an auto back-pack, driver alert buzzer, and Arlock Container Device (the ultimate in container safety). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$421,981.74
Curbtender	Front Load Refuse Truck	Titan 44	Front Load Refuse Truck - Mounted on Heavy Duty Commercial Truck Chassis, Diesel-powered or CNG engine, 44CuYd Hopper, standard front-loading forks, Dual Hopper Doors, Curbtender Camera System W/ 7" Monitor. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$414,921.77
Curbtender	Refuse Truck	Quantum MD	Refuse Truck - Up to 13 CU YD hopper, Sweep Face 3/16 GR100, Tailgate side wall: 11 gauge GR50 Upper, 7 gauge GR50 Lower, Tailgate Floor: 3/16 AR400, FRONT AXLE: 10000 LBS, REAR AXLE: 23000 LBS, Oil Reservoir: 25 gal. (94.6 liters), Oil Flow w/ Standard Pump: 25 GPM, Operating Pressure: 3,000 PSI, Tailgate Lift: 3.0, High strength curved shell body, Pack cycle time of 15 seconds, Curved floor provides liquid sump, Optional Features: Container roll bar with lip-and-latch, Container lip-and-latch with 8,000 lb. drum winch, Single & Dual tipper(s), Cart tipper tap-in-kits, Work lights, Strobe lights, Broom and shovel holder, Rear view color camera system. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$215,241.19

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Curbtender	Refuse Truck	Quantum XL	Refuse Truck - Hopper: 16 CY, Tailgate side wall: 7 gauge GR50, Hydraulic Oil Reservoir: 36 gal., Front/Rear Axles: 12000/21000 lbs, Oil Flow w/ Standard Pump: 36 GPM, Roof, Sides, Floor, & Ejection Panel: 10 gauge GR80, Operating Pressure: 2,500 PSI tailgate, 3,000 PSI body, Sweep Face & Tailgate Floor: 3/16 AR400, Engine RPM: 1,300 RPM, Pack cycle time of 15 seconds, Easy to maintain, Curved floor provides liquid sump, Rear Fenders standard, High strength chiseled shell body, Hose Burst Ratio: 4 to 1, Patented packing mechanism, Return Filter: 10 micron, Low body height, Pack & Sweep Cylinders: 4.5". Slight modifications can be made for customer requirements. We offer many types of vehicles in the waste disposal industry, from hook lifts, roll-offs, cardboard recycling trailers and much more. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$236,075.26
Curbtender	Refuse Truck	HammerPak	Refuse Truck - 18, 24, or 27 CU YD available, Nylon guides, 40 gal. Hydro nucleation reservoir, 3 Section telescopic boom with two cylinders, 10-micron absolute return filter, Tandem hydraulic pump, Triple-pressure grip selection, 12 GPM arm, 20 GPM packer, Packing Cylinder: Cylinders 6' Bore, 4' Rod, 3,000 PSI maximum system pressure, Packing Panel: Face sheet 3/8' grade 40. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$263,217.45
Curbtender	Self Loading Compactor	SL-24	Self-loading, self-contained compactor, Container volume: 24 CY, Rated system pressure: 1800 PSI, Max. compaction force: 65,000 lbs., Width x height of pack panel: 76.6"x 18.9", Estimated density after compaction: 950 lbs./cu yd., Effective working volume of compaction compartment: 4.7 CY, Hopper volume: 5.9 CY, Net lifting weight of tipping mechanism: 3,000 lbs., Internal width x length of hopper: 90.5"x 102", Theoretical throughput: 19 (t/h), Made in USA . For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$65,341.00
Curbtender	Side Loader Refuse Truck	Tomcat	Side Loader Refuse Truck - 8, 12, or 14 CU YD Capacities, Chiseled Shell Design: Ultra-high strength-to-weight ratio, Standard 8? side doors, Low loading sill height, No-Fallback design, Ambidextrous loading sills, Clean-out tray and doors both sides, One-piece formed Hardox body floor, All Cylinders double-acting, 14-16 second packing cycle times, Pump: Vane type. Slight modifications can be made for customer requirements. We offer many types of vehicles in the waste disposal industry, from hook lifts, roll-offs, cardboard recycling trailers, and much more. For more information contact gsasupport@fedharmony.com, 703-624-1206.	\$240,600.00
Curbtender	Side Loader Refuse Truck	Autocat	Side Loader Refuse Truck - Capacity: 12, 14, or 18 CU YD, Chiseled Shell Design: Ultra-high strength-to-weight ratio, Dual-pressure grip selection, Low manual loading sill height, 6'x 8' 50,000 PSI telescopic boom, 17-second packing cycle times, Electronic Proportional Controls, No-Fallback design, Cylinders all double-acting, Clean-out tray and doors both sides. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$251,787.91
Curbtender	Refuse Truck	Powerpak	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$365,184.90
Custom Truck One Source	Articulating Telescoping Aerial Device	LTM 40	Articulating / Telescoping Aerial Device / Working Height Of 44.5?, Full Pressure Open Center hydraulic System. Hydraulic Hoses Are Equipped With Permanent Type Fittings, Turntable And Lower Boom Assembly: Lower Boom Articulation Is From -5 To 90 Degrees. Side Reach Of 30.7 Ft. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$213,333.49
Custom Truck One Source	Aerial Lift Bucket Truck	VST40	Insulated/Non-Insulated Articulated/Telescopic Aerial Device mounted on a medium duty Dodge Ram Truck Chassis or Equal, Working height up to 56' 6", Horizontal reach up to 30' 9". For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$273,365.79
Custom Truck One Source	Articulated Telescopic Aerial Lift Truck	VST9500	Articulated Telescopic Aerial Lift Truck - Mounted on a Medium Duty Diesel International truck Chassis or Equal, Insulated or Non, Up to 1000 JIB option, up to 61?8? side reach, up to 600 lbs Work platform/500 lbs with JIB. Working Height - up to 99?10?. Rotation - 360? Continuous. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$641,390.44
Custom Truck One Source	Articulated Telescopic Aerial Lift Truck	VST7500	Articulated Telescopic Aerial Lift Truck - Mounted on a Medium Duty Diesel International truck Chassis or Equal, Insulated or Non, Up to 2000 JIB option, 46' 10" side reach up to 800 lbs Work platform/700 lbs with JIB. Working Height - 80ft. Rotation - 360? Continuous. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$561,734.27
Custom Truck One Source	Medium Duty Aerial Device 4x4	HRX55 - 4x4	Medium Duty Aerial Device 4x2 - Mounted on a medium duty diesel truck chassis. This Aerial truck Insulated Overcenter Aerial Device - Working Height 60.3?, Platform Leveling Control @ Top Controls, Hydraulic Platform Tilt @ Upper And Lower Controls, Self-Locking Worm Gear Rotation Drive, 120 Degree Lower Boom Articulation To Ground Access W/ Standard Upper Boom Rest & Cam Type Tie Down Strap. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$345,746.14
Custom Truck One Source	Medium Duty Aerial Device 4x2	HRX55 - 4x2	Medium Duty Aerial Device 4x2 - Mounted on a medium duty diesel truck chassis. This Aerial truck Insulated Overcenter Aerial Device - Working Height 60.3?, Platform Leveling Control @ Top Controls, Hydraulic Platform Tilt @ Upper And Lower Controls, Self-Locking Worm Gear Rotation Drive, 120 Degree Lower Boom Articulation To Ground Access W/ Standard Upper Boom Rest & Cam Type Tie Down Strap. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$350,280.06
Custom Truck One Source	Forest Aerial Lift Truck	XTPRO60-70	Forest Aerial Lift - Mounted on a Commercial truck chassis, working height 75 ft., side reach 49.9 ft., service body, insulated or non insulated. Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$346,014.08
Custom Truck One Source	Hi Rail Material Handler	S755	Hi-Rail Material Handlers ? Comprised of a 22 ft platform body, heavy-duty railgear, a bypass or butt type RR grapple, a magnet system, with 23-25' Telescopic Grapple with rail gear including hydraulic actuation, front brakes and front rail sweeps. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$444,732.50
Custom Truck One Source	Hook Hoist Truck	U45DPHK	Hook Hoist Truck - Dual Pivot Hook Hoists are ideal for the waste, recycling, landscaping, construction and roofing industries by offering greater versatility than traditional roll-off cable hoists. With adjustable hook heights, the U4/5-DPHK models have the advantage of essentially two hoists in one. Dual pivot hook hoists keep containers safely secured to the hoist frames during the dump cycle with rear container hold downs and a rear pivoting hinge. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$354,280.82

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Custom Truck One Source	Roll Off Cable Hoist Truck	U5WC	Roll Off Cable Hoist Truck is available in various on makes of chassis with diesel and automatic transmissions and hydraulic control. Comes equipped with Inside Air Controls, Drivers Side Outside Mounted Controls, Adjustable height controls, various options are available ( Pioneer tarping systems, Auxiliary stops and hold down systems, Auxiliary hydraulic hook-ups/wet kits, Lift axles, Speed limiting parameters for hoist up ground speed). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$318,205.43
Custom Truck One Source	Enclosed Chip Dump Truck	CHP	The 1472 chip truck comes standard under CDL on a Freightliner M2, or your choice of any class 6 or 7 chassis. With an approximate 20-23 cubic yard capacity, it can hold enough debris to keep you working longer without having to leave the worksite to dump debris. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$142,461.26
Custom Truck One Source	Forest Aerial Lift Truck	XTPRO60 4x2	Forest Aerial Lift - Mounted on a Commercial truck chassis, service body, insulated or non insulated. Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$236,764.85
Custom Truck One Source	Loader Grapple Truck	F145AZ	Loader Grapple Truck - Engine: Cummins ISB. 2019 Freightliner M2106. Clean out door makes loading and unloading easy. Pull cable on wet tank. Tufrac spring 46,000 lbs. Removable front tow hooks. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$262,196.27
Custom Truck One Source	Forest Aerial Lift Working Truck	XTPRO56	Forest Aerial Lift - Mounted on a Commercial truck chassis, service body, insulated or non insulated. Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$236,049.35
Custom Truck One Source	Articulated Telescopic Aerial Lift Boom Truck	40142R	Articulated Telescopic Aerial Lift Truck - Mounted on a Heavy Duty Diesel Perterbuilt truck Chassis or Equal, Insulated or Non, Up to 1000 JIB option, up to 61'8" side reach, up to 600 lbs Work platform/500 lbs with JIB. Working Height - up to 99'10". Rotation - 360° Continuous. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$650,654.02
Custom Truck One Source	Digger Derrick Truck Mounted	C4047	Digger Derrick Truck Mounted - Mounted on a Freightliner Medium Duty Diesel powered commercial truck chassis or equal, Dakota Bodies Service Body or equal, Open-Center Hydraulic System, 100 Degrees of Boom Travel (+80 to ?20), Engine Stop/Start at Lower Controls. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$294,536.62
Custom Truck One Source	Articulated Telescopic Aerial Lift Truck	VST9000	Articulated Telescopic Aerial Lift Truck - Mounted on a Medium Duty Diesel International truck Chassis or Equal, Insulated or Non, Up to 1000 JIB option, up to 56'8" side reach, up to 800 lbs Work platform/700 lbs with JIB. Working Height - up to 95'. Rotation - 360° Continuous. Fedharmony offers a variety of utility vehicles to support customer needs: Bucket Trucks, Aerial Lifts, Material handling, derrick diggers, pole drills, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$600,966.09
Custom Truck One Source	Truck Mounted Aerial Platform	TL60	Truck Mounted Aerial Platform - Mounted on a Medium Duty Diesel powered Freightliner Truck chassis or equal, Insulated, Non-Overcenter Aerial Device, Category B Machine In Accordance w/ ANSI/SIA A92.2-2009, Working Height: 65.1 ft., Side Reach: 42.8 ft. Fiberglass Upper Boom/Lower Boom Insert: White Platforms & Covers For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$374,856.53
Custom Truck One Source	Truck Mounted Aerial Platform	TL55	Truck Mounted Aerial Platform - Mounted on a Medium Duty Diesel powered Freightliner Truck chassis or equal, Insulated, Non-Overcenter Aerial Device, Category B Machine In Accordance w/ ANSI/SIA A92.2-2009, Working Height: 60 ft., Side Reach: 42.8 ft. Fiberglass Upper Boom/Lower Boom Insert: White Platforms & Covers. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$366,169.38
Custom Truck One Source	Heavy Duty Truck Mounted Derrick Digger	General 65	Heavy Duty Truck Mounted Derrick Digger - Dig holes, hoist and set utility poles, and lift other materials with our versatile digger derricks. Choose from sheave heights up to 95 ft and winch capacities of up to 50,000 lbs, mounted on your specified chassis platform. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$679,369.37
Custom Truck One Source	Flatbed Rail Truck	FRT-108SD	Flatbed Rail Truck - Diesel Powered Freightliner commercial chassis or equal, Set-back front axle position, Allison 3000 Series transmission, Different Cab Options available, gallon cylindrical fuel tank, continental G-60 rail system, 16" wheels, in-cab retraction, Flatbed body with tool storage, and more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$334,051.02
Custom Truck One Source	Digger Derrick	C6000	Digger Derrick - Mounted on a Diesel-powered commercial truck chassis or equal, 100 Degrees of Boom Travel (+80 to ?20), Dual Lift Cylinders, Self-Aligning Swivel Ball Bushings, Rectangular, Bi-Axial Epoxy Resin, Filament Wound, Fiberglass Booms, Box Fabricated Steel Lower Boom and Intermediate, Hydraulic Boom Extension Intermediate & Upper, Full Pressure Hydraulic Controls, Full Pressure, Open-Center Hydraulic System, 50 Gallon Hydraulic Oil Reservoir, Custom Made Zoned Load Chart, Continuous Unrestricted Rotation, 15,000 lb. Planetary Turntable Winch, Meets or Exceeds ANSI A10.31, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$582,844.60
Custom Truck One Source	Hi Rail Car Mover	Workhorse X-Series	Workhorse X-Series - Heavy-Duty commercial wheeled diesel chassis, crane-mounted electromagnet, High load Hitch capability - coupler can be hydraulically raised while attached to a rail car maximizing the tractive effort of the rear bogey, air horn, Coupler: type E locomotive coupler, touch screen control panel, bogie hydrostatic braking & hydraulic brakes, Auxiliary Air System: used to pneumatically actuate the brakes, Multi-axle bogie system, Hydraulic pumps, stabilizers ensure a safe environment for material handling, Transfer sled allows the unit to manipulate weight allocation, Hydrostatic drive system, 90-degree rotation. For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$2,083,044.60
Custom Truck One Source	Articulating Telescopic Aerial Lift	VST-47	Articulating Telescopic Aerial Lift - Horizontal reach: 30'9", Working height: 51'4", Platform: closed fiberglass 24" x 24" x 42". Max. Platform capacity: 500 lbs., Platform rotation: 180 degrees, Outer/inner boom articulation: -25 to +85 degrees, Lower boom: 0 to 84 degrees, Inner boom extension: 103", Boom rotation: continuous 360 degrees, Material handling jib capacity: 1,000 lbs., Individual full-pressure lower controls, At turret actuate all boom functions, Lower control station equipped w/ selector valve to override the upper controls, Singlestick upper control, Hydraulic platform leveling system, Open center hydraulics, Outrigger/boom interlock, 17-gallon hydraulic oil reservoir integral to the pedestal, Non-lube bearings used at most points of motion. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$226,493.82

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Custom Truck One Source	Telescopic Aerial Device	TM100	Telescopic Aerial Device - Working Height: 100 ft, Platform Capacity up to 800 lb (362 kg), Typical Frame Height (FH): 44", Typical Cab Height (CH): 112", Overall Height (OAH): 13', Overall Length (OAL): 38' 4", Gross Vehicle Weight Rating: 52000 lbs, Control-Plus 4-Function Single Stick Control at Platform, Bottom of Platform Height: 95 ft, Safety Harness With Attached Lanyard, Side Reach: 51 ft, Hydraulic Platform Rotator, End-Mount 35? x 57? x 42? D-Shaped Platform, Continuous Unrestricted Planetary Rotation, Category ?C? Rating Per ANSI A92.2, 78° of Elevation Above Horizontal, 168° of Upper Boom Articulation, Individual Lever Lower Controls, 90° of Lower Boom Articulation, Hydraulic Platform Tilt at Upper and Lower Controls, Pilot-Operated, Closed-Center Load Sensing Hydraulic System, Hydraulic/Electric Platform Leveling System, 2-Speed Engine Throttle at Upper Controls. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$824,033.49
Custom Truck One Source	Aerial Lift Work Platform Truck	VST-6000	Aerial Lift Work Platform Truck - Mounted on a Medium Duty Diesel International truck Chassis or Equal, Insulated or Non, Up to 2000 JIB option, up to 800 lbs Work platform/700 lbs with JIB. Working Height - 68 ft. 2 in., Rotation - 360° Continuous. Aerial Lift can be slightly modified with options to satisfy customers specifications. Fedharmony offers multiple types of Utility Service Vehicles: bucket trucks, derrick diggers, insulated, non-insulated, forestry hi-reach, and multiple aerial lift trucks. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$365,543.75
Diversified Fabricators Inc	Fuel Truck	DFI 2000FT	Fuel Truck - NFPA 385 & 407.Mounted on a Medium Duty diesel-powered commercial truck chassis or equal, 10-gauge stainless steel top / 10? vented double latched fill port at each compartment, Tank configuration 2000-gallon low profile tank design, Hot Shift PTO direct mount PTO pump, Segregated two-section tanker / 1000-gallon front section, 1000-gallon rear section, Dual Roper 3617HBRV with relief valve hydraulic drive fuel pump's 2? rated @ 85GPM-30PSI, Dual emergency shut off valves located in each tanker compartment, Dual Hannay 1" electric rewind hose reel with 50ft. X 1", T-304 steel construction/bottom, end plates / T308 stainless steel wire weld. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$218,466.46
Diversified Fabricators Inc	Small Capacity Low profile Water Tank Truck	DFI 1585	Small Capacity Low profile Water Tank Truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$215,668.07
Diversified Fabricators Inc	Medium Capacity Low profile Tank Truck	DFI 2113	Medium Capacity Low profile Tank Truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$219,765.53
Diversified Fabricators Inc	Medium Capacity Water Tank Truck	DFI 3170	Medium Capacity Tank Truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$226,068.13
Diversified Fabricators Inc	Skid Mounted Petroleum Tank	DFI5000-Skid	Skid Mounted Petroleum Tank - Heavy 6" channel frame, 5000-gallon diesel fuel tank, Dual tank wall (double walled )1/4 ?& 3/16? carbon steel construction, 3? inlet with ball valve / 3? outlet with ball valve, Carbon steel skid / 1/2 construction / welded to the tanker, lifting eyes on all four corners, 20? X 10? Betts vented manway / lockable, Zinc chromate epoxy primer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$80,131.61
Diversified Fabricators Inc	Small Capacity Water Trailer - Stainless Steel	DFI500T-SS	Small Capacity Water Trailer - Stainless Steel tank up to 600 gallons, Tandem Axle trailer, potable/non-potable configuration (must be specified in requirements), electric brakes, multiple hitch styles, options include pump with aux engine, lockable manholes, markings, lighting and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$24,694.82
Diversified Fabricators Inc	Small Capacity Water Trailer - Poly Tank	DFI525T-P	Small Capacity Water Trailer - Poly Tank up to 525 gallons, Tandem Axle trailer, potable/non-potable configuration (must be specified in requirements), electric brakes, multiple hitch styles, options include pump with aux engine, lockable manholes, markings, lighting and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$21,013.64
Diversified Fabricators Inc	Tank Truck, Water	DFI5000	Tank Truck, Water mounted on a Kenworth diesel powered, 6x6 or 6x4 tandem-axle truck chassis or equal . Up to 5000 gallon capacity with optional cab controls. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$289,890.94
Diversified Fabricators Inc	Tank Truck, Water	DFI4000	Tank Truck, Water 6x6 mounted on a Kenworth diesel powered, tandem-axle truck chassis or equal . Up to 4000 gallon capacity with optional cab controls. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$266,326.49
Diversified Fabricators Inc	Low capacity Refueler Truck 4x4	DFI C301	Low-capacity Refueling Truck - Mounted on a commercial 4x4 diesel truck chassis for fueling trucks and equipment at work sights. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$250,536.88
Diversified Fabricators Inc	Low capacity Refueler Truck 4x2	DFI C300	Low-capacity Refueling Truck - Mounted on a commercial 4x2 diesel truck chassis for fueling trucks and equipment at work sights. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$227,842.71
Diversified Fabricators Inc	Vacuum Tanker Truck	DFI1800 VT	Vacuum Tanker Truck - Mounted on a new Freightliner 6x4 axle chassis or Equal. Medium capacity vacuum steel tank. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$191,303.24
Diversified Fabricators Inc	Mobile Petroleum Delivery Tank	DFI10KFT	Mobile Petroleum Delivery Tank. Double Walled Carbon steel tanks with capacity up 10,000 gallons. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$100,250.40
Diversified Fabricators Inc	Medium Capacity Petroleum Tank Truck	DFI 3500	Medium Capacity Petroleum Tank Truck mounted on a Kenworth T370 or equal tandem-axle truck chassis. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$291,613.82
Diversified Fabricators Inc	Heavy Duty 6x4 Petroleum Tank Truck	T880 - 5KP	Heavy Duty 6x4 Petroleum Truck - Kenworth Model T880 Heavy Duty Diesel Commercial truck Chassis or equal, steel constructed tank standard, PACCAR MX-13 or MX11 Diesel engine or Equal, with up to 600 hp and 2050 ft/lbs of torque, ABS, options include multiple cab configurations, engine,. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$332,127.50
Diversified Fabricators Inc	Soil Spreader Truck 6x6	DFI Spreader 6x6	Spreader Truck 6x6 - Mounted on a Heavy Duty Kenworth 6x6 Commercial Diesel Truck Chassis, "V"-Shaped Carbon Steel spreader body construction, Air shift PTO, 30 gallon Hyd. Reservoir, 12? carbon steel main auger, Exchangeable 102? rear delivery system, Vulcan scale system. Options include a Split Delivery system, Catwalk, ladder, work lights and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$401,344.71

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Diversified Fabricators Inc	Spreader Truck 6x4	DFI Spreader 6x4	Spreader Truck 6x4 - Mounted on a Heavy Duty Kenworth 6x4 Commercial Diesel Truck Chassis, "V"-Shaped Carbon Steel spreader body construction, Air shift PTO, 30 gallon Hyd. Reservoir, 12" carbon steel main auger, Exchangeable 102" rear delivery system, Vulcan scale system. Options include a Split Delivery system, Catwalk, ladder, work lights and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$389,104.70
Diversified Fabricators Inc	Heavy Duty Lube Truck	DFI HDLT	Heavy Duty Lube Truck - Mounted on an M2106 diesel powered commercial truck Chassis. Non-slip petroleum resistant coating (Line-X) on all walk way areas, Multiple Oil storage tanks up to 5ea, Hard piped plumbing under deck to the rear of the bed providing for less damage to plumbing, hose reel, spring rewind, Large Gallon petroleum supply storage tank, Water/Anti-freeze system, Waste oil recovery system and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$329,115.17
Diversified Fabricators Inc	Vacuum Truck	DFI2500-VT	Vacuum truck (DFI2500-VT) - mounted on Freightliner M2/106 4X4 single axles chassis. Features a Jurop pump rated @32HP/520 CFM@1100-1300 RPM. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$233,672.62
Diversified Fabricators Inc	Vacuum Tanker Truck	DFI4000VT	Vacuum Tanker Truck - 4000-gallon low profile tank, Mounted on a HD Truck Chassis, stainless steel construction, SS plumbing, Lifting eyes, SS bottom, end plates, SS sides, manway, Camlock fittings, Level gauge, Rear Ladder, Baffling to prevent Fluid sloshing, valve outlets, Betts wet-R-Dir valve with camlocks, spring rewind hose reel, SS heavy duty sub frame, Welded mounting brackets with gussets, chassis drilled & line bored, tandem axle chassis design, Sub slate material UHMW for chassis protection, steel rear bumper, aluminum toolbox, 1 yr Warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$282,615.21
Diversified Fabricators Inc	Vacuum Tanker Truck	DFI3500VT	Medium Duty Chassis, T316 stainless steel construction, Tanker heads T304 stainless steel, sealed man ways, cross baffled for optimum surge control, rear mounted Vacuum Tanker Truck - Valve for discharge and suction, front mounted inlet for suction, Ladder for easy access to manway, hose trays, level gauge / mechanical float, mounted LED work lights, Hydraulic reservoir, Hot shift PTO for an Allison transmission direct mount PTO pump, In-cab PTO controls, heavy duty sub frame assembly welded to tanker. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$360,961.25
Diversified Fabricators Inc	Fuel Truck	DFI5000PT	Fuel Truck - Mounted on a Freightliner tandem axle chassis, Tank configuration up to 5000-gallon, Air operated emergency shut off valve, carbon steel baffles, vented double latched fill port at each compartment / expanded metal top walkway / with air actuated handrails, Fuel containment for fill area / drain w/ ball valve, Lifting eyes at all four corners / rear mounted Ladder for easy access to fill port, Front mounted sight tube for operator ease / w/ ball valve, Hot Shift PTO for an Allison automatic transmission, Hannay 1" spring rewind hose reel with 50' of 1" UL rate hose, and auto shut off automotive type nozzle. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$251,143.22
Diversified Fabricators Inc	Heavy Duty Vacuum Truck	DFI5000VTSS	Heavy Duty Vacuum Truck - Mounted on Heavy-duty Commercial truck Chassis, T316 stainless steel tank construction 5000 gallon capacity, Tanker heads T304 stainless steel, 20" T316 stainless steel sealed man ways top, rear lower tank mounted, 4" manual stainless steel rear mounted Valve for discharge, 4" rear mounted manual valve for suction, front mounted 3" inlet for suction Side mounted Ladder for easy access to manway for tank cleaning, Side mounted hose trays Hot shift PTO for an Allison transmission / direct mount PTO pump, In-cab PTO controls Jurop LC580 hyd. driven vacuum pump / includes 2-way valve, for vacuum, and pressure. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$383,352.20
Diversified Fabricators Inc	Vacuum Tanker Truck	DFI3000VT	Vacuum Tanker Truck - Mounted on a Freightliner tandem axle chassis or Equal, T304 stainless steel construction / cylindrical tank design (round), Up to 3000 gallon Capacity, two cross baffles, stainless steel sealed man ways / one top mounted / one rear lower tank mounted, 6" air operated rear mounted Valve for discharge / with in-cab controls, 4" rear mounted manual valve for suction / vented to the top interior of the tanker, Two front mounted 3" inlet for suction / one driver side / one curb side, Side mounted Ladder for easy access to manway for tank cleaning, Hot shift PTO for an Allison transmission. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$234,773.78
Diversified Fabricators Inc	Vacuum Truck	DFI3000VAC	Vacuum truck - up to 3000 Gallon Vacuum Tanker, Mounted on a Medium Duty Truck Chassis, Hydraulic reservoir, Carbon steel construction 5/16" rolled / cylindrical tank design (round), 6" heavy-duty subframe assembly welded to tanker/carbon steel construction. Tanker heads SA36 carbon steel 74" X 5/16" / add 6" for each head for total length, 6" air operated dump valve and rear / plumbed into rear man-way for operator ease, Hot shift PTO for an Allison transmission / direct mount PTO pump, Two 25" carbon steel sealed man ways / one top-mounted / one rear lower tank mounted. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$194,230.82
Diversified Fabricators Inc	Slide-in Water Tank	DFI 3500DI	Slide-in Water Tank - Carbon steel construction /sides /ends baffles, 18" manway, carbon steel tank bottom plate, TarGuard internal tanker coating, Lifting eyes at each corner on top of the tank, 4" rear outlet, Overall length 16ft, 96" X 4' rear mounted gravity spray bar, Plumbed for suction, and discharge, Sight gage/ladder to the top, All 3" plumbing / 3" fire hydrant fill pipe / 3" pond fill connection, Two air operated spray B/MC71A-3 spray heads, Honda gasoline-powered pump, Hannay spring rewind hose reel w/50 ft of 1" hose w/ adj. nozzle, 3" self-priming centrifugal Flow-max MP 15 pump rated @ 350 GPM, Spray heads are adjustable for flow, and discharge. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$45,633.00
Dorsey Trailer	Flat Bed Trailer	DF-48	Flat Bed Trailer - Drop Deck Steel Flatbed, Upper Coupler Height 48 Inches, 80,000 GVWR,26" Fab.-PreCamb.I-Beams, Base Weight 12,900, Side Rails, 24" - Tapered Front Kingpin, Topdeck floor sills, Upper coupler plate, Lower deck floor sills. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$79,599.67
Dorsey Trailer	Drop Deck Trailer	DF48-53	Drop Deck Trailer - Capacity: 80,000 lbs GVWR (60,000 in 10"), Landing Gear: Jost - Heavy Duty 2-speed Gear Drive, Axles: Heavy Duty, 25,000 lb. Capacity, Length: 48' or 53' For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$91,795.60
Dorsey Trailer	Drop Deck Beavertrail trailer	DF53-BTR	Drop Deck Beavertrail trailer - From 40-53' length, King Pin Hitch, Smooth plate & traction dovetail ramp, dual speed landing gear, hardwood apitong flooring and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$91,087.92

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Dorsey Trailer	Container Transport Trailer	SC40	Container Transport Trailer - Applications for 40' and 20' Containers, (2) 25K Capacity - Type 30 Chambers - Auto Slacks - ABS, 3-Leaf Top Slung Spring Suspension. Meets all DOT and FMVSS regulations in effect at the time of manufacture and applicable to operation in the United States. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$27,941.76
Dorsey Trailer	Gooseneck Lowboy Trailer	LB55T	Gooseneck Lowboy Trailer - Hydraulic detachable lowboy, up to 55 tons in 12' length, Unitized heavy duty 25,000 lbs, air-ride suspension with automatic and manual controls, Suspension override prevention straps on all axles. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$175,440.89
Dorsey Trailer	Extendable Trailer	EF48	Extendable Trailer - Capacity: 80,000 lbs GVWR Evenly Distributed when Closed, 80,000 lbs Evenly Distributed Over the Kingpin and Running Gear when Extended, Flanges: Grade 130 High Tensile Steel, 1/2" x 6", Weight: 15,900 lbs +/- 3%, Length: 48' to 80', 53' to 90', Width: 102" Overall, Coupler Height: 48", Web: Grade 80 High Tensile Steel, One Piece, King Pin: Setting 24", Rollers: Steel Upper and Lower Rollers, locking Pins: Air Actuated - Inside Frame, Main Beams: Fabricated High Tensile Steel. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$90,616.94
Dorsey Trailer	Extendable Drop Deck Trailer	ED48-53	Extendable Drop Deck Trailer - Capacity standard package - 80,000 lbs. GVWR (60,000 in 10' span), Overall length 48' - 68' extendable, Upper deck length 10', Lower deck length 38' - 58', Overall width 8' 6", Mainframe design air operated locking pin w/ 5 stops - 2 sets of greaseable rollers, Landing gear two speed, Suspensions air ride, Axles (2) 25k capacity, ABS system, Tire Inflation system and much more For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$102,771.19
Dorsey Trailer	Tag Trailer	TA20	Tag Trailer - Capacity 20 Ton (GVWR 47,350lbs), Dovetail 5' self-cleaning - angle iron, Wide Flange Mill Roll I-Beam, Pierced Main Frame Design, White Blasted ? Primed ? Painted with PPG Automotive Grade Top Coat, Sealed Wiring Harness, High Count LED Lights, air brake system, dual spring assisted ramps, Toolbox, 49" axle spacings, Single - drop leg two-speed landing gear, 4 D rings per side (8 total). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$43,859.45
Dorsey Trailer	25 Ton TAG Trailer	TA25	25 Ton TAG Trailer - Capacity 25 Ton, Dovetail 5' Wood Filled, 14" Wide Flange Mill Roll I-Beam, DOT Sealed Wiring Harness, LED Lights, Toolbox, 49" axle spacings, Twin two-speed landing gear, 6 D rings per side (12 total). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$59,858.98
Dorsey Trailer	Flat Bed Trailer	FB48	Flat Bed Trailer - Flat Deck Steel Flatbed, Upper Coupler Height 48 Inches, 80,000 GVWR, 26" Fab-PreCamb.I-Beams, Base Weight 11,683#, Side Rails, 30" - Tapered Front Kingpin, Upper coupler plate 1/4". For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$101,322.28
Dorsey Trailer	Flatbed Trailer	45' Steel Giant	45' Flatbed Trailer - All Steel Construction, Headboard, Apitong Wood Floor, LED Lights, Air Ride suspension, Two Speed Landing Gear, Sliding Winches and Straps, Stake pockets, Moffett/Princeton Combo Mount Kit, ABS system, Winches, Double Pipe Spools, Steel Slide winch track on the entire length of the driver's side, Forklift Kit, Double coin tires, non-tubular fork guides, all axle parking brakes, tapered front kingpin setting, Hub Piloted Steel Wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$73,170.00
Dorsey Trailer	Flatbed Trailer	40' Steel Giant	40' Flatbed Trailer - All Steel Construction, Headboard, Apitong Wood Floor, LED Lights, Air Ride suspension, Two Speed Landing Gear, Sliding Winches and Straps, Stake pockets, Moffett/Princeton Combo Mount Kit, ABS system, Winches, Double Pipe Spools, Steel Slide winch track on the entire length of the driver's side, Forklift Kit, Double coin tires, non-tubular fork guides, all axle parking brakes, tapered front kingpin setting, Hub Piloted Steel Wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$75,421.00
Dorsey Trailer	Aluminum Step Deck Trailer	AD53	Aluminum Step Deck Trailer - Capacity: 80,000 lbs GVWR, Fabricated I-Beam with All Aluminum Neck Design - 6061 T-6 Aluminum - Coil Package Standard, Extruded Side Rail with J-Hook Integration and Bolt-On LL Track - Road and Curb Side, Natural Aluminum Finish with Aluminum Landing Gear and Galvanized Suspension, Weight: 9,230 lbs +/- 3%, Length: 53', Width: 102" . For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$124,475.02
Dorsey Trailer	Flat Bed Trailer	FB53	Flat Bed Trailer - Main Beams: Fabricated High Tensile Steel, Bumper: US DOT and Transport Canada Compliant Rear Impact Bumper, Cross Members: 4" Steel I-beam on 12" Centers, Cross Member Knee Brace: Fabricated One Piece Steel on 60" Centers, Side Rail: 6" Steel Channel, Stake Pockets: Steel, External Mount, Floor: 1-1/8" Apitong Hardwood, Load Landing Gear: Jost-Heavy Duty 2-speed Gear Drive, Suspension: Heavy Duty Air Ride, ABS Brakes, Wheels: Hub Piloted Steel, D-Rings, Toolbox(es) Steel or Aluminum. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$73,724.62
Dorsey Trailer	Flat Bed Trailer	FC48	Flatbed Trailer - Capacity: 80,000 lbs GVWR (60,000 in 10'), Weight: 10,300 lbs +/- 3%, Length: 48', Width: 102" overall, Main Beams: Fabricated high tensile steel, Front Skirt: Formed steel with tapered corners, Rear Skirt: Extruded aluminum with integral stake pockets, Cross Members: 4" steel I-beam on 12" centers, Side Rail: Extruded aluminum with integrated "LL" and J-hook track, Stake Pockets: Aluminum, external mount, 24" on center with double pipe spools, Floor: Extruded aluminum with 4 nailers, Landing Gear: Jost-heavy duty 2-speed gear drive, ABS Brakes, Toolbox(es): Steel or Aluminum, D rings, Bulkhead: Steel or Aluminum. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$58,968.00
Dorsey Trailer	Flat Bed Trailer	FC53	Flatbed Trailer - Capacity: 80,000 lbs GVWR (60,000 in 10'), Weight: 10,300 lbs +/- 3%, Length: 53', Width: 102" overall, Main Beams: Fabricated high tensile steel, Front Skirt: Formed steel with tapered corners, Rear Skirt: Extruded aluminum with integral stake pockets, Cross Members: 4" steel I-beam on 12" centers, Side Rail: Extruded aluminum with integrated "LL" and J-hook track, Stake Pockets: Aluminum, external mount, 24" on center with double pipe spools, Floor: Extruded aluminum with 4 nailers, Landing Gear: Jost-heavy duty 2-speed gear drive, ABS Brakes, Toolbox(es): Steel or Aluminum, D rings, Bulkhead: Steel or Aluminum. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$64,953.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Dorsey Trailer	Flatbed Trailer	FB40	Flatbed Trailer - Standard Beam Pkg - 80,000 GVWR (60,000 in 10' Span), Main Frame: 26" Fab.- I-Beams-(80K Pkg), Overall Length: 40', Overall Width: 8'6", Side Rails: 6", King Pin Setting: 30" - Tapered Front, Floor Sills: 4" Steel I-Beam 12" O.C., Upper Coupler Plate: 1/4", Floor Decking: 1-1/8" Apitong, Upper Coupler Height: 48", Winch Track: Steel Slide Entire Length of Drivers Side, Wabco ABS System, Landing Gear: Two Speed, Axle Spacing: 49", Suspensions: Spring Ride Hutch 2 Axle 23K Fixed, Parking Brakes on all axles, Suspension Location: Set at Rearmost Position - 32.5" Center of Rear Axle to Rear of Trailer, Axles: (2) 22.5K Capacity- Type 30 Chambers- Auto Slacks. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$64,426.71
Dorsey Trailer	Lowboy Trailer	LB35-22DD	Lowboy Trailer - 35 Tons in 12' Concentrated Load t 35 Tons in 16' 3+1 Concentrated Load, Cross Members: 10" I-Beam on 24" Centers, Overall Length: 50', Overall Width: 8'6", Deck Length: 28', Deck Height: 22" Loaded, Gooseneck: Non-Ground Bearing Hydraulic Detachable Neck - With Honda Pony Motor, Deck Flooring: Apitong - 1 1/2" - Covering Outside and Center Deck, KING PIN SETTING: 16", Main Beams: 16" Fabricated I-Beams - Positive Camber, KING PIN SWING RADIUS: 84", KING PIN HEIGHT: 50", 4 Position, Axle: (2) 25,000 lb. Capacity, Auto Slack, ABS, Front Loading Ramp: Front Flip Ramps - 18" x 31" - Steel w/ Traction Bars, Suspension: Hutchens - 3 Point, 4 SPRING - 56,000 lb Capacity (Adds 2' to overall Length), D-Rings: 16, Widening Bracket: 11 Pair of 12" Brackets (extends deck width 2'), D.O.T Sealed Wiring Harness, Tool Box in Front & Rear of Deck, LED w/ Amber Strobes in Bumper & Battery Back-Up. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$130,838.37
Dorsey Trailer	Flat Bed Trailer	FC Series	Flat Bed Trailer - Capacity: Up to 80,000 lbs., Weight: 10,300 lbs. +/- 3%, Length: 48' or 53', Width: 102" overall, King Pin Hitch, Main Beams: Fabricated high tensile steel, integral stake pockets, Cross Members: 4" steel I-beam on 12" centers, Side Rail: Extruded aluminum w/integrated "LL" and J-hook track, Rub Rail, Stake Pockets: Aluminum, external mount, Paint: Acrylic Urethane. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$64,461.55
Dorsey Trailer	Flat Bed Trailer	FB Series	Flat Bed Trailer - Capacity: 80,000 lbs. GVWR (60,000 in 102'), Weight: 11,575 lbs. +/- 3%, Length: 48' or 53', Width: 102" Overall, Coupler Height: 48", King Pin: Setting 24", Main Beams: Fabricated High Tensile Steel Landing Gear: 2-speed Gear Drive, Suspension: Heavy Duty Air Ride, ABS Brakes: Bendix, Custom Lengths/Widths, Multiple Axle Configurations, Heavy Duty Beam Package, Lift Axles, Toolbox(es) Steel or Aluminum, Inter-modal Container Twist-locks, D Rings. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$74,210.80
Dorsey Trailer	Step Deck Trailer	DC Series	Steel/Aluminum Combo Step Deck/Drop Deck Trailer, Main Deck Crossmembers 12" OC, 4 Sliding Winches on Upper Deck/20 Sliding Winches on Main Deck, Aluminum Decking w/ Flush 1 1/8 inch Apitong Wood Nailers, 4 D-Rings on Upper Deck/16 D-Rings on Main Deck, Aluminum Rub Rail w/ Chain Spools, Removable Winch Track Stops, Stake Pockets: 24" On Center, Tandem Axle: (2) 23K Air Ride, Anti-corrosion Barrier between aluminum & steel zinc coated steel components. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$86,616.00
Dorsey Trailer	Aluminum Flatbed Trailer	AF Series	Aluminum Flatbed Trailer - Extruded Aluminum - "J" Track Integrated, King Pin Setting: tapered front, Double L Aluminum - R/S & Tie Bar C/S, Air Ride, Aluminum I-Beams, Dual Axle, Landing gear, ABS Brakes, Tool Box, DOT approved lighting, Stake Pockets, sealed wiring harness, "J" Handles W/ Driver Side Holder, mud flaps. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$76,992.00
Dur-A-Lift, Inc.	Articulated Telescopic Aerial Lift	DTAX-42	Articulated Telescopic Aerial Lift - Mounted on a Commercial truck chassis, service body, insulated or non insulated. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$171,457.55
Dur-A-Lift, Inc.	Articulated Telescopic Aerial Lift	DTAX-44	Articulated Telescopic Aerial Lift - Mounted on a Commercial truck chassis, service body, insulated or non insulated. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$165,982.52
Dur-A-Lift, Inc.	Articulated Telescopic Aerial Lift	DTAX-39	Articulated Telescopic Aerial Lift - Mounted on a Commercial truck chassis, service body, insulated or non insulated. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$161,231.63
Dur-A-Lift, Inc.	Telescopic Articulating Aerial Lift	DLT2 60	Telescopic Articulating Aerial Lift - Mounted to any medium duty International Truck chassis or equal, Working heights up to 67' and side reach up to 39' 2", Proportional controls, insulated models available in category C, D, and E, Continuous rotation and up to 180 degree basket rotator, and Material handling feature, Dual person features and Dual configuration features available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$296,763.12
Dur-A-Lift, Inc.	Telescopic Bucket Van	DVS 29	Telescopic Bucket Van - Mounted on medium duty Ford Van chassis or equal, Platform Height up to 29', Working height up to 34', Side reach 21', up to 370 degrees of non-continuous rotation, Basket Capacity 350 lbs, Boom Travel negative 5 degrees to 80 degrees and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$159,342.70
Dur-A-Lift, Inc.	Telescopic Articulating Aerial Lift	DPM-52	Telescopic Articulating Aerial Lift - Mounted on a Medium Duty International diesel truck Chassis or Equal, Basket access from ground, Working height up to 57', Compensated upper boom, Insulated models available in category C, D and E, Hydraulic basket leveling, Proportional controls, and many more options. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$275,745.08
Dur-A-Lift, Inc.	Telescopic Articulating Aerial Lift	DPM-47	Telescopic Articulating Aerial Lift - Mounted on a Medium Duty Ford F550 diesel truck Chassis or Equal, Basket access from ground, Working height up to 52', Compensated upper boom, Insulated models available in category C, D and E, Hydraulic basket leveling, Proportional controls, and many more options. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$253,556.75
Dur-A-Lift, Inc.	Articulated Telescopic Aerial Lift	DTAX-39FP	Articulated Telescopic Aerial Lift - Mounted on a Commercial truck chassis, service body, insulated or non insulated. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$182,128.91

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Dur-A-Lift, Inc.	Aerial Lift	DPM2-40	Aerial Lift - Aerial Lift - Mounted on a Medium Duty diesel truck Chassis, Basket access from ground, Compensated upper boom, Insulated models available in category C, D and E, Hydraulic basket leveling, Proportional controls, and many more options. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$291,752.12
Dur-A-Lift, Inc.	Aerial Lift	DPM2-36	Aerial Lift - Mounted on a Medium Duty diesel truck Chassis, Basket access from ground, Compensated upper boom, Insulated models available in category C, D and E, Hydraulic basket leveling, Proportional controls, and many more options. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$274,811.34
Dur-A-Lift, Inc.	Urban Forestry Aerial Lift Truck	DTAX-45	Forrest Aerial Lift - Mounted on a Commercial truck chassis, service body, insulated or non insulated. Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$207,091.08
Dur-A-Lift, Inc.	Bucket Truck	DTA2-35FP	Bucket Truck DTA2-35FP: Open-center hydraulic controls, Basket capacity 400 lbs., Lower control levers with upper control override, Fiberglass extension boom, Four feathering control levers on the upper control. Joysticks available, Curbside basket mounting, Hydraulically leveled basket with power stow at upper controls, 370° non-continuous rotation is standard, Category "D" high electrical resistant joystick and lockouts are optional, 10-gallon oil tank with sight gauge and gate valve in the suction line, Toggle switch operation of both upper and lower controls, Epoxy primer with white finish color, Engine start/stop from the basket, Non-re-lube, maintenance-free bushings, A-frame rear-mount outriggers, light-duty, Safety harness and lanyard, and 1-year parts and labor warranty. For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$219,291.60
Dynapac North America LLC	Double Drum Vibratory Asphalt Compactor	CC4000	Double Drum Vibratory Asphalt Compactor - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$367,219.78
Dynapac North America LLC	Double Drum Vibratory Asphalt Compactor	CC3200	Double Drum Vibratory Asphalt Compactor - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$353,260.90
Dynapac North America LLC	Tracked Asphalt Commercial Paver FC1600C	FC1600C	Tracked Asphalt Commercial Paver FC1600C - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$308,004.20
Dynapac North America LLC	Double Drum Vibratory Asphalt Compactor	CC4200VI	Double Drum Vibratory Asphalt Compactor - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$234,147.38
Dynapac North America LLC	Double Drum Asphalt Compactor	CC900	Double Drum Asphalt Compactor - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$60,244.44
Dynapac North America LLC	Single Drum Vibratory Roller	CA1500	Single Drum Vibratory Roller - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$228,675.05
Dynapac North America LLC	Double Drum Asphalt Compactor	CC2200	Double Drum Asphalt Compactor - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$234,764.83
Dynapac North America LLC	Single Drum Vibratory Roller	CA1300	Single Drum Vibratory Roller - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$142,783.33
Dynapac North America LLC	Double Drum Asphalt Compactor	CC 5200	Double Drum Asphalt Compactor 77" Double-drum, High frequency, 12 Ton ROPS. Also Available as an optional Combination Roller. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$297,912.50
Dynapac North America LLC	Double Drum Asphalt Compactor	CC 6200	Double Drum Asphalt Compactor - 84" Double-drum, High frequency, 13 Ton Cab. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$334,583.75
Dynapac North America LLC	Double Drum Asphalt Compactor	CC 2300	Double Drum Asphalt Compactor 59" Double-drum, Split-drum w/ offset ROPS. Also Available as an optional Combination Roller. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$292,889.74
Dynapac North America LLC	Double Drum Asphalt Compactor	CC 1200	Double Drum Asphalt Compactor 47" Double-drum. Also Available as an optional Combination Roller. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$89,745.00
Dynapac North America LLC	Double Drum Asphalt Compactor	CC 1100	Double Drum Asphalt Compactor - 42" Double-drums. Also Available as an optional Combination Roller. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$88,453.75
Dynapac North America LLC	Double Drum Asphalt Compactor	CC 1000	Double Drum Asphalt Compactor 39" Double-drums. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$71,091.25
Dynapac North America LLC	Double Drum Asphalt Roller	CC 800	Double Drum Asphalt Roller 31" Double-drum For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$56,381.25
Dynapac North America LLC	Single Drum Vibratory Roller	CA 3500	Single drum Vibratory Roller Smooth or padded 13 ton Cab 84 inch drum. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$289,936.41
Dynapac North America LLC	Single Drum Vibratory Roller	CA2500	Single Drum Vibratory Roller - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$276,389.16
Dynapac North America LLC	Asphalt Paver	FC1800	Asphalt Paver - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$337,809.23
Dynapac North America LLC	Asphalt Paver	FC1400	Asphalt Paver - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$180,365.63
Dynapac North America LLC	Single Drum Compactor	CA5000	Single Drum Compactor - Operating mass (incl. Cab) 35,700 lbs, Max. operating mass 41,200 lbs, Drum width 84 in, Speed range 2-7 (mph), Vertical oscillation ±9°, Theor. gradeability 45 %, Compaction Static linear load 280 lbs/in, Diesel-powered engine, Automatic vibration control, AntiSpin drive system, Back up alarm, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$269,678.01
Dynapac North America LLC	Asphalt Roller	CC1400	Asphalt Roller - Max. operating mass 11,300 lbs, Static linear load (front/rear) 85/90 pli, Operating mass (incl. ROPS) 9,500 lbs, Vibration frequency 3240/2940 vpm, Module mass (front/rear) 4,600 lbs/4,900 lbs, 79 gal water tank, Centrifugal force 9675/7875 lbs, Speed range 0-5.6 mph. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$148,556.96

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Dynapac North America LLC	Asphalt Roller	CC1300	Drum Width: 1300 mm, Compaction: Centrifugal force (kN) - 33, Nominal amplitude (mm) - 0.5, Static linear load (front/rear, kg/cm) - 52, Water tank - 200 liters, Max Operating Mass - 3900 kg, Operating Mass (incl. ROPS) - 3750 kg, Module Mass (front/rear) - 1930 kg/1820kg, Engine: Manufacturer/Model - Kubota V2203-M, Rated power (SAE J1995) - @2600, kW/hp - 33/44, Fuel tank capacity - 50 liters, Speed Range: 0 ? 10, Driving Axial piston pump with variable displacement and servo, Vertical Oscillation: +/- 10. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$138,000.64
Dynapac North America LLC	Wheeled Mini Class Paver	F80W	Wheeled Mini Class Paver - Mechanical extensions (2x 175 mm) till 1650 mm, Rated power 6.3 kW, Twin wheels easy to handle and to learn, Hopper filling help ideal partner for smooth and well-compacted surface jobs, Additional auger LED light, Easily transportable by trailer, Front wheel scraper, Great for walking and bicycle paths. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$142,275.00
Dynapac North America LLC	Asphalt Spreader	S100	Asphalt Spreader - 500kg operating mass, transportation mass 220 kg, Screed heated, max working speed 30 meters per minute, Parking brake, EPA Emissions, hydraulically controlled hatches, Rated power 3.20 kw, Layer thickness control. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$63,775.00
Dynapac North America LLC	Asphalt Roller	CC950	Asphalt Roller - Max. operating mass 3,100 lbs, Speed range 0-5 mph, Vertical oscillation ±13°, Vibration frequency 4,200 vpm, Water tank 50 gal, Foldable ROPS (incl. seat belt), Seat safety switch, Sliding operator seat, Propulsion in both drums, Vibration on front drum, Towing eyelet (front/rear), Pressurized water system, Spring loaded scrapers. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$70,766.73
Dynapac North America LLC	Trench Roller	D-ONE	Trench Roller - Operating mass 3,516 lbs, Centrifugal force (front/rear) 16,200/ 8,100 lb, Rated power 19.4 hp @ 2,600 rpm, Max. gradeability without vibr. 55 %, Max. gradeability with vibr. 45 %, Hydrostatic articulated steering, Radio/ cable remote control, Active Zone System, Drum extension (610/850 mm), Dual directed-vibration system, Two travel speed ranges, Two amplitudes, Two scrapers per drum, Automatic vibration control. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$78,343.88
Dynapac North America LLC	Asphalt Paver	D25T	Asphalt Paver D25T: Type Steel track with poly pad or wheeled, Vibratory Screed, Final drive Hydrostatic with gear reducer, Maximum Paving Speed - With Vibratory Screed, Conveyor type Dual slat conveyor, Maximum Travel Speed- 9 mile/h, 173 Horsepower turbo Tier 4 Final Emissions Certified Turbo Diesel Engine, Inside turn radius 1.5ft, Screed Width 8ft 4in min- 16ft 4in max with bolt on extensions: 20 ft, Hopper Capacity 250 ft³, Maximum Throughput Capacity, user-friendly toggle and rocker switches, Dual bar feeder, Light assist - Integrated US plugs for quick connection for night lights, 2 independent conveyors with proportional speed control, Clean Assist for ease of cleaning during the start or end of the paving, Hydraulic auger height adjustment, Heat boost - Power heating mode to fast up the heating time for heating the screed elements all together, Reversible rotational direction, & Dynapac rollers, pavers, screeds and material feeders are warranted to be free from defects with regard to materials and workmanship for the period of 1 year.	\$444,524.64
Dynapac North America LLC	Single Drum Vibratory Roller	CA 4600D	Single Drum Vibratory Roller CA 4600D: Anti-spin, Seismic, Smooth drum scraper, 200 HP Engine, 2-way leveling Blade (Field Kit - Ship loose), Leveling blade, Bolt-on Shell Kit (Factory Install), Dual Adjustable steel drum scrapers, Radio and Speakers, Backup Camera with 7" Color Display - Field Kit, Operational performance monitoring system for compaction and soil resistance, High Back, Air Ride Seat with Seat belt and LCD, Smooth Drum Roller with an Optional Padfoot Shell Kit, ROPS/FOPS Cab with Glass Panels, Interior and Exterior Mirrors, Climate Control, including a heater and air conditioning, Bio-oil factory fill, Multi-Position Adjustable Steering Wheel & Operators Manual, parts manual, & service manual. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$38,554.00
Dynapac North America LLC	Single Drum Vibratory Roller	CA1400	Single Drum Vibratory Roller - Max Operating Mass: 16200 lbs, Fuel tank capacity: 31 Gal, Dimensions: Length: 4510 mm, Front Width: 73 in, Rear Width: 60 in, Height: 106 in, Drum diameter: 48 in, Speed range: 0-6 mph, Tire size (16 ply): 400/60-22.5 flotation, Water cooled turbo Diesel, Max. theoretical gradeability: 56%, 55 kW (75 hp ) @ 2,200 rpm, Vertical oscillation: +/-9 degrees. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$139,135.37
East Manufacturing	End Dump Trailer - Framed	FDP	East Manufacturing's End Dump Trailer uses high-quality aluminum in its build. The unique 2-inch thick, double-wall extruded aluminum wall panels are robotically welded together vertically inside and out for superior strength and resistance to twisting. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$136,691.60
East Manufacturing	Flat Bed Trailer	EAST BST-II	Flat Bed Trailer EAST BST-II: Square nose, Suspension w/automatic lowering kit, Coil w/standard CLP package, ABS system, Double spools, Aluminum wheels, Heavy duty stake pockets, LED lights, Tie downs w/storage pipes, Alumilight crank landing gear, OEM standard mud flaps: mount behind, Auto glad hand dump, Bulkhead: flat front smooth aluminum, Flooring: aluminum w/two wood Nailer strips, Winches, Cross members: 15-inch centers w/5-inch aluminum, Rubber docking bumpers, Meritor in-line air filters installed, Side rails: one-piece routed aluminum & Spring brakes and auto slacks. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$156,693.12
Elastec	Trailer Mounted Vacuum	PACS1000	Trailer Mounted Vacuum - Equipped with a 25 hp diesel engine driving a Water Cooled Vacuum pump, capable of sustaining continuous levels of high vacuum without overheating. Free air 424 CFM / 324 CFM under load, max vacuum 90% / 27", max continuous vacuum 83% / 25". For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$153,767.26
Elastec	Municipal Vacuum System	PACS 2000	Municipal Vacuum System -For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$270,380.10
Elastec	Small Skid Vacuum Trailer	SSVU	Small Skid Vacuum Trailer - Standard tank of 150 gallons (optional tanks available) This vacuum unit is designed for clean-up operations in remote locations or where smaller quantities of liquids need to be recovered. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$33,957.11
Elastec	Trailer Mounted Combination Jet/Vacuum System	PACS 920	Trailer Mounted Combination Jet/Vacuum System. Heavy-duty tandem axle trailer, diesel powered auxiliary engine, 1000 gallon debris tank, and 920CFM blower. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$180,107.21

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Elastec	Trailer Mount Vacuum System	0VACUTR77	PACS (Portable Air Conveyance System) is ideal for picking up viscous oil and debris on land or from water surfaces. It is also very effective for beach cleaning operations that require long suction hoses and large solids handling abilities. PACS 1000 is designed for removing liquids, solids, and sludge from land or water, it is suitable for use in remote areas and costs less than vacuum trucks. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$187,630.79
Elastec	Trailer Mount Vacuum System	0VACUTR42	PACS (Portable Air Conveyance System) is ideal for picking up viscous oil and debris on land or from water surfaces. It is also very effective for beach cleaning operations that require long suction hoses and large solids handling abilities. PACS 1000 is designed for removing liquids, solids, and sludge from land or water, it is suitable for use in remote areas and costs less than vacuum trucks. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$159,149.82
Elastec	Boom Reel	0REELBO180G	Heavy Duty Steel base and Marine Grade aluminum spool, Hydraulically Controlled, Forklift pockets, lifting points, dedicated tie down points, closed sides for operator protection, heavy-duty direct drive hydraulic motor and gearbox, stainless steel hydraulic fittings, forward and reverse controls, heavy duty manual overspeed brake. Max Hydraulic Output: 4.2 GPM / 16 LPM, Drive: Heavy-duty hydraulic motor and gearbox, Max Pressure: 2,500 psi / 172 bar single hydraulic circuit. Can be configured with options to satisfy mission requirements. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$64,453.20
Elastec	Trailer Mounted Boom Reel	0SRE180WTG	Trailer Mounted Boom Reel - Steel base and aluminum spool, Paint: acrylic urethane. Galvanized finish available as an option, Trailer: Sized according to the reel. The trailer is fitted with a steel frame, tow hitch and outriggers, Surge brake, and Stainless Steel hydraulic couplings. Optional galvanized frame, diesel engine, Spool: Reinforced. Closed sides for operator protection, Max Hydraulic Output: 4.2 GPM / 16 LPM, Drive: Heavy-duty hydraulic motor and gearbox, Max Pressure: 2,500 psi / 172 bar single hydraulic circuit. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$73,419.09
Elliott Equipment Company	10 Ton Boom Truck Crane	1056	10 Ton Boom Truck Crane - Mounted on a Medium Duty International truck chassis or equal, Dual Operator Control Console And Platforms With Engine Start/Stop Switch, Lifting Capacity 20,000 lbs/9,072 kg, Independently Controlled Outrigger And Stabilizer Levers, Bubble Level Gauge, A 22° Retracted To 56° Extended 3-Section Proportional Boom. Lifting Capacity Chart, Range Diagram Chart, 372 Degree Non-Continuous Rotation & Boom Angle Indicator. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$320,040.76
Elliott Equipment Company	Mobile Boom Truck	36127	Mobile Boom Truck 36 ton Capacity Certified ANSI Standard A92.2-2015 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$640,281.60
Enoven Truck Body and Equipment	Forklift Truck	M8-TZNTQ2034	Forklift Truck - All-Terrain Forklift mounted on Freightliner 6X4 or equal, Truck: Block Heater W/ Chrome Receptacle Under LH, 24" X 96" All Steel Platform, Universal Forklift Mounting Kit, DOT Inspection, 5500 LBS @ 24" load center, Double-stage mast, 144" lift height, 8 degree Mast tilt, 104.5" Overall Height, 5' Side shift, 75" Mounted overhang, 60" Frame opening, 30" Mast travel, Back up alarm, 48" Lumber Forks, Hydrostatic drive, diesel engine, 8 MPH Max travel speed, Load backrest. For more information contact gsasupport@fedharmony.com, 703-624-1206.	\$323,940.00
Ernest Industries Inc.	Shortstop 1.25 Mixer	SS-1.25	Small batch concrete mixer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$50,073.91
Fast Lane Emergency Vehicles	Command Vehicle Conversion Package	CVUP	Command Vehicle Conversion Package - Conversion includes replacing the body with a new enclosed van body, new generator, HVAC, interior lighting, shelving, workstations, plumbing if required, electrical distribution panel, flooring, comm equipment, emergency lighting, wiring, Wraps/painting, electronics and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$359,414.89
Fast Lane Emergency Vehicles	Multi Purpose Command Vehicle	SPCV-5000	This heavy duty full size vehicle has everything your need in a Command Vehicle. This Multi Purpose Command Vehicle comes on a heavy duty chassis and includes work stations, genset, air compressors, etc. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$696,107.04
Fast Lane Emergency Vehicles	14' Emergency Response Refrigerated Trailer	RMT14	Mobile Command and Emergency Response Refrigerated Trailer - Enclosed Tandem axle trailer, designed and engineered to support emergency response scenarios, non-skid interior flooring, insulated walls, custom racking, generator, custom interior/exterior lighting, spare tire. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$100,153.22
Fedharmony	Multipurpose Asset Lease	MAL	Multipurpose Asset Lease - Heavy-duty Includes Licensed Certified Operator for the standard workday, On-Site training if necessary, Delivered to the operation site, Fuel agreement on long term leasing, Heavy Duty Construction Equipment, Safety training, Equipment to support quick mission-essential turnaround, Immediate solutions for disaster recovery, emergency response, Rental Protection Pan, Multiple locations throughout the continental US. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$39,271.22
Fedharmony	SPRINTER SPECIALTY VEHICLE / MOBILE LAB	QV1703500DWSL	2015 Sprinter Cargo Van, standard options, 170" wheel base, high-roof, 3500 series dual rear wheels, 11,030 GVWR, 6 Cylinder diesel, rear barn doors no windows, 3rd center mounted brake light, Class 3 towing package, Factory a/c heating. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$189,759.05
Fedharmony	18' Custom Food Truck	18Foodtruck	18 Foot Custom Food Truck	\$233,248.00
Fedharmony	Emergency Response Command Center	TV-22ERT-1	22 Foot Trailer Emergency Response and Command (27' Includes Hitch) includes: ~ Wired for External Connectivity to Various Support Services/Vehicles for Internet, Phone, Satellite and Video ~ 5 Work Stations Each with 110v, 12v And Cat6 ~ 8'w x 4'd Electronically Operated Slide Out ~ 20' Mast with Rugged IR Camera ~ 5-22" LCD TVs ~ Electronics Equipment Rack (w/Exterior Access Door for Ease of Troubleshooting) ~ 42" Exterior View LCD TV ~ Walk-on Roof and Access Ladder ~ (2) 13,500 Btu AC ~ (2) 750w Electric Wall Heaters ~ 12kW Onan Generator ~ Aluminum Exterior ~ LED Interior Lighting ~ Pebble Finish Interior Walls ~ 50 Amp Shore Power Cord ~ (4) Exterior Scene Lights ~ Dual Pintle and Ball Ft Hitch. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$254,073.60

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Fedharmony	Patrol Trailer	FH-Patrol Trailer	Fedharmony entry level Trailer features a standard enclosed trailer with cabinets, drawers, air compressor, and generators. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$68,952.63
Fedharmony	MultiPurpose Vehicle	FH-MPV	Fedharmony Multipurpose vehicle is ideal for basic responses requiring a generator, air compressor and scene lights. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$137,905.25
Fedharmony	Emergency Response Trailer	FH-ER Trailer	Fedharmony ER trailer is ideal for your incident response team. Enclosed trailer with cabinets, drawers, scene lights, generator, air compressor, A/C. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$131,009.99
Fedharmony	LPTA – 100CY Mobile Processing Facility	275 MCBP	The 100CY mobile concrete processing facility, available with 2, 3 or 4 aggregate bins, is totally self-contained. It needs no outside power source. The plant is self-erecting; eliminating the need for cranes, a substantial savings in set-up costs. Speed and ease of set-up and tear-down are a plus. The entire plant is compact and has a small footprint when set-up. The batch plant pulls in as one unit and is sold as a complete, operating batch plant. Everything needed to set up and batch concrete is standard equipment. No outside power source other than a 10 amp 120VAC power source to run the control system. Not necessary to have a concrete or steel foundation. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,541,177.06
Fedharmony	Sprinter Specialty Vehicle Mobile Command	AMT-SPMCPV	Sprinter 3500 Cargo Van, standard options, 170" extended wheel base, high-roof, 4x4 option, 11,030 GVWR, 6 Cylinder diesel, rear barn doors no windows, 3rd center mounted brake light, Class 3 towing package, Factory a/c heating. Configurable as any type of system that requires a command and control functionality with up to 6 fully integrated workstation, led displays (interior and exterior), weather sealed exterior patch panels and antenna connectivity, motorized awning option, door actuated electric entry steps. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$273,715.20
Fedharmony	Multipurpose Service Vehicle	MS-12072096	International 4300 (or equal), 12' FRP Service Body ~ street and curb side exterior tool compartments ~ interior storage, shelving and fold down table ~ keyless and manual entry for all compartment doors ~ generator ~ air compressor ~ translucent roof skin ~ windows ~ LED interior lighting ~ LED exterior scene lights ~. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$291,162.01
Fedharmony	Multipurpose Service Vehicle	MS-09072096	Chevrolet Silverado 3500HD Crew Cab (or equal), 9' FRP Service Body ~ street and curb side exterior tool compartments ~ interior storage, shelving and fold down table ~ keyless and manual entry for all compartment doors ~ generator ~ air compressor ~ translucent roof skin ~ windows ~ LED interior lighting ~ LED exterior scene lights ~. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$227,462.40
Fedharmony	Mobile Multipurpose Outreach Center	R-34MMOC-1	34' Mobile Multipurpose Outreach Center ~ Optional Chassis with Cummins 6.7 Diesel, Allison Transmission and hydraulic brakes ~ 30' Temp Coat to 40 mil before Installing Insulation ~ w/Blue board insulation ~ Radius Upper extrusions ~ Body Sidewalls to be .040 lap Aluminum. Pre-Painted White ~ Roof t/b .040 single-piece Aluminum ~ Insulate Floor ~ Exterior Scene Lights ~ Baggage Doors ~ 4 Point Leveling System ~ hitch ~ brake controller ~ awning? skylight ~ windows (2) ~ Day/Night shades & white maple valance ~ sinks ~ faucets ~ fresh water holding tanks ~ heatstrips ~ water heater ~ Quickie Flush ~ refrigerator ~ microwave ~ coffee maker ~ exterior shower ~ electric heat (3) ~ roof mounted A/C ~ power vent ~ LP System ~ Onan generator ~ converter ~ inverter ~ Shoreline in Box ~ 100 A ~ PanelTronics 120VAC & 12VDC Panels ~ Workstations prewire-CAT6, Phone 120 VAC ~ 32" LED TV (2) ~ 42 EXTERIOR ~ TV Antenna ~ C. B. Radio ~ Back-Up Monitor & Camera. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$372,576.38
Fedharmony	AV-SPKIT	AV-SP Kit	OEM Spare Parts Kit for Armored Vehicles For more information contact gsasupport@fedharmony.com, 703-624-1206.	\$4,400.00
Fedharmony	Kit Gives Narcotics Interdiction Officer	CDTK	Kit gives narcotics interdiction officers everything they need to inspect, probe, or open packages and other suspicious cargo. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$191.41
Fedharmony	22' Custom Food Truck	22FoodTruck	Mobile stainless steel kitchen built on a current year 22' Ford F59 or equal, complete with grill-top, gas burners, refrigeration equipment, ovens, sinks, fire suppression, awning, on-board generator power water tanks, a/c and heat, internal/external audio. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$296,000.00
FIBA Technologies, Inc.	Compressed Gas Trailer	CGT	Compressed Gas Trailer - Capable of transporting oxygen, nitrogen, hydrogen, compressed natural gas (CNG) and air, ABS Air Brakes, Modular trailers with 18-54 tubes that can accommodate a variety of product volumes. Capacity. the trailer has a minimum water volume capacity of 492 cubic ft., Kingpin Hitch system for 5th wheel compatibility, High service pressure capable, Capable of being stored in ambient temperatures ranging from -65° F to 125° F, Work lights to support night time operations, Heavy-duty landing gears, Pressure gauges prior to the service line. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$396,990.00
FIBA Technologies, Inc.	Compressed Gas Trailer	CGT-6	Compressed Gas Trailer - Capable of transporting oxygen, nitrogen, hydrogen, compressed natural gas (CNG) and air, ABS Air Brakes, Heavy duty landing gears, 6-Tube Tandem Trailer, minimum water volume capacity of 276.6 cubic ft., Design Pressure 6000 PSI, Capable of being stored in ambient temperatures ranging from -65° F to 125° F, Tubes 22" OD x 20"L may be adjusted to satisfy requirements, Acoustic Emission/Shearwave testing up on the chassis, Rear located manifold, DOT compliant placards. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$264,058.60
FIBA Technologies, Inc.	Compressed Gas Trailer	CGT-12	Compressed Gas Trailer - Capable of transporting oxygen, nitrogen, hydrogen, compressed natural gas (CNG) and air, ABS Air Brakes, Heavy duty landing gears, 12-Tube Tandem Trailer, minimum water volume capacity of 492 cubic ft., Design Pressure 2,748 PSI, Capable of being stored in ambient temperatures ranging from -65° F to 125° F, Tubes 22" OD x 18' 6"L may be adjusted to satisfy requirements, Acoustic Emission/Shearwave testing up on the chassis, Rear located manifold, DOT compliant placards. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$265,645.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
First Priority Group	Custom Command Response Truck	Blue Trac	Mounted on a medium-duty truck chassis, Body scene lights - Whelen w/ black flanges, 110 VAC electrical system, Ground lights - underbody led, Generator - Onan 8KW in rear compartment, Lightbar - Whelen pioneer summit, 58" wide led scene light front body, Roll up door - rom corp shutters. Aluminum, brushed finish, DOT marker light pkg LED, Compartment lighting LED, three per compartment Whelen w/ guard, Tail lights - triple stack Whelen, Warranty 3yr / 36,000 mile. Lighting can be substituted with customers' preferences. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.comcom	\$312,508.12
Freedom Trailers, LLC	Custom Enclosed Trailer	RN70K	Custom Enclosed Trailer RN70K: Tandem axle, Electric tongue jack, Ramp Door w/ E-Z Spring Assist and Flap, 12V Battery with recessed battery box in floor for battery storage, Side Door, Exterior LED lighting on both sides of the trailer, Plywood walls & ramp, Electronic Awning on each side of the trailer, tongue and groove treated pine lumber trailer floor, Interior cabinets, Aluminum jeep fenders, Z-Tech Undercoating, Non-powered roof vent, Electric Brakes on Both Axles, E-Z Lube hubs, V-Nose w/ ATP Stone Guard, Galvalume Roof, Thermacool Roof Liner, Silver Mod Wheels & 5 Year Factory Warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$77,120.41
Freedom Trailers, LLC	Gaming Command Trailer	RN110K GT	Gaming Trailer - Up to 30' in length, Galvalume Roof, Electric brakes, LED Exterior Lighting, Heavy duty ramp door, Aluminum Jeep Fenders, Steel tube frame, Zinc tongue jack w/sand foot, Flat Front w/ ATP Stone Guard, E-Z Lube Hubs, Pull Out RV Step, with side entry, Enclosed Generator Platform, Tongue mounted, LED Interior lighting, Surge protected Panel box, Multiple electrical receptacles with USB ports, Dual Fuel Generator, Standard Stadium style seating, with option of customizable seating, Non-Slip flooring, Multiple Video configurations with PS5/X-Box and more with LED TVs, Custom configured Audio/Video. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$115,990.00
Freedom Trailers, LLC	Command Event Trailer	RN50K	Command Event Trailer - Up to 24' in length, Top Mount Air Conditioner 13K+ BTU, Insulated floors, walls, and ceiling, Multiple Axle, LED Lighting, Tongue mounted generator with capability to connect to shore power, Electric or Manual Awning, Multiple Workstations, Custom Configured Cabinets and storage, LED interior lighting, Electric braking system, Coined flooring standard with options, Adjustable hitch, stabilizer jacks, Side entry door with Step, security doors and windows, workbenches, power outlets, Cat 5/6 outlets, Wi-Fi Capabilities, designed for Emergency Management Response, Construction Site, Business Disaster Recovery, Events, and Mobile Workshops, Custom configured Audio/Video. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$57,600.00
Freedom Trailers, LLC	Command Trailer	RN150K	Command Trailer - Multiple Axles, Seamless smooth Gelcoat interior, and exterior, DOT approved LED lighting, Insulated Walls and Ceilings, Electric Tongue Jack, White Exterior Color, Seamless PVC coin surface flooring, Customized work surfaces, Commercial cabinetry, ability to securely stow the seating, Outlets at all work tops include built-in USB ports all GFI protected, Bathroom optional. Enclosed, High powered generators, HVAC, Multiple Workstations, Lockable Toolbox, Solid State Thermostat, Electric awning, Prefab cabinets, Safety Handrail, Comfort ride shock absorbers, Pull out and drop-down ramp, Trailer Leveling System, Humidity control, Electrical Power strips, For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$157,999.00
Freedom Trailers, LLC	Command Trailer	RN100K	Command Trailer - Up to 30' in length, Top Mount Air Conditioner 13K+ BTU, Insulated floors, walls, and ceiling, Multiple Axle, LED Lighting, Tongue mounted generator with capability to connect to shore power, Electric or Manual Awning, Multiple Workstations, Custom Configured Cabinets and storage, LED interior lighting, Electric braking system, Coined flooring standard with options, Adjustable hitch, stabilizer jacks, Side entry door with Step, security doors and windows, workbenches, power outlets, Cat 5/6 outlets, Wi-Fi Capabilities, designed for Emergency Management Response, Construction Site, Business Disaster Recovery, Events, and Mobile Workshops, Custom configured Audio/Video. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$111,600.00
Furukawa Rock Drill	Rock Breaker	F9	Carriers include Skidsteers, Mini-excavators, and backhoes, New length measured from fronthead 19.5 inches, Impact Energy Class - 1500 Ft Lb, Replaceable length measured from fronthead 13.75 inches, Weight based on carrier application 1100-1405 lbs, Adjustable BPM 550 ~ 900, Acceptable GPM Range (LPM) 17 ~ 30 (65 ~ 114), Length 63.25-75.5 inches (based on Carrier), Acceptable PSI Range (Bar) 1,700 ~ 2,150 (120 ~ 150), Diameter 3.5 inches, Recommended Carrier Range in U.S. tons 7 ~ 10, Side plate mounting system for rubber-tired backhoes, Increased front head wall thickness for added service life, Increase in back head pressure and larger diameter piston results in 25% greater impact energy, Longer thrust bushing improves piston alignment during impact, All Furukawa hammers come complete with Furukawa's exclusive Pro-Pak for ease of installation, Pro-Pak includes hose whips, mounting hardware, standard working steel and tool kit with operating manual. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$24,534.68
Genie	Scissor Lift	GS-4046	Scissor Lift - 45 ft 2 in (13.94 m) working height, 7 ft 5 in x 3 ft 9.3 in steel platform, Up to 770 lbs lift capacity, 3 ft 9.3 in extension deck, Platform height maximum - indoor 39ft 2in- outdoor 23ft, Width 3ft 10in, Wheelbase 6ft 1 in, Roll-out platform extension deck 3ft, Power source 24 V DC, 210 Ah (four 12V, 210 Ah batteries). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$57,239.28
Genie	Aerial Work Platform	AWP-30S DC	Aerial Work Platform AWP-30S DC: Auxiliary platform lowering, Rocker base system for maneuverability, ANSI A92.3, CSA B354.1, EN 280, AS1418.10 Max, Tilt back frame (standard on AWP-36, -40), Working height: 35 ft 6 in, Dual activated up/down switch, Platform width: 26", Ground fault interrupt (ANSI / CSA only), Most rigid mast in the industry, Wide, rear access forklift pockets, Small outrigger footprints, LED lights indicate outrigger installation, Outrigger storage sockets, Rough terrain (RT) base with pneumatic casters and rear wheels, Easy loading in pickup trucks, Narrow base, Tie down attachment points, Air motor power 1.5 hp, Overhead crane attachment point, & Quick, one-person setup and simple operation — ideal for use in rental, light-duty construction and maintenance applications. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$30,000.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Genie	GTH-5519 5.5K Telehandler, 4WD	GTH-1056	Genie GTH-5519 compact telehandler with 5,500 lb maximum lift capacity and 18 ft 10 in lift height. Maximum forward reach 11 ft 3 in. Powered by 74 HP Tier 4 Final diesel engine. Full-time 4WD with 3-mode steering (2-wheel, 4-wheel, crab) and variable-speed hydrostatic drive. Proportional boom and auxiliary hydraulic controls with Genie Quick-Attach carriage and pallet forks. Available with open ROPS/FOPS canopy or enclosed cab with heat or heat and A/C. Air-filled rough terrain tires standard. Designed for construction, logistics, and material handling applications. ANSI A92.20 compliant. Factory warranty: 1-year comprehensive, 3-year hydraulics, 5-year structural.	\$195,000.00
Genie	Trailer Mounted Boom Lift	TZ-50	Trailer Mounted Boom Lift - 50' Platform Height / 55' Work Height / 30' Horizontal Reach, DC 24V Electric - Batteries, Auto-Leveling Hydraulic Outriggers/Stabilizers, JIB, 3'8" Basket, AC Wiring to Platform, Automatic 11-degree leveling system, Engine: Gasoline, Hitch Coupler: 355 degree Non-continuous, Hydraulic outriggers, surge brakes, Combination hitch with choice of coupler from the Hitch Options list, LED brake lights, Mechanical parking brake, outrigger indicators, Outrigger interlocks, Tilt alarm/sensor, 24V DC power, Aluminum 26.8 in. x 44 in. platform, Hour meter, Variable speed control system. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$83,306.61
Genie	Articulating Boom Lift	Z34/22 IC	Articulating Boom Lift Z34/22 IC: Self-leveling platform, Alarm package: Flashing beacon and travel alarm, Hydraulic platform rotation, Hour meter, Proportional joystick controls, Tilt alarm, Drive enable, Decent alarm, AC power cord to platform, Zero tail swing and front arm swing, Locking turntable covers, Platform load sense, Two-speed wheel motors, 4WD, Lift Guard contact alarm, 12V DC auxiliary power unit, Dual parallelogram for vertical wall tracking, 19-gallon tank capacity, Lift connect Telematics & Up to 500 lb. lift capacity. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$113,400.00
Genie	Articulating Boom Lift	Z-30/20N RJ	Articulating Boom Lift Z-30/20N RJ: 500 lb. lift capacity, Thumb rocker steer, Drive enable, AC power cord to platform, Self-leveling platform, Proportional joystick controls, Hydraulic platform rotation, Alarm package: flashing beacon and travel alarm, Hour meter, Dual parallelogram for vertical wall tracking, Tilt alarm, Lift Connect Telematics, Decent alarm, Platform load sense, Zero tail swing and front arm swing, Two-Wheel Drive, Lift Guard Contact Alarm & DC Electric. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$89,940.00
Genie	Articulating Boom Lift	Z60	Articulating Boom Lift Z60: Auxiliary power unit 12V DC, Low voltage interrupt (LVI) with battery charge indicator, Dual-axis joystick steering, AC Power cord to the platform, Drive enable the system, LCD display, Lift Connect Telematics, Lift Guard Contact Alarm, Rough terrain, foam-filled, non-marking tires, Lift Tools Work Tray, Active oscillating axle, Platform load sense system, Chassis tilt drive function cut-out, Travel alarm package: flashing beacons, descent, travel and tilt alarms & Electric brake release. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$179,940.00
Genie	Articulating Boom Lift	Z4525	Articulating Boom Lift - Working height maximum* 51 ft 9 in, Platform width 6 ft, Platform height maximum 45 ft 9 in, Height - stowed 6 ft 7 in, Horizontal reach maximum 25 ft 1 in, Length - stowed 22 ft 5 in, Width 5 ft 10.3 in, Platform length 2 ft 6 in, Lift capacity 500 lb, Drive speed - stowed 3.0 mph, Platform rotation 160°, Drive speed - raised** 0.61 mph, Vertical jib rotation 135°, Gradeability - stowed* 30%, Turntable rotation 355° non-continuous, Turntable tail swing zero, Power source - Bi-Energy 48V DC (eight 6 V batteries, 350 Ah capacity) with 13.3hp (9.9kW) Kubota T44 Z482 diesel driven alternator. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$109,722.37
Genie	Articulating Boom Lift	Z45	Telescopic Boom Lift - Engine Water-Cooled Diesel, Active oscillating axles - 4WD, Platform: 6 ft. Dual Entry with Side Swing Gate, Lift Connect Telematics, Steer Control: Dual-Axis Joystick, Positive traction drive, Tires: Foam Filled Rough Terrain, Turntable/Lift; 660 lb. / 1,000 lb. dual load capacity with automatic envelope control, Chassis: 355-degree non-continuous rotation, Anti-restart engine protection, Zero tail swing, 12V DC auxiliary power unit, Alarm package: flashing beacon and travel alarm, Descent and Tilt Alarm, Warranty: Standard 1/3/5 Warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$107,657.68
Genie	Scissor Lift	GS-1932 XH	Scissor Lift GS-1932 XH: SmartLink dual zone control, Folding rails with half-height swing gate, Proportional lift, and drive, Platform load sense system, Drive at full height, Platform control guard, Dual front-wheel drive, Universal 27A smart charger, Rear recessed charger receptacle, Manual platform lowering valve, Platform control with battery charge indicator and diagnostic display, Emergency stop at both platform and ground controls, On-board diagnostic system, Rear wheel multiple disc brakes, AC power to platform, Front-wheel hydraulic dynamic braking, Lanyard attachment points, & Tilt level sensor with audible alarm. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$20,340.00
Genie	Aerial Work Platform	GR-26J	Aerial Work Platform - 140° rotating jib and 350° non-continuous hydraulic turntable allows for exceptional range of motion and precise positioning. These capabilities combined with the efficient electric drive motors and a low machine weight make the Genie Runabout GR-26J lift the solution for hard-to-reach Jobsite needs. Working Height 32 ft 4 in Capacity 500 lb Stowed Height 6 ft 6 in Machine Width 2 ft 11 in Weight 6,250 lb. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$82,384.45
Genie	Self Propelled Aerial Lift	Z8060	Self Propelled Aerial Lift - 84 ft (25.77 m) working height, 60 ft (18.28 m) horizontal reach, 29 ft (8.83 m) up and over clearance, Up to 500 lbs (227 kg) lift capacity, 6 ft (1.83 m) jib with 135° range, Self-leveling platform, Hydraulic platform rotation, Fully proportional Hall effect controls, Onboard diagnostics, ALC 1000 electronic control system, Hydraulic oil cooler, Drive enable, AC power cord to the platform. Lift . Global supports customer needs with Material Handling Equipment (MHE), Forklifts, Marine Forklifts, Warehouse Tugs, Extended Reach Forklifts (Telehandlers), & warehouse trailers. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$260,048.30

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Genie	Telescopic Boom Lift	S40XC	Telescopic Boom Lift - Maximum lift capacity - unrestricted 660 lb./restricted 1,000 lb., Wheelbase: 8 ft, Working height maximum: 45 ft 6 in, Platform height maximum: 39 ft 6 in, Horizontal reach maximum: 31 ft 1 in, Platform rotation: 160°, Turntable rotation: 360° continuous, Drive speed - stowed/raised or extended: 4.0/0.68 mph, Tilt sensor activation front to back: 7° and side to side: 5°, Maximum slope rating: 45% Controls: 12 V DC proportional. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$127,999.20
Great Dane	Combo Deck Platform Trailer	FLD-0026	Combo Deck Platform Trailer - 40-53' trailer with multiple flooring material configurations Heavy duty rub rails and landing gear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$96,728.29
Great Dane	Drop Deck Trailer	Freedom SE	Drop Deck Trailer - 40-53' trailer with multiple flooring material configurations Heavy duty rub rails and landing gear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$79,336.86
Great Dane	Specialty Freight Van Trailer	Champ CL	Specialty Freight Van Trailer - 40' to 53' in length, Specialized interior options include insulation, flooring, siding materials along with lighting. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$81,045.00
Great Dane	Enclosed Refrigerated Van Body Trailer	Everest CL	Enclosed Refrigerated Van Body Trailer - Thermoking cooling system, insulated sides and flooring, ample draing for easy interior cleaning. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$202,547.40
Great Dane	Refuse Express Floor Trailer	48REFT	Length 48', Width 102", Height 13'6" ? 13?9, Keith Triple ridge 3/16"x 48" x 102", 3.0 Drive Unit (2299) slat, King Pin Setting 48", GVWR: 60,000 65,000 lbs., Weight: 16,000 lbs., Volume: 135 cubic yards, Rear Axle Closed Tandem, Side skin: .125 thick impact and wear resistant natural Aluminum, riveted to chassis and side post. Stainless steel rivets used in high wear areas, Rear door: Swing type doors are double-walled constructed with welded aluminum 2x2 Tee-tube frame. Interior of door is 1/8" natural finish impact and wear resistant aluminum. Doors are secured with 4 anti-rack locks and 5 pair of hinges, Western Rollover Tarp w/ ratchet style tarp latches, Tires 275/80R22.5, Wheels: Alcoa 22.5 x 8.25 10-hole hub pilot machined level 1 finish. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$154,702.43
Great Dane	Customized Semi Trailer	SemiC	Standard hard sided box semi trailer customized - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$133,187.05
Great Dane	Hard Sided Semi Trailer	SemiStd	40'-53' hard sided semi trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$68,668.20
Great Dane	Curtain Side Trailer	FSP-Steel	Curtain Side Trailer - Fixed Air Ride Suspension, Outside Stake Pockets, Kingpin, Tandem Axle, Rub Rails, Carbon Steel Buck plate, Aluminum Toolboxes, Sliding winch track, Pull-up Recessed, Chain Tie Cargo Restraints, Hendrickson Suspension, Electric Dump Valve, Heavy Duty Landing Gear, ABS Brakes. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$96,756.10
Great Dane	Flatbed Trailer	FXP-Series	Tandem axle, fixed air-ride suspension, Landing gear: Flatbed Trailer - Jost, Side rail type, Side stake pockets, Aluminum and Apitong wood flooring, Main beam flanges: extruded aluminum beams, Bay area crossmembers: 4" aluminum I-beam on 16" centers, Toolboxes, Automatic dump valve, Anti-lock brakes, air-tank drain valve, Hendrickson suspension, Hendrickson axles, LED Lighting. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$89,059.20
H.D. Industries	Asphalt Pot Hole Patcher	TCM 600-DHE	Asphalt Pot Hole Patcher - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$329,878.63
H.D. Industries	Truck Mounted Pot Hole Patcher	TCM 500-100 DHE	Truck Mounted Pot Hole Patcher Pro Patch TCM 500-100 DHE is a unitized asphalt repair machine capable of making permanent asphalt repairs under most weather conditions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$307,548.75
H.D. Industries	Pot Hole Patcher Trailer	TM600-100 DHE	Pro-Patch Pot Hole Patcher Trailer - Model TM600-100 DHE is a unitized asphalt repair machine capable of making permanent asphalt repairs under most weather conditions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com Fedharmony project management and	\$144,891.25
H.D. Industries	Pot Hole Patcher Trailer	TM500-80 DHE	Pro-Patch Pot Hole Patcher Trailer - Model TM500-80 DHE s a unitized asphalt repair machine capable of making permanent asphalt repairs under most weather conditions. Tandem axle, dual wheel with dual 20,000 lb. axles with ABS anti-skid air brakes. Axles will have leaf springs and oil bath seals. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$142,874.78
H.D. Industries	Pro- Patch Model TM 300-40 DHE	TM-300-40 DHE	The Pro-Patch model TM 300-40 DHE LP Gas has a 3 cubic yard, 4 ton asphalt aggregate hopper with 40 gallon emulsion oil tank that is fully insulated with 2" industrial high temperature 12R factor insulation encased in a double jacket. The top steel doors has 2" of high temperature insulation in a double steel jacket. For operator?s safety, the hydraulic power supply will shut down when the doors are open. The manually operated doors are easy to open. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$114,605.00
H.D. Industries	Pro Patch Asphalt Pothole Patcher - TCM 500-100-DHE	GMC-C7H042	The Pro-Patch Model TCM 425-80 is a truck mounted, unitized asphalt patching machine capable of making effective and permanent asphalt repairs under all weather conditions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$322,037.03
H.D. Industries	Asphalt Pothole Patcher	TCM 600 Series	Asphalt Pot Hole Patcher - 6 cubic yard, 10-ton capacity, Separate tack tank, asphalt repair machine capable of making permanent asphalt repairs under most weather conditions. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$267,473.44
H.D. Industries	PRO- PATCH MODEL TCM 500	TCM 500	The Pro-Patch trailer model TCM 500 is a unitized asphalt repair machine capable of making permanent asphalt repairs under most weather conditions. For additional information contact Jeanne @ 571-266-9082 or Email: Jeanne@Fedharmony.com	\$142,297.45
Haulotte	Tow Behind Aerial Lift	5533A	Tow Behind Aerial Lift - Hydraulic outriggers and automatic leveling, Integrated forklift pockets, Tilt alarm/sensor, Hour meter and battery condition indicator, Working Height 61 ft 3 in, Automatic leveling system and self-leveling platform, Platform Height 55 ft 3 in, Inboard 25 amp charger, Horizontal outreach (from centerline) 33 ft 5 in. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$78,014.07

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Haulotte	Trailer Mounted Boom Lift	4527A	Trailer Mounted Boom Lift - Working height 51 ft, Platform height 45 ft, Lift capacity 500 lb, Platform size 4 ft 1 in x 2 ft 9 in, Hydraulic outriggers, Integrated forklift pockets, Inboard 25 amp charger, Air and water line to platform, Easy to use controls, 110V GFI protected outlet to platform and base, Automatic leveling system and self-leveling platform, Hour meter and battery condition indicator, Tilt alarm/sensor, Hydraulic surge brakes (trailer). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$53,429.25
Haulotte	Tow Behind Aerial Lift	45XA	Tow Behind Aerial Lift - Working height 51 ft, Platform height 45 ft, Horizontal outreach (from centerline) 27 ft, Horizontal outreach (from the edge of footpad) 21 ft, Up and over height 20 ft 9 in, Lift capacity 500 lbs, Wheelbase 8 ft 9 in, Ground clearance 6 in, Platform size 5 ft x 2 ft 6 in, Hydraulic outriggers, Automatic leveling system (leveling capability 12.5°), Self-leveling platform, Air and water lines to the platform, 110V GFI protected outlet to platform and base, 4,000 W generator, Hour meter, Battery condition indicator, Dual power system, Easy to use controls with logically positioned buttons, Tilt alarm/sensor, Spring applied hydraulic released brakes, Inboard 25 amp charger, Bar lug tires. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$84,149.85
Haulotte	Trailer Mounted Aerial Lift	55XA	Trailer Mounted Aerial Lift - Working height: 61' 3", Platform height: 55' 3", Dimensions (stowed): Length - 21' 2", Width - 5' 8", Height - 6' 9", Weight - 6000 lbs., Up and over height: 23' 1", Turntable rotation: 350° non-continuous, Lift capacity: 500 lbs., Jib - length: 4 ft 3 in, Drive speed: 4.75 mph (max), Gradeability: 45%, Hydraulic outriggers, Self-leveling platform, Air and water lines to platform, 110V GFI protected outlet to platform and base, Engine: 31 hp gas Kubota, 4,000 W generator. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$98,340.00
Heil Trailer	Petroleum Tank Trailer	ACJ-8000	Petroleum Tank Trailer - up to 8000 gallons capacity, DOT 407 compliant conical designed tank, 2 speed Landing Gear, Aluminum constructed Frame, Stainless Steel Cross-bracing, Hendrickson Tandem axles, air ride suspension and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$156,876.41
Heil Trailer	Stainless Steel Tank Trailer	SRX9 6000	The SRX9 offers 6,000 Gal capacity as well as a AK-54 automatic dump valve. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$104,928.35
Heil Trailer	Large Capacity Tanker Trailer	ACJ-7000	Large Capacity Tanker Trailer - Large capacity baffled tank, Landing gear, Fifth-Wheel plate with Kingpin hitch, DOT Lighting, Tandem Heavy Duty Axles, OEM Braking, Tank walkway, Ladder, Storage cabinet, Air-Ride Suspension, Emergency valve, inlet and outlet valves. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$98,240.40
Heil Trailer	Large Capacity Tanker Trailer	ATB6 9200	Large Capacity Tanker Trailer - Large capacity DOT 406 compliant baffled elliptical tank, Landing gear, Fifth-Wheel plate with Kingpin hitch, Tandem Heavy Duty Axles, ABS Braking, Tank walkway, Ladder, Storage cabinet, Air-Ride Suspension, Overfill system, Vapor Recovery system. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$149,642.21
HEM Paving	Road Groom 13ft	RG-13	13ft road groomer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$28,911.50
HEM Paving	Road Groom 11ft	RG-11	11ft road groomer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$26,598.58
HEM Paving	Road Groom 8.5ft	RG-8.5	8.5ft road groomer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$23,129.20
HEM Paving	Road Groom 4ft	RG-4	4ft road groomer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$17,910.10
HEM Paving	Concrete Paver	HEM 3TR	Concrete Paver. Turbocharged Diesel Engine, Hydraulic Oil Reservoir, 24 ft (m) Paving Width, Hydraulic Vibrators individual or en-masse vibrator speed controls, and Worldwide Support and easily maintained. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$208,192.68
HEM Paving	Slipform Paver SFP 14-37	SFP 14-37	Slipform Paver with Hydraulic Heat Exchange, Vibrators, Pump, Split Tamper Bar, and Side Bars, with Dual Crawler Tracks, Power Wash System, Grade Control, and Intermittent Steering System. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$765,308.54
HEM Paving	Placer /Spreader PS12-28	PS12-28	This is a 2 track placer/spreader - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$647,228.37
HEM Paving	Texture Cure - TC12 -28	TC12 -28	This is a rubber track texture/cure machine with a telescoping frame. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$260,864.27
HEM Paving	Slipform Paver	SFP12-27	Slipform Paver with Hydraulic Heat Exchange, Vibrators, Pump, Split Tamper Bar, and Side Bars, with Dual Crawler Tracks, Power Wash System, Grade Control, and Intermittent Steering System - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$612,739.86
HEM Paving	Towable Concrete Mixing Trailer	800-987-066	Towable Concrete Mixing Trailer - Extreme Duty Gearbox, Pintle ring coupler, Hydraulic Motor, Tandem axles, 4-wheel hydraulic surge brakes, Precision rotating drum, Vari-height adjustable tongue, Gas powered engine, GearSaver Knob for gearbox safety, D.O.T. Approved lights, Powder coated standard BR green frame, Uni-body hydraulic valve, Tow behind, Tubular structural steel frame, Short load cost and time saver, Adjustable tongue height, Quality build and easy to maintain, Black Fenders & 1 year factory warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$66,000.00
Hogg and Davis Inc.	Cable Hydrastatic Tensioner Trailer	HYDRA 985	Cable Hydrastatic Tensioner Trailer	\$266,596.56
Hogg and Davis Inc.	Four Drum Cable Puller-Tensioner	ODP40-4 HRC	The ODP 40-4 HRC (High Rope Content) is a four drum puller capable of line pull of 4,000 lbs on a single drum. Each drum can be engaged or disengaged for single or multiple drum pulling. An overspin brake with a hydraulic actuator is also included on each drum. Operator controlled post style levelwind allows for even winding of rope. All unit functions are centrally located at the operators station. Engine gauges including tachometer, oil pressure, temp, fuel, and voltage are all in view. Pulling is controlled with an electric over hydraulic friction joystick allowing for infinite control of line speed and presettable line pull. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$337,500.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Hogg and Davis Inc.	Single Drum Puller	ODP40	The ODP 40 is a single drum puller capable of line pull up to 4,000 lbs. Disengaging the drive system allows for free wheel payout of the pulling rope with an integrated hydraulically controlled overspin brake. The operator controlled post style levelwind allows for even winding of rope. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$228,450.00
Hogg and Davis Inc.	Four Drum Puller	ODP20-4	The ODP 20-4 is a four drum puller capable of line pull of 2,000 lbs on a single drum. Each drum can be engaged or disengaged for single or multiple drum pulling. An overspin brake with a hydraulic brake caliper is also included on each drum. The automatic diamond lead screw levelwind allows for even winding of rope on one drum at a time. Optional dual levelwind available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$217,621.80
Hogg and Davis Inc.	High Production Cable Reel Trailer	HP6500	The industry's requirement for a high-speed overhead stringer with a brute strength underground puller is now answered with the HP6500 Hydrastatic Puller. The concept of the single-reel, self-maneuverable cable reel unit has been proven time and time again over the past several years. Now the HP6500 adds the additional speed and power required for the most difficult jobs. Its unique power train features a diesel, 4 cylinder, water-cooled engine and provides feather touch electro-hydraulic proportional controls. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$356,454.15
Hogg and Davis Inc.	Bull Wheel Tensioner - 5k	OLT52	Overhead Line Tensioner is designed to install single conductor. The bullwheels are canted as per IEEE specifications to prevent unnecessary twisting of the conductor during installation. The reel cargo area allows for the carrying of a reel 96" in diameter and 56" wide at a maximum weight of 12,000 lbs. A manually actuated bronze overspin brake is also included as well as a urethane roller fairlead for guiding the cable to the bullwheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$187,025.16
Hogg and Davis Inc.	Bull Wheel Tensioner - 3k	OLT38	Bull Wheel Tensioner - 3k - Overhead Line Tensioner is designed to install single conductor. The bullwheels are offset as per IEEE specifications to prevent unnecessary twisting of the conductor during installation. 24" disc brakes, with centralized braking controls at the operator station allow for precise tensioning of the conductor. The reel cargo area allows for the carrying of a reel 90" in diameter and 52" wide at a maximum weight of 8,000 lbs. A hydraulically actuated 16" overspin brake is also included as well as a urethane roller fairlead for guiding the cable to the bullwheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$238,903.75
Hogg and Davis Inc.	Single Drum Puller - 10k	ODP100	The ODP 100 is a single drum puller capable of line pulls of up to 10,000 lbs. All unit functions are centrally located at the operators station. Engine and hydraulics system gauges including tachometer, oil pressure, temp, voltage, hydrastatic pressure, and overspin brake pressure are all in view, and a PowerView Engine Info Center allows the operator to monitor all functions of the power unit. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$486,500.00
Hogg and Davis Inc.	Single Drum Puller - 6k	ODP60	Single Drum Puller - 6k - single drum puller capable of line pull or tension of up to 6,000 lbs. Disengaging the drive system allows for free wheel payout of the pulling rope with an integrated hydraulically controlled overspin brake. The operator controlled post style levelwind allows for even winding of rope. All unit functions are centrally located at the operators station. Engine gauges including tachometer, oil pressure, temp, fuel, and voltage are all in view. Pulling is controlled with an electric over hydraulic friction joystick allowing for infinite control of line speed and presettable line pull. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$255,690.14
Hog Technologies	(HT12000-VC) 40k psi Water blasting with Integrated Hydraulic Power	HT12000-VC	(HT12000-VC) 40k psi Water blasting with Integrated Hydraulic Power - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$624,718.66
Hog Technologies	(ST2000) Fresh/Debris Water Trailer	ST2000	(ST2000) Fresh/Debris Water Trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,316.34
Hog Technologies	(SK2000) Rubber and Paint removal truck	SK2000	(SK2000) Rubber and Paint removal truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$791,887.31
Hog Technologies	Striping Machine	PH5000	The Striping Machine is a paint marking system. It has a unique and reliable low speed rpm control. skip line control system with on board printer for quantity tracking. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$640,905.52
Hog Technologies	(HT9000 - VC) 40k psi Water blasting with Integrated Hydraulic Power	HT9000-VC	(HT9000 - VC) 40k psi Water blasting with Integrated Hydraulic Power - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$686,317.22
Hog Technologies	(HT5000 - VC) 40k psi Water blasting with Integrated Hydraulic Power	HT5000-VC	(HT5000 - VC) 40k psi Water blasting with Integrated Hydraulic Power - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$549,053.26
Hog Technologies	(HD1400) Industrial Vacuum & Hydroexcavator Truck	HD1400	(HD1400) Industrial Vacuum & Hydroexcavator Truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$381,814.54
Hog Technologies	Stripe Hog SH7500 Air Transportable	SH7500 AT	Stripe Hog SH7500 Air Transportable - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$952,256.09
Hog Technologies	Thermo Hog	Thermo Hog	Thermo Hog - Pavement Marking Equipment. The Thermo Hog's Hog Melter is a processing plant with over 41 times the heated surface of a conventional melter. This one-of-a-kind Melter provides for continuous melting of thermoplastic at 16,000 lbs per hour for two color application. The galvanized frame is easily removed for installation onto another chassis when the old chassis needs to be replaced. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,224,946.89
Hog Technologies	Truck mounted Surface Cleaner	Surface Hog	Truck mounted Surface Cleaner - The Surface Hog removes hydrocarbons and oils from gate areas, aircraft parking & work areas, gas stations, and more. By using only fresh potable water. The Surface Hog is the only surface cleaning option that can be driven on roads at highway speed. Similar units can only travel upwards to 15 MPH. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$402,264.63

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Hog Technologies	Stripe Hog SH24.0	SH24.0	The Stripe Hog SH24 is a water blasting and recovery system designed for either asphalt or concrete roadways and airfields. The Stripe Hog SH24.0 can prepare to vacate the runway in under 1 minute. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$1,446,049.51
Hog Technologies	Stripe Hog SH8000	SH8000	Stripe Hog SH8000 - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,030,850.50
Hog Technologies	Stripe Hog SH7500	SH7500	Stripe Hog SH7500 Quick and efficient of thermoplastic, cold plastic, two component, epoxy, tape and waterborne paint. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$824,236.07
Hog Technologies	HT1000 Walk Behind Tool	HT1000	HT1000 Walk Behind Tool - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$26,110.98
Hog Technologies	Striping Machine Skid	SK5.2	Striping Machine Skid - Waterblasting components are powered off the auxiliary engine: Tier IV, Two stage water filtration: 20 micron / 1 micron absolute, Dimensions: L - 192", W - 86.5", H - 87.5", Weight (Empty) ? 10K lbs., Weight (Full) - 17470 lbs., Smart Vac: 750 CFM - 4" Blower, UHP Pump: Jetstream, Industrial Silencer, Storage: 900 gallons of fresh water (3,406 liters) & 700 gallons of debris/reclaimed water (2,650 liters), Flow: 5.2 GPM, Stainless Steel Tank, HT100SR is a walk-behind blasting tool included, Operating Pressure: 40000 psi, Flow: Up to 9.2 GPM, Cutting Path: 14", Vacuum: Demand 750 CFM, Weight: 105 lbs., Construction: Aluminum & Stainless Steel, Cleaning Capacity: 500-1500 sq. ft./hr. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$316,389.00
Holcombe Mixers	12 Yrd Volumetric Concrete Mixer Truck	HM12HE	12 Yrd Volumetric Concrete Mixer Truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$408,684.95
Holcombe Mixers	10 Yrd Volumetric Concrete Mixer Truck	HM10H	10 Yrd Volumetric Concrete Mixer Truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$400,821.08
Holcombe Mixers	10 Yrd Volumetric Concrete Mixer Trailer	HM10H-T	10 Yrd Volumetric Concrete Mixer Trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$355,447.15
Holcombe Mixers	12 Yrd Volumetric Concrete Mixer Trailer	HM12H-T	12 Yrd Volumetric Concrete Mixer Trailer - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$355,447.15
Holcombe Mixers	6 Yrd Volumetric Concrete Mixer Trailer	HM6M-T	6 Yrd Volumetric Concrete Mixer Trailer HM6M-T: All Modular Components with heavy duty construction, Hydraulic gates, Modular Ag Bin-5 panels, All digital tack and flow meters, All panels individually removable, Premium flat-faced "O" rings-fittings and hoses, 500 gallon water tank, Internal low noise vibrator on cement bin, 24" wide chain driven conveyor belt material delivery system, Spring loaded conveyor belt tensioner, No tear down or set-up costs, Advanced high energy 10', 12" diameter mixing auger, Flexibility: When serving as a mobile batch plant, can handle other mix designs or pours on a project, Hydraulic cement drive-no gearbox, All types of mix designs, Adjustments to the cement bin angles based on extensive finite analysis testing, Auto oiler for chain & The ONLY mixer built with longevity of the mixer as a focus point! For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$212,412.22
J & J Trailers Manufacturers & Sales Inc	Elevating Trailer 49'-53'	FLTB	49'-53'Gooseneckelevating trailer load at ground level, dock level, or any where in between. Smooth hydraulic power allows infinite bed height adjustment up to 52". For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$134,806.82
J & J Trailers Manufacturers & Sales Inc	Elevating Trailer 40'-48'	FLTA	40'-48' Gooseneck elevating trailer load at ground level, dock level, or any where in between. Smooth hydraulic power allows infinite bed height adjustment up to 52". For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$87,159.58
Jarco	Refined Fuel Pumper Truck	RFP	Refined Fuel Pumper Truck - HD diesel-powered truck, dual manifold, multiple compartments, dual pump, baffled tank, cabinets, and reels. The hydraulic drive system eliminates problematic hot shift PTOs, drivelines, and hanger bearings. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$352,137.00
JLG	9000 lbs Telehandler Forklift	JLG943	9000 lbs Telehandler Forklift - Rated Capacity 9,000 lb, Frame Leveling 10°, Maximum Lift Height 43 ft, Lift Speed (boom retracted) Up 13 sec Down 9 sec, Load at Max Height 7,000 lb, and Maximum Forward Reach 30 ft 5 in. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$198,958.93
JLG	10K Telehandler Forklift	10054	10K Telehandler Forklift - Rated Capacity: 10,000 lb, Load at Max Reach: 3,000 lb, Length: 252 in, Width: 102 in, Height: 100.1 in, Operating Weight: 28,200 lb, Maximum Lift Height: 53 ft 2 in, Drawbar Pull (loaded): 24,500 lb, Load at Max Height: 4,000 lb, Top Travel Speed (4-Speed): 20 mph, Maximum Forward Reach: 38 ft 9 in. Lift . For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$205,602.93
JLG	10K Telehandler Forklift	JLG1055	10K Telehandler Forklift - Operating Weight: 31,559 lb, Maximum Lift Height: 55 ft, Load at Max Height: 5,000 lb, Maximum Forward: Reach 42 ft, Load at Max Reach: 3,000 lb, Fuel Tank Capacity: 38.3 gal, Diesel Engine 130 hp, Transmission: Powershift 4-speed forward and 3-speed reverse, Axles: Trunnion mounted planetary 55° steer axles. Integral steer cylinder. High bias limited-slip differential on front axle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$262,740.00
JLG	Scissor Lift	2632ES	The 2632 ES scissor lift offers electric power for zero emissions and near-silent running indoors. Additionally, there is more productivity by boosting efficiency with direct electric drive. What's more, enjoy industry-leading upcycles so you can work longer with higher productivity. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$34,743.85

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
JLG	Towable Boom Lift	T500J	Towable Boom Lift - Platform Height 50 ft, Horizontal Outreach 30 ft, Up and Over Height 18 ft, Platform Capacity: 500 lb, Platform Rotator 90 Degrees Manual, Jib Length 4-ft, Jib Vertical Motion 130 Degrees, Gasoline engine or 24V DC electric power, Standard air and water lines to platform, Accessory Mounting Tray, air compressor or pressure washer, 110V-AC Receptacle in the Platform, Hour meter, Motion Alarm, Parking Brake, Battery Condition Indicator, Auto-Leveling Hydraulic Outriggers, Standard Air and Water Lines to Platform, Telescopic Upper Boom, Tilt Alarm/Indicator Light, Platform, Side Entry. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$74,616.15
JLG	Telehandler	8042	Telehandler - Rated Capacity 8,000 lb, Maximum Lift Height 41 ft 11 in., Load at Max Height 6,000 lb, Maximum Forward Reach 26 ft 7 in, 4-wheel drive. Oscillating rear axle with Stabil-Trak system, Certified ROPS/FOPS structure, Single joystick controls, A Load holding valves on frame level Operator selectable 4-wheel circle, 4-wheel crab, 2-wheel front, Multiple Carriage options: Standard, Side-Tilt, Swing 90°, Side-Shift, Dual Fork Positioning, JLG "1, 2 & 5" Warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$207,600.00
JLG	Articulating Boom Lift	1250AJP	Articulating Boom Lift - Platform Height 125 ft, Horizontal Reach 63 ft 2 in, Swing 360° Continuous, Platform Capacity — Restricted 1,000 lb, Platform Console Machine Status Light Panel, Platform 6 ft/8 ft, Cold Weather Start, Hostile Environment Kit, Operator Tool Tray, Platform: 36 x 96 in., All Motion Alarm, 8 ft Boom, Swing-Out Engine Tray, 180° Hydraulic Platform Rotator, 12V DC Auxiliary Power, AC Receptacle in the Platform, Hour meter Full-time 4WD, 3 Selectable Steering Modes, Drive-out Extendible Axles, Oscillating Axle, Proportional Controls. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$357,540.00
JLG	Telehandler	6034	Telehandler 6034: Rated Capacity: 6000 lbs., Top Travel Speed (4-speed): 15 mph, Maximum Lift Height: 34 ft 5 in, Drawbar Pull (loaded): 12863 lbs., Load at Max Height: 4000 lbs., Outside Turning Radius: 11'11", Maximum Forward Reach: 23 ft 2 in, Operating Weight: 14,500 lbs., Load at Max Reach: 1000 lbs., Frame Leveling: 10 degrees, Engine: Deutz TCD2.91.4, Adjustable suspension seat with retractable seat belt, Fuel Tank Capacity: 28 gal, Hydraulically actuated inboard wet disc brakes, Hydrostatic 1-speed forward and 1-speed reverse, Single joystick controls, Oscillating rear axle with Stabili-Trak system, Certified ROPS/FOPS, Full-time planetary 4-wheel drive & Power steering. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$157,140.00
JLG	Telehandler	6036	Telehandler - Rated Capacity: 6000 lbs., Top Travel Speed (4-speed): 19 mph, Maximum Lift Height: 36ft 1 in, Drawbar Pull (loaded): 22000 lbs., Load at Max Height: 6000 lbs., Outside Turning Radius: 165 in, Maximum Forward Reach: 22 ft 4 in, Operating Weight: 21300 lbs., Load at Max Reach: 1800 lbs., Frame Leveling: 10 degrees. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$131,066.85
JLG	Telescopic Boom Lift	600S	Telescopic Boom Lift - Platform Height 59 ft 8 in., Horizontal Outreach 50 ft 2 in., Swing 360° Continuous, Platform Capacity Restricted/Unrestricted 1,000 lb/600 lb., Platform Rotator, 160° Hydraulic, Weight 22,900 lb, Drive Speed 4WD 3.8 mph, Gradeability 4WD 45%, Tilt Cut Out 5°, Axle Oscillation 8 in., Turning Radius, Inside/Outside 2WS 9 ft 7in./19 ft 4 in., 4WS 5 ft 3 in./12 ft 8 in., Oscillating Axle, Hydraulic Platform Rotator, 110V AC Receptacle in the Platform, 5 Degree Tilt Alarm/Indicator Light, Swing-Out Engine Tray, 12V DC Auxiliary Power, Proportional Controls, Platform Console Machine Status, Light Panel, Engine Distress Warning/Shutdown, Lifting/Tie Down Lugs, Load Sensing System. Options: 36 x 72 in. Platform, Fall Arrest Platform, Inward Swinging Gate, Soft Touch System, Operators Tool Tray, 43.5 lb (19.7 kg) Propane Tank, Cold Weather Start Kit, Hostile Environment Kit, Flashing Amber Beacon, Arctic Package. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$137,081.85
JLG	Articulating Boom Lift	800AJ	Articulating Boom Lift - Platform Height 80 ft 24.38 m, Horizontal Outreach 51 ft 10 in. 15.8 m, Up and Over Height 32 ft 1 in. 9.78 m, Swing 360 Degrees Continuous, Platform, Side Entry 36 x 96 in. 0.91 x 2.44 m, Platform Capacity-Unrestricted 500 lb 227 kg, Platform Rotator 180 Degrees Hydraulic, Jib Length 6 ft 1.83 m, Oscillating Axle, Articulating Jib, Oscillating Axle, 180 Degree Hydraulic Platform Rotator, 110V-AC Receptacle in the Platform, 4 Degree Tilt Alarm/Indicator Light, Swing-Out Engine Tray, 12V-DC Auxiliary Power, Hourmeter, Control ADE System, Proportional Controls, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$218,885.86
JLG	Trailer Mounted Boom Lift	T350	Trailer Mounted Boom Lift - Platform Height 34' 5", Working Outreach 20' 2", Up and Over Height 15', Swing 410 Degrees Non-Continuous, Platform Capacity 500 lb, Platform Capacity w/Rotator (Optional) 440 lb, Material Hook Capacity 500 lb, Weight 3,400 lb, Leveling Capability 11 Degrees, 24V DC, Telescopic Upper Boom, Platform, Side Entry: 30" x 48", Proportional Controls, 110V-AC Receptacle in the Platform, Auto-Leveling Hydraulic Outriggers, Motion Alarm, Tilt Alarm/Indicator Light, Battery Condition Indicator, Standard Air and Water Lines to Platform, Platform Rotator. Options: Material Hook, 500 lb, Drive and Outrigger Set, Platform Mounted Glass/Panel Tray, Non-Marking Outrigger Pads, Flashing Amber Beacon, 3000 Watt Honda Generator. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$44,932.05
JLG	Drivable Vertical Lift	E18MML	Drivable Vertical Mast Lift: Platform Height: 18 ft / 5.49 m Machine Width: 2 ft 6 in. / 0.76 m Machine Weight: 1950 lb / 884.51 kg. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$22,875.00
JLG	Electric Scissor Lift	ES1932	Electric Scissor Lift: Platform Height: 19 ft / 5.79 m Platform Capacity: 507 lb / 229.97 kg Machine Width: 2 ft 8 in. / 0.81 m Drive Speed - Platform Lowered: 3 mph / 4.83 km/h. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$20,375.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
JLG	Electric Scissor Lift	ES2646	Electric Scissor Lift: Platform Height: 26 ft / 7.92 m Platform Capacity: 1200 lb / 544.31 kg Machine Width: 3 ft 10 in. / 1.17 m Drive Speed - Platform Lowered: 3 mph / 4.83 km/h. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$31,375.00
JLG	Electric Boom Lift	E300AJP	Electric Articulating Boom Lift: Platform Height: 29 ft 5 in. / 8.97 m Machine Width: 4 ft / 1.22 m Platform Capacity - Unrestricted: 500 lb / 226.80 kg For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$85,125.00
JLG	Articulating Boom Lift	E450AJ	JLG E450AJ Electric Boom Lift: Platform Height 45-ft / 13.72-m, Horizontal Outreach 25-ft / 7.62-m, Up and Over Height 24-ft / 7.3-m, Platform Capacity 550-lb / 250-kg. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$90,250.00
JLG	Telescopic Boom Lift JLG 860SJ HC3	860SJ HC3	Telescopic Boom Lift: Platform Height 86-ft / 26.21-m, Horizontal Outreach 75-ft / 22.86-m, Drive Speed 3.5 mph / 5.6 km/h, Platform Capacity Restricted: 750-lb / 340-kg Unrestricted: 500-lb / 227-kg. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$229,125.00
JLG	Telescopic Boom Lift w/Quad Tracks	660SJ-QT	Telescopic Boom Lift with Quad Tracks- 66ft Platform Height, 72ft Working Height, 56'9" Horizontal Reach, Deutz Diesel Engine, 4WD, Foam Filled Tires, SkyPower, 8' Platform. Global supports customer needs with Material Handling Equipment (MHE), Forklifts, Marine Forklifts, Warehouse Tugs, Extended Reach Forklifts (Telehandlers), warehouse trailers, and much more. For additional information contact Fedharmony Support at (202) 792-7050 or e-mail gsasupport@fedharmony.com	\$218,687.50
JLG	Articulating Boom Lift	600AJ	JLG 600AJ Articulating Boom Lift: Platform Height 60-ft 7-in / 18.47-m, Up and Over Height 26-ft 7-in / 8.1-m, Horizontal Outreach 39-ft 9-in / 12.1-m, Platform Capacity 500-lb / 227-kg. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$158,843.00
JLG	Telescopic Boom Lift JLG 660SJ	660SJ	Telescopic Boom Lift - 66ft Platform Height, 72ft Working Height, 56'9" Horizontal Reach, Deutz Diesel Engine, 4WD, Foam Filled Tires, SkyPower, 8' Platform. Global supports customer needs with Material Handling Equipment (MHE), Forklifts, Marine Forklifts, Warehouse Tugs, Extended Reach Forklifts (Telehandlers), warehouse trailers, and much more. For additional information contact Fedharmony Support at (202) 792-7050 or e-mail gsasupport@fedharmony.com	\$161,100.00
JLG	Articulating Boom Lift	450AJ	JLG 450AJ Articulating Boom Lift: Platform Height 45-ft / 13.72-m, Horizontal Outreach 25-ft / 7.62-m, Up and Over Height 24-ft / 7.3-m, Platform Capacity 550-lb / 250-kg. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$115,523.00
JLG INDUSTRIES, INC.	340AJ Articulating Boom Lift - 4WD	340AJ	Articulating boom lift with 33 ft 10 in platform height and 19 ft 11 in horizontal outreach. 500 lb platform capacity with 30 x 60 in side-entry platform and 180° hydraulic platform rotator. 4 ft articulating jib and 355° non-continuous swing for precise positioning. 4WD hydrostatic drive with 45% gradeability and oscillating axle for rough terrain applications. Operating weight 9,700 lb. Diesel engine standard. Dual fuel (Gas/LP configuration available). 110V AC receptacle in platform, proportional controls, Control ADE® system, tilt alarm, all-motion alarm, and swing-out engine tray. JLG 1 & 5 warranty: 1-year full machine, 5-year structural coverage.	\$82,438.00
Kaufman Trailers - Flatbeds	Deluxe Enclosed Car Hauler	28D	Car Hauler Trailer - External length up to 28ft, Side Door Type 32 in. - RV style - flush lock handle, External width 8'5", Aluminum Exterior Skin, Aluminum roof, LED lighting and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$33,085.80
Kaufman Trailers - Flatbeds	Light Duty End Dump Trailer	FXSLP	Light Duty Dump Trailers are offered in a 10,000 GVW rating. The bed size is 10 ft. x 76 in. An optional 12 ft. x 76 in. size is also offered. The frame is 6" channel with a 5" channel tongue. The sides are 24" tall with board holders that will accept sideboards, adjustable coupler, 7,000 lb. drop foot jack, and a U.S. made sealed wiring harness with lifetime LED lighting. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$20,852.04
Kaufman Trailers - Flatbeds	Low Profile Triaxle Wedge Car Trailer	LPCT56	14,000 to 18,000 GVWR / 50 ft. + 6 ft. Low-Profile Triaxle Wedge Car Trailer s constructed with a lightweight, hi-tensile tubing frame and lightweight, ridged, mesh runners. Flipouts ? front and rear ? give 56? of usable load area. 3-7,000 lb. axles with slipper spring suspension and 16?? radial tires. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$45,240.98
Kaufman Trailers - Flatbeds	Tandem Dual Wedge Car Trailer	TDWCT	14,000 to 18,000 GVWR / 50 ft. + 6 ft. Tandem Dual Wedge Car Trailer is constructed with a lightweight, hi-tensile tubing frame and lightweight, ridged, mesh runners. Tandem dual 10K oil bath axles with 16?? RADIAL tires. 2-5/16 in. Adjustable ball coupler. Dual 12,000 lb. drop foot jacks. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$46,829.64
Kaufman Trailers - Flatbeds	Wedge Car Trailer 35'	WCT35	12,000 GVWR / 35 ft. Wedge Car Trailer are constructed with a lightweight, hi-tensile tubing frame and lightweight, ridged, mesh runners. 2-7,000 lb. axles with slipper spring suspension and 16" radial tires. With tie-down ratchets and wheel straps. Optional LED Lights, Optional Dual Speed Jacks, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$36,191.75

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Kaufman Trailers - Flatbeds	Triaxle Wedge Car Trailer	TWCT	Triaxle Wedge Car Trailer - constructed with a lightweight, hi-tensile tubing frame and lightweight, ridged, mesh runners. Flipouts front and rear give 56' of usable load area. Frame upgrades are included over the 3-car model to carry the extra load of a fourth vehicle. Standard running gear on this model is 3-7,000 lb. axles with slipper spring suspension. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$43,652.40
Kaufman Trailers - Flatbeds	Double Deck Car Hauler Trailer_47 ft.	DDCT47	Double Deck Car Hauler Trailer 47 ft - Trailer can haul a full size SUV on the front top deck, a pickup or van on the rear lower deck, and two medium sized cars in the middle. This trailer is constructed with an all tubing frame and three 8,000 lb. big stud axles with 17.5" 16PR radial tires. The self contained hydraulic center section is operated with a wireless remote control. 8" aluminum ramps and ridged mesh decking for traction in all weather conditions make loading a breeze. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$39,380.89
Kaufman Trailers - Flatbeds	Tri axle Two Car Trailer	TATCT	Tri axle Two Car Trailer - Trailer is built with an all-channel frame that incorporates four 6 in. channel frame runners. Each floor runner has two opposed frame members. These work together with the diamond floor plate to create a boxed frame for extra stiffness and rigidity. Three 7,000 lb. electric brake axles with heavy duty slipper spring suspension, and 16 in. radial tires provide a long lasting and durable running gear. D-ring tie-downs, a tool tray with lockable lid, and an adjustable 2 5/16 in. coupler are all standard. An optional rollback style ratchet and strap tie-down system is available for this easy to use tri-axle two car trailer. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$23,643.85
Kaufman Trailers - Flatbeds	Tilt Car Trailer	DFTCT	Tilt Car Trailer - 15,000 GVWR diamond floor tilt car trailers are manufactured with a 6" channel frame and tongue, and 6x2 heavy wall tubing on the full length tilting bed, with 3" channel cross members on 16" centers. The entire bed tilts for loading and is built with all tubing steel perimeter frame construction. 24" toe plates and the gradual loading angle, made possible by a total bed length (including toe plates) of 24" make it possible to load vehicles or equipment with low clearance that will not load on standard ramp and dovetail trailers. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$18,086.64
Kaufman Trailers - Flatbeds	Deluxe Car Trailer	FA 5.2 17-25D	10000 GVWR Car Trailer is built with a full diamond floor and d-ring tie downs in the corners. The 5" channel frame runners are turned in which accommodates stake pockets and rub rails. Crossmembers are on 16" centers. The full length wrap around tongue is 5" channel. 5,200 lb. ez lube axles with four wheel brakes. Components include a fixed 2 5/16 in. A-frame coupler, swing up tongue jack and tear drop fenders. The front corners are beveled with running lights for a great looking car trailer. A dovetail with hidden rear slide-in loading ramps make loading easy. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$20,442.85
Kaufman Trailers - Flatbeds	Tandem Dual Gooseneck Dump Trailer	TSGN-DT-25K	Heavy Duty 25000 GVWR Deluxe Tandem Dual Gooseneck Dump Trailer is offered up to 20 ft. standard length with 90 in. of usable width inside the bed. 12" I-beam main frame, uprights, and gooseneck riding on 10,000 lb.dual wheel axles.The dump box is built with a tubing frame and channel cross-members, and has a one-piece 10 ga. (.135" ) floor with optional super duty 3/16" (.187" ) available thickness. 8" triple tube aluminum ramps. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$34,977.36
Kaufman Trailers - Flatbeds	Heavy Duty Dump Gooseneck Trailer	GNDT - 16	Heavy Duty Gooseneck Dump Trailer up to 16 ft., 8" channel frame and gooseneck, dump box tubing frame and channel cross-members, and has a one-piece floor 10 ga. with an optional super duty 3/16" available thickness. The one-piece floor has d-ring tie-downs on all four corners. There is a 24 in. Combination barn doors and spreader tailgate. The 6" loading ramps slide in under the floor. An optional tarp kit is easily mounted. The has a powerful scissor lift that is operated by a self-contained hydraulic pump. 8,000 lb. axles with 4-wheel brakes, heavy duty spring suspension. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$25,910.29
Kaufman Trailers - Flatbeds	Medium Duty Dump Trailer	MD-DT	Medium Duty Dump Trailer - up to 12' in length, 6 in. channel frame and tongue. The dump box is constructed with a tubing frame and channel cross-members, and has a one-piece floor. The 1-piece 10 gauge floor has d-ring tie-downs on all four corners. A heavy duty 3/16" thickness floor option. The tailgate is a combination barn doors and spreader tailgate. Loading ramps slide in under the floor. Scissor lift operated by a self-contained hydraulic pump with a deep cycle battery and remote control. Running gear is 6,000 lb. axles with 4-wheel brakes Adjustable coupler and foot jack. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$20,978.75
Kaufman Trailers - Flatbeds	Heavy Duty Flatbed Trailer	FHPP-10K-35D	Tandem Dual Flatbed Trailer Up to 35ft in length self-cleaning, cleated angle iron dovetail and 5 ft. cleated spring assist ramps, main beam frame and tongue, 10,000 lb. oil-bath electric brake dual axles, heavy duty slipper spring suspension,r. A heavy duty 12,000 lb. drop foot jack, stake pockets with rub rail, tool tray with a lockable lid, treated wood flooring, and an adjustable pintle eye, sealed modular wiring harness and LED lights. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$39,922.08
Kaufman Trailers - Flatbeds	Tandem Dual Flatbed Trailer	TDFT	Tandem Dual Flatbed Trailer is constructed with a 12 in. I-beam mainframe cross-members, spring assist ramps for easy loading of equipment, tandem dual electric brake 10,000 lb. axles w/heavy duty slipper spring suspension. Heavy duty 12,000 lb. drop foot jack, a tool tray with lid, stake pockets with rub rail, treated wood flooring, sealed beam lighting, and an adjustable pintle ring. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$27,296.29
Kaufman Trailers - Flatbeds	Tri-axle Flatbed Trailer	TAFT	Tri-axle Flatbed Trailer features a 12 in. I-beam one-piece mainframe, cold formed tongue,3 in. channel stacked cross-members, up to 35ft in length, 5 ft. cleated spring assist ramps for easy loading of equipment. Three 7,000 lb. electric brake axles with heavy duty slipper spring suspension, drop foot jack, stake pockets with rub rail, treated wood flooring, sealed beam lighting, and an adjustable pintle ring. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$23,643.85

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Kaufman Trailers - Flatbeds	Flatbed Trailer	FP-7K-22-35D	Deluxe Flatbed Trailer - 10 in. I-beam mainframe, channel cross-members, Up to 35 ft with included 4 ft. dovetail and 5 ft. cleated swing up ramps for easy loading of equipment, two 7,000 lb. electric brake axles with heavy duty slipper spring suspension, lighting package upgrades to a US made sealed modular wiring harness with lifetime LED lighting. tool tray with lid, heavy duty 12,000 lb. drop foot jack, stake pockets on the rub rail, treated wood flooring and an adjustable pintle ring on a heavy duty nose-plate. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$26,502.96
Kaufman Trailers - Flatbeds	Landscape Gooseneck Trailer	FBG8K-16-32D	Landscape Gooseneck Trailer - 8,000 lb. heavy duty slipper spring suspension. The main frame is 5" channel with 3" channel cross-members, tongue 8' channel, adjustable gooseneck coupler, 12K drop foot jack, toolbox, heavy gauge diamond plate fenders, wood floor, dovetail with a heavy duty split spring assist gate that is capable of loading a 10,000 lb. skid steer or mini excavator. The sealed modular wiring harness with lifetime LED lights is in an enclosed tubing tailboard. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$22,374.00
Kaufman Trailers - Flatbeds	Equipment Tilt Gooseneck Trailer	FDWTG-8K-20-28DTT	Equipment Tilt Gooseneck Trailer - 17000 GVWR Equipment Tilt Gooseneck Trailer includes all our standard features with our 8,000 lb. axles, 6 in. channel main frame with 6 in. channel doubler from axles forward, 8 in. channel uprights and neck, 3 in. channel cross members on 17 in. centers, adjustable coupler, 12K drop foot jack, diamond plate fenders, stake pockets and rubrails, and a toolbox, slipper spring suspension. 10' fixed front section. The tilting rear deck makes loading your equipment easy and safe with its hydraulic damping system. Diamond floor option is available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$24,076.80
Kaufman Trailers - Flatbeds	Equipment Gooseneck Trailer	FDWTG-8K-20-28D	Equipment Gooseneck Trailer with 8,000 lb. axles, 6 in. channel main frame, 8 in. channel uprights and neck, treated wood floor, adjustable coupler, drop foot jack, industrial grade diamond plate fenders, and tool box. Rub rail on the stake pockets, dovetail and swing up ramps make loading your equipment safe and easy. This model has ramps built with 4 in. channel ramp frame runners. The floor is even with the top of the frame for simple side loading of palletized materials. Sealed beam rubber mount LED lights, diamond floor option. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$21,897.49
Kaufman Trailers - Flatbeds	Flatbed Tilt Trailer	FHPP-3-10K	Flatbed Tilt Trailer - up to 38500 GVWR, features a one piece fully tilting deck, self-contained hydraulic pump with dual 3.5 in. cylinders, battery and pump are mounted in their own lockable toolbox with a second lockable toolbox above to carry your chains and binders. The frame is high tensile main beams, flatbed with a dovetail and wedge shaped lay over flat ramps. The 3-10K dual wheel electric brake axles feature heavy duty slipper spring suspension, oil bath lubrication, and radial tires. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$45,891.12
Kaufman Trailers - Flatbeds	Tandem Dual Gooseneck Trailer	FH-15K-30-40D	Tandem Dual Gooseneck Trailer - 38000 GVWR. Equipped with electric brakes. The main frame is 14" beams at 22 PPF on the 30' length, stepping up to 26 PPF on the 35' and 40' lengths. Crossmembers are 4" channel pierced on 16" centers and heavy duty 8" channel outer rails. Hutchens heavy duty slipper spring suspension. Flatbed with a 5" cleated iron dovetail and 5" cleated spring assist ramps for easy loading of equipment. Jacks are dual speed heavy duty 25K capacity, just like are used on semitrailers. A tool tray, stake pockets with rub rail, and treated flooring. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$56,052.48
Kaufman Trailers - Flatbeds	Tandem Axle Utility Trailer	FB3.5K-14-20B	Tandem Axle Utility Trailer - Lengths up to 20'. Light duty frame with a 3x3 angle bottom frame and a 2x2 top rail. Full width spring assist 4" landscape gate and dovetail. Stud mounted lights with conventional wiring meets DOT requirements. Deluxe Tandem Utility Trailers come with two braking axles. Running gear is 8,000 lb. All wheel electric brakes. The dovetail improves the loading angle steps on the fenders, reflective tape. Super duty cast iron 2 5/16 adjustable coupler. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$13,718.75
Kaufman Trailers - Flatbeds	Enclosed Trailer	PTET - 14-18	Kaufman's enclosed trailer offers 7,000 lb. GVWR capacity as well as barn doors or ramp gate for rear door access. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$26,979.44
Kaufman Trailers - Flatbeds	Enclosed Trailer	8.5x20-28	Enclosed Trailer - Stone guard on front, 3/4 in. Dry Max - High Tech enclosed trailer floor material - does not swell when it gets wet, Aluminum exterior skin, 3/8" plywood wall covering, One-piece aluminum roof, Steel frame V-nose front, Aluminum fenders, Car Rated Rear Ramp Door, Aluminum trim, Roof Vent - Side vent air scoops, GVWR: 10000 lbs, Max Payload: 7000 lbs, 20' long plus v-nose, (2) 5200 lb axles for 10,000 gvwr, Brakes on all 4 wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$24,597.50
Kaufman Trailers - Flatbeds	Utility Trailer	FSW-8K-20D	Utility Trailer FSW-8K-20D: Sealed modular wiring harness with LED lights, Channel wrap-around tongue, Beefed-up ramps with 4-inch channel ramp runners and include spring assist, treated wood floors, Angle frame with channel cross members, Heavy-duty safety chains, Super duty 3 bolt cast iron adjustable coupler, heavy-duty flip ramps - 4 in. channel ramp runners - with spring assist, heavy-duty flip ramps - 4 in. channel ramp runners - with spring assist, Tie Downs: Stake pockets and rub rail, Diamond plate fenders, Slipper spring suspension, All-wheel electric brakes, Toolbox: Chain box with lockable toolbox, Heavy-duty steel wheels, Primed, 2 coats of automotive grade enamel, pin-striped, Drop foot jack, Spare tire and rim, e-z lube axles and Adjustable ball and pintle ring. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$26,028.00
Kaufman Trailers - Flatbeds	Lowboy Trailer	FRDT55-22-26A	Lowboy Trailer FRDT55-22-26A: Heavy duty Tri-Axle, 2" oak flooring, Sealco US made sealed wiring harness, SAE Kingpin, LED lights, Fixed Front Ramps, Frame: Four cambered main beams, fabricated with high tensile steel, Forged D-rings Tie-downs, Side Rail: full height fabricated, All wheel air brakes, automatic slack adjusters, and Wheels: 10 hole steel disc / hub piloted, Swing-out outriggers, Boom Trough, Air ride suspension, Lift Axle, Lockable Lid Toolbox, Rear Fenders, Pony Motor & 1 year factory warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$91,275.03

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FH-15K-30D	Tandem Dual Gooseneck FH-15K-30D: Cleated spring assist ramps, All wheel heavy electric brakes, Sealed modular wiring harness with LED lights, Hutchens heavy duty slipper spring suspension, 2 in. Treated Wood, Heavy duty hub piloted wheels, 8 in. channel, Cleated iron dovetail, I-beam gooseneck with PPF uprights, Self-cleaning cleated angle iron, Dual two speed jacks, adjustable ball coupler or SAE 2 in. kingpin, Oil bath Dexter axles, Heavy duty safety chains, Hutchens style heavy duty adjustable suspension with three leaf springs, Stake pockets and Rub rail, Chain box with lockable lid standard, Heavy duty bud style dual wheels & 1 year factory warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$38,177.09
Kaufman Trailers - Flatbeds	Equipment Tilt Trailer	FDWT-7K-22D	Equipment Tilt Trailer FDWT-7K-22D: Hydraulic Tilt, 7 Way Connector, Wood Deck, Tie Downs, Electric Brakes, Drop Foot Jack, Spare Tire, E-Z Lube Axles, Safety Chains, Slipper Springs, DOT Approved Lights, Wiring, & Connectors, Flat bar Side Rail, Toolbox w/Lockable Lid, Crossmember Construction, Adjustable Height Pintle Ring, 235/80 R16 LRE Tires, Stake Pockets and Rubrail, Cleated Swing Up Ramps, Structural Warranty & 5 Year Workmanship Warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$15,432.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FH-12K-25D	Gooseneck Trailer FH-12K-25D: Over Ramps, 12,000 lbs. Axles w/Tandem Dually Oil Bath Drum Brakes, Sealed modular wiring harness with LED lights, Dual Binkley Spring Loaded Dual Pin Jacks, Dovetail: Self-cleaning cleated angle iron, Chain Box w/Lid in A-Frame of Stem, Pressure Treated Floorboards, Sealed Beam Recessed LED Lights, Spare Tire and Wheel w/Mount, Load Range H Radial Tires, Sealed Beam Recessed LED Lights, Tandem Axles, Spare Tire & Wheel w/Mount, Dually Oil Bath Drum Brakes, Breakaway Kit, Dual Binkley Spring Loaded Pin Jacks, Adjustable Gooseneck Coupler, Chain Box w/Lid in A-Frame of Stem & Channel Iron Rub Rail w/Stake Pocket. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$29,237.99
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FH-12K-30D	Gooseneck Trailer - The frame members are one-piece high tensile main beams. Pierced crossmember construction, flatbed with iron dovetail and cleated spring assist ramps for easy loading of equipment. Optional wedge-shaped lay-flat ramps. I-beam frame. The electric brake axles have larger bearings. Heavy-duty slipper springs with axle spacing and heavy-duty hanger kit. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$29,762.22
Kaufman Trailers - Flatbeds	Heavy Equipment Flatbed Trailer	FAP-22.5K-25D	Heavy Equipment Flatbed Trailer - an industry leader in value. Construction: one-piece high tensile main beams. Cold-formed tongue channel pierced cross-member construction. Fleetcraft or Power Products airbrake oil bath axles ride on a Hutchens suspension. A Haldex ABS braking system with spring brakes on both axles, oak flooring, Sealco modular wiring harness, and a tool tray with a lockable lid make this tandem axle flatbed trailer a fully equipped value. Optional hydraulic ramps. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$33,648.00
Kaufman Trailers - Flatbeds	Heavy Duty Flatbed Trailer	FHPP-15K-25D	Heavy Duty Flatbed Trailer - Cold formed tongue, Electrical: Sealed modular wiring harness with LED lights, Pierced I-beam frame, channeled cross members, Heavy duty decking, dovetail, Heavy duty safety chains, Side Rail, Adjustable coupler, Ramps Swing-up with spring assist, spring suspension, Tie Downs, Stake pockets, and Rub rail or D Rings, All wheel electric brakes, HD - Two-speed jacks, side steps, Electric Brake Oil bath axles, Toolbox with lockable lid. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$36,015.41
Kaufman Trailers - Flatbeds	Medium Duty Dump Trailer	FXS1P-6K-12D	Medium Duty Dump Trailer - Steel floor, DOT reflective tape, all rubber mounted sealed beam LED lighting with U.S.-made sealed modular wiring harness, channel frame, Adjustable coupler or pintle ring, Side Rail, Safety Chains: Heavy duty safety chains, channel tongue, channel ramps - slide-in under the bed, D-rings, All wheel electric brakes, Combination barn doors, and spreader tailgate, e-z lube axles, Wireless Remote, Heavy duty fenders, Tarp Kit. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$13,918.71
Kaufman Trailers - Flatbeds	Gooseneck Tilt Trailer	FDWTG-7K-24D	Gooseneck Tilt Trailer - Floors: Treated Wood, Electrical: Sealed modular wiring harness with LED lights, Adjustable gooseneck coupler, Frame: Channel, with channel cross members, Heavy duty safety chains, Tongue: Channel gooseneck, Tie Downs, Stake pockets, Rub rail, tilt deck with hydraulic cylinder, Diamond plate fenders, All wheel brakes, Toolbox, Spare tire, and rim, e-z lube axles. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$17,515.68
Kaufman Trailers - Flatbeds	Tandem Dual Gooseneck Trailer	FH-10K-30S	Tandem Dual Gooseneck Trailer - I-beam mainframe with channel stacked cross-members, flatbed with dovetail, cleated spring assist swing-up ramps for easy loading of equipment, oil bath electric brake axles with heavy duty slipper spring suspension, and radial tires provide a durable running gear, conventional wiring with sealed beam lights, heavy duty drop foot jacks, a tool tray with lockable lid, stake pockets with rub rail, treated flooring, and an adjustable gooseneck coupler. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$21,160.77
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-3.5K-8.5X16	FEN-2-3.5K-8.5X16 Enclosed Trailer: Tandem axle, Fenders: Brushed Aluminum, Barn doors or ramp gate - Front Door opening, Interior Liner: plywood, LED tail lights - LED bullet running lights, Roof vent: side vent air scoops are standard, Drymax grade floors, V-nose style front, Aluminum wheels, Electric brakes, 5K tongue jack, Door holdbacks, Heavy duty exterior trim, DOT Lighting, Rubber torsion axles, RV style - flush lock handle, E-Z Lube Hubs, Luma ceiling, Aluminum fenders flares & 1 year factory warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$28,396.00
Kaufman Trailers - Flatbeds	Utility Tilt Trailer	FDWT-8K-20D	Utility Tilt Trailer FDWT-8K-20D: Sealed wiring harness with lifetime LED lights, Ramps: beveled extensions, Tongue: 6 in. Channel wrap around, Tie Downs: Stake pockets and Rubrail, Floors: Treated Wood, Diamond plate fenders, Super duty cast iron adjustable coupler, All wheel electric brakes, Heavy duty safety chains, Drop foot jack, e-z lube axles, Emergency breakaway cable, Suspension: Slipper springs, tilt deck length, Toolbox: Chain box with lockable lid standard, Tandem axles, Primed, 2 coats of automotive grade enamel, pin striped, Spare tire and rim option, Spare tire mount & 16 degree tilt bed. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$17,685.99

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Kaufman Trailers - Flatbeds	Gooseneck Dump Trailer	FXSLPG-7K-16D	Gooseneck Dump Trailer FXSLPG-7K-16D: tandem axle, Floors: one piece steel floor, DOT reflective tape, all rubber mounted sealed beam LED lighting with U.S. made sealed modular wiring harness, Adjustable gooseneck coupler, Frame: channel gooseneck and uprights. channel frame, Heavy duty safety chains, Side Rail: 24 in. sides, Ramps: channel ramps - slide in under bed, Tongue: channel gooseneck, Tie downs: 4 D-rings - mounted inside each corner of bed, Heavy duty diamond plate fenders, Toolbox: Standard - contains hydraulic pump and deep cycle battery, All wheel electric brakes, Primed, 2 coats of automotive grade enamel, pin striped, Jack: drop foot, Spare tire and rim option, e-z lube axles, Wireless remote option, Suspension: slipper springs & Tarp kit option. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$20,711.00
Kaufman Trailers - Flatbeds	Light Duty End Dump Trailer	FXSLP-5.2K-10D	Light Duty End Dump Trailer FXSLP-5.2K-10D: DOT reflective tape, all rubber mounted sealed beam LED lighting with U.S. made sealed modular wiring harness, Adjustable ball coupler or pintle ring, channel frame, Heavy duty safety chains, side rail sides, channel ramps - slide in under bed, channel tongue, 4 D-rings - mounted inside each corner of bed, one piece steel floor, Heavy duty diamond plate fenders, All wheel electric brakes, Standard toolbox - contains hydraulic pump and deep cycle battery, Combination barn doors and spreader tailgate, Primed, 2 coats of automotive grade enamel, pin striped, drop foot jack, Double axle bumper pull, e-z lube axles, Emergency break away switch w/battery, Suspension: Double eye springs & Spare tire w/rim and mounting bracket. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$17,809.00
Kaufman Trailers - Flatbeds	Utility Trailer	FDW-5.2K-20S	Utility Trailer FDW-5.2K-20S: Tandem axle, Adjustable ball coupler, angle frame, with top rail, Heavy duty safety chains, Dove, Heavy duty diamond plate fenders, Channel wrap around, All wheel electric brakes, Treated Wood, Med. duty expanded metal tailgate with spring assist (Cap. 5k equip.), Dropfoot jack, DOT approved lights, wiring, and connectors, e-z lube axles, Bumper pull, Suspension: Double eye springs, 7-Way RV electric plug, Tie Downs: Stake pockets, Channel wrap tongue, Primed, 2 coats of automotive grade enamel, pin striped & I-beam headboard. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$15,364.65
Kaufman Trailers - Flatbeds	Equipment Gooseneck Trailer	FDW-8K-20D	Equipment Gooseneck Trailer FDW-8K-20D: Sealed modular wiring harness with LED lights, Super duty cast iron adjustable coupler, channel cross members, Heavy duty safety chains, Dovetail, Flip up ramps. channel ramp runners with cleats. - with spring assist, Channel wrap around tongue, Tie Downs: Stake pockets and Rub rail, treated wood floors, diamond plate fenders, All wheel electric brakes, D-Rings for cargo control, Drop foot jack, E-Z Lube Hubs, e-z lube axles, Grommet mount, sealed LED lighting, Slipper spring suspension, Heavy duty dual axles, Chain box with lockable toolbox & Front mounted spare tire. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$17,327.00
Kaufman Trailers - Flatbeds	Heavy Equipment Flatbed Trailer	FAD-3/22.5K-35D	Heavy Equipment Flatbed Trailer FAD-3/22.5K-35D: DOT approved lights, connectors, and sealed wiring harness, Oak flooring, Frame: Pierced i-beam, channel crossmembers, 16 in. o.c., Adjustable pintle eye coupler, Dovetail: Oak, Heavy duty safety chains, Channeled side rails, Ramps: heavy duty wood lined, swing up with spring assist, Cold formed tongue, D-ring tie downs, All wheel air brake with spring lock each wheel (ABS), Tool tray: lockable lid on tongue, Heavy duty dual wheels, One piece tensile main beams, Dual speed jacks, Sealco modular wiring harness, Triaxles, Oversized crossmembers in front and behind the dovetail break for extra strength, Hutchens slipper suspension, and LED lights assures trouble-free lighting. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$38,155.00
Kaufman Trailers - Flatbeds	Light Duty End Dump Trailer	FXSLP-7K-16D	Light Duty End Dump Trailer FXSLP-7K-16D: DOT reflective tape, all rubber mounted sealed beam LED lighting with U.S. made sealed modular wiring harness, Heavy duty Fenders, Adjustable ball coupler or pintle ring, All wheel electric brakes, Heavy duty safety chains, Combination barn doors and spreader tailgate, Ramps: channel ramps - slide-in under bed, Jack: drop foot, 4 D-rings on inside corners of bed, Axles: e-z lube axles, Suspension: double eye springs, Over 40 Degree Dump Pitch, Toolbox: Standard - contains hydraulic pump and deep cycle battery, Mounting Brackets for Roll-up Tarp, 6 Leaf Slipper Spring Suspension, Safety Chains, Tread-plate Steel Fenders, Gussets to drop in side board, Hydraulic Cylinder & 110V Battery Charger w/5-Year Limited Warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$22,971.59
Kaufman Trailers - Flatbeds	Dump Trailer	FXNLP-6K-12D	Dump Trailer FXNLP-6K-12D: DOT reflective tape, all rubber mounted sealed beam LED lighting with U.S. made sealed modular wiring harness, Adjustable ball coupler or pintle ring, channel frame, Heavy duty safety chains, side rails, Ramps: slide-in under bed, 6 in channel tongue, Tie Downs: 4 D-rings on inside corners of bed, steel floor, Heavy duty fenders, All wheel electric brakes, Standard Toolbox - contains hydraulic pump and deep cycle battery, Combination barn doors and spreader tailgate, Adjustable forged coupler, Drop foot jack, Lockable pump & battery box mounted in the front of the bed, e-z lube axles, Spare Tire Mount and Rim, Double eye spring suspension & Diamond plate fenders. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$21,121.00
Kaufman Trailers - Flatbeds	Dump Trailer	FXSG-10K-20D	Dump Trailer FXSG-10K-20D: I-Beam main frame, uprights, and gooseneck, HD safety chains, HD fixed sides - tubing with self-cleaning stone guards, Ramps: aluminum triple tube, cleated ramps with holders, Tongue: I-Beam, Tie Downs: D-rings in bed, Floors: HD, Electric Brakes, Adjustable gooseneck coupler, One piece tailgate with super duty screw latch, Dual Wheels, Rear Gate/Door: Sings to one side, Jack: Dual drop foot, Control: Magnetic, Control Unit, Axles: 10K Dexter oil bath, Lights: All LED Stop, Tail, Turn and Clearance, Suspension: HD slipper springs, Electric Plug: 7-Way RV Style, Battery, pump, and hydraulics enclosed in toolbox Safety: Emergency breakaway switch & battery backup. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$35,761.53
Kaufman Trailers - Flatbeds	Dump Trailer	FXNLP-7K-14D	Dump Trailer FXNLP-7K-14D: angle frame and tubing top rail, Ball a-frame coupler, DOT approved lighting, US made sealed wiring harness, LED lights, Heavy duty safety chains, Dovetail, Stake pockets, Channel wrap around tongue, Heavy duty diamond plate fenders, Treated wood, 4-wheel brakes, Removable expanded metal tailgate with spring assist, Mechanical scissor dump capability, Swing up jack, LED lights in an enclosed tubing tailboard, E-Z Lube Axles, Spare tire and wheel, Double eye springs suspension, DOT Lights & 1 year factory warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$19,127.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-3.5K-7X14	FEN-2-3.5K-7X14 Enclosed Trailer: Tandem axle, Fenders: Brushed Aluminum, Rear Door: Barn doors or ramp gate - same price for either, V-nosed covered stoneguard, Side Door: RV style with flush lock and bar lock, Side vent air scoops, LED Lights, A-frame style tongue, Tongue jack: zinc plated front wind jack w/sand foot, One piece aluminum roof w/sealant, 7 way plug w/battery, Emergency brake away kit, LED fender lights, Aluminum wheels, Floor crossmembers 16" on center, Ball coupler, E-Z Lube Hubs, Luma ceiling & 1 year factory warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$22,656.00
Kaufman Trailers - Flatbeds	Tandem Axle Utility Trailer	FB-8K-20D	Tandem Axle Utility Trailer FB-8K-20D: Sealed wiring harness with lifetime LED lights, Super duty cast iron adjustable coupler, channel frame with channel cross members on center, Heavy duty safety chains, Dovetail, Tie Downs: Stake pockets, Tongue: Channel wrap around, Diamond plate fenders, Floors: Treated Wood, All wheel electric brakes, Heavy duty spring assist split gate made with channel gate frame runners, Silver or white mod (Based on stock), 12,000 lb. Drop foot jack, The treated wood floor is screwed down to every cross member, e-z lube axles, Primed, 2 coats of automotive grade enamel, pin striped, Slipper spring suspension, The dovetail improves the loading angle steps on the fenders, reflective tape, Toolbox: Chain box with lockable toolbox & 1 year factory warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$17,153.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-7K-8.5X20D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 7000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$30,467.99
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-7K-8.5X24D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 7000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$31,308.01
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-7K-8.5X28D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 7000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$32,148.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-7K-8.5X32D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 7000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$32,988.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-6K-8.5X32D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 6000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$32,388.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-6K-8.5X28D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 6000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$31,548.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-6K-8.5X24D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 6000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$30,708.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-6K-8.5X20D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 6000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$29,868.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-6K-8.5X16D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 6000 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$29,628.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-5.2K-8.5X24D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 5,200 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSA_Support@fedharmony.com	\$29,868.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-5.2K-8.5X22D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 5,200 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$29,508.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-5.2K-8.5X20D	Enclosed Trailer - Round, V Nose, or Flat design, External Width 8 ft. 5 in. at outside of fenders, Interior Height 6 ft. 6 in., Barn doors or ramp gate, RV style side door, 6 in. x 2 in. tubing main frame and tongue, Roof Type One piece aluminum, Brakes on all four wheels, 5,200 lb. spring suspension EZ lube axles, LED Lighting, wind jack with sand foot, Stone guard 24 in., fenders, Coupler 2 5/16 in., 3/4 in. Dry Max floor material, Interior Liner 3/8 in. plywood, Spare Tire Mount. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$29,028.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN 2-3.5K-8.5X20D	Enclosed Trailer - GVWR 7,000 lb, V-Nose or Round nose configuration, 6 ft. 6 in. at center, 8 ft., Barn doors or ramp gate, Side Door Type 32 in. - RV style, 6 in. x 2 in. tubing main frame and tongue, Floor Crossmembers Formed channels - 16 in. o.c., Roof Type One piece aluminum, spring suspension EZ lube axles, LED lighting, Tongue Jack with sand foot, 24 in. Starbright ATP - nose covered, Fenders Brushed aluminum, 3/4 in. Dry Max floor, Coupler 2 5/16 in. a-frame, Roof Vent. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$28,308.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN 2-3.5K-8.5X16D	Enclosed Trailer - GVWR 7,000 lb, V-Nose or Round nose configuration, 6 ft. 6 in. at center, 8 ft., Barn doors or ramp gate, Side Door Type 32 in. - RV style, 6 in. x 2 in. tubing main frame and tongue, Floor Crossmembers Formed channels - 16 in. o.c., Roof Type One piece aluminum, spring suspension EZ lube axles, LED lighting, Tongue Jack with sand foot, 24 in. Starbright ATP - nose covered, Fenders Brushed aluminum, 3/4 in. Dry Max floor, Coupler 2 5/16 in. a-frame, Roof Vent. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$28,068.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-3.5K-7X18D	Enclosed Trailer - Interior Height 6 ft. 6 in. at center, Interior Width 6 ft. 9 in., Exterior Skin .030 painted aluminum, Barn doors or ramp gate, Side Door, 4 in. x 2 in. tubing main frame and tongue, Floor Crossmembers Formed channels - 16 in. o.c., Roof Type One piece aluminum, Axles 3,500 lb. EZ lube, Brakes on all four wheels, LED taillights, jack with sand foot, 24 in. Starbright ATP - nose covered, Fenders Brushed aluminum, Coupler 2 5/16 in., Floor 3/4 in. Dry Max, Roof Vent Side vent air scoops, V-nose or Flat Nose. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$24,468.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-3.5K-7X16D	Enclosed Trailer - Interior Height 6 ft. 6 in. at center, Interior Width 6 ft. 9 in., Exterior Skin .030 painted aluminum, Barn doors or ramp gate, Side Door, 4 in. x 2 in. tubing main frame and tongue, Floor Crossmembers Formed channels - 16 in. o.c., Roof Type One piece aluminum, Axles 3,500 lb. EZ lube, Brakes on all four wheels, LED taillights, jack with sand foot, 24 in. Starbright ATP - nose covered, Fenders Brushed aluminum, Coupler 2 5/16 in., Floor 3/4 in. Dry Max, Roof Vent Side vent air scoops, V-nose or Flat Nose. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$22,068.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-3.5K-7X14D	Enclosed Trailer - Interior Height 6 ft. 6 in. at center, Interior Width 6 ft. 9 in., Exterior Skin .030 painted aluminum, Barn doors or ramp gate, Side Door, 4 in. x 2 in. tubing main frame and tongue, Floor Crossmembers Formed channels - 16 in. o.c., Roof Type One piece aluminum, Axles 3,500 lb. EZ lube, Brakes on all four wheels, LED taillights, jack with sand foot, 24 in. Starbright ATP - nose covered, Fenders Brushed aluminum, Coupler 2 5/16 in., Floor 3/4 in. Dry Max, Roof Vent Side vent air scoops, V-nose or Flat Nose. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$23,988.00
Kaufman Trailers - Flatbeds	Dump Trailer	FXSLP-8K-14D	Dump Trailer - 28 in. floor height, Deck Width 80 in., DOT reflective tape, LED lighting, Frame/Tongue 6 in. channel, Heavy duty fenders, Side Rail 24 in, Combination barn doors and spreader tailgate, drop foot Jack, 10 ga. steel floor (3/16 in. optional), e-z lube axles, ball coupler or pintle ring, hydraulic pump and deep cycle battery, ramps - slide-in under bed, 4 D-rings on inside corners of bed, scissor lift operated by a self-contained hydraulic pump, Capacity upgrade with 8,000 lb. general duty axles. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$24,707.99
Kaufman Trailers - Flatbeds	Dump Trailer	FXSLP-8K-16D	Dump Trailer - 28 in. floor height, Deck Width 80 in., DOT reflective tape, LED lighting, Frame/Tongue 6 in. channel, Heavy duty fenders, Side Rail 24 in, Combination barn doors and spreader tailgate, drop foot Jack, 10 ga. steel floor (3/16 in. optional), e-z lube axles, ball coupler or pintle ring, hydraulic pump and deep cycle battery, ramps - slide-in under bed, 4 D-rings on inside corners of bed, scissor lift operated by a self-contained hydraulic pump, Capacity upgrade with 8,000 lb. general duty axles. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$25,299.60
Kaufman Trailers - Flatbeds	Dump Trailer	FXSLP-4K-10S	Dump Trailer - DOT reflective tape, sealed beam lighting, 18 in. sides with board pockets for side boards, 5 in. channel frame/tongue, steel floor, 2-5/16 ball coupler, safety chains, fenders, All wheel electric brakes, Barn doors, Top wind jack, 4,000 lb. e-z lube axles, Double eye springs Suspension, hydraulic pump and deep cycle battery, dual cylinders which provide much more stable lifting for dumping. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$19,188.00
Kaufman Trailers - Flatbeds	Dump Trailer	FXSLP-6K-12S	Dump Trailer - LED lighting with sealed modular wiring harness, Adjustable 2-5/16 ball coupler or pintle ring, 6 in channel frame, Heavy duty safety chains, 24 in side rails, Ramps: 3 in. channel, ramps - slide-in under bed, Tie Downs, steel floor, Fenders, electric brakes, Combination barn doors and spreader tailgate, Drop foot jack, Lockable pump & battery box mounted in the front of the bed, e-z lube axles. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$22,668.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Kaufman Trailers - Flatbeds	Equipment Gooseneck Trailer	FDW-7K-20D	Equipment Gooseneck Trailer FDW-7K-20D: 15000 GVWR Deluxe Wood Floor Equipment Trailer, Flip up ramps, 2' dovetail, Heavy duty safety chains, Channel wrap around tongue, Tie Downs: Stake pockets and rub rails, Tires: 235/80 R16 LRE (3,520 lb.), Diamond plate fenders, treated wood floors, All wheel electric brakes, E-Z lube axles, Drop foot jack, Slipper spring suspension, 7-Way round plug, Toolbox: Chain box with lockable lid standard, Fold up ramp's w/spring assist, Finish: Primed, 2 coats of automotive grade enamel, pin striped, 4 in. channel ramp runners with 2x2x1/4 cleats, Spare tire and rim & Sealed modular wiring harness with LED lights. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$16,256.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2/5.2K-7X16D	Enclosed Trailer FEN-2/5.2K-7X16D: Barn doors or ramp gate, Spare tire, 3RV style - flush lock handle, Safety chains, tubing main frame and tongue, LED DOT lighting, Floors: Dry Max - High Tech enclosed trailer floor material - does not swell when it gets wet, 7-way round pin plug wiring connector, Electric brakes, Auxiliary lighting, D-ring tie downs, Radial Load range C - on silver mod steel wheels, Roof vents: Side vent air scoops are standard, Fenders: Brushed aluminum - tandem tear drop, E-Z Lube Axles, Stone guard: Starbright ATP - nose covered, LED taillights - LED bullet running lights, Interior Liner: Dry Max, Zinc plated front wind jack with sand foot & V-nose front style. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$17,040.00
Kaufman Trailers - Flatbeds	Dump Trailer	FXSLP-5.2K-12D	Dump Trailer FXSLP-5.2K-12D: Deluxe Light Duty Dump Trailer, Ramps slide under bed, Electrical: DOT reflective tape, all rubber mounted sealed beam LED lighting with U.S. made sealed modular wiring harness, Tie Downs: D-rings - mounted inside each corner of bed, Floors: one piece steel floor, Fenders: Heavy duty diamond plate fenders, Adjustable ball coupler or pintle hook, All wheel electric brakes, Heavy duty safety chains, Combination barn doors and spreader tailgate, Drop foot jack, There are brackets mounted on the front of the headboard to accept on optional tarp kit, E-z lube axles, The tailgate does NOT need to be removed to use the loading ramps, Suspension: Double eye springs, Running gear is 5,200 lb. axles, Toolbox: Standard - contains hydraulic pump and deep cycle battery, 4-wheel brakes & the raised front bulk-head and rear post assembly are made to accept side boards. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$18,802.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2-3.5K-8.5X16P	Enclosed Trailer FEN-2-3.5K-8.5X16P: Exterior Skin: painted aluminum (color choices available for the same price), Rear Door Type: Barn doors or ramp gate - same price for either. Side Door Type: RV style with flush lock and bar lock, Roof Type: One-piece aluminum, Axles: EZ lube Rubber Torsion, Brakes on all 4 wheels, Lighting LED taillights - LED slim-line running lights, Tongue Jack: Zinc-plated front wind jack with sand foot, Dry Max - High Tech enclosed trailer floor material - does not swell when it gets wet, Stone guard: ATP - V-nose covered, Interior Liner: Dry Max - High Tech enclosed trailer wall material - does not swell when it gets wet, Tires/Wheels: Premium Westlake Radial Load range D - on aluminum spoke wheels, Roof Vent: Side vent air scoops are standard, Fenders: Brushed aluminum and Style of Front: V-nose. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$29,508.00
Kaufman Trailers - Flatbeds	Heavy Flatbed Trailer	FHP-10K-28D	Heavy Flatbed Trailer FHP-10K-28D: 24,000 GVWR Tandem Dual Flatbed Trailer is constructed with electrical: Sealed wiring harness with lifetime LED lights, Floors: Treated Wood, Frame: I-beam, with channel cross-members on center, Coupler: Adjustable pintle eye, Dovetail: Wood Dove, Safety Chains: Heavy-duty safety chains, side rail, Heavy duty flip-up ramps, with spring assist, Tie Downs: Stake pockets and Rub rail, Brakes: All-wheel electric brakes, Toolbox: Chain box with lockable lid standard, Wheels: Silver or white based on stock, Finish: Primed, 2 coats of automotive grade enamel, pin-striped, Jack: Single 12,000 lb. drop foot jack, Tongue: Cold Formed, Axles: Oil bath axles, Suspension: Slipper springs and Ramp Runners: 4 in. Channel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$29,628.00
Kaufman Trailers - Flatbeds	Flatbed Trailer	FHP-10K-24D	Flatbed Trailer FHP-10K-24D: Electrical: 24,000 GVWR Tandem Dual Flatbed Trailer is constructed with sealed wiring harness with lifetime LED lights, Treated Wood, I-beam frame, with channel cross-members on center, Coupler: Adjustable pintle eye, Dovetail: Wood Dove, Safety Chains: Heavy-duty safety chains, Side Rai, Ramp: Heavy duty flip-up ramps, with spring assist, Tie Downs: Stake pockets and Rub rail, Brakes: All-wheel electric brakes, Toolbox: Chain box with lockable lid standard, Wheels: Silver or white based on stock, Finish: Primed, 2 coats of automotive grade enamel, pin-striped, Jack: Single 12,000 lb. drop foot jack, Tongue: Cold Formed, Axles: 2-10,000 lb. Oil bath axles, Centers: 16 in., Suspension: Slipper springs and Ramp Runners: 4 in. Channel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$28,788.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-15K-40D-FET	Gooseneck Trailer FHGP-15K-40D-FET: 38000 GVWR 40 ft Tandem Dual Gooseneck Trailer with tandem axles. The frame members are one-piece tensile main beams. Pierced cross-member construction on cleated iron dovetail and 5' cleated spring assist ramps. The 15K dual-wheel electric brake axles feature heavy-duty Hutchens style, adjustable suspension with three leaf springs, and radial tires. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$44,988.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-15K-35D-FET	Gooseneck Trailer FHGP-15K-35D-FET: 38000 GVWR 35 ft Tandem Dual Gooseneck Trailer with two 15K axles. The frame members are one-piece tensile main beams. Pierced cross-member construction on a flatbed with cleated iron dovetail and cleated spring assist ramps. The dual-wheel electric brake axles feature heavy-duty Hutchens style, adjustable suspension with three leaf springs, and radial tires. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty 25K drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$43,877.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-15K-30D-FET	Gooseneck Trailer FHGP-15K-30D-FET: 38000 GVWR 30 ft Tandem Dual Gooseneck Trailer with tandem axles. The frame members are one-piece tensile main beams. Pierced cross-member construction. Cleated iron dovetail and cleated spring assist ramps. The dual wheel electric brake axles feature heavy-duty hutchens style heavy-duty adjustable suspension with three leaf springs and radial tires. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$42,588.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-10K-40D	Gooseneck Trailer FHGP-10K-40D: 25000 GVWR 40 ft Tandem Dual Gooseneck Trailer with tandem axles. The frame members are one-piece tensile main beams. Pierced cross-member construction on cleated iron dovetail and cleated spring assist ramps. The dual-wheel electric brake axles feature heavy-duty slipper spring suspension, oil bath lubrication, and radial tires. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$36,588.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-10K-35D	Gooseneck Trailer FHGP-10K-35D: 25000 GVWR 35 ft Tandem Dual Gooseneck Trailer with two 10K axles. The frame members are one-piece tensile main beams. Pierced cross-member construction on centers of a flatbed with a cleated iron dovetail and cleated spring assist ramps. The 10K dual-wheel electric brake axles feature heavy-duty slipper spring suspension, oil bath lubrication, and radial tires. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$35,587.99
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-10K-30D	Gooseneck Trailer FHGP-10K-30D: 25000 GVWR 30 ft Tandem Dual Gooseneck Trailer with two 10K axles. The frame members are one-piece tensile main beams. Pierced cross-member construction on cleated iron dovetail and cleated spring assist ramps. The dual-wheel electric brake axles feature heavy-duty slipper spring suspension, oil bath lubrication, and radial tires. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$34,428.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-10K-25D	Gooseneck Trailer FHGP-10K-25D: 25000 GVWR 25 ft Tandem Dual Gooseneck Trailer with tandem axles. The frame members are one-piece tensile main beams. Pierced cross-member construction on a cleated iron dovetail and cleated spring assist ramps. The dual-wheel electric brake axles feature heavy-duty slipper spring suspension, oil bath lubrication, and radial tires. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$33,588.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-12K-40D	Gooseneck Trailer FHGP-12K-40D: 25000 GVWR 40 ft Tandem Dual Gooseneck Trailer adds 12K axles, pierced cross-member construction with a cleated iron dovetail, and cleated spring assist ramps for easy loading of equipment, and drop foot jacks. The frame members are one-piece tensile main beams. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$40,188.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-12K-35D	25000 GVWR 35 ft Tandem Dual Gooseneck Trailer adds 12K axles with pierced crossmember construction on 16" centers, 30' of flatbed with a 5' cleated iron dovetail and 5' cleated spring assist ramps for easy loading of equipment, and 12K drop foot jacks. The frame members are one piece 12" at 16 lb./ft. high tensile main beams. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$38,988.00
Kaufman Trailers - Flatbeds	Gooseneck Trailer	FHGP-12K-30D	Gooseneck Trailer FHGP-12K-30D: 25000 GVWR 30 ft Tandem Dual Gooseneck Trailer; the frame members are one-piece tensile main beams. Pierced cross-member construction with a cleated iron dovetail, cleated spring assist ramps, and an I-beam frame. The 12K dual-wheel electric brake axles have larger bearings and 5" brakes. Tires are load-range for long life and heavy-duty capacity. The wiring on the trailer is a sealed modular harness with lifetime LED lights. Dual heavy-duty 12K drop foot jacks, a tool tray with a lockable lid, stake pockets with rub rail, and treated flooring complete the standard features. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$37,788.00
Kaufman Trailers - Flatbeds	Heavy Equipment Flatbed Trailer	FAP-3-22.5K-30	Heavy Equipment Flatbed Trailer FAP-3-22.5K-30: Tri-axle airbrake 62000 GVWR Heavy Equipment Flatbed Trailer with one piece tensile main beams, cold form the tongue, pierced cross-member construction, Fleetcraft or Power Products airbrake, oil bath axles ride on a Hutchens long life suspension. A Haldex ABS braking system, spring brakes on all axles, oak flooring, Sealco modular wiring harness, and a tool tray with a lockable lid make this a fully equipped triaxle 62000 GVWR Heavy Equipment Flatbed Trailer. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$45,588.00
Kaufman Trailers - Flatbeds	Lowboy Trailer	FRDR55-24-26-A-54-00-Y	Lowboy Trailer FRDR55-24-26-A-54-00-Y: Deluxe Detachable Gooseneck trailer packages are specifically set up to make many of the premium options more economical by bundling them. The deluxe models will come with a lower deck height, heavy-duty frame upgrade with 8" wide flange material on the main beams, a lower profile tapered beam at the front of the chassis, 26'-0" well length in lieu of 24'-0", 6" bucket trough at the rear of the deck, and heavy-duty outriggers. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$97,800.00
Kaufman Trailers - Flatbeds	Tilt Car Trailer	FAWFT-7K-22D	Tilt Car Trailer FAWFT-7K-22D: 15,000 GVWR wood floor tilt car trailers are manufactured with a channel frame and tongue, and heavy wall tubing on the full-length tilting bed, with channel cross members on centers. The entire bed tilts for loading and is built with all-tubing steel perimeter frame construction. Toe plates and the gradual loading angle make it possible to load vehicles or equipment with low clearance that will not load on standard ramp and dovetail trailers. A hydraulic damper cushions the lowering of the bed during loading. There is a convenient one-handle latch system to secure the bed in the towing position once loading is complete. Additional standard features on this high-quality car trailer include a drop foot jack, diamond plate fenders, four-wheel brakes, radial tires, stake pockets with rub rail, and a sealed modular wiring harness with lifetime LED lights. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$24,707.99
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-7K-18D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 7,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$19,896.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-7K-16D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 7,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$19,884.00
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-8K-28D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 8,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$22,428.00
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-8K-26D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 8,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$22,188.00
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-8K-24D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 8,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$21,828.00
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-8K-22D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 8,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$21,588.00
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-8K-20D Tag	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 8,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com.	\$21,348.00
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-8K-18D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 8,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$21,336.00
Kaufman Trailers - Flatbeds	Equipment Trailer	FDW-8K-16D	Equipment Trailer - Tongue/Frame: 6 in. Channel, 60 in. x 20 in. Flip up ramps. ramp runners with cleats. and spring assist, LED lights, Dovetail, Wood floor, safety chains, Tie Downs Stake pockets and Rub rail, Adjustable ball and pintle ring coupler, Deck Height 26 in., Deck Width 82 in. Between fenders, fenders, electric brakes, Drop foot jack, 8,000 lb. e-z lube axles, Suspension: Slipper springs, toolbox, Spare wheel. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$21,324.00
Kaufman Trailers - Flatbeds	Tilt Trailer	FDWT-8K-24D	Equipment Tilt Trailer - Floors: Treated Wood, Electrical: Sealed modular wiring harness with LED lights, Adjustable coupler, Channel Frame, channel cross members, Heavy duty safety chains, Tongue: Channel wrap around, Ramps: long beveled extensions, Tie Downs: Stake pockets and Rubrail, e-z lube axles, fenders, Suspension: Slipper springs, All wheel electric brakes, Toolbox, Drop foot jack, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$22,580.00
Kaufman Trailers - Flatbeds	Tilt Trailer	FDWT-8K-22D	Equipment Tilt Trailer - Floors: Treated Wood, Electrical: Sealed modular wiring harness with LED lights, Adjustable coupler, Channel Frame, channel cross members, Heavy duty safety chains, Tongue: Channel wrap around, Ramps: long beveled extensions, Tie Downs: Stake pockets and Rubrail, e-z lube axles, fenders, Suspension: Slipper springs, All wheel electric brakes, Toolbox, Drop foot jack, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$21,828.00
Kaufman Trailers - Flatbeds	Heavy Equipment Trailer	FAP-22.5K-35D	Heavy Equipment Trailer - I-beam mainframe, channel cross-members, Flat deck with included t. dovetail and cleated swing-up ramps for easy loading of equipment, electric brake axles with heavy-duty slipper spring suspension, lighting package upgrades to a US-made sealed modular wiring harness with lifetime LED lighting. tool tray with lid, heavy-duty drop foot jack, stake pockets on the rub rail, treated wood flooring, and an adjustable pintle ring on a heavy-duty nose plate, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$32,950.16
Kaufman Trailers - Flatbeds	Flatbed Car Trailer	FA 5.2K-21S	Flatbed Car Trailer - built with a full diamond floor and D-ring tie-downs in the corners. channel frame runners are turned in which accommodates stake pockets and rub rails. full-length wrap-around tongue, e-z lube axles with four-wheel brakes. A-frame coupler, swing-up tongue jack, and teardrop fenders. The front corners are beveled with running lights for a great-looking car trailer. A dovetail with hidden rear slide-in loading ramps makes loading easy. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$12,799.92
Kaufman Trailers - Flatbeds	Equipment Tilt Trailer	FDWT-7K-20D	Equipment Tilt Trailer - Floors: Treated Wood, Electrical: Sealed modular wiring harness with LED lights, Adjustable coupler, Channel Frame, channel cross members, Heavy duty safety chains, Tongue: Channel wrap around, Ramps: long beveled extensions, Tie Downs: Stake pockets and Rubrail, e-z lube axles, fenders, Suspension: Slipper springs, All wheel electric brakes, Toolbox, Drop foot jack, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$14,865.28

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Kaufman Trailers - Flatbeds	Small Enclosed Trailer	FEN-3.5K-6X12	Enclosed Trailer - Stone guard on the front, in. Dry Max - High Tech enclosed trailer floor material - does not swell when it gets wet, Aluminum exterior skin, plywood wall covering, One-piece aluminum roof, Steel Frame, Aluminum fenders, Rear Ramp Door, Aluminum trim, Roof Vent - Side vent air scoops, axles for, Brakes on all wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$12,619.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2/5.2K-8.5X18	Enclosed Trailer - Stone guard on the front, Dry Max - High Tech enclosed trailer floor material - does not swell when it gets wet, Aluminum exterior skin, plywood wall covering, One-piece aluminum roof, Steel frame V-nose front, Aluminum fenders, Rear Ramp Door, Aluminum trim, Roof Vent - Side vent air scoops, Brakes on all 4 wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$24,966.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2/7K-8.5X30P	Enclosed Trailer - Stone guard on the front, Dry Max - High Tech enclosed trailer floor material - does not swell when it gets wet, Aluminum exterior skin, plywood wall covering, One-piece roof, Steel frame V-nose front, Aluminum fenders, Rear Ramp Door, Aluminum trim, Roof Vent - Side vent air scoops, Tandem axles, Brakes on all 4 wheels. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$32,904.00
Kaufman Trailers - Flatbeds	Enclosed Trailer	FEN-2/5.2K-8.5X24	Enclosed Trailer - Stone guard, High Tech floor material - does not swell when it gets wet, One-piece roof, fenders, Rear Ramp Door, Aluminum trim, Roof Vent - Side vent air scoops, High Payload, axles, Electric Brakes. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$27,157.71
Kaufman Trailers - Flatbeds	Dump Trailer	FXSLP-6K-12D	12ft X 6.5ft Medium Duty Dump Trailer: The dump box is constructed with a tubing frame and channel cross-members, and has a onepiece floor. The 1-piece 10 gauge floor has d-ring tie-downs on all four corners. We also offer a heavy duty 3/16 in thickness floor option. The tailgate is a combination barn doors and spreader tailgate. The 6ft loading ramps slide in under the floor. The tailgate does NOT need to be removed to use the loading ramps. The raised front bulk-head and rear post. 12000 GVWR. A heavy duty tarp is included as standard. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$15,370.00
Kaufman Trailers - Flatbeds	Flatbed Gooseneck Trailer	FG-7K-30D	17000 GVWR Flatbed Gooseneck Trailer features an I-beam mainframe with channel stacked cross-members on 18" centers and 6" outer rails. Flatbed with a dovetail and cleated swing up ramps. Ramps built with 4 in. channel ramp frame runners. Two 7,000 lb. electric brake axles with heavy duty slipper spring suspension, and radial tires. Modular wiring harness with lifetime LED lights. Drop foot jack, stake pockets with rub rail, treated flooring, tool tray with lockable lid, and an adjustable coupler. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$19,880.00
Kaufman Trailers - Flatbeds	Flatbed Trailer	FP-7K-20D	Flatbed Trailer FP-7K-20D: Sealed modular wiring harness with LED lights, Adjustable ball coupler, Frame: 6 in. Channel, with 3 in. channel cross members, Heavyduty safety chains, Dovetail, Heavy duty flip up ramps, Channel wrap around tongue, Stake pockets and rub rails, Full diamond plate, Diamond plate fenders, Allwheel electric brakes, Treated wood deck, Drop Foot Jack, Spare tire with mount, E-Z Lube Axles, Cold weather wire harness, Slipper spring suspension, LED lights, Chain box toolbox with lockable lid standard & 1 year factory warranty. Foradditional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$16,533.00
Kaufman Trailers - Flatbeds	Skid Steer Trailer	FSW-8K-16D	Utility Trailer FSW-8K-16D: Sealed modular wiring harness with LED lights, Channel wrap-around tongue, Beefed-up ramps with 4-inch channel ramp runners and include spring assist, treated wood floors, Angle frame with channel cross members, Heavy-duty safety chains, Super duty 3 bolt cast iron adjustable coupler, heavy-duty flip ramps - 4 in. channel ramp runners - with spring assist, Tie Downs: Stake pockets and rub rail, Diamond plate fenders, Slipper spring suspension, All-wheel electric brakes, Toolbox: Chain box with lockable toolbox, Heavy-duty steel wheels, Primed, 2 coats of automotive grade enamel, pin-stripped, Drop foot jack, Spare tire and rim, e-z lube axles and Adjustable ball and pintle ring. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$21,324.00
Kaufman Trailers - Flatbeds	Skid Steer Trailer	FSW-8K-18D	Utility Trailer FSW-8K-18D: Sealed modular wiring harness with LED lights, Channel wrap-around tongue, Beefed-up ramps with 4-inch channel ramp runners and include spring assist, treated wood floors, Angle frame with channel cross members, Heavy-duty safety chains, Super duty 3 bolt cast iron adjustable coupler, heavy-duty flip ramps - 4 in. channel ramp runners - with spring assist, heavy-duty flip ramps - 4 in. channel ramp runners - with spring assist, Tie Downs: Stake pockets and rub rail, Diamond plate fenders, Slipper spring suspension, All-wheel electric brakes, Toolbox: Chain box with lockable toolbox, Heavy-duty steel wheels, Primed, 2 coats of automotive grade enamel, pin-stripped, Drop foot jack, Spare tire and rim, e-z lube axles and Adjustable ball and pintle ring. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$25,536.00
Kayln Siebert	Lowbed Gooseneck Trailer	KS-GN-60-65T	Lowbed Gooseneck Trailer - TRAILER TYPE: LOWBED 3 AXLE 60 TON, Deck Width: 102 in, Load Capacity: Min - 60 ton/Max 65 ton, Deck Material: Steel, Overall Length: 53 Ft, Frame Construction: I Beam, Deck Length: 26 Ft, Air Brakes: 16 1/2" x 7", Deck Height: Min 6 in/Max 20 in, GVWR: 25340 lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$141,566.63
Kayln Siebert	Dovetail Trailer	KDP-2-55T-DT	Dovetail Trailer - 50 Ton haul capacity, Air suspension, Fifth Wheel Hookup, Partial wood and metal center deck, Deck length - minimum 32' and maximum 34', Chain slot tie-down, Winch ? 20 Ton, D-rings, Speed Winch, Fixed axle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$118,499.92
Kayln Siebert	Extendable Drop Deck Trailer	KDDPEX-70	Extendable Drop Deck Trailer - Double Drop extendable 2 Axle 80,000 pound 48 foot closed 70 feet open OAL and 8.5 feet wide, 84 in Swing, Fixed Neck, 2? king pin at 18 in setting, 22,500 lb capacity Suspensions with Oil Seals, 2-speed Atlas 65 (or equivalent) landing gear with roadside crank handle, 5? round, 1/2? wall, tapered spindles, 50" Spread, Closed, Fixed, Air suspension, 50? fifth wheel height, Stake pockets (4) front and rear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$121,161.35

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Kayln Siebert	Step Deck Trailer	KDP-80	Step Deck Trailer - 80,000 lbs. Distributed in 48'-0", 2" King Pin Setting, 60,000 lbs. Concentrated 10'-0", 49" Fifth Wheel Height, Upper Deck Length 10'-6", 16.5' x 7' Air (Parking Brakes Both Axles), Lower Deck Length 37'-6", 130,000 psi Yield Flanges, 1-1/8" Hardwood Flooring, 100,000 psi Yield Web. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$126,476.25
Kayln Siebert	Extendable Flat Bed Trailer	KPEX80	Extendable Flat Bed Trailer - Kayln Siebert Overall Dimension: 48 ft Closed, 80 ft Open OAL and 8.5 ft Wide, Bulkhead pockets at front, Fixed Neck, 2" kingpin at 18 in setting, 3 Axles, 49" fifth wheel height 84 in Swing, Closed, Fixed, Air suspension, 2-speed Atlas 65 (or equivalent) landing gear with roadside crank handle, 16.5 in X 7 in Air Brakes, Automatic slack adjusters, Stake pockets (4) at front & Rear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$111,226.63
Kayln Siebert	Cask Trailer	LBD-3-40T CASK	Cask Trailer - Kaylyn Siebert Lowboy trailer chassis, 80,000 lbs. concentrated in 10'- 0". GAWR & tire rating determine legal loads, Landing Gear 2-speed reinforced landing gear with roadside crank handle, Overall Nominal Dimensions: 8'- 6" wide X 43'- 6" length, main deck 16'- 0", Load Space 16' 0" Main Deck, Upper Coupler 48" kingpin height, 2" pin, Main deck height 28" at rated capacity, Cask chock and tie-downs supports will be customized to match the specific cask to be used on each trailer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$174,362.76
Kayln Siebert	Hydraulic Detachable Gooseneck Trailer	KS-HRG-3A-55T	Hydraulic Detachable Gooseneck Trailer KS-HRG-3A-55T: 55 Ton Hydraulic Removable Gooseneck, V-style boom trough with last three cross-members in deck recessed, Five position hydraulic removable gooseneck, Three axles, Deck/gooseneck design ensure easy hook-up, Front Flip Ramps for loading, Expanded tool tray, PTO Powered: Two main & One lift arm cylinders, Bucket Well: Last 3 center cross members are recessed, 12 Volt System with 7-way Sealed Harness, Rear lugs, air & electrical connections for spreader bar & flip axle, LED Sealed beam Lights w/ Modular Harness, V style Boom trough, Strobe light package with toggle switch on rear, Outriggers: 13 Pair Swing hook + 1 Pair Heavy duty hook on at front, Mid-Turn Signal/Clearance Light, D Rings: 6 Pair on Outer deck & 2 inner main deck, KS Mud Flaps & 1 year factory warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$152,582.00
Kayln Siebert	Hydraulic Tail Trailer	KHFT-2-40T	Hydraulic Tail Trailer - ABS brakes, automatic slack adjusters, Lower Tilting Deck, Triple axles, kingpin, Air ride suspension, Two-speed landing gear, Oil bath type hubs, digital hub meter. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$125,773.65
KIG Technical Services LLC	Surveillance/Law Enforcement - Tesla Y	LE Tesla Y	Surveillance/Law Enforcement - Tesla Y - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$117,928.41
KIG Technical Services LLC	Surveillance/Law Enforcement - Tesla X	LE Tesla X	Surveillance/Law Enforcement - Tesla X - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$171,413.79
KIG Technical Services LLC	Surveillance/Law Enforcement - Tesla 3	LE Tesla 3	Surveillance/Law Enforcement - Tesla 3 - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$111,071.30
KIG Technical Services LLC	Surveillance/Law Enforcement - Tesla S	LE Tesla S	Surveillance/Law Enforcement - Tesla S - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$160,319.00
KIG Technical Services LLC	Surveillance/Law Enforcement - Bolt EV	LE Bolt EV	Surveillance/Law Enforcement - Bolt EV - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$160,319.00
KIG Technical Services LLC	Surveillance/Law Enforcement - Mach E	LE Mach E	Surveillance/Law Enforcement - Mach E - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$111,078.17
KIG Technical Services LLC	Export Law Enforcement - Toyota Prado	LE - Prado	Export Law Enforcement - Toyota Prado - Available in OCONUS locations, Gulf States, Middle East, Europe, South America, and Asia. Diesel or Gasoline powertrain with L/R hand drive configurations. Option: Custom up-fitted. Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$129,983.93
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Avalon	LE - Avalon	Surveillance/Law Enforcement - Toyota Avalon - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$102,883.64
KIG Technical Services LLC	Surveillance/Law Enforcement - Nissan Pathfinder	LE - Pathfinder	Surveillance/Law Enforcement - Nissan Pathfinder- Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Vehicle can be slightly modified to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Jeanne @ 571-266-9082 or Email: Jeanne@Fedharmony.com Fedharmony customer service provides comprehensive coverage to ensure satisfaction	\$90,582.23

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
KIG Technical Services LLC	Surveillance/Law Enforcement - Nissan Altima	LE - Altima	Surveillance/Law Enforcement - Nissan Altima - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$85,267.82
KIG Technical Services LLC	Surveillance/Law Enforcement - Nissan Maxima	LE - Maxima	Surveillance/Law Enforcement - Nissan Maxima - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Vehicle can be slightly modified to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Jeanne @ 571-266-9082 or Email: Jeanne@Fedharmony.com Fedharmony customer service provides comprehensive coverage to ensure satisfaction	\$94,140.69
KIG Technical Services LLC	Surveillance/Law Enforcement - Honda Ridgeline	LE - Ridgeline	Surveillance/Law Enforcement - Honda Ridgeline- Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$98,719.46
KIG Technical Services LLC	Surveillance/Law Enforcement - Honda Odyssey	LE - Odyssey	Surveillance/Law Enforcement - Honda Odyssey - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$85,956.36
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Tundra 4x2	LE - Tundra	Surveillance/Law Enforcement - Toyota Toyota Tundra 4x2 - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$89,971.40
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Tacoma	LE - Tacoma	Surveillance/Law Enforcement - Toyota Tacoma - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$96,605.83
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Highlander AWD	LE - Highlander	Surveillance/Law Enforcement - Toyota Highlander AWD - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$92,834.05
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Camry	LE - Camry	Surveillance/Law Enforcement - Toyota Camry - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$91,292.77
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Land Cruiser 76	LE - LC76	Surveillance/Law Enforcement - Land Cruiser - Diesel or Gasoline powertrain with L/R hand drive configurations. Manual or Automatic Transmission. Option: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$128,729.93
KIG Technical Services LLC	Surveillance/Law Enforcement - Peugeot	LE - Peugeot	Surveillance/Law Enforcement - Peugeot - In-line diesel engine, LH or RH drive configurations, Manual or Automatic transmission options, multitude of OEM options. Optional: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, blue tooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$96,768.91
KIG Technical Services LLC	Surveillance/Law Enforcement - Honda Minivan	LE - Minivan	Surveillance/Law Enforcement - Minivan (Export)- Gasoline powered, LH or RH drive configurations, Automatic transmission multitude of OEM options. Optional: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, blue tooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$95,105.64
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Corolla	LE - Corolla	Surveillance/Law Enforcement - Corolla - In-line gasoline engine, LH or RH drive configurations, multitude of OEM options to include manual transmission. Optional: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, blue tooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$63,085.32
KIG Technical Services LLC	Surveillance/Law Enforcement - Kia Sportage	LE - Sportage	Surveillance/Law Enforcement - Sportage- In-line gasoline engine, LH or RH drive configurations with optional Manual or Automatic Transmission, multitude of OEM options. Optional: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, blue tooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$66,263.65

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Hiace	LE - Hiace	Surveillance/Law Enforcement - Hiace - In-line diesel engine with multiple factory options and RH/LH Drive capabilities. Optional: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$102,342.22
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Hilux	LE - Hilux	Surveillance/Law Enforcement - Hilux - Diesel powered engine, LH and RH drive options depending on region. 4x2 and 4x4 drivetrains offered. Optional: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$77,494.00
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota RAV4	LE - RAV4	Surveillance/Law Enforcement - RAV4 ? Gasoline powered engine, Loaded with Options: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$78,891.42
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Fortuner	LE - Fortuner	Surveillance/Law Enforcement - Fortuner - In-line diesel engine, LH or RH drive configurations, multitude of OEM options. Optional: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, blue tooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$90,966.30
KIG Technical Services LLC	Surveillance/Law Enforcement - Toyota Land Cruiser	LE - Landcruiser	Surveillance/Law Enforcement - Land Cruiser - Diesel or Gasoline powertrain with L/R hand drive configurations. Option: Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. Vehicle can be slightly modified to meet customers requirements For additional information contact Jeanne @ 571-266-9082 or Email: <a href="mailto:Jeanne@Fedharmony.com">Jeanne@Fedharmony.com</a> Fedharmony customer service provides comprehensive coverage to ensure satisfaction	\$129,869.94
KIG Technical Services LLC	Surveillance/Law Enforcement - Subaru Outback	LE - Outback	Surveillance/Law Enforcement - Subaru Outback - Custom up-fitted Surveillance/Law Enforcement vehicle with options to meet customer requirements. Vehicle can be slightly modified to meet customer requirements. Options include window tint, laptop stands, power door locks, keyless entry, bluetooth compatibility, carpet floor mats, deactivated daytime running lights, radio, trunk vault and much more. For additional information contact Jeanne @ 571-266-9082 or Email: <a href="mailto:Jeanne@Fedharmony.com">Jeanne@Fedharmony.com</a> Fedharmony customer service provides comprehensive coverage to ensure satisfaction	\$93,292.10
KM International	Crack Maintenance Trailer	KMCMT	Crack Maintenance Trailer - Includes all the equipment a contractor or municipality needs to get started crack Filling. CMT Package Includes: Crack Jet II Heat Lance, KM 55 Rubber Melter, MA 10 Rubber Applicator, and Single Axle Utility Trailer. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$31,252.50
KM International	Lineal Infrared Asphalt Recycler (3' x 12')	KM 2-36	Lineal Infrared Asphalt Recycler (3' x 12') - Separate on/off switches for zones, An automatic pilot light, A momentary type on/off push button switch, A 12 VDC powered solenoid, A keyed switch, The cylinders will combine to one manifold, An emergency stop "mushroom" type switch, LPG cylinders will provide the fuel for the heating system, Fuel adjustment valves, Ceramic heating blanket. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$37,893.75
KM International	KM International Accessories Package	KIAP25	KM International Accessories Package & Offers a mission oriented package that covers optional equipment that covers mission and additional safety requirements. Asphalt Rake, Rejuvenator, 5 Gal., Asphalt Lute, Stainless Sprayer, Flat Shovel, Backpack Blower, Broom, 30 lb. Cylinders (qty 3), Putty Knife, Hand Tamp, spare tire carrier, toolbox, working lights and more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$18,750.00
KM International	Lineal Infrared Asphalt Recycler (2' x 10')	KM 2-20	Lineal Infrared Asphalt Recycler (2' x 10') - A one shot timer, Four (4) independently maneuvered casters, A 12VDC Marine style deep cycle battery, The blower will be maintained within the control panel on the top shell, Independent heating zones, 12 VDC blower, (16) gauge mild steel, An automatic timed on/off heating cycle, Separate on/off switches for zones. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$32,931.25
KM International	Lineal Infrared Asphalt Recycler (2' x 8')	KM 2-16	Lineal Infrared Asphalt Recycler (2' x 8') - Folds into single axel self-trailer unit, 4 independently controlled heating zones, Heating panel, Propane cylinders included, Mounted on 4 independent swivel casters, Automatic pilot ignition, Battery - 12V Deep Cycle Marine Gel, Heat cycling technology, 1 Ceramic Refractory Blanket. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$31,427.50
KM International	Infrared Asphalt Recycler (6' x 8')	KM 4-48 C1M1	Infrared Asphalt Recycler (6' x 8') - 48 square feet of infrared heating area, 4 independently controlled heating zones, Fold into single axel self-trailer unit, (3) 30 Lb. cylinders included, Mounted on 4 independent swivel casters, Heat cycling technology, BTU Output - 840,000 BTU, Automatic pilot ignition Battery - 12V Deep Cycle Marine Gel. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$40,977.19
KM International	Infrared Asphalt Recycler (5' x 8')	KM 4-40 C1M1	Infrared Asphalt Recycler (5' x 8') - Folds into single axel self-trailer unit, 4 independently controlled heating zones, 40-square-foot heating panel, (3) 30 Lb. cylinders included, Mounted on 4 independent swivel casters, Automatic pilot ignition, BTU Output - 700,000 BTU, Heat cycling technology, Battery - 12V Deep Cycle Marine Gel. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$38,946.25

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
KM International	Infrared Asphalt Recycler (3.5' x 6.5')	KM 2-18X C1M1	Infrared Asphalt Recycler (3.5' x 6.5') - 2 independently controlled heating zones, 300,000 BTU, Mounted on 4 independent swivel casters, Overall Dimensions (L x W x H) - 6x6 x 3x6 x 3.5, Automatic pilot ignition, Overall Weight - 410 Lbs, Heat cycling technology, 1' Ceramic Refractory Blanket, (2) 30 Lb. Propane Cylinders, Heating Zones - (2) 3x3 x 3x6. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$25,939.69
KM International	Infrared Asphalt Recycler (4' x 4')	LB 2-16 M1	Infrared Asphalt Recycler (4' x 4') - Unique folding design for easy transportation and use, 16 Sq. Ft of infrared heating area, Automatic Pilot Ignition, 2' x 4' Heating Zones, Heat Cycling technology, 1' Ceramic Refractory Blanket, 2 Independently controlled zones, 2 wheels, (2) 30LB. propane cylinders included, Fire extinguisher. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$23,908.75
KM International	Asphalt Recycler-Skid Mounted	KM-T2 Skid	Asphalt Recycler-Skid Mounted - The KM T-2 is an asphalt recycling machine capable of producing 4 tons of hotmix asphalt in an hour. The KM T-2 will recycle asphalt millings, chunks, and other RAP material into plant-grade asphalt. The KM T-2 allows contractors the ability to perform year-round repairs with quality hotmix asphalt material. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$134,133.75
KM International	Asphalt Recycler - Diesel Fired Burner Trailer Mount	KM-T2	Asphalt Recycler, Diesel Fired Burner Trailer Mount - 700,000 BTU Beckett Model SDC diesel burner, 2,500 pounds per load & 4.0 Tons per hour asphalt production, 75 gallon diesel fuel tank, 3/16th Steel, 450 Brinell hardened fully insulated Heating Drum, Dual 7,000 pound axle trailer; 14,000 lbs. GVWR. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$133,382.50
KM International	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel-Dump	KM8000THDD	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel-Dump. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$84,811.50
KM International	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel	KM8000THDX	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$76,991.25
KM International	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Propane-Dump	KM8000THPD	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel Dump. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$80,600.00
KM International	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Propane	KM8000THPX	4 Ton Trailer Mount Reclaimer-Hydraulic Brake-Propane. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$72,931.25
KM International	4 Ton Trailer Mount Reclaimer-Electric Brake-Diesel	KM8000TEDX	The KM 8000T is a 4-ton, trailer-mounted asphalt hotbox reclaimer capable of maintaining asphalt temperatures for up to 3 days, and it can reclaim excess or bulk-stored hotmix asphalt. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$74,736.25
KM International	4 Ton Trailer Mount Reclaimer-Electric Brake-Diesel-Dump	KM8000TEDD	The KM 8000T is a 4-ton, trailer-mounted asphalt hotbox reclaimer capable of maintaining asphalt temperatures for up to 3 days, and it can reclaim excess or bulk-stored hotmix asphalt. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$81,803.75
KM International	4 Ton Trailer Mount Reclaimer-Electric Brake-Propane-Dump	KM8000TEPD	The KM 8000T is a 4-ton, trailer-mounted asphalt hotbox reclaimer capable of maintaining asphalt temperatures for up to 3 days, and it can reclaim excess or bulk-stored hotmix asphalt. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$78,043.75
KM International	4 Ton Trailer Mount Reclaimer-Electric Brake-Propane	KM8000TEPX	The KM 8000T is a 4-ton, trailer-mounted asphalt hotbox reclaimer capable of maintaining asphalt temperatures for up to 3 days, and it can reclaim excess or bulk-stored hotmix asphalt. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$70,525.00
KM International	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel-Dump	KM4000THDD	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel-Dump. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$73,382.50
KM International	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel	KM4000THDX	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Diesel. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$66,616.25
KM International	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Propane-Dump	KM4000THPXD	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Propane-Dump. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$72,330.38
KM International	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Propane	KM4000THPX	2 Ton Trailer Mount Reclaimer-Hydraulic Brake-Propane - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$63,006.25
KM International	2 Ton Trailer Mount Reclaimer-Electric Brake-Diesel	KM4000TEDX	2 Ton Trailer Mount Reclaimer-Electric Brake-Diesel - Triple wall constructed Thermostatically controlled with 100% safety shut down Equipped with a single insulated shovel door Gravity feed for easy discharge of material. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$65,031.25
KM International	2 Ton Trailer Mount Reclaimer-Electric Brake-Propane-Dump	KM4000TEPD	2 Ton Trailer Mount Reclaimer-Electric Brake-Propane-Dump - Triple wall constructed Thermostatically controlled with 100% safety shut down Equipped with a single insulated shovel door Gravity feed for easy discharge of material. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$67,517.50
KM International	2 Ton Trailer Mount Reclaimer-Electric Brake-Propane	KM4000TEPX	2 Ton Trailer Mount Reclaimer-Electric Brake-Propane - Trailer Mounted Asphalt Hot Box Reclaimer Triple wall constructed Thermostatically controlled with 100% safety shut down Equipped with a single insulated shovel door Gravity feed for easy discharge of material. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$61,352.50
KM International	1.5 Ton Skid Mount Reclaimer-Propane	KM1000SXPX	1.5 Ton Skid Mount Reclaimer-Propane - Triple wall construction, All welded steel: 16G Skin, 20G Top and 14 G Asphalt Compartment, Thermostatically controlled, Designed for the back of a pickup truck or utility vehicle, Simple and lightweight, Standard Chrome yellow paint, Fully insulated filling door, Single shovel port with inside walls tapered towards shovel port, Reclaiming capabilities, Gas control valve power is supplied by a self-maintaining 750 MV thermopile generator. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$45,713.75

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
KM International	4 Ton Skid Mount Reclaimer-Diesel	KM800SXDX	4 Ton Skid Mount Reclaimer-Diesel 95"L x 81"W x 66"H, Dual shovel ports with inside walls tapered towards shovel port, 1,960 Lbs total weight, 2 <sup>nd</sup> -3 <sup>rd</sup> of high efficiency fiberglass insulation, 8,000 lbs capacity, All welded steel: 16G Skin, 20G Top and 14 G Asphalt Compartment, 105,000 BTU heating element, Designed to manage up to four (2) tons (8,000 lbs.) of plant asphalt road mix. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$67,969.58
KM International	4 Ton Skid Mount Reclaimer-Propane	KM800SXPX	4 Ton Skid Mount Reclaimer-Propane - 73"L x 81"W x 57"H, Dual shovel ports with inside walls tapered towards shovel port, 1,400 lbs total weight, 2 <sup>nd</sup> -3 <sup>rd</sup> of high-efficiency fiberglass insulation, 8,000 lbs capacity, All welded steel: 16G Skin, 20G Top and 14 G Asphalt Compartment, 60,000 BTU heating element, Bottle Rack to Accommodate Two 30LB. Propane Cylinders, 2 X front to back loading doors with cantilever handles, 8' extended propane hose. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$63,006.25
KM International	2 Ton Skid Mount Reclaimer-Diesel	KM400SXDX	2 Ton Skid Mount Reclaimer-Diesel - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$59,397.50
KM International	2 Ton Trailer Mount Reclaimer-Electric Brake-Diesel-Dump	KM400TEDD	2 Ton Trailer Mounted Asphalt Hot Box Reclaimer KM 4000T - Reclaimer Triple wall constructed Thermostatically controlled with 100% safety shut down Equipped with a single insulated shovel door Gravity feed for easy discharge of material. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$71,427.50
KM International	2 Ton Skid Mount Reclaimer-Propane	KM400SXPX	2 Ton Skid Mounted Reclaimer-Propane - Use the KM-4000SXPX to hold up to 2 tons f virgin hot asphalt mix from the plant, reclaiming bulk stored hot asphalt mix, cold patch, or for recycling and re-conditioning used asphalt shilling. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$54,508.75
Knapheide Atlanta	Heavy Duty Maintenance Lube Truck	LO845-18	Modular deigned open or enclosed lube truck. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$371,009.45
Knapheide Atlanta	2T Maintenance Truck with Crane	KMT2-11	The 2-tier Maintenance Truck is capable of providing field level repairs on a variety of installations as well as rugged enough to operate in an off-road environment. Equipped with crane, 4 wheel drive and more	\$261,583.93
Knapheide Atlanta	1T Maintenance Truck with Crane	KMT1-11	The 1-tier Maintenance Truck is capable of providing field level repairs on a variety of installations as well as rugged enough to operate in an off-road environment. Equipped with crane, 4 wheel drive and more	\$228,472.04
Ledwell	Medium Capacity Water truck	LW-4000WT	Medium Capacity Water truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$316,425.75
Ledwell	Small Capacity Water truck	LW-2000WT	Small Capacity Water truck - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$177,975.29
Lift-A-Loft Corporation	Aircraft Boarding Staircase	AS-228CC	Aircraft Boarding Staircase AS-228CC: Ford F450 Super Duty, Hydraulic and Electrical Connections are Quick Disconnect, Stabilizers Provide for Minimal Upper Platform Movement Even When Fully Loaded, Weatherproof, Recessed Lighting is Provided for all Steps and Upper Platform, Engine Driven Pump Provides Hydraulic Power to Stair and Stabilization Cylinders, Extendable Platform Handrails at Upper Platform Fully Protect Passengers While Not Interfering with Aircraft Door Operations, Emergency Lowering from Control Panel, Non-Slip Surface on Areas That Receive Foot Contact, Four-wheel ABS Brakes, Fuel Tank, Upper Platform Maximum Heigh, Stabilizers are located on each side of the chassis, Aluminum non-slip Stair Material Extendable platform handrails at upper platform, 12-month parts and labor warranty; Structural members 60 months.	\$286,341.51
Load King	Truck Mounted 10 ton Boom Crane	Stinger 10-47	Truck Mounted 10 ton Boom Crane - 10 Tons Capacity Rating, Dual Side Stand-Up Controls With Foot Throttle Pedal, Rotation Planetary Gearbox Hydraulic Motor Driven With 370-Degrees of Non-Continuous Swing Rotation, Crane Consoles Include 4 Lever Crane Function Control Handles, 4 Lever Outrigger Control, Combined Flow Planetary Hoist - Hydraulic Motor Driven, Rated Capacity Limiter System With Digital Read Out Display. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$292,141.58
Load King	60 Ton Telescopic Truck Crane	LK460-110	60 Ton Telescopic Truck Crane - The Load King 460-110, formerly the Terex T 560-1 telescopic truck crane, is equipped with a 110 ft. maximum boom length, or 167 ft. maximum tip height with a jib. The Load King 460-110 features a maximum lifting capacity of 60 tons (120,000 lbs). The Load King truck crane boasts travel speeds up to 65 mph and 430 hp engine power. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,045,781.01
Load King	35 Ton Boom, Truck Mounted	LK35-100	35 Ton Boom, Truck Mounted - The Load King Stinger 35-100 is equipped with a 100 ft. fully synchronous telescopic keel boom. The Stinger 35-100 features a maximum lifting capacity of 35 tons (70,000 lbs). The Load King crane boasts a quick reeving boom head, an electronic rated capacity interior and behind-cab mounting with a dual operator console. The Stinger 35-100 was formerly the Terex BT 70100 boom truck. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$548,607.95
Load King	28 Ton Boom, Truck Mounted	LK28-106	28 Ton Boom, Truck Mounted - The Load King Stinger 28-106 is equipped with a 106 ft. fully synchronous telescopic keel boom. The Stinger 28-106 features a maximum lifting capacity of 28 tons (56,000 lbs). The Load King crane boasts a K-pattern front outrigger design, eliminating the requirement for a front jack, and a rated capacity indicator with work area definition. The Stinger 28-106 was formerly the Terex BT 28106 boom truck. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$476,969.30
Load King	40 Ton Telescopic Crane, Truck Mounted	LK340-94	The Load King 340-94, formerly the Terex T 340-1 telescopic truck crane, is equipped with a 94 ft. maximum boom length, or 143 ft. maximum tip height with a jib. The Load King 340-94 features a maximum lifting capacity of 40 tons (80,000 lbs). The Load King truck crane boasts travel speeds up to 60 mph and 300 hp engine power. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$813,670.95
Load King	25 Ton Boom Crane, Truck Mounted	STINGER 25-92	25 Ton Boom Crane, Truck Mounted - The Load King Stinger 25-92 is equipped with a 92 ft. fully synchronous telescopic keel boom. The Stinger 25-92 features a maximum lifting capacity of 25 tons (50,000 lbs). The Load King crane boasts a quick reeving boom head and an electronic rated capacity interior. The Stinger 25-92 was formerly the Terex BT 5092 boom truck. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$388,138.21

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Load King	End Dump Trailer	RH3229	End Dump Trailer - Constructed of hard-ox with front and rear tailgates, The trailers are manufactured in lengths from 28' to 35'. 43° Dump Angle (All 8 Wheels On The Ground) 48" 5Th Wheel Height. Single Point Suspension. The tub on the End Dump is of two-piece construction.The End Dump can come equipped with either a manual or an electric tarp options. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$111,672.00
Load King	Detachable Gooseneck Lowboy Trailer	503-605 SS SFF24	Detachable Gooseneck Lowboy Trailer - Hendrickson Air-Ride, Loaded Deck Height: 24" LDH & 8" Loaded Ground Clearance, Capacity: 60 Ton, Overall Length & Width: 53'L X 102"W, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$245,235.01
Load King	Detachable Gooseneck Lowboy Trailer	503/605 SS SFF20	Detachable Gooseneck Lowboy Trailer - Capacity ~ 60 Ton, 53' L X 102"W, 120K lbs rating, Hendrickson Air-Ride, Deck Beams: (4) 14" Fabricated I - Beams, Deck Flooring: 2" Apitong Full Length of Outer Deck Open Center, D Ring: (6) Bent D-Rings per side (12 Total). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$251,510.84
Load King	Hydraulic Detachable Gooseneck Low Boy Trailer	503-554 SS SF24	Hydraulic Detachable Gooseneck Low Boy Trailer Load King Signature Series, and offers up to a 55-ton load capacity with flip axle capabilities and a stinger bar. Its 26' deck length offers a 12' load concentration at 60 mph. The gooseneck adds air activation, positive lock, and a self-locking pin for easy access.For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$206,145.72
Load King	Hydraulic Detachable Gooseneck Trailer	503-554 SS SF18	Hydraulic Detachable Gooseneck Trailer up to 55-ton hydraulic detachable gooseneck trailer is equipped with an 18' loaded deck height, stinger bar and flip axle capacities. The estimated weight of the trailer is 22,645 lbs. with a 26' deck and 53' in length. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$210,634.95
Load King	Hydraulic Reel Trailer	LK910	Hydraulic Reel Trailer - 10500 GVWR, up to 8500 lb payload, 12v 7 pin electrical connector, electric brakes, tubular steel construction, steel fenders, heavy duty landing gear, dual hydraulic pumps, and adjustable lunette eye hitch. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$29,694.71
Load King	Pole Trailer	LK112	The Load King LK112 Pole Trailer offers a payload capacity of 22,000 lbs and includes 12,000 lb tandem axles. The trailer has adjustable spring pads for axle adjustment. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$37,006.20
Load King	Pole Trailer	LK111PT	Pole Trailer - Overall Length Adjustments: 24' / 31' / 38', 16,000 Lbs. Single Heavy Duty Axle, The trailer has adjustable spring pads for axle adjustment, Drop Leg Jack (12,000 Lb. Static Load Capacity). Adjustable Spring Pads For Wheel Alignment. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$36,363.36
Load King	Tilt Tag Trailer	LK25TT	Tilt Tag Trailer - up to 25 ton capacity, Tag along trailer with tilting platform and stationary deck, Load capacity: up to 50,000 LBS. / 25 tons Triple Axles, Overall Length: 37'-4", Deck Length: 26' Tilting platform, 4° stationary deck, Deck Width: 8'6" Deck Height: 38" unloaded. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$75,675.81
Load King	Tilt Tag Trailer	LK20TT	Tilt Tag Trailer - Up to 20 ton capacity with tilting platform and stationary deck, dual axles, Overall length 34' 3", Deck width 8'6", Deck length 24' Tilting platform 4' Stationary Deck. Standard Apitong Wood Flooring. Heavy duty landing gear. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$66,057.55
Load King	Tag Utility Trailer	LK20T	Tag Utility Trailer - up to 40,000 lb capacity tag-along trailer with beavertail & ramps, Load capacity: 40,000 lb at 55 mph. (G.V.W.R. 47,350 lbs), Overall length: 30'-0", Deck length: 24'-0" (19'-0" flat deck + 5'-0" beavertail), Deck width: 96", Deck height: 36" unloaded, Frame construction: Pierced main beam construction with one-piece interlocking cross member. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$57,156.00
Load King	Tag Equipment Trailer	LK10T	Tag Equipment Trailer - Up To 20,000 LB. Capacity Tag-Along Trailer with beavertail and ramps Load Capacity: 20,000 LBS. AT 55 M.P.H. (G.V.W.R. 25,900 LBS.) Overall Length: 29'-0" Deck Length: 24'-0" (19'-0" Flat Deck + 5'-0" Beavertail) Deck Width : 8'-0" Deck height: 34" Unloaded. TFor additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,967.50
Load King	Mobile Crane	Stinger 80-126	Mobile Crane - 80 Ton Capacity Rating, GVW: 60521 lbs, 126 ft maximum boom length, Tilting operator cab (0 - 18 degrees), 136 ft maximum tip height, Electronic rated capacity indicator, 33-57 ft optional off-settable jib, Quick reeve boom head, 193 ft maximum tip height with 57 ft jib, Engine: X15 485Hp, Mainframe Consists Of All-Steel Formed Construction, Hydraulic Oil cooler, X Pattern Hydraulic Swing Out And Telescopic 3 Position, Premium Contoured Flexible Fenders, 4 Outrigger Beam System, Aluminum Diamond Plate Decking, Outrigger Control Station In The Crane Cab, Access Ladders And Steps, Continuous Rotation Foot Peddle Swing Brake And 360 Degree Swing Lock, Recessed Locking Storage Box In Decking.For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$966,288.08
Load King	Articulating Aerial Van	LK-31	Standard platform capacity of 350 lbs., Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. Two GPM (7.57 LPM) open-center hydraulic system, Heavy-duty aluminum inner boom with drop-down boom tip, Hydraulic oil reservoir with 7 gallons (26.5l) capacity built integral to pedestal, Fixed fly boom, Self-locking worm gear rotation drive with shear ball bearing, Engine start/stop controls at the platform and remote lower controls, Boom articulation from 8 degrees below horizontal to 80 degrees above horizontal, Non-continuous 370-degree rotation with the electric limit system, Electric rotation limit system, Van mount pedestal and mounting hardware for low roof transit van installation. Slight modifications can be made for customer requirements. Fedharmony offers a variety of utility vehicles to support customer needs: Bucket Trucks, Aerial Lifts, Material handling, derrick diggers, pole drills, and much more. For more information contact gsasupport@fedharmony.com, 703-624-1206.	\$99,963.29
Load King	Boom Crane	LK10-47	Truck Mounted Boom Crane - Telescopic Boom, Dual Side Stand-Up Controls With Foot Throttle Pedal, Rotation Planetary Gearbox Hydraulic Motor Driven With 370-Degrees of Non-Continuous Swing Rotation, Crane Consoles Includes Lever Crane Function Control Handles, Lever Outrigger Control, Combined Flow Planetary Hoist - Hydraulic Motor Driven, Rated Capacity Limiter System With Digital Read Out Display. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$265,338.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Mack Defense	Small Capacity Dump Truck	Granite	This powerful and diverse truck provides up to 485hp, covering any application. Plus, radiator recirculation shields force air through the radiator, improving performance. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$350,692.52
Manitex	Telescopic Truck Crane	TC400	Telescopic Truck Crane - One Man Aluminum Cab, Rated Capacity Indicator System With Digital Readout Display And Work Area Definition Program, Hot Air Defroster, Warning And Automatic Function Disconnects, Hydraulic AC And LP Heat, Two Speed Main And Auxiliary Hoists, Fully Independent Hydraulic Outriggers, 5th Front Outtrigger, Ultra Shift Transmission, Removable Aluminum Outtrigger Pads, Remote Outtrigger Controls, Emergency Air Shut-Off. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,039,634.52
Manitex	Telescopic Crane	2281C	22-ton capacity, automatic transmission, 81 ft 4-section telescopic boom with 13'2" max working tip height, diesel engine, 372° non-continuous rotation, 4 hydraulic out/down outriggers, 12 month/ 2000 hour parts & labor warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$472,080.00
Manitex	Telescopic Crane	38124S	Telescopic Crane - 38-ton capacity w/rear mounted operator's cab, automatic transmission, 124 ft 5-section telescopic boom, diesel engine, 360° continuous rotation, 64,000 lb. GVWR, interaxle diff lock drive axles, 46,000 lb. tandem rear axle/20,000 lb. front steer axle, deluxe tilting cab with pilot operated controls and heater, 4 hydraulic out/down outriggers, air brakes, 12 month/ 2000 hour parts & labor warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$692,280.00
Manitex	Boom Crane	1970C	Boom Crane - 19-ton capacity, 70ft 3-sec proportional boom, 80 ft working tip height, heavy duty batteries, 33,000 lb. GVWR, 3 section hydraulic pump, Greer insight rated capacity limiter w/ digital display & work area definition program, Hydraulic rear stabilizers, Anti-two block system w/ alarm, Removable boom rest, Quick reeve dual sheave boom head, Heavy duty steel bed, 2-speed winch, A-frame link-type front outriggers. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$317,256.00
Manitex	Telescopic Boom Crane	TC300 Series	Telescopic Boom Crane - 30-ton capacity, automatic transmission w/PTO provisions, 112 ft 4-section telescopic boom with 122 ft working tip height, 3-section hydraulic pump, diesel engine, 360° continuous rotation, 66,000 lb. GVWR, interaxle diff lock drive axles, 46,000 lb. tandem rear axle/20,000 lb. front steer axle, deluxe tilting cab with pilot operated controls and heater, 4 hydraulic out/down outriggers, air brakes, 12 month/ 2000 hour parts & labor warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$661,022.40
MasterMover Ltd.	Electric Tow Tug	TOW2000ES	Electric Tow Tug: Maximum load (on castors/on rails) 20,000 kg/80,000 kg, Maximum force (push/pull) 7,845 N/11,768 N, Electric Drive. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$58,180.00
M-B Companies Inc	Tow Runway Sweeper with Air Blast system	3600TOWGA	Tow Runway Broom with Air Blast system - Diesel powered, 5th wheel hitch, up to 18 foot broom head and powered controls. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$274,764.60
McCullough Industries	2.0 CUYD Hoppers	#20099	At McCullough Industries, we carry a wide range of material handling systems, supplying our customers with durable products that can endure years of heavy use. The Wright GEN II lines of standard, self-dumping hoppers are engineered with versatility in mind, with over 30 models to choose from. The GEN II series features capacities that range from ¼ yard all the way up to 6 yards. With such a large selection, dimensions and specifications vary greatly. However, all GEN II hoppers are manufactured with heavy steel construction, 3" fork opening, low center of gravity, and a compact footprint. To learn more about Wright hoppers, contact us directly.  Note: All dimensions are approximate some dimensions may vary slightly per hopper	
McCullough Industries	1.5 CUYD Hoppers	#15099	At McCullough Industries, we carry a wide range of material handling systems, supplying our customers with durable products that can endure years of heavy use. The Wright GEN II lines of standard, self-dumping hoppers are engineered with versatility in mind, with over 30 models to choose from. The GEN II series features capacities that range from ¼ yard all the way up to 6 yards. With such a large selection, dimensions and specifications vary greatly. However, all GEN II hoppers are manufactured with heavy steel construction, 3" fork opening, low center of gravity, and a compact footprint. To learn more about Wright hoppers, contact us directly.  Note: All dimensions are approximate some dimensions may vary slightly per hopper	
McCullough Industries	1 CUYD Hoppers	#10099	At McCullough Industries, we carry a wide range of material handling systems, supplying our customers with durable products that can endure years of heavy use. The Wright GEN II lines of standard, self-dumping hoppers are engineered with versatility in mind, with over 30 models to choose from. The GEN II series features capacities that range from ¼ yard all the way up to 6 yards. With such a large selection, dimensions and specifications vary greatly. However, all GEN II hoppers are manufactured with heavy steel construction, 3" fork opening, low center of gravity, and a compact footprint. To learn more about Wright hoppers, contact us directly.  Note: All dimensions are approximate some dimensions may vary slightly per hopper.	
Metso	LOKOTRACK MOBILE SCREEN	MTSO-MS	Screening System for Rock Crusher - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$417,339.98
Metso	LOKOTRACK MOBILE CRUSHING PLANT	MTSO-MCP	1L X 1W (IN), Lokotrack Mobile crushing plant. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,066,955.91

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Mid-South Trailer MFG.	Flatbed Trailer	MS8X16	Flatbed Trailer MS8X16: Tandem axle, Manual Jack, Weather Coated and Sealed, Adjustable Ramp, Recessed D-Rings, DOT tape, Bumper Pull Coupler, LED Lights and Marker Lights, Pressure Treated Decking, Spare Tire w/Mount, Cold Weather Wiring Harness, Safter Chains & Coupler, 7,000 lb. Brake Axles, 5' Beaver Tail, 8" C-Channel Main Frame, Front Bumper, 3" C-Channel Cross Members, 6' Removable Ramp, Expanded Metal Basket in Tongue & 3 Year Warranty.	\$15,272.00
Mid-South Trailer MFG.	Dump Trailer	MS 7x14 TA	Dump Trailer 7x14x2: TA Dump Trailer 2' Sides, 24" side walls, (2) 7,000 lb. E-Z lube axles, 12K drop leg jack, Brakes on both axles, Adjustable coupler, Powder coated tongue for battery and hydraulics, Double door gate, Double cylinder, Stake pockets, Black mod radial tires and wheels, Tarp, LED lighting, Rated w/over 5 ton payload, DOT tape, Trailer tips up so that cargo slides right off, 8" channel frame, Hydraulic lift, Slide out ramps for loading equipment & 1 year factory warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$25,500.00
Mid-South Trailer MFG.	Utility Trailer	MS 7x12 FB	Utility Trailer - 3,500 lb Axle, 2x3x14 Gauge Main Frame Tubing, 2x3x14 Tubing A-Frame Tongue, 48" 1x2x14 Gauge Fold-up Gate, 3/4" Hinges & Pins, 2 New 15" Tires & Wheels, 2x8 Treated Boards in Floor, 7 way Pin Connector, 7 x 12 Single Axle Trailer, D.O.T. Approved Lights, Primed & Painted, Optional dual gate for easy side loading, spare wheel, Designed and Manufactured in the USA. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$10,134.00
Mid-South Trailer MFG.	Flat Deck Trailer	MS 8.5x28 FB	Flat Deck Trailer - Heavy Duty up to 28' Deckover/Flat Deck Trailer, Multiple Hitch Configuration, Tandem 12k Axles, Electric Brakes GVWR: 24,000 lbs, Deck height to be 36", Steel Frame with Treated Wood Plank Decking, Sealed, DOT approved LED lights, Spring Assist Manual Extra Wide Ramps, 12k Drop leg Jack, Locking Toolbox, Painted black, Mounted Spare Tire, Safety Chains, 3 Year Warranty, Spring Suspension, Gooseneck Type hitch, Pressure Tested Wood deck, Stake bed pockets, Spare Tire Carrier, Designed and Manufactured in the USA. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$29,520.00
Mid-South Trailer MFG.	Utility Trailer	MS 8.5x30 FB	Utility Trailer - Up to 30' Deckover Trailer, Bumper Pull with Pintle Coupler, Black standard, GVWR 14,000 lbs, Dual 7000 lb axles, Electric Brakes, Battery with All Weather Wiring, Wired to trickle charge from prime mover, Heavy Duty Safety Chains, Breakaway System, Heavy Duty Drop Leg Jack, DOT Reflective Tape, Made with 8" Steel Channel, Pressure Treated Plank Decking, 2" Rubrail with Pipe Spools, Diamond Plate Fenders, Rear Tail - Straight Deck, Ramps - 6' 6" Slide-In Ramps, Spring Suspension, Designed and Manufactured in the USA. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$26,760.00
Mid-South Trailer MFG.	Utility Trailer	MS 7x14 FB	Utility Trailer - 3,500 lb Brake Axles, 2x4x11 Gauge Main Frame Tubing, 2x4x11 Triple Tubing A-Frame Tongue, 2 5/16" Coupler & Safety Chains, 4"x7" 1x2x14 gauge Fold-up Gate, Removable ramps option, Y Hinges & Pins, 15" Tires & Wheels, 2x8 Treated Boards in Floor, D.O.T. Approved Lights, Primed & Painted, Optional dual gate for easy side loading, spare wheel, 7 way Pin Connector, Designed and Manufactured in the USA. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$11,982.00
Mid-South Trailer MFG.	Dump Trailer	MS 7x16 TA DT	Tandem Axle Dump Trailer 2' Sides, 24" side walls, (2) 8,000 lb. E-Z lube axles, 12K drop leg jack, Brakes on both axles, Adjustable coupler, Powder coated tongue for battery and hydraulics, Double door gate, Double cylinder, Stake pockets, Black mod radial tires and wheels, Tarp, LED lighting, Rated w/over 5 ton payload, DOT tape, Trailer tips up so that cargo slides right off, 8" channel frame, Hydraulic lift, Slide out ramps for loading equipment & 1 year factory warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$30,958.80
Mobile Specialty Vehicles	Mobile Medical Vehicle	MSV-MRV-E450-FP	The E450-Cutaway-R2 Mobile Unit is packed with features for convenience and functionality. It includes a refresh refrigerator, roof-mounted vent fans with rain sensors, a skylight, a 7Kw gas generator in a quiet box, and a 10" drop-in round stainless steel sink with wrist-activated faucets. Additional amenities include a built-in microwave, exterior electric awning, wall-mounted first aid kit, trash can, and ample storage with base and overhead cabinets. For connectivity, it offers Speed Fusion Bandwidth Bonding, dual-band Wi-Fi, and a built-in 4-port GE switch with PoE capability. The unit also features a desk with a pencil drawer, a doctor's stool with travel restraints, a Braun wheelchair lift, a porch light, and a full-body wrap exterior graphics package. Pricing includes installation, but cellular SIM cards and accounts are not included. This mobile unit is designed for professionals on the go, ensuring safety, convenience, and style. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$423,997.00
MPH Industries Inc	Speed Trailer	SCOUT-GSA	Speed Trailer - Frame dimensions: 48"W x 48"L, Speed digits: Two 12" digits, Display type: Super-bright, wide-angle LEDs, Display Enclosure: 19.5"H x 21.5"W x 5.5"L, Viewing distance: Greater than 600 ft, Coating: Rust-resistant undercoat with graffiti-resistant powder-coated topcoat, 4 stabilizer jacks, Brightness: Full brightness in the day, automatically dims for twilight use to extend battery life, Tongue: 2" ball, removable for added security, Stealth mode: For covert traffic studies, Utility (battery) box: 13"H x 14.25"L x 37.5"W, Radar type: Directional K band radar. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$8,811.00
MPH Industries Inc	Dash Mounted Radar	ENF-2KA	Dash Mounted Radar - A multi-piece radar with a detachable display unit and wired remote, Same and opposite direction speed-sensing, moving and stationary modes, fastest and strongest target, ergonomic design of the remote control ensures comfort even after hours of use, POP features permits usage without alerting radar detectors, All minor functions are controlled using unobtrusive, secondary switches on the remote, Selectable City and Highway modes help minimize shadowing and combining, multi-color display: green for patrol, red for target and yellow for the lock/fastest window, Unit comes standard with wired remote, a wireless remote is available as an option. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$3,496.94

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
MPH Industries Inc	Dash Mounted Radar	ENF-1KA	Dash Mounted Radar - multi-piece radar with detachable display unit and wired remote, Same/opposite direction speed-sensing, moving and stationary modes, The ergonomic design of the remote control ensures comfort even after hours of use, POP features permits usage without alerting radar detectors, Selectable City and Highway modes help minimize shadowing and combining, Other unique features include the multi-color display: green for patrol, red for target and yellow for the lock/fastest window, Unit comes standard with wired remote, wireless remote is available as an option. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$2,674.21
MPH Industries Inc	Dash Mounted Radar	BEE3-2KA-GS	Dash Mounted Radar - The ergonomic design of the remote control ensures comfort, even after hours of use, Automatic Same Direction (ASD) makes same direction operation simple and removes potential judgment errors, Each major control function has its own uniquely-contoured switch, so the operator never needs to take his eyes off the road to look at the controls, BEE III is the most compact radar available. It has the smallest detachable display while retaining large multi-colored speed windows. The display and antenna can mount anywhere in any patrol vehicle, All minor functions are controlled using unobtrusive, secondary switches on the remote. The BEE III decides whether the target is approaching or receding with 100% accuracy. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$4,371.56
MPH Industries Inc	Dash Mounted Radar	BEE3-1KA-GS	Dash Mounted Radar - Touch-screen menu controls, Following Too Close (FTC) mode, Heads-Up-Display with customizable aiming reticles. Displays speed/distance and operational information, Obstructed/weather modes, Durable aluminum housing with protective rubber bumpers, Forward swept handle with rubberized 1911 grips, Multiple power options, Operates with AA batteries or 12 VDC USB cable, High-capacity internal memory, 2-year parts, and labor warranty. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$2,674.31
MPH Industries Inc	LE Vehicle Radar	SHOT-GSA	LE Vehicle Radar - Touch-screen menu controls, Following Too Close (FTC) mode, Heads-Up-Display with customizable aiming reticles. Displays speed/distance and operational information, Obstructed/weather modes, Durable aluminum housing with protective rubber bumpers, Forward swept handle with rubberized 1911 grips, Multiple power options, Operates with AA batteries or 12 VDC USB cable, High-capacity internal memory, 2-year parts and labor warranty. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$4,182.38
MPH Industries Inc	Speedgun	SPGBAT-GS	LE Vehicle Radar - Touch-screen menu controls, Following Too Close (FTC) mode, Heads-Up-Display with customizable aiming reticles. Displays speed/distance and operational information, Obstructed/weather modes, Durable aluminum housing with protective rubber bumpers, Forward swept handle with rubberized 1911 grips, Multiple power options, Operates with AA batteries or 12 VDC USB cable, High-capacity internal memory, 2-year parts and labor warranty. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$3,055.25
MPH Industries Inc	Dash Mounted Radar	RNG-2K-GS	Dash Mounted Radar - multi-piece radar with a detachable display unit and wired remote, Same/opposite direction speed-sensing, moving and stationary modes, The ergonomic design of the remote control ensures comfort even after hours of use, POP features permits usage without alerting radar detectors, Selectable City and Highway modes help minimize shadowing and combining, Other unique features include the multi-color display: green for patrol, red for target and yellow for the lock/fastest window, Unit comes standard with wired remote, a wireless remote is available as an option. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$4,930.63
MPH Industries Inc	Dash Mounted Radar	RNG-1K-GS	Dash Mounted Radar - multi-piece radar with a detachable display unit and wired remote, Same/opposite direction speed-sensing, moving and stationary modes, The ergonomic design of the remote control ensures comfort even after hours of use, POP features permits usage without alerting radar detectors, Selectable City and Highway modes help minimize shadowing and combining, Other unique features include the multi-color display: green for patrol, red for target and yellow for the lock/fastest window, Unit comes standard with wired remote, a wireless remote is available as an option. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$3,417.91
MPH Industries Inc	Dash Mounted Radar	PYT3FS-2KA-GS	Dash Mounted Radar - multi-piece radar with detachable display unit and wired remote, Same/opposite direction speed-sensing, moving and stationary modes, The ergonomic design of the remote control ensures comfort even after hours of use, POP features permits usage without alerting radar detectors, Selectable City and Highway modes help minimize shadowing and combining, Other unique features include the multi-color display: green for patrol, red for target and yellow for the lock/fastest window, Unit comes standard with wired remote, wireless remote is available as an option. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$3,534.48
MPH Industries Inc	Dash Mounted Radar	PYT3FS-1KA-GS	Dash Mounted Radar - multi-piece radar with detachable display unit and wired remote, Same/opposite direction speed-sensing, moving and stationary modes, The ergonomic design of the remote control ensures comfort even after hours of use, POP features permits usage without alerting radar detectors, Selectable City and Highway modes help minimize shadowing and combining, Other unique features include the multi-color display: green for patrol, red for target and yellow for the lock/fastest window, Unit comes standard with wired remote, wireless remote is available as an option. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$2,731.44
MPH Industries Inc	Speed Sign	SMFAC-GSA	Speed Sign - Speed Guardian is a speed display with internal radar, which can be deployed in a number of situations. The sign can be mounted to a pole, and there are also versions mounted to a rolling chassis and for temporary mounting to a vehicle. Please visit our website at <a href="http://www.mphindustries.com">www.mphindustries.com</a> or contact us for additional information as to how Speed Guardian can be used to control vehicle speeds in your area. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$10,722.91
MPH Industries Inc	Speed Sign	CROSSGDBAT-GSA	Speed Sign - Speed Guardian is a speed display with internal radar, which can be deployed in a number of situations. The sign can be mounted to a pole, and there are also versions mounted to a rolling chassis and for temporary mounting to a vehicle. Please visit our website at <a href="http://www.mphindustries.com">www.mphindustries.com</a> or contact us for additional information as to how Speed Guardian can be used to control vehicle speeds in your area. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$6,327.01

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
MPH Industries Inc	Speed Sign	SPDGDBAT-GSA	Speed Sign - Speed Guardian is a speed display with internal radar, which can be deployed in a number of situations. The sign can be mounted to a pole, and there are also versions mounted to a rolling chassis and for temporary mounting to a vehicle. Please visit our website at <a href="http://www.mphindustries.com">www.mphindustries.com</a> or contact us for additional information as to how Speed Guardian can be used to control vehicle speeds in your area. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$6,566.35
MPH Industries Inc	Speed Patrol Trailer	SMT18-GSA	Speed Trailer - Frame dimensions: 48"W x 48"L, Speed digits: Two 12" digits, Display type: Super-bright, wide-angle LEDs, Display Enclosure: 19.5"H x 21.5"W x 5.5"L, Viewing distance: Greater than 600 ft. Coating: Rust-resistant undercoat with graffiti-resistant powder-coated topcoat, 4 stabilizer jacks, Brightness: Full brightness in the day, automatically dims for twilight use to extend battery life, Tongue: 2" ball, removable for added security, Stealth mode: For covert traffic studies, Utility (battery) box: 13"H x 14.25"L x 37.5"W, Radar type: Directional K band radar. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$17,750.71
MPH Industries Inc	Speed Patrol Trailer	SPDPAT-GSA	Speed Trailer - Frame dimensions: 48"W x 48"L, Speed digits: Two 12" digits, Display type: Super-bright, wide-angle LEDs, Display Enclosure: 19.5"H x 21.5"W x 5.5"L, Viewing distance: Greater than 600 ft. Coating: Rust-resistant undercoat with graffiti-resistant powder-coated topcoat, 4 stabilizer jacks, Brightness: Full brightness in the day, automatically dims for twilight use to extend battery life, Tongue: 2" ball, removable for added security, Stealth mode: For covert traffic studies, Utility (battery) box: 13"H x 14.25"L x 37.5"W, Radar type: Directional K band radar. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$15,760.50
MPH Industries Inc	Speed Trailer	SMT 18BAS	Dual 4' x 6' frame constructed with 11 ga., 2" square tubing. All wiring concealed in frame. Two 18-inch tall digits shows speed in m.p.h. Approach-only radar. Rejects opposing lane traffic. 1,000 ft. range. Viewing distance of over 1,000 ft - direct line-of-sight. Automatic dimming at night for power conservation. Steel utility box (36" x 43" x 12") provides a weatherproof, lockable enclosure for batteries, charger, storage, etc. 36" x 30" x 12" display contained in secure, waterproof, steel enclosure. Two-inch ball hitch welded onto removal tongue. Four adjustable jacks for leveling on uneven surfaces. For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$25,513.20
MPH Industries Inc	Matrix Message Trailer	MATRIX-3L-BAS	Matrix Message Trailer - fame constructed with 11 gauge 2" square tubing, steel utility box: 36"x43"x12", Display: up to three-line messages, Two-inch ball hitch, Display size: 75"x41", Four adjustable jacks, 100 Watt solar panel, Two internal batteries with 110 VAC charger standard, Operating temperature range of -22°F to 160°F, 92 preprogrammed messages plus arrows, and symbols, rejects speeds of all opposing lane traffic, 40 additional custom messages can be programmed and saved using the supplied handheld terminal. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$27,931.20
National Restroom Trailer (NRT)	Mobile Medical Test Command Trailer	MMTCT	Mobile Medical Test Command Trailer - Freezer/Fridge area, Work stations (up to 10 depending on configuration), Trailer automatically lowers and has ADA ramp, Custom window configurations, Drive up canopy area, Storage, HVAC, Restroom, wastewater, and freshwater tanks, generator and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$165,941.82
National Restroom Trailer (NRT)	4 Station Shower Trailer	4SST	4 Station Shower Trailer - 450 gallon waste tank, One Piece Aluminum Seamless Roof, A/C (13,500 BTU) and Heat Strip (5,600 BTU), FRP (fiberglass wall panels), Steel Construction (No Wood Framing), Scissor Jack Levelers, HD Tube Framed Doors & Hydraulic Closures, Dexter (ITS) Independent Torsion Axles, Poly Insulation, Battery Powered Trailer Runaway Protection. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$93,530.84
National Restroom Trailer (NRT)	8 Station Shower Trailer	8SST	8-Station Shower Trailer - Poly Insulation, Battery Powered Trailer Runaway Protection, One Piece Aluminum Seamless Roof, Powered by a generator with capabilities to connect to shore power, FRP (fiberglass wall panels), Steel Construction, Scissor Jack Levelers, HD Tube Framed Doors & Hydraulic Closures, Dexter (ITS) Independent Torsion Axles. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$132,738.37
National Restroom Trailer (NRT)	Mobile Dive Command Trailer	NRT-MDCT	Mobile Dive Command Trailer - Enclosed Bumper pulled trailer with multiple hitch options, Storage cabinets, A/C and Shore Power, a Small work table, Trailer can be climate controlled when not in use, Seat/bench for 3-5 persons that can be lifted for storage, Generator storage, Horizontal scuba tank storage, Tank storage accessible from the exterior of the trailer. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$97,287.17
National Restroom Trailer (NRT)	Jobsite Command Trailer	NRT-JCT	Jobsite Command Trailer - Steel Frame, Rust Resistant, Enclosed trailer, Rear Double Doors, Side hinges, Min of 9,990lb GVWR, Min of 6'6" Inside Height, 2 EA 12 Volt LED Dome Light (Requires 12v Wall Switch), 4 EA LED Mini Clear Lens Red Clearance Lights, 4 EA LED Mini Clear Lens Amber Clearance Lights, LED Rear ID/Loading Light Bar, Tandem Axle, 12v Surface-Mount Switches, 20,000lb Adjustable Coupler - 3 Position, 5/16" Safety Chains w/ 5/16" Clevis Hook, Front Stone guard, Side Wind Drop Leg Jack. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$77,313.80
National Restroom Trailer (NRT)	Lavatory-Shower Trailer	8STCOMBO	Lavatory-Shower Trailer - Up to 28 foot aluminum trailer capable of being outfitted with a combination of 8 toilet, shower, and/or urinal stalls. Model comes with two entry/exit doors with stairs. Model can be outfitted with up to 900 gallon waste water tank. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$126,704.13
National Restroom Trailer (NRT)	Enclosed Trailer	NRT 8.5 x 18	Enclosed Trailer NRT 8.5 x 18: Enclosed Trailer NRT 8.5 x 14: V Nose, Tandem Torsion Axle, Lug Steel Rims, Diamond Plate Front rock guard, One piece Aluminum Roof, Beaver Tail-Delete, Aluminum Side Vents, Spare Tire Mount, Rubber Floor and Ramp, Awning with automatic closing, Front & Rear Stabilizer Jacks (pair), Electric Jack, Solar Charger with Digital monitor, Refueling station with electric pump, DOT LED tail and marker lights, White vinyl ceiling and walls, 3-year Warranty on the trailer frame covering defects in material and workmanship under normal operating conditions.	\$82,544.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
National Restroom Trailer (NRT)	Enclosed Trailer	NRT 8.5 x 14	Enclosed Trailer NRT 8.5 x 14: V Nose, Tandem Torsion Axle, Lug Steel Rims, Diamond Plate Front rock guard, One piece Aluminum Roof, Beaver Tail-Delete, Aluminum Side Vents, Spare Tire Mount, Rubber Floor and Ramp, Awning with automatic closing, Front & Rear Stabilizer Jacks (pair), Electric Jack, Solar Charger with Digital monitor, Refueling station with electric pump, DOT LED tail and marker lights, White vinyl ceiling and walls, 3-year Warranty on the trailer frame covering defects in material and workmanship under normal operating conditions.	\$78,953.00
National Restroom Trailer (NRT)	Combination Trailer	NRT-4ST Combo	Combination Trailer: Heavy Duty Fold-up Alum. Steps & Handle, Smooth Gelcoat Exterior, Oversized Structural Steel Beams, One Piece Seamless Roof, HD Tube Framed Doors & Hydraulic Closures, Dexter (ITS) Independent Torsion Axles, Battery Powered Trailer Runaway Protection, Scissor Jack Levelers, Poly Insulation, Keyed alike Locks, LED Interior-Exterior Trailer Lighting Package, Waste Connection, Commercial PEX Water Lines, Waste Tank, Electric Brakes, Full Size Aluminum Ramp System, Trailer Receiver, 3 Year Warranty on the Trailer Frame, Chip Resistant Undercoating, & 2 Year Limited Warranty for most installed components.	\$144,403.00
National Restroom Trailer (NRT)	Travel Trailer	NRT-TT	Travel Trailer: electrical outlets and lighting, each room accommodates several people, generator, general work area with countertop space, class v tow behind, overhead storage cabinets, hitch rated for such with anti-sway bars, under cabinet lighting, two rooms, small coffee break countertop area, food prep area with electrical outlets, shore tie connection w/transfer switch, whiteboard walls, electric brakes, external lighting, chip resistant undercoating, retractable awning, marine grade sub floor, leveling jacks & E-Z lube hubs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$89,988.00
National Restroom Trailer (NRT)	Combination Trailer	NRT-3ST ADA	DUAL A/C, Poly Insulation, Heavy Duty Fold-up Alum. Steps & Handle, Smooth Aluminum Exterior Siding, Timed Faucets, One Piece Aluminum Seamless Roof, Oversized Structural Steel Beams, FRP (fiberglass wall panels), All Steel Cage Construction, Scissor Jack Stabilizers, Dexter (ITS), Independent Torsion Axles, E-Z Lube Hubs, Battery Powered Trailer Runaway Protection, LPG on Demand water heater - shower trailers, Keyed alike Locks, Electric Brakes, LED Interior-Exterior Trailer Lighting Package, Chip Resistant Undercoating, Commercial PEX Water Lines & Marine Grade Sub Floor. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$115,200.00
National Restroom Trailer (NRT)	Facilities Trailer	NRT-2ST ADA	Facilities Trailer: Trailer Receiver, Commercial AC unit, Chip Resistant Undercoating, Poly Insulation, Timed Faucets, Smooth Aluminum Exterior Siding, Floor, Aluminum Seamless Roof, Steel Construction, FRP (fiberglass wall panels), Scissor Jack Levelers, Commercial Water Lines, Independent Torsion Axles, E-Z Lube Hubs, Battery Powered Trailer Runaway Protection, on Demand water heater - shower trailers, Keyed alike Locks, Electric Brakes, Premium Trailer Lighting, & 3 year warranty on all workmanship. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$80,400.00
National Restroom Trailer (NRT)	Facilities Trailer	NRT-2ST	Facilities Trailer NRT-2ST: 2 Station restroom trailer w/450 gallon waste tank, Fold down steps & railings, Occupancy lighting, quick connect waste tank access valve, 1 Piece roof, LED waste tank indicator w/audible alarm, Smooth durable white fiberglass exterior, HDPE waste tanks, Porch light w/switch at all entry doors, City water connection, 30 amp marine-style power cord, Aluminum wheels, Roof mounted Air Conditioner w/heat strip, E-rated trailer specific tires, Climate control center mounted in control room, Electric heater in each room, 1 electric waste tank heater, elbow heater on gate valve, additional 30 amp cords, Insulated walls and ceiling, Metered faucets, Torsion axle & Lockable base cabinets For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$59,900.00
National Restroom Trailer (NRT)	20' Office / Command Center Trailer with Half Bath	NRT-CT100K	20' Office / Command Center Trailer with Half Bath NRT-CT100K: A-Frame Mounted Generator Box, Transfer Switch, HD Tube Framed Doors & Hydraulic Closures, Adjustable Coupler, Break Away Switch Battery with Box, Heavy Duty Fold-up Alum. Steps & Handle, Fully Insulated: Walls R-7, Ceiling R-14, Chassis R-14, Steel I-Beam Chassis E-Coated Black, Seamless GelCoat Fiberglass Exterior - White, 8K Hitch Jack, One-Piece All-Weather Rubber Roof, Tandem, 7K Torsion Axles with Electric Brakes, 30 AMP Shore Line with Twist Lock Plug, (4) Swivel Stabilizing Jacks, Aluminum Construction: Floor, Bonded Walls, LED Interior-Exterior Trailer Lighting, Tongue & Groove Plywood Floor Decking, 30 AMP 120V Electrical Service & Generator: 7K Gas, Onan Quiet Gas, Remote Start, 19 Gallon Chassis Mounted Fuel Tank. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$87,366.00
National Restroom Trailer (NRT)	Restroom Trailer	NRT-10ST ADA	Restroom Trailer NRT-10ST ADA: 10 Stall, Heavy Duty Fold-up Alum. Steps & Handle, Poly Insulation, Oversized Structural Steel Beams, Smooth Aluminum Exterior Siding, Steel Construction (No Wood Framing), One Piece Aluminum Seamless Roof, HD Tube Framed Doors & Hydraulic Closures, Dexter (ITS) Independent Torsion Axles, Battery Powered Trailer Runaway Protection, Scissor Jack Levelers, Keyed alike Locks, Chip Resistant Undercoating, LED Interior-Exterior Trailer Lighting Package, The ADA ramp when extend is 7ft 5"long x 5ft5" wide', Commercial PEX Water Lines, Hot Water Heater (Cabinet/ Utility), Electric Brakes, ADA Macerator Toilet, Trailer Receiver & ADA Sink. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$127,158.00
National Restroom Trailer (NRT)	Restroom Trailer	NRT-10ST	Restroom Trailer NRT-10ST: 10 Stall, OSHA Safety Step assemblies, Poly Insulation, Oversized Structural Steel Beams, Smooth Aluminum Exterior Siding, Steel Construction (No Wood Framing), One Piece Aluminum Seamless Roof, HD Tube Framed Doors & Hydraulic Closures, Dexter (ITS) Independent Torsion Axles, Battery Powered Trailer Runaway Protection, Scissor Jack Levelers, Keyed alike Locks, Chip Resistant Undercoating, LED Interior-Exterior Trailer Lighting Package, 3" Waste Connection, Commercial PEX Water Lines, Hot Water Heater (Cabinet/ Utility), Electric Brakes, Utility Room w/ Door, Trailer Receiver & Coin Rubber Floor (per Trailer foot). For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$111,030.00
National Restroom Trailer (NRT)	Facilities Trailer	NRT-3ST Series	Restroom Trailer NRT-3ST: 300-gallon waste tank, Smooth Aluminum Exterior Siding, Interior Color: Grey Pebble FRP, One Piece Aluminum Seamless Roof, All Steel Cage Construction, Electric Brakes, E-Z Lube Hubs, Keyed alike Locks, Poly Insulation, Independent Torsion Axles, Commercial PEX water lines, Heavy Duty Fold-Up Alum. Steps & Handle, Chip Resistant undercoating, Timed Faucets, Marine Grade sub floor, LED Interior-Exterior Trailer Lighting, Trailer Receiver, Stainless Steel C-Fold Towel Dispenser, A/C (13,500 BTU) & 1 year factory warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$80,773.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
National Restroom Trailer (NRT)	Emergency Response Decon Trailer	NRT-2ST DECON	Emergency Response Decontamination Trailer NRT-2ST DECON: 2 Station handicap Accessible Restroom/Decon trailer w/600 gallon waste tank, Battery Powered Trailer Runaway Protection, Heavy Duty Fold-up Alum. Steps & Handle, Poly Insulation, Oversized Structural Steel Beams, Smooth Aluminum Exterior Siding, Steel Construction (No Wood Framing), One Piece Aluminum Seamless Roof, HD Tube Framed Doors & Hydraulic Closures, Dexter (ITS) Independent Torsion Axles, Scissor Jack Levelers, Outreach Lift System - Handicap lift ramp, with additional step. (Attendant is required), Keyed alike Locks, Coin Rubber Floor (per Trailer foot), LED Interior-Exterior Trailer Lighting Package, Wall heaters (each), Commercial PEX Water Lines, Dual 40# Propane Tanks mounted on Tongue, Electric Brakes & Vacant/Occupied LED Indicators. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$103,763.00
National Restroom Trailer (NRT)	Restroom Trailer	NRT-4ST	Restroom Trailer - Timed Faucets, ADA +3 Combination Trailer, Oversized Structural Steel Beams, Waste Tank, All Steel Cage Construction, DUAL A/C, HD Tube Framed Doors & Hydraulic Closures, Heavy Duty Fold-up Alum. Steps & Handle, Poly Insulation, Smooth Aluminum Exterior Siding, Battery Powered Trailer Runaway Protection, One Piece Aluminum Seamless Roof, LED Interior-Exterior Trailer Lighting Package, FRP (fiberglass wall panels). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$98,964.00
National Restroom Trailer (NRT)	Restroom Trailer	NRT-5ST	Restroom Trailer - Restroom/Shower Rooms, Utilities & Utility Room, Showers w/Fold-Down Seats, Toilet & Sink, Sink, Wall-Mount, w/Timed Faucet, Sink w/Timed Faucet, JR 9-inch Toilet Paper Dispenser, Shower w/adjustable shower head, extended shower hose, wall-mounted shower bench & shower curtain, Center Pull Jumbo Paper Towel Dispenser, Grab Rails, Foam Soap Dispenser, Configured to satisfy mission requirements. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$115,314.00
National Restroom Trailer (NRT)	Basic Restroom Trailer	NRT-3ST	Basic Restroom Trailer - Restrooms, Oversized Structural Steel Beams, Trailer Length: 14', Steel Construction, 450-gallon waste tank, HD Tube Framed Doors & Hydraulic Closures, Heavy Duty Fold-up Steps & Handle, Poly Insulation, Timed Faucets, Smooth Aluminum Exterior Siding, One Piece Aluminum Seamless Roof, Electric Brakes, Scissor Jack Levelers, Dexter (ITS) Independent Torsion Axles, Marine Grade Sub Floor, Battery Powered Trailer Runaway Protection, Waste Tank Sight Gauge, LED Interior-Exterior Trailer Lighting Package, Commercial PEX Water Lines. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$64,509.75
National Restroom Trailer (NRT)	34ft Office/Command Trailer	NRT-34CT	34' Office / Command Trailer: Diesel Generator 12000 w /240v built in 30 gallon fuel tank, HD Tube Framed Doors & Hydraulic Closures, 14K 2 5/16" Adjustable Coupler, Break Away Switch Battery with Box, Heavy Duty Fold-up Alum. Steps & Handle, Fully Insulated: Walls R-7, Ceiling R-14, Chassis R-14, 12" Steel I-Beam Chassis E-Coated Black, Seamless GelCoat Fiberglass Exterior - White, 8K Hitch Jack, One-Piece All-Weather Rubber Roof, Tandem, 7K Torsion Axles with Electric Brakes, 30 AMP Shore Line with Twist Lock Plug, (4) Swivel Stabilizing Jacks, Aluminum Construction: Floor, Walls and Roof, 100" Wide / 84" Ceiling Height, Bonded Walls, LED Interior-Exterior Trailer Lighting, 5/8" Tongue & Groove Plywood Floor Decking. additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$200,856.00
Nelson Manufacturing Co Inc	Boom Dolly	CBC-30ST	Boom Dolly - Capacity: 30 Ton, Standard Rear Bumper, 13'- 8" Overall Length, 8'- 6" Overall Width, 3/16" Aluminum Tread-Brite Fenders Over the Tires with Stainless Steel Fasteners, Tri-Axle Carrier with 54 1/2" Axle Spacing, Aluminum Steps And Chrome Plated Grab Handles On The Front Passenger And Driver Side, 100KSI Fabricated Steel Frame, Air Ride Suspensions With Shock Strap Kits To Prevent Over Extension, Lifting Lugs with a 1 5/8" Hole for Customer Supplied Shackles, (3) F22 Axle, complete with 16 1/2" x 7" air brakes, type 30/30 spring brake chambers, automatic slack adjusters, wheel bearings, oil seals, hub caps, pilot mount hub and drums. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$72,812.78
Niftylift	Towable Trailer Mounted Boom Lift	TM42T	Towable Trailer Mounted Boom Lift - Safety harness points in the cage, Boom lift has up-and-over capabilities for reaching over large obstacles, surge brakes with override, hydraulically operated from the platform, and hydraulic outriggers with leveling capability of 10°, generous size platform, lock-valves on all the cylinders, microswitch interlocks on all the outriggers, DC electric motor, dual functionality with battery and engine power, turn table rotation: 340°, twenty-five-foot horizontal reach, spare tire, hydraulic outriggers. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$50,340.00
Niftylift	Towable Boom Lift	TM50HE	Towable Boom Lift TM50HE: Trailer Mounted towable, Horizontal Outreach 30', Hydraulic Outriggers, hydraulically operated from the platform and have hydraulic outriggers with leveling capability of 10 degrees, Stabilizers, lock-valves on all the cylinders, Spare Tire, microswitch interlocks on all the outriggers, DC Electric Motor, harness points in the cage, surge brakes with override, Platform Lift Capacity: 400lbs, generous size platform, Turn table rotation: 340 degrees, dual functionality with battery and engine power, Maximum weight: 5000lbs, fifty-six foot work height, 1yr Factory Warranty (Parts & Labor) & 5yr Structural Warranty.	\$57,858.15
Niftylift	Towable Boom Lift	TM50HGE	Towable Boom Lift - Working Height 56ft, Working Outreach 28ft 6in, Platform Height 49ft 6in, Maximum Slope 14% / 8°, Power Options Mains only Battery only Petrol or Diesel Only Bi-Energy (Engine & Battery), Octagonal boom sections, Highly Visible paint, Telescopic Upper Boom, Hydraulic Outriggers, Improved maneuverability on site, Fully Proportional Hydraulic Controls, Simple, reliable & easy to maintain, Bi-Energy Available, Traction Drive Option. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$62,646.15
Niftylift	Towable Boom Lift	TM50HGET	Towable Boom Lift TM50HGET: Octagonal boom sections provide strength without compromising on weight and the telescopic upper boom improves accuracy when positioning the platform. Fully proportional hydraulic outriggers make setting up and leveling quick and easy even on gradients. Their outstanding reach makes it ideal for a wide range of applications. Highly Visible paint, Telescopic Upper Boom, Minimum Weight 4890lbs., Hydraulic Outriggers, Improved maneuverability on-site, Fully Proportional Hydraulic Controls, Simple, reliable & easy to maintain, Bi-Energy Available, Multiple hitch configurations, Traction Drive Option & DOT Approved lighting. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$69,540.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Niftylift	Self Drive Work Platform	Niftylift SD50	The SD50 work platform combines the best of our self-propelled and trailer mounted ranges. It offers the same impressive reach capabilities as the TM50 but with the versatility of a robust yet very lightweight drivable base. This allows the user to maneuver, set up and operate the SD50 work platform without leaving the platform, especially on uneven surfaces. Rough terrain tires and 4WD as standard allow the SD50 work platform to maneuver easily over a wide range of site conditions and its outstanding reach makes it ideal for tree care or construction site work. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$98,340.00
Niftylift	Trailer Mounted Boom Lift	TM34T	Trailer Mounted Boom Lift - 30ft + platform height, Spare tire, Telescopic Upper boom, bumper hitch, up and overworking outreach, Hydraulic Operated out riggers w/foot pads, 6° leveling capacity, heavy duty working load, battery operated power source, 11° leveling capability, compact for better maneuverability, fully proportional hydraulic controls, up and over access for hard-to-reach locations, optional traction drive, DOT lighting, telescopic axles, versatile battery power pack enables working inside & out quietly, bumper hitch & zero emissions. For additional information contact Global Support at (703) 624-1206 or e-mail gsasupport@fedharmony.com.	\$43,500.00
No Ramp	Hydraulic Drop Deck Trailer	U-24GN	Hydraulic Drop Deck Trailer Gooseneck Maximum Payload 15,000 lbs, Axle Rating 7,000 lbs x 3, Trailer Weight 6,000 lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$39,255.36
No Ramp	Hydraulic Drop Deck Trailer	U-24	Hydraulic Drop Deck Trailer. Maximum Payload 15,000 lbs, Axle Rating 7,000 lbs x 3, Trailer Weight 5,400 lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$36,532.04
No Ramp	Hydraulic Drop Deck Trailer	U-23GN	Hydraulic Drop Deck Trailer. Maximum Payload 9,500 lbs, Axle Rating 7,000 lbs x 2, Trailer Weight 4,500 lbs and Gooseneck hitch. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$36,278.58
No Ramp	Hydraulic Drop Deck Trailer	U-23	Hydraulic Drop Deck Trailer. Maximum Payload 9,500 lbs, Axle Rating 7,000 lbs x 2, Trailer Weight 4,500 lbs and pintle hitch For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$33,379.30
No Ramp	Hydraulic Drop Deck Trailer	LS-20	Hydraulic Drop Deck Trailer. Maximum Payload 4,500 lbs, Axle Rating 3,500 lbs x 2, Trailer Weight 2,500 lbs 2" hitch. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$23,712.52
No Ramp	Hydraulic Drop Deck Trailer	U-19	Hydraulic Drop Deck Trailer. Maximum Payload 10,000 lbs, Axle Rating 7,000 lbs x 2, Trailer Weight 4,000 lbs with 2-5/16" standard hitch. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$32,580.84
No Ramp	Hydraulic Drop Deck Trailer	U-14	Hydraulic Drop Deck Trailer. Maximum Payload 10,000 lbs, Axle Rating 7,000 lbs x 2, Trailer Weight 3,600 lbs 2-5/16" standard hitch. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$31,872.25
No Ramp	Hydraulic Drop Deck Trailer	U-12	Hydraulic Drop Deck Trailer. Maximum Payload 4,500 lbs, Axle Rating 7,000 lbs, Trailer Weight 2,100lbs and 2-5/16" hitch standard. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$23,783.76
No Ramp	Hydraulic Drop Deck Trailer	RS-9	Hydraulic Drop Deck Trailer. Maximum Payload 1950 lbs, Axle Rating 3500 lbs, Trailer Weight 1050 lbs and 2" hitch standard. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$14,579.09
Nordec - Shuttlewagon	Rail Production Spike Driver	NCX4	The Production Spiker (CX Hammer) equipped with an auto spike feeder option provides continuous spike feeding action from the bulk bin directly to the driving guns, eliminating the need for a feed tray operator. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$784,479.32
Novamaxa	Emergency Response - Command Trailer	WC200K	Emergency Response - Command Trailer - Command Trailer - Configured up to 32' Hazmat Cascade Trailer or equal, High powered diesel generator, custom storage configurations, shore power capability, A/V options and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$306,774.80
Novamaxa	Mobile Command Trailer	WC - 700K	Up to 53' Mobile Command Trailer - Custom trailer with many optional interior configurations to include Electronics, Safes, cabinetry, workstations, surveillance equipment and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$971,906.43
Novamaxa	Mobile Command Center	WMT-MCV 600	Mobile Command Center - Custom truck with many options from Electronics, Generators, shelving, lighting, cabinetry, workstations, security and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$800,316.59
Novamaxa	Mobile Command/Gaming Trailer	M12804-1	Mobile Gaming Trailer-20 FT Bumper Pull; M12804-1: Non-slip flooring, Electric brakes, Interior ramp , rear door, 7 pin trailer plug, Reinforced walls at all attachment points, Electric jack and battery, Climate control: two air conditioners to include heat and mounted to trailer, 12VDC braking system, Digital wall mounted thermostats for heat & cooling, Generator w/min of 15hr run time per fill up/wall mounted start/stop, Wall outlets, Plug-in shore power, Interior LED lighting, 50 Amp breaker box, Exterior LED light kit installed beneath the trailer for elevated appearance, Lightning protection - metal components electrically bonded to the frame, Work surfaces, 6 AWG stranded copper cable & Four heavy duty hand operated swivel jack stands/stabilizers. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$202,256.00
NovaMaxa	Customized Cargo Trailer	WC - 450K	Customized Enclosed Cargo trailer M12886-1: with side door and rear ramp, Interior and exterior LED lighting, Tandem axle with four-wheel electronic brakes, The exterior shall be wired for a 30 or 50-amp outlet and a 20-amp outlet, Roof vent, Vinyl-covered walls, Side pedestrian door, and rear ramp, On-board, built-in 30-Amp, 10,000-watt anchored generator, gasoline being preferred fuel, Exterior mounted awning on the passenger side of trailer extending approximately full-length of side, Smart TV/Monitor - full motion and articulation, Rubber-type diamond or coin plate flooring, Riser shelves & racks, Antenna kit, 3-point locking system, 5-Pound ABC Fire Extinguishers (5 units), wall-mounted, Trailer spare-tire storage, Cabinets and storage, Exterior trailer tongue mounted fuel storage racks for two, 5-gallon jerry cans for generator, or similar, Workbench & 3-Year/36,000 mi Warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$410,607.60
Par-Kan Company, LLC	Airline Baggage Transport Trailer	CBC 5010	Heavy gauge steel, powder coat finish, steel identification tag for inventory asset tracking, fifth wheel steering with full 360 degree rotation, torsion relief tow bar, tow bar activated braking system, highly customizable, and one yr mfr warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$9,654.49

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Par-Kan Company, LLC	Pallet Dolly	PD8010	Pallet Dolly - Cargo Capacity: 15,000 lbs, Trailer Capacity: Standard container and pallet sizes up to 96" x 125", Deck Dimensions: 128" L x 102" W x 21.5" H, Weight: 2,360 lbs, Caster Deck (standard), Tow bar activated braking system, Pallet stops and vertical restraint stops, Fork pocket openings to protect undercarriage, 4.00 x 8.00 Solid Tires, Spring-loaded E-Hitch, Tow Speed: 20 MPH (max), Powder Coat Finish. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$14,432.88
Phoenix Metal Products, Inc.	Potable Water Cart	PNX-WC250	Potable water service cart. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$21,781.22
Phoenix Metal Products, Inc.	Passenger Access Stair Truck 96" - 228"	PAS228	Passenger Access Stair Truck 96" - 228" - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$239,941.00
Phoenix Metal Products, Inc.	Aircraft Staircase trailer	PAS200 T	Aircraft Staircase trailer	\$97,157.00
Phoenix Metal Products, Inc.	Lavatory Service Cart	PNX-LC-150-100	Lavatory Service Cart - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$25,388.20
Phoenix Metal Products, Inc.	High Speed Tow Tractor	HS-5K	High Speed Tow Tractor - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$88,745.14
Phoenix Metal Products, Inc.	Truck Mounted Aircraft Maintenance Lift	PNX HLM 20	Truck Mounted Aircraft Maintenance Lift - The Hylifter HLM-20 aerial platform and airport mobile maintenance platform is an economic self contained hydraulic platform that fits in a ¾ or one ton pickup bed and provides 20' vertical height and 25' of working height. The HLM-20 can be supplied as a kit for installation and is as easy as drilling (8) holes and hooking up the furnished recharge isolator. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$100,709.85
Phoenix Metal Products, Inc.	Truck Mounted Aircraft Maintenance Lift	PNX CML 16	Truck Mounted Aircraft Maintenance Lift - THE CML16 IS A SINGLE SCISSOR, CHASSIS MOUNTED MAINTENANCE LIFT WITH A MAXIMUM PLATFORM HEIGHT OF 16 FEET. THE PLATFORM IS 96" LONG BY 60 " WIDE WITH 7" DIAMETER BUMPERS AROUND THE PERIMETER OF THE PLATFORM. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$125,160.84
Phoenix Metal Products, Inc.	Potable Water Truck	PNX WT 600	Potable Water Truck - The Phoenix WT600 water service truck is designed to service all sizes of commercial aircraft. A manlift option is required to service widebody aircraft. The water tank is fabricated from 304 stainless steel and is baffled in both directions. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$128,969.76
Phoenix Metal Products, Inc.	Potable Water Truck	PNX WT 450	Potable Water Truck - The Phoenix WT450 water service truck is designed to service all sizes of commercial aircraft. A manlift option is required to service widebody aircraft. The water tank is fabricated from 304 stainless steel and is baffled in both directions. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$124,259.49
Phoenix Metal Products, Inc.	Potable Water Cart	PNX WC 400	Potable Water Cart - 400 Gallon Stainless steel tank, Tank Baffled in Both Directions, Chassis Constructed of Heavy Gauge 3"x 2" Stainless Steel Tube, Closed Fill System with insect protection. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$29,824.22
Phoenix Metal Products, Inc.	Low Profile Lavatory Service Cart	PNX LC 60/40 LP	Low Profile Lavatory Service Cart - Tanks: Waste 60 gallons Charge 40 gallons Low profile design * Stainless steel tanks. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$14,057.30
Phoenix Metal Products, Inc.	Lavatory Service Cart	PNX LC250/150	Lavatory Service Cart - Waste: 250 Gallon, Charge: 150 Gallon, Stainless steel tanks for optimal corrosion control. Tanks baffled in both directions to minimize sloshing. Hinged inspection cover on waste tank for quick access visual inspection. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$31,215.78
Phoenix Metal Products, Inc.	Aircraft Lavatory Service Truck	PNX600-LST	Aircraft Lavatory Service Truck - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$274,842.72
Phoenix Metal Products, Inc.	Self Propelled Baggage Conveyor	MBL	Chassis: heavy-duty sheet metal with 3/8 steel plate front and rear, Electrical system: 12 volts, Suspension: Solid mount front and rear, Hydraulic system: engine driven - positive displacement emergency pump, Steering: hydrostatic, Transmission: automatic, Axles: drive axle - dana 60, Engine: gas with options for diesel, Stainless steel hydraulic and fuel tank, Instrument gauges, fuel level gauge in cab. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$116,242.80
Phoenix Metal Products, Inc.	Potable Water Truck	PWT250	The PWT250 is designed to dispense potable water to various potable water containers including commercial and military aircraft fitted with commercial potable water tanks. The PWT250 is mounted on a commercial chassis. A Ford Motor Company F-Series (or equivalent), 2 wheel drive cab and chassis, powered by an 8 cylinder turbocharged diesel engine. All features found on highway vehicles are incorporated in this chassis. Controls for pumping are located in the rear compartment of the unit. Work lights and compartment lights are supplied for night operations. Tank capacity 250 US gallons. Water pump, 1" bronze gear pump capable of 23gpm @ 60psi. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$140,897.83
Phoenix Metal Products, Inc.	Lavatory Service Truck (LST)	PNX TL600	Lavatory service truck, 3 each 304 stainless steel tanks (300, 100 and 100) and module, Module brushed finished unpainted, Chassis FORD F350, w/EXPORT Diesel engine ( Military requirement), automatic, painted white, Full insulation top bottom and sides with flush tank immersion heater. Hot water rear compartment space heater, 110 volt rear compartment space heater. Dual waste hoses ( used with rear lift), Closed dump system, Hour meter, Rear mounted telescopic wide body service lift with stainless steel basket. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$138,390.49
Phoenix Metal Products, Inc.	Aircraft Lavatory Service Truck	TL600-MIL	The TL600-MIL Lavatory Service Truck has been modified specifically for military usage. It is painted, has additional options above and beyond the standard lavatory service truck. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$157,619.22
Polar Tank Trailer	Fluid Tank Trailer	ARX9 7500	Fluid Tank trailer Capacity up to 7500 gallons plus, Aluminum ringed round tank trailer. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$96,567.20

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
POSI +	Digger Derrick	900	Digger Derrick Mounted on a Heavy Duty commercial diesel truck chassis with optional sheave heights up to 56 ft. Certified Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$430,407.69
POSI +	Material Handling Truck Insulated	500	Material Handling Truck Insulated. Certified Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. Commercial truck chassis T4 or export engine capabilities. Working heights: 55.5ft/60ft/65ft. Working side reach: 37.9ft/43.7ft/47.7ft. Lower boom articulation 120° and 210° for upper boom. Material handling Capacity up to 2000lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$601,324.80
POSI +	Material Handling Truck Insulated	400	Material Handling Truck Insulated. Certified Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. Commercial truck chassis T4 or export engine capabilities. Full feathering hydraulic controls. Over-center articulation. Working heights 51ft - 60ft. Working side reach 27.8ft - 42.8ft. Upper boom articulation 210°. Lower Boom articulation 120° on the 51ft, 115° on the 55ft and 60ft. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$572,870.54
POSI +	Digger Derrick	300	Digger Derrick Insulated with Sheave height 20 ft to 50 ft. Up to 31,000 lbs, Boom articulation -20° to 80°, Optimized at digging angles (-20° to 20°). Certified Vehicle-Mounted Elevating and Rotating Aerial Devices are ANSI A92.2 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$345,972.39
POSI +	Material Handling Aerial	500-60	Material Handling Aerial - Mounted on Medium Duty Diesel powered Truck Chassis, Working Height up to 65.0 ft., Working Side Reach up to 47.7ft, Material Handling Capacity up to 2,000 lb., Platform Capacities up to 400 to 700 lb and many options to choose from. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$371,511.97
RampMasters	Refueler Defueler Hydrant Truck	18K ReDeHy Truck	Large capacity Refueler Gallon Refueling, Defueling, and Hydrant truck Up to 18,000 Gallon Fuel Tank, Automatic Fuel Control System, Fuel Loading at 1,000 gpm, Dual Independent Flow Systems, Defueling at 300gpm, Purification and Sampling device, Type III Hydrant System, Aircraft boost pumps, Non-articulating truck, Static discharge bonding, Rustproofing, Bottom loading system, Two door, full-width cab with Two individual air ride seats, High-level shutoff system, Night servicing lights, Flow and pressure controls, Sump drain, Ground servicing hose reels, Cargo tank vent system, 360° non-obstructing view, platform, Modular in design (Chassis, Pumping System, Tank), Engine Management system (EMS) reduces load on vehicle engine which extends vehicle life expectancy. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,679,556.84
Redline Systems, Inc	Portable Conveyor	RM-3224	Portable Conveyor - Length: 32 feet, belt width: 24 inches, flat-top belt for cargo loading, powder-coat finish for outdoor operation, Locking tires, Power supply Electric motor or gas engine, Hydraulic power pack, Variable speed Hydraulic motor for belt, 2-spool valve for belt operation / height adjustment, Collapsible side railing safety guards, Discharge end rubber bumper, Adjustable discharge height, 17 ft 4 inches max height, 9 ft minimum height, 6000 lb. capacity axle, Pintle ring hitch or ball hitch For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$79,159.82
Redline Systems, Inc	Extended Conveyor Belt	SP300	Truck mounted conveyor belt used for moving items such as baggage from ground level to extreme heights into tall aircraft. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$190,784.49
Reelstrong Utility Fleet	Cable Reel Trailer	GR6	Cable Reel Trailer - Auto-locking Self-Loading Reel Trailer, Reel Specs:-6,000 lbs Capacity, 125" Max Diameter, 66" Wide, 8,050 lbs. GVWR @ 15% Tongue Weight, GR13HP 13HP Self-Contained Hydraulic Power Pack with Increased Power & Speed Over Competition's 5HP and 11HP Units, Anti-theft/Weatherguard Engine Cover Standard. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$33,939.84
Reelstrong Utility Fleet	Pole Trailer	PTL15	Pole Trailer - Capacities: 17,250 lbs. GVWR @ 15% tongue weight, Pole weight (payload): 12,450 lbs. Approx., Axles: 15k lbs. Sprung, Retracted / extended lengths: 26' / 31' / 36' / 41', Wheels: (4) 17.5 x 6.75 hc / 8 on 275mm bc w/ 5.60 outset, Width: 96.75", Curb weight: 4,800 lbs. Approx., Brakes: 12.25" x 5.00" electric, Cargo bed: 86" x 44", Lifetime warranty mega-roller 6-roller telescoping tongue (no wear pads to replace), Wheel chock holders, Self-securing Securelock tongue lock roller system (no loose pin), Adjustable spring pads, Non-binding/freezing EZ-slide pole-centering stanchions, Slipper springs, Oil bath hubs, Reinforced spring hangers, Electric brakes. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$52,446.66
Reelstrong Utility Fleet	Pole Trailer	PT12	Pole Trailer - Capacities: 13,800 lbs. GVWR @ 15% tongue weight, Pole weight (payload): 10,050 lbs. Approx., Axles: 12k lbs. Sprung, Length retracted / extended lengths: 20' / 25' / 30', Curb weight: 3,750 lbs. Approx., Cargo bed: 85.5" x 43.75" (customizable), Brakes: 12.25" x 5.00" electric, Width: 96.75" overall, Lifetime warranty mega-roller 6-roller telescoping tongue (no wear pads to replace), Wheel chock holders, Self-securing Securelock tongue lock roller system (no loose pin), Adjustable spring pads, Non-binding/freezing ez-slide pole-centering stanchions, Slipper springs, Oil bath hubs (greaseable option all), Reinforced spring hangers, Electric brakes. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$50,524.85
Reelstrong Utility Fleet	Cable Reel Trailer	CL8	Cable Reel Trailer - PINLESS Self-Loading Reel Trailer, Single Spool 13HP Hydraulic Power Pack, 10K Smooth Riding Torsion Axle, COIL START, 11,050 GVWR, 13HP Gas w/ Engine Cover, 6,800 Capacity (w/ all Primary Options), 15 Gallon Reservoir w/ Replaceable Oil Filter, Electric Brakes, SINGLE PORT Gear Pump, All Structural Tubing Galvanized, Capstan Adapter, Single Spool LEVER Control Valve, 16" Bronze VENTILATED SELF-COOLING Tru- Stop HEAVY DUTY Overspin Brake. Shaft Style, Pressure Gauge and Fade Resistant Engraved Plastic Control Placard, Aluminum Fender Mounted Toolbox, 13HP Electric Start Upgrade, Galvanizing w/ Ten (10) Year Structural Warranty, 3,300 Ft Lb Take-up Retriever, LIFETIME WARRANTY PINLESS AUTOLOCKING. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$61,345.15

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Rock Solid	Enclosed Trailer	USACT6X12	Enclosed Trailer USACT6X12: V Nose, Led Light Package, Spring Axles, Rear Door Opening, EZ Lube Hubs, Tongue Jack, Ramp & Ramp Flat, D-ring Tie Downs, Thermocool Ceiling, Smooth Aluminum Fenders, Plywood Walls, Safety chains, Plywood Floors, Plastic Tag Box, Plastic Side Flow Vents, Electric Brakes, Dual Cable Ramp Assist, Galvalum, 7 Way Round Plugs - Flat Pins & 5 Year Manufacturer Warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$9,985.00
Rock Solid	Enclosed Trailer	8.5x22	8.5x22 Enclosed Trailer: Tandem Axle, RV Style Side Door w/ Flush Lock, Silver Mod Wheels, Sand Foot on Jack, LED Exterior Lighting, Premium Grade Plywood Floors, Aluminum Jeep Fenders, Premium Grade Plywood Walls, Galvalume Roof, Interior LED Dome Light, Non-Powered Roof Vent, Electric Brakes on Both Axles, Heavy Duty Ramp Door w/ E-Z Spring Assist and Flap, Drop Leaf Spring Axles, (4) Recessed D-Rings Welded Into Frame w/ Steel Backing Plates, 7 Way Round Bargman Plug, No Show Beaver Tail, E-Z Lube Hubs, Thermacool Roof Liner, V-Nose w/ ATP Stone Guard & 5 Year Factory Warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$63,543.01
Rock Solid	Animal Trailer	Animal Trailer 8.5x18 TA	Animal Trailer: Aluminum Jeep Fenders, Spare Tire Mount on Tongue/Inside Location, LED Exterior Lighting, Wall Mounted D- Rings, Silver Mod Wheels, Floor Mount D-Rings w/Weld Steel Backing Plate, Aluminum Side Wall Vents, Wired & Braced for AC, Fold Down Stabilizer Jacks, AC w/Heat Strips, Roof Vent, Black Armortech Spray-On Liner entire floor and half walls, Transfer Switch, ATP Generator Box on Extended Tongue with side tray, Covertch Wall Insulation R Foil, ATP Covered Stepwell, Covertch Ceiling Insulation R Foil, Z-Tech Undercoating, Insulated Flooring & 5 Year Factory Warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$34,597.00
Rock Solid	Custom Enclosed Trailer	RS 8.5x16 TA	Custom Enclosed Trailer RS 8.5X16 TA: Torsion Axle, Rear Stabilizer Jacks, Interior Lights and Switch, Window, 12 receptacles, Insulated, RV Style Door w/Flush Lock, Rubber Flooring, Air Conditioner, Exterior Heater Connections, Plywood Floors, Plywood Walls, Fold Down Stabilizer Jack, Plywood Walls, Coupler, Exterior Metal, LED Exterior Lighting, Tandem Axle, Silver Mod Wheels & 5 Year Manufacturer Warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$34,597.00
Rock Solid	Enclosed Trailer	RS 7x18 TA	Enclosed Trailer - 16" On Center Cross Members, 24" On Center Tubing Roof Members, 16" On Center Tubing Sidewalls, 2000 lb A-Frame Jack w/ Sand Foot, 2 5/16" Coupler, 36" Side Door w/ Flush Lock, 4" Tube Steel Main frame, White Aluminum Metal, Screwed Exterior, 3/4" Plywood Floors, 3/8" Plywood Walls, 12V LED Dome Light, Fenders, Galvalume Roof, Roof Vent, Stone Guard, LED Lights, 3500 lb Drop Leaf Spring Axles w/ E.B., Ramp Door, E-Z Lube Hubs, V-Nose w/ATP. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$22,200.00
Rock Solid	Enclosed Trailer	RS 7x16 TA	Enclosed Trailer - 16" On Center Cross Members, 24" On Center Tubing Roof Members, 16" On Center Tubing Sidewalls, 2000 lb A-Frame Jack w/ Sand Foot, 2 5/16" Coupler, 36" Side Door w/ Flush Lock, 4" Tube Steel Main frame, White Aluminum Metal, Screwed Exterior, 3/4" Plywood Floors, 3/8" Plywood Walls, 12V LED Dome Light, Fenders, Galvalume Roof, Roof Vent, Stone Guard, LED Lights, 3500 lb Drop Leaf Spring Axles w/ E.B., Ramp Door, E-Z Lube Hubs, V-Nose w/ATP. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$20,362.80
Rock Solid	Enclosed Trailer	RS 8.5x18 TA	Enclosed Trailer - 16" On Center Cross Members, 24" On Center Roof Members, 16" On Center Sidewalls, A-Frame Jack w/ Sand Foot, Side Door, 6" Tube Steel Main Frame, White Aluminum Metal, Plywood Floors, Plywood Walls, 12V LED Dome, D-Rings, Fenders, Stone Guard, 3500 lb Drop Leaf Spring Axles w/ E.B., 7 Way Bargman Plug, No Show Beavertail , Heavy Duty Ramp Door w/Flap, Door Hold Back, V-Nose w/ATP, E-Z Lube Hubs. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$24,478.80
Rock Solid	Enclosed Trailer	RS 8.5x20 TA	Enclosed Trailer - 16" On Center Cross Members, 24" On Center Roof Members, 16" On Center Sidewalls, A-Frame Jack w/ Sand Foot, Side Door, 6" Tube Steel Main Frame, White Aluminum Metal, Plywood Floors, Plywood Walls, 12V LED Dome, D-Rings, Fenders, Stone Guard, 3500 lb Drop Leaf Spring Axles w/ E.B., 7 Way Bargman Plug, No Show Beavertail , Heavy Duty Ramp Door w/Flap, Door Hold Back, V-Nose w/ATP, E-Z Lube Hubs. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$22,026.00
Rock Solid	Enclosed Trailer	RS 7X14 TA	Enclosed Trailer - 16" On Center Cross Members, 24" On Center Tubing Roof Members, 16" On Center Tubing Sidewalls, 2000 lb A-Frame Jack w/ Sand Foot, 2 5/16" Coupler, 36" Side Door w/ Flush Lock, 4" Tube Steel Main frame, White Aluminum Metal, Screwed Exterior, 3/4" Plywood Floors, 3/8" Plywood Walls, 12V LED Dome Light, Fenders, Galvalume Roof, Roof Vent, Stone Guard, LED Lights, 3500 lb Drop Leaf Spring Axles w/ E.B., Ramp Door, E-Z Lube Hubs, V-Nose w/ATP. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$18,479.99
Rock Solid	Enclosed Trailer	8.5x24	8.5x24 Enclosed Trailer: Tandem axle, Galvalume Roof, Electric brakes, LED Exterior Lighting, Steel tube frame, Anodized front corners, Zinc tongue jack w/sandfoot, Heavy duty ramp door, Silver mod wheels, Aluminum Jeep Fenders, Non-Powered Roof Vent, No Show Beaver Tail, V-Nose w/ ATP Stone Guard, ATP Covered Stepwell, 7 Way Round Bargman Plug, Z-Tech Undercoating, E-Z Lube Hubs, Thermacool, Roof Liner, D-Rings Welded Into Frame w/ Steel Backing Plates & 5 Year Factory Warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$24,137.60
Rock Solid	Enclosed Trailer	RS 6x12 SA	Enclosed Trailer - 16" On Center Cross Members, 24" On Center Tubing Roof Members, 16" On Center Tubing Sidewalls, 2000 lb A-Frame Jack w/ Sand Foot, 2 5/16" Coupler, 36" Side Door w/ Flush Lock, 3" Tube Steel Main frame, White Aluminum Metal, Screwed Exterior, 3/4" Plywood Floors, 3/8" Plywood Walls, 12V LED Dome Light, Fenders, Galvalume Roof, Roof Vent, Stone Guard, LED Lights, 3500 lb Drop Leaf Spring Axles w/ E.B., Ramp Door, E-Z Lube Hubs, V-Nose w/ATP. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$15,714.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Rock Solid	Enclosed Trailer	RS 7x12 TA	Enclosed Trailer - 16" On Center Cross Members, 24" On Center Tubing Roof Members, 16" On Center Tubing Sidewalls, 2000 lb A-Frame Jack w/ Sand Foot, 2 5/16" Coupler, 36" Side Door w/ Flush Lock, 4" Tube Steel Main frame, White Aluminum Metal, Screwed Exterior, 3/4" Plywood Floors, 3/8" Plywood Walls, 12V LED Dome Light, Fenders, Galvalume Roof, Roof Vent, Stone Guard, LED Lights, 3500 lb Drop Leaf Spring Axles w/ E.B., Ramp Door, E-Z Lube Hubs, V-Nose w/ATP. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$17,412.00
Rock Solid	Enclosed Trailer	RS 5x10 SA	Enclosed Trailer - 5 X 10 SA Enclosed Cargo Trailer, 24" On Center Cross Members, 24" On Center Roof Members, 16" On Center Sidewalls, 2000 lb A-Frame Jack w/ Sand Foot, 2" Coupler, 3" Steel Tube Main Frame Rails, , Interior Height 60", Dome Light, White Mod Wheel, Aluminum Jeep Fenders, Galvalume Roof, Non-Powered Roof Vent, 24" Stone Guard, LED Lights, 2990 lb Drop Leaf Spring Axles, Ramp Door with Flap, E-Z Lube Hubs. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$10,110.00
Rock Solid	Enclosed Trailer	RS 8.5x14 TA	Enclosed Trailer with a RV Style Door, a 2 5/16" coupler, Sandfoot on Jack, LED Exterior Lighting, LED Dome Light, two 3500 lb Drop Leaf Spring Axles w/ Electric Brakes on both Axles, and a Ramp Door w/ E-Z Sprint Assist. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$24,066.00
Rock Solid	Custom Enclosed Trailer	RS 7X14 TA-CT	Custom Enclosed Trailer with 36" RV Style Side Door, Metal Exterior, Sand Foot on Hack, Aluminum Jeep Fenders, two 3500 lb axles with Electric Brakes, Ramp Door w/EZ Spring Assist and 16" Flap. Trailer can be customized with various available options such as upgraded suspension, Mud Terrain Tires, Upgraded Roof, Access Ladder, Observation Deck, Electrical Package, HVAC systems, etc. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$49,980.00
Rock Tough	Midsize Adjustable Bar Rock Separator	AB12	Midsize Adjustable Bar Rock Separator - For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$31,968.85
Rolltechs Specialty Vehicles LLC	Enclosed Command Trailer	RSV-450	Enclosed Command Trailer - Multiple Working station configurations, High powered diesel generator with capabilities to support shore power, DOT approved lighting, custom shelving, and interior lighting, trailer interior is custom designed and fitted to accommodate customer requirements. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$579,564.93
Rolltechs Specialty Vehicles LLC	Mobile Command Vehicle	RSV-260	Mobile command vehicle - Commercial chassis, Tint all vehicle windows, HVAC, vehicle alarm system, Interior Wall Carpet, Reverse/Side Camera, Flooring Coin Tile Roll, Electric stabilizers on the rear, Composite Consoles, Custom storage configurations, Internal LED Lighting, Multiple work stations an more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$343,891.95
Rolltechs Specialty Vehicles LLC	Mobile Special Command Truck	RSV-3M	Mobile Special Command Truck - Mounted on a Commercial diesel-powered truck, Extendable slide-outs High-Security camera systems, advanced audio and visual sys, 30Kw generator, External telescopic antenna, Secure server system, Cellular wireless intercom, Robotic Cameras, Multiview monitoring system, and custom work stations. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$3,472,440.40
Rolltechs Specialty Vehicles LLC	Command Step Van	RSV-270	Command Step Van - Chassis: Freightliner StepVan or equal, Wall separating workspace rooms w/ pocket door, Command Vehicle Upfit, 24FT Flooring GRAY Coin Tile Roll, 24FT Ceiling Finish White aluminum panels (NUDO), Aluminum folding tables, 24FT Interior Walls Carpet/White NUDO 2 Tone, Lavatory with Fresh/Grey water systems. Interior configurations (Cabinets, generators, shelving, storage, workstations, lavatory). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$350,900.58
Rolltechs Specialty Vehicles LLC	Mobile Command Trailer	RSV26	Mobile Command Trailer - Heavy Duty Steel Main Frame, slider windows and emergency exit window, Up to 30' in length, ATP Diamond Plate Recessed Step-Up in Side door, 7FT Interior Height inside Box Space, 7000lb " Torsional Axles, Complete Exterior LED Lighting Package trailer interior is custom designed. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$235,684.28
Rolltechs Specialty Vehicles LLC	Command Center Trailer	RSV-16	Command Center Trailer - Multiple Working station configurations, High powered diesel generator with capabilities to support shore power, DOT approved lighting, custom shelving and interior lighting, trailer interior is custom designed. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$155,496.00
Rolltechs Specialty Vehicles LLC	Mobile Command Emergency Response	RSV-600	Mobile Command Emergency Response - Mounted on a Medium Duty diesel-powered Freightliner M2106 truck chassis or equal, Aluminum underbody storage box, Emergency Response Lighting Whelen or equal, Aluminum front storage housing above chassis cab, Dual Interior walls insulated FRP 12k axles with electric brakes, Lockable cabinet doors, High Powered Rooftop HVAC unit(s), Auto-leveling and auto retraction hydraulic stabilizer system, Body uses an aluminum frame, Custom interior LED Lighting and exterior work lights, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$796,488.13
Rolltechs Specialty Vehicles LLC	Command Trailer	RSV-400	Command Trailer - Steel Trailer Frame, Install hydraulic landing gear system and power wiring, Gooseneck Style trailer, Auto leveling and auto retraction hydraulic stabilizer system, Dual 12k axles with electric brakes, LED 6500 lumens surface mounted scene light, Aluminum fenders, Roof Access Ladder, Trailer breakaway safety battery kit, High Powered generator w/shore power capabilities. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$633,955.46
Rose-Wall Manufacturing	Flat Tank Water Tender Truck	RWS15-20	Flat Tank Water Tender Truck - Mounted on a commercial diesel powered truck, Large capacity 3/4" Steel plate construction water tank, Fully baffled, 4" channel iron stakes 20" tall with a 4" chain-rub rail the full length of the body on both sides. Rear Fill and multiple drain points, LED floodlights mounted on top of the front vertical toolboxes, Switch for the flood lights are on the in-cab console. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$411,838.05
S.D.P. Manufacturing, Inc.	Mini-Digger Derrick	55M LP	Mini-Digger Derrick - Hydraulic track drive with Auto 2spd., Skid steer, Hydraulically extended tracks, 42-foot sheave height, 24.9-horse power. Tier IV compliant, Tip Mounted transformer winch and jib available, Hydraulic Pole Claws, 5500-lb. capacity, Meets or exceeds ANSI A92.2 ? 2001, A 10.31-2006 and SAE requirements, Meets 46kv Category C dielectric qualifications, Capable of 20 degree side to side and front to rear travel angle. 5 Degrees With Tracks Retracted. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$265,144.86

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Sage Oil Vac	Lube Truck	57CC	Lube Truck 57CC: All tanks are fitted with a float and pressure gauge that is displayed on the remote panel, informing the user of vacuum/pressure levels captured in the tank, as well as the fluid level, (1) Redesigned 1,000-gal rounded fuel tank, (1) 60-gal stainless steel DEF tank, (1) 120-gal used oil/waste oil tank, Guide wave fluid level sensors and display panels show percent full or gallons left in tank and include options for alarms for low fluid levels or overflow fluid, (1) 120-gal fresh oil and fluid tank, Pumpless DEF tank incorporates the exclusive Sage Oil Vac pressure and vacuum system to move the caustic fluid around without shelling pumps, (3) 60-gal fresh oil and fluid tanks, Includes a redesigned 1,000-gallon diesel tank, 12-inch shorter tank, better structure, rounded corners, and an extra 7 cubic feet of storage, (1) 60-gal fresh coolant/antifreeze tank, Features a shorter Overall wheelbase. The 187-inch wheelbase is 12 inches shorter than previous models, Pumpless DEF tank, Standalone diesel-driven rotary screw compressor, Patented vacuum process to load fresh fluid tanks, vacuum generator for vacuum assist, 10-micron filters on all fresh oil products, Blackmer TX pump for diesel fuel delivery, All tank and compressor controls are remoted to the truck's reel cabinet, Coupled with dual filter filtration & Curbside bulk fill station for rapid filling of new product to tanks. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$342,000.00
Sage Oil Vac	Lube Trailer	1C5J-4100	Lube Trailer - 120 G tanks for fresh and waste oil, electronic meter, 120 G tanks for fresh and waste coolant, control handle, Kohler diesel power compressor, vacuum adapter, hose reels, filter stinger, 10' barrel straws, 20' offload hose, Trailer mounted, Additional passenger side storage box, Tandem leaf spring axle with electric brakes, DOT-approved light package, Multiple hitch configurations, 7 plugs electric adapter, Drop leg jack, Rear reel cabinet with dustproof lockable roll-up shutter-style door and control panels, Tongue-mounted toolbox, Offered Accessories: Barrel straw, Dipstick tube kit, Drain pans, Filter stingers, Grease kits, Heated fluid tanks, Meters, Used filter receptacle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$59,448.65
Sage Oil Vac	Fuel Trailer	460MT	Fuel Trailer - Tandem Axled trailer, fuel capacity 460 gallons, Baffled Tank, A36 Mild Steel. Aluminum DOT 406 code tank, or 304 Stainless Steel are also available, Adjustable Ball Hitch, Top Quality Components: GPI, Fill-Rite, Dixon, Hannay, Reelcraft, Betts, Powder coat finish, Heavy-Duty Tongue Jack, Fuel Level Gauge. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$37,500.00
Sewer Equipment Co.	Mongoose - 184 XL Jetter Unit	MG-184XL	600 gallon Sewer Jetter Unit. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$135,797.01
Sewer Equipment Co.	Mongoose - 184 Jetting Unit	MG-184	300 gallon Sewer Jetter Unit. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$122,280.00
Sewer Equipment Co.	Trailer Mounted Jetter	747-FR2000	Trailer Mounted Jetter - Ford Engine or equal (No Shroud) Rotating Safety Reel, Giant 40 GPM @ 2000 PSI w/800' Capacity of 3/4" Hose w/30 Min Run Dry Capability, Lighted Nema 4 Control Panel Tank & Fill: Tachometer / Hour Meter 700 Gal. Black Super-Poly Water Tank, Auto Shutdown, Air Purge Valve Trailer: Recirculation System Tandem Axles 14,000 GVWR, Painted Steel Shroud Enclosure Electric Brakes, Locking Access Doors (1) Steel Toolbox. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$143,499.51
Sewer Equipment Co.	Sewer Equipment 900 ECO 15 YD	900 ECO-15	Sewer Equipment Co. of America introduces the 900 ECO Combination Sewer Cleaner utilizing proven technologies to deliver a machine with simplicity that is unequalled in the industry. As with our leading 747 ECO trailer jet and 800-HPR ECO truck jet, the Model 900 ECO operating platform offers the best in class fuel efficiency and noise reduction for operator safety. Sewer Equipment: Best Products, Best Local Support. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$612,252.00
Sewer Equipment Co.	Sewer Equipment 900 ECO 12 YD	900 ECO-12	Sewer Equipment Co. of America introduces the 900 ECO Combination Sewer Cleaner utilizing proven technologies to deliver a machine with simplicity that is unequalled in the industry. As with our leading 747 ECO trailer jet and 800-HPR ECO truck jet, the Model 900 ECO operating platform offers the best in class fuel efficiency and noise reduction for operator safety. Sewer Equipment: Best Products, Best Local Support. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$573,319.34
Sewer Equipment Co.	Sewer Equipment 900 ECO 9 YD	900 ECO-9	Sewer Equipment Co. of America introduces the 900 ECO Combination Sewer Cleaner utilizing proven technologies to deliver a machine with simplicity that is unequalled in the industry. As with our leading 747 ECO trailer jet and 800-HPR ECO truck jet, the Model 900 ECO operating platform offers the best in class fuel efficiency and noise reduction for operator safety. Sewer Equipment: Best Products, Best Local Support. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$566,741.44
Sewer Equipment Co.	Sewer Jetting Trailer	Mongoose 123	Sewer Jetting Trailer - Aux. Engine, Sewer Hose, Pump, Poly Tank, Pulsation System, Garden Hose Fill System, Bypass / Flow Control Valve, Winterization System, Fixed Hose Reel, Air Purge System. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$108,153.00
Sewer Equipment Co.	Sewer Jetting Trailer	254HD	Sewer Jetting Trailer - Super-Poly Water Tank, Water On/Off Control, Fill System, Recirculation System W/ Bypass / Flow Control Valve, Rotating Safety Hose Reel, Pulsation System, Control Panel, Air Purge System, Auto Shutdown & Emergency Stop, toolbox, Hose Reel Payout/ Retrieve, Precision Pressure Control, Hoses & Nozzles, 12V DC Power Outlet, USB Operator & Owner's Manual, Electric Brakes, For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$108,153.00
Sewer Equipment Co.	RAMVAC HX-12-27 Hydro Excavator Truck	HX-12-27	Sewer Equipment RamVac HX-12-27 truck-mounted hydro excavator with 12 cubic yard debris capacity. Boom reach 18 to 23 ft with 320° working radius. 8 in vacuum system with up to 5,250 CFM and 27 in blower capacity. 1,300 gallon water capacity with 10 GPM @ 2,500 PSI pump and integrated water heater. Cyclone separation, 10-micron final filtration, hydrostatic blower drive, and temperature-controlled enclosure. Designed for utility locating, excavation, and municipal applications. Complies with applicable DOT and chassis standards.	\$807,780.00
Sewer Equipment Co.	RAMVAC HX-12 Hydro Excavator Truck	HX-12	Sewer Equipment RamVac HX-12 truck-mounted hydro excavator with 12 cubic yard debris capacity. Boom reach 18 to 23 ft with 320° working radius. 8 in vacuum system with up to 4,400 CFM and 18 in blower capacity. 1,300 gallon water capacity with 10 GPM @ 2,500 PSI pump and integrated water heater. Cyclone separation, 10-micron final filtration, hydrostatic blower drive, and temperature-controlled enclosure. Designed for utility locating, excavation, and municipal applications. Complies with applicable DOT and chassis standards.	\$790,860.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Silver Eagle Manufacturing Company	Mil Spec Tow-Behind Trailer	M11-01/02	Mil-Spec Tow-Behind Trailer - Maximum payload capacity: 1,940 lb (880 kg) 2,740 lb (1243 kg), hull: unitized body construction using aircraft-grade aluminum and Chromoly steel, overall length: 132 inches, overall width: 85.6 inches, overall height: 52.5 inches, track width: 72.5 inches, drawbar length: 93.2 inches ? from axel center to kingpin center, drawbar eye height: 29.5 inches (75 cm), deck height: 34.5 inches (88 cm), optional cover. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$38,695.11
Silver Eagle Manufacturing Company	Cargo Tactical Trailer	M1101	Cargo Tactical Trailer - Maximum payload capacity: 1,940 lb (880 kg) 2,740 lb (1243 kg), hull: unitized body construction using aircraft grade aluminum and chromoly steel, overall length: 132 inches (335cm), overall width: 85.6 inches (217 cm), overall height: 52.5 inches (133 cm), track width: 72.5 inches (184 cm), drawbar length: 93.2 inches (237 cm) ? from axel center to kingpin center, drawbar eye height: 29.5 inches (75 cm), deck height: 34.5 inches (88 cm). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$30,230.64
Simco Drilling	Truck Mounted Drill	2800	Truck Mounted Drill - Mounted on a medium duty diesel powered truck chassis. Drillhead (2,850 ft. lbs. max / 0-180 rpm), OPTIONAL 7,500 ft. lbs. Drilhead Available, Diesel Deck Engine, Hydraulic Winches. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$352,512.88
Simco Drilling	Trailer Mounted Core Drill	255PTC	Trailer Mounted Core Drill - Diesel or Gasoline powered engine, Trailer mounted, Two speed drill motor, hydraulic front stabilizing legs, control panel, Warning Beacon, Working lights and more. Global Enterprise offers many types of concrete and asphalt equipment to meet your needs: concrete mixers, asphalt distributors, pavers, rollers, drills, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$289,400.38
Skyjack	Electric Scissor Lift	SJIII 3220-26	Electric Scissor Lift - Work Height: up to 32 ft, Raised Platform Height ? up to 26', Lowered Platform Height ? up to 45", Wheelbase - 69", Weight 3510 or 4135 lbs, Gradeability - 30%, Overall Width - 32", Overall Length - 91.5", Platform Inside LxW 84"x28", Lift time (with rated load) - 29 or 42 sec, Lower time (with rated load), Extension Deck (Roll Out) - 3 ft, Ground Clearance: Stowed - 3.5", Raised - 0.75", Drive Speed: Stowed - 2 or 2.4 mph, Raised - 0.7 mph, Maximum Drive Height - Full Height, Capacity: Overall - 900 or 500 lbs, Main Platform (distributed) - 600 or 250 lbs, Extension Deck (distributed) - 300 or 250 lbs. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$37,754.10
Skyjack	Scissor Lift	SJ3219	Scissor Lift - Work Height 24' 6" (7.47 m), Raised Platform Height 18' 6" (5.64 m), Lowered Platform Height 41" (1.04 m), Gradeability 25%, Variable speed, front two wheel hydraulic drive, 90° Steering (zero inside turning radius), Dual holding brakes, On-board visual interface with diagnostic capabilities, Shroud style, impact resistant composite control box with extended cable, Proportional controls for drive & lift functions, Tilt sensor (3.5° x 1.5°), 3' (0.91 m) Roll out extension deck, 24V DC Power source, Pothole protection system. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$23,145.15
Skyjack	Scissor Lift	SJ4726	Scissor Lift - Work Height 31' 8", Extension Deck (Roll Out) 4', Capacity (Overall) 1,000 lbs , Drivable at full height, Variable speed, rear two wheel hydraulic drive, Dual holding brakes, On-board visual interface with diagnostic capabilities, Proportional controls for drive & lift functions, 24V DC Power source, 110V AC Outlet on platform with GFI, 2-Year Gold Leaf Warranty (5-year structural warranty). For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$39,600.00
Skyjack	Scissor Lift	SJ4740	Scissor Lift - Work Height 44' 11", Extension Deck (Roll Out) 3', Drivable at full height, On-board visual interface with diagnostic capabilities, impact resistant composite control box with extended cable, Proportional controls for drive & lift functions, Tilt Sensor, 24V DC Power source, Low voltage battery protection, Pothole protection system, 110V AC Outlet on platform with GFI, Lanyard attachment points, Forklift pockets and tie down /lift lugs, Overload sensing system, 2-Year Gold Leaf Warranty (5-year structural warranty), For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$50,340.00
Skyjack	Scissor Lift	SJ3226	Scissor Lift - Work Height 31' 7", Extension Deck 3', Gradeability 25%, Capacity (Overall) 500 lbs , Dual holding brakes, On-board visual interface with diagnostic capabilities, Proportional controls for drive & lift functions, Tilt sensor (3.5° x 1.5°), 24V DC Power source, Low voltage battery protection, Pothole protection system, 110V AC Outlet on platform with GFI, Tilt alarm with drive & lift cut-out, Lanyard attachment points, 2-Year Gold Leaf Warranty (5-year structural warranty). For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$37,980.00
Skyjack	Scissor Lift	SJIII 3215-19	Scissor Lift - Work Height 21'?, Raised Platform Height 15', Lowered Platform Height 34.5', Overall Width 32', Overall Length 70', Extension Deck (Roll Out) 3', Wheelbase 55', Weight 2,400 lbs, Gradeability 30%, Drive Speed (Stowed/Raised) 2 mph / 0.7 mph, Capacity (Overall) 600 lb, DC motor controller, Drivable at full height, Variable speed, front two-wheel hydraulic drive, 90° Steering (zero inside turning radius), Dual holding brakes, Proportional controls for drive & lift functions, 24V DC Power source, Pothole protection system, 110V AC Outlet on the platform with GFI, 28 mph Wind rating, Tilt alarm with drive & lift cut-out, All motion audible alarm, Lanyard attachment points, Operator horn, Forklift pockets and tie-down/lift lugs. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$27,867.43
Skyjack	Electric Scissor Lift	SJ4732	Electric Scissor Lift - Work Height: 37' 8", Extension Deck (Roll Out): 4', Gradeability: 25%, Capacity (Overall): 700 lbs., Drivable at full height, Distributed Capacity (Main Platform): 450 lbs., Variable speed, rear two wheel hydraulic drive, Distributed Capacity (Extension Deck): 250 lbs., Dual holding brakes, On-board visual interface with diagnostic capabilities, Proportional controls for drive & lift functions. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$33,623.85

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Skyjack	Electric Mast Lift	SJ20	Electric Mast Lift - Work Height: up to 25.5 ft, Raised Platform Height up to 19.5', Lowered Platform Height up to 30", Wheelbase - 44", Weight 2440 lbs., Gradeability - 25%, Overall Width - 31.5", Overall Length - 54", Platform Inside LxW 36"x27", Lift time (with rated load) - 25 sec, Lower time (with rated load) - 25 sec, Ground Clearance (lowest point): 1", Ground Clearance (highest point): 3.5", Drive Speed: Stowed - 2.5 mph, Raised - 0.3 mph, Maximum Drive Height - Full Height, Capacity: Overall - 350 lbs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$33,022.35
Snorkel	Rough Terrain Telescopic Forklift	SR1054	Rough Terrain Telescopic Forklift - Max. lift capacity 10,000 lbs, Max. lift height (A) 53 ft 9 in, Max. forward reach 41 ft 4 in. Fully enclosed cab with air conditioning & heat, Window wipers, Running lights, Manual pintle hitch, Backup alarm, PEB electrical boom socket, Constant hydraulic flow, Heater plug, B class carriage adapter, Hydraulic attachment quick disconnect. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$174,783.98
Snorkel	6k Telehandler	SR630	6k Telehandler - Max. lift capacity 6,000 lbs, Max. lift height 30 ft 7 in, Max. forward reach 18 ft 5 in, Length to fork face 16 ft 3 in, Overall width 78 in, Stowed height 83.5 in, Ground clearance 14 in, Hydraulic flow (per minute) 26 gallons, Fuel capacity 26 gallons, 360° operator visibility, Large cross-section boom w/wear pads, Easy service access, Steel hydraulic & fuel tanks, Hydrostatic 2 speed transmission, Front and rear limited slip axles. For additional information contact Global Support at (202)779-0225 or e-mail gsasupport@fedharmony.com	\$151,429.78
Snorkel	Electric Scissor Lift	S3226E	Electric Scissor Lift - Max working height: 32 ft, Weight: 4900 lbs., Platform capacity: 500 lbs, Roll-out deck extension with dual locks, Non-marking tires, Swing-out service trays, Saloon-door style entry gates, Descent alarm, All motion alarm, Proportional controls, including descent, Loading pendant, Power line to platform, Platform overload system, Hour meter & on-board diagnostics display. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$31,825.90
Snorkel	Scissor Lift	S3220	Scissor Lift - Max. working height: 26 ft, Overall width: 32 in, Max. platform height: 20 ft, Platform capacity: 900 lbs, Platform size (stowed/extended): 28.25 in x 84.38 in/28.25 in x 102.38 in, Power source: 24V DC battery-electric, Deck extension length: 36 in, Weight: 4500 lbs, Overall length (with step/without step) 90.6 in/88.75 in, Drive system: 2 wheel drive. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$33,311.97
Snorkel	Trailer Mounted Boom Lift	TL49J	Trailer Mounted Boom Lift - Max. working height 54 ft 8 in, Max. platform height 48 ft 8 in, Max. horizontal reach 27 ft 10 in, Platform rotation 90°, Power source 24V DC battery, , Hydraulic stabilizers, In-line boom design for maximum rigidity, Hand pump emergency lowering from platform, Lock valves on all hydraulic cylinders, Proportional live hydraulic controls, Integral road lighting board, Power line to platform, Dual lanyard attachment points, 2 year parts & labor, 5 year structural warranty, ANSI & DOT compliant. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$83,668.00
Snorkel	Telescopic Boom Lift	TB126J	Telescopic Boom Lift - Max. working height 132 ft. Max. platform height 126 ft. Max. horizontal reach 62 ft 11 in. Platform size 8 ft x 3 ft. Controls proportional joystick, Drive system 4-wheel drive, Power source diesel, 4-wheel drive, braking & fixed front steering, Hydraulic platform rotation 360° continuous turntable rotation, Hydraulic extended rear axles w/ boom interlocks For additional information contact. 2 year parts & labor, 5 year structural warranty. For Additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$450,034.00
Snorkel	Telescopic Boom Lift	TB80	Telescopic Boom Lift - Max. working height 86', Max. platform height 80', Max. horizontal reach 71' 2", Platform size 8' x 3', Platform capacity 500 lbs, Platform rotation 170°, Superstructure rotation (continuous) 360°, Tail swing 78.5", Raise / lower time 195 / 175 sec, Gradeability 40%, Controls proportional joystick, Diesel powered, Four wheel drive, steer and crab steer, Hydraulic platform rotation 360° continuous turntable rotation, Proportional drive, boom lift, swing & extend, Rheostat control for jib & platform level, Power line to platform, Hour meter & on-board diagnostics display, 2 year parts & labor, 5 year structural warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$276,524.00
Snorkel	Mast Boom Lift	MB26J	Mast Boom Lift - Max. working height 31' 6", Max. platform height 25' 6", Max. horizontal reach 9' 10", Platform size 30" x 28", Platform capacity 475 lbs, Overall width 39", Mast rotation (non-continuous) 360°, Raise / lower time 56 / 27 sec, Ultra-tight inside turning radius, Non-marking rubber tires, Proportional controls, Hour meter & on-board diagnostics display, Tilt alarm, Hydraulic pothole protection system, Power line to platform, Self-seeking automatic battery charger, 2 year parts & labor, 5 year structural warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$66,519.00
Snorkel	Rough Terrain Scissor Lift	S3970RT	Rough Terrain Scissor Lift - Max. working height 45', Max. platform height 39', 4-wheel drive, Roll-out deck extension, 4 hydraulic stabilizers with automatic leveling, Non-marking foam filled tires, Proportional controls, Power line to platform, Platform overload system, Drive motion alarm, Descent alarm, Fold-down guardrails, Flashing amber lights (2), Oscillating axle, Hour meter & on-board diagnostics display, Manual lowering valve, Dual lanyard attachment points, 2 year parts & labor, 5 year structural warranty, ANSI compliant. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$100,986.00
Snorkel	Rough Terrain Scissor Lift	S3370RT	Rough Terrain Scissor Lift - Max. working height 39', Max. platform height 33', 4-wheel drive, Roll-out deck extension, 4 hydraulic stabilizers with automatic leveling, Non-marking foam filled tires, Proportional controls, Power line to platform, Platform overload system, Drive motion alarm, Descent alarm, Fold-down guardrails, Flashing amber lights (2), Oscillating axle, Hour meter & on-board diagnostics display, Manual lowering valve, Dual lanyard attachment points, 2 year parts & labor, 5 year structural warranty, ANSI compliant. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$104,761.00

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Snorkel	Electric Scissor Lift	S4732E	Electric Scissor Lift - Max. working height 38', Max. platform height 32'. Roll-out deck extension with dual locks Non-marking tires, Swing-out service trays Saloon-door style entry gates, Descent alarm All motion alarm, Proportional controls, including descent Key switch, Power line to platform Hour meter & on-board diagnostic display, Integrated battery charger Battery condition indicator, Crane & forklift points Dual lanyard attachment points, Scissor stack roller slide plates (set of 2) 2 year parts & labor, 5 year structural warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$36,288.00
Snorkel	Telescopic Boom Lift	600S	Telescopic Boom Lift - Max. working height 66 ft, Max. platform height 60 ft, Max. horizontal reach 52 ft 7 in, Platform size 8 ft x 3 ft, Hydraulic platform rotation, Hydraulic oil cooler, Four wheel drive, All proportional controls, Swing-out engine tray, Hour meter & on-board diagnostics display, Power line to platform, 2 year parts & labor, 5 year structural warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$199,938.69
Snorkel	Boom Lift	AB85J	Boom Lift - Hydraulic platform rotation, 4-wheel drive, steer and crab steer, Foam filled tires, Proportional drive, lift & swing, extend & rotate, Drive motion alarm, Flashing amber light, Horn, Dual lanyard attachment points, Power line to platform, 3.5" tilt alarm, 2 year parts & labor, 5 year structural warranty, ANSI compliant, , Max. working height 90 ft 6 in, Max. platform height 84 ft 6 in, Max. horizontal reach 61 ft 11 in, Platform size 8 ft x 3 ft. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$370,000.00
Snorkel	Boom Lift	600AJ	Max. working height 66 ft 2 in, Max. platform height 60 ft 2 in, Platform size 6 ft x 3 ft, Platform capacity (SWL) 600 lbs, Zero tailswing, 4 steering modes - 2-wheel, 4-wheel, crab and pivot, Snorkel Guard™ secondary guarding system, Proportional controls, Oscillating axle, 6' tri-entry platform with high grip aluminum floor, Foam filled tires, Power line to platform, Hour meter & on-board diagnostics display, Tilt alarm, Horn, Battery charge indicator, Drive motion alarm, Flashing amber light, 2 year parts & labor, 5 year structural warranty, ANSI compliant. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$205,681.00
Snorkel	Scissor Lift	S3370	Scissor Lift - Max. working height: 39', Overall width: 5' 10", Max. platform height: 33', Overall length: 11', Platform size (stowed): 9' 8" x 5' 2", Ground clearance: 13", Platform size (extended): 13' 1" x 5' 2", Platform capacity: 1,000 lbs, Deck extension length: 4', Weight: 7,980 lbs, Gradeability: 35%, Power Source: Li-Ion battery with integrated BMS, Inside/Outside turning radius: 8' 10"/16'3", Charger: high frequency smart on-board 50A battery charger, Motor: AC electric motor, Controls: proportional joystick, 4 hydraulic stabilizers with automatic leveling, Drive system: 4 wheel drive, 2000 charging cycles/2 year lithium battery warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$96,884.00
Snorkel	Articulating Boom Lift	A46JRT	Articulating Boom Lift - Platform capacity: 500 lbs., Overall length: 18' 8", Max. working height: 52' 11", Max. platform height: 46' 11", Max. horizontal reach: 24' 11", Ground clearance: 13", Platform size: 39" x 72", Weight: 16,620 lbs., Clearance height at max. outreach: 25' 2", Superstructure rotation: 360 deg; non continuous, Chassis width: 6' 10", Power source: 24.9hp diesel, Oscillating front axle, Multi-function proportional controls, Tri-entry platform, Hour meter & on-board diagnostics display, Power line to platform, Tilt alarm, Drive motion alarm, 2 year parts & labor, 5 year structural warranty, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$134,141.00
Snorkel	Boom Lift	A46JE	Boom Lift - Weight: 14,690 lbs., Ground clearance: 6 in, Max. working height: 52 ft 3 in, Max. platform height: 46 ft 3 in, Max. horizontal reach: 24 ft 11 in, Platform capacity (SWL): 500 lbs., Clearance height at max. outreach: 24 ft 6 in, Platform size: 39 in x 72 in, Drive system: 2 wheel drive, Chassis width - 5 ft 8in/Overall length - 18 ft 4 in/ Stowed Height - 6 ft 7 in, Power source: 8 x 6V 360Ah batteries, Max. wind speed: 28 mph, Multi-function proportional controls, ANSI compliant, Platform rotation: 160°, 2-year parts & labor, 5-year structural warranty, Superstructure rotation: 360° non-continuous, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$108,465.00
Snorkel	Scissor Lift	S4726	Scissor Lift - Platform capacity 1,000 lbs, Gradeability: 25%, Max. working height: 32', Max. platform height: 26', Inside/Outside turning radius: 21"/95", Platform size (stowed/extended): 43" x 84.38"/43" x 132.38", Deck extension length: 48", Controls: proportional, Overall length (with step/without step): 90.6"/89", 2 wheel drive, Power source: 24V DC battery elect, Crane & forklift points, Charger: 90 - 240V, 25amp, Weight: 4,750 lbs, Integrated battery charger, Roll-out deck extension with dual locks, Hour meter & on-board diagnostic display, Swing-out service trays, 2 year parts & labor, 5 year structural warranty, and more. TFor additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$32,597.68
Snorkel	Telehandler	SR5719	Telehandler - Easy access to components for servicing, Full-time 4-wheel drive, 4-wheel steer, Selectable front, crab & coordinated steering modes, Auxiliary hydraulic circuit on the boom, Variable speed hydrostatic drive, Proportional joystick, Illuminated gauge and switch panels, Color LCD display with machine & engine diagnostics, Block heater, Constant flow, Adjustable suspension seat, LED road lights (4), LED work lights on boom (2), 2 year parts & labor, 5 year structural warranty, ANSI compliant. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$146,441.67
Snorkel	Mast Lift	TM12E	Mast Lift - Max. working height 18 ft, Max. platform height 12 ft, Platform size (stowed) 27 in x 39 in, Platform size (extended) 27 in x 59 in, Deck extension length 20 in, Proportional controls, Descent & tilt alarms, Emergency lowering at chassis controls, Crane lift points, Selectable motion alarm, Integrated battery charger 110V 20A, Hour meter & on-board diagnostics display, 2 year parts & labor, 5 year structural warranty. Multiple options to satisfy mission requirements. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$23,707.52

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Snorkel	Electric Scissor Lift	S3219E	Electric Scissor Lift - Max. working height 25 ft, Max. platform height 19 ft, Platform size (stowed) 28.25 in x 63.75 in, Platform size (extended) 28.25 in x 99.75 in, Overall length (with step) 70.4 in, Overall length (without step) 68.3 in, Overall width 32 in, Swing-out service trays, Descent alarm, All motion alarm, Proportional controls, including descent, Power line to platform, Platform overload system, Flashing amber light, Hour meter & on-board diagnostics display, Integrated battery charger, 2 year parts & labor, 5 year structural warranty. Multiple options to satisfy mission requirements. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$23,707.52
Snorkel	Articulating Boom Lift	AB60J	Articulating Boom Lift - Max. working height 65 ft 9 in, Max. platform height 59 ft 9 in, Max. horizontal reach 43 ft 1 in, Platform size 8 ft x 3 ft, Platform capacity (SWL) 500 lbs., Hydraulic platform rotation, 4-wheel drive, Proportional drive, lift & swing, Dual lanyard attachment points, Foam filled tires, Power line to platform, 3.5° tilt alarm & cut out, Drive motion alarm, Flashing amber light, 2-year parts & labor, 5-year structural warranty. Multiple options to satisfy mission requirements. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$137,706.21
Snorkel	Telescopic Boom Lift	660SJ	Telescopic Boom Lift - Snorkel's 660SJ mid-size telescopic boom lift is rugged and robust for all terrains. Built to last, a constant 4-wheel drive delivers outstanding rough terrain performance. For full reach on any job site, operators benefit from all-proportional hydraulics and a jib for added flexibility. Max. working height 71 ft 7 in, Max. platform height 65 ft 7 in, Max. horizontal reach 59 ft 1 in, Platform size 8 ft x 3 ft. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$144,722.11
Snorkel	Articulated Boom Lift	A38E	Articulated Boom Lift - Max. working height: 43 ft 7", Overall width: 32 in, Max. platform height: 20 ft, Platform capacity: 900 lbs., Platform size (stowed/extended): 28.25 in x 84.38 in/28.25 in x 102.38 in, Power source: 24V DC battery-electric, Deck extension length: 36 in, Weight: 4500 lbs., Overall length (with step/without step) 90.6 in/88.75 in, Drive system: 2 wheel drive. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$59,886.40
Snorkel	Rough Terrain Scissor Lift	S3370RTE	Rough Terrain Scissor Lift - Max. working height: 39 ft, Overall width: 32 in, Max. platform height: 20 ft, Platform capacity: 900 lbs., Platform size (stowed/extended): 28.25 in x 84.38 in/28.25 in x 102.38 in, Power source: 24V DC battery-electric, Deck extension length: 36 in, Weight: 4500 lbs., Overall length (with step/without step) 90.6 in/88.75 in, Drive system: 2 wheel drive. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$73,632.69
Snorkel	Mast Boom Lift	MB20J	Mast Boom Lift- Max. working height: 26 ft, Overall width: 32 in, Max. platform height: 20 ft, Platform capacity: 900 lbs., Platform size (stowed/extended): 28.25 in x 84.38 in/28.25 in x 102.38 in, Power source: 24V DC battery-electric, Deck extension length: 36 in, Weight: 4500 lbs., Overall length (with step/without step) 90.6 in/88.75 in, Drive system: 2 wheel drive. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$47,100.12
Snorkel	Trailer Mounted Boom Lift	TL37J	Trailer Mounted Boom Lift - Max. working height: 41 ft 9 in, Max. platform height: 35 ft 9 in, Max. horizontal reach: 18 ft 5 in, Platform width: 3 ft 9 in, 4 ft 3 in, 130° jib (1.3m jib with 130° working arc), In-line boom design for maximum rigidity, Hydraulic stabilizers, Hand pump emergency lowering from the platform, Lock valves on all hydraulic cylinders, Proportional live hydraulic controls, Power line to the platform, Dual lanyard attachment points, 2-year parts & labor, 5-year structural warranty. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$49,956.00
Snorkel	Articulating Boom Lift	AB80J	Articulating Boom Lift - Max. working height: 85 ft 11 in, Max. platform height: 79 ft 11 in, Max. horizontal reach: 59 ft 5 in, Hydraulic platform rotation, Four wheel drive, steer and crab steer, Proportional drive, lift & swing, extend & rotate, Drive motion alarm, Flashing amber light, Dual lanyard attachment points, Power line to platform, 3.5° tilt alarm, 2-year parts & labor, 5-year structural warranty. Multiple options to satisfy mission requirements. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$317,222.00
Snorkel	Electric Scissor Lift	S4740E	Electric Scissor Lift - Max. working height: 45' 5", Deck extension length: 48", Platform capacity: 550 lbs., Inside/Outside turning radius: 21"/95", Max. drive speed (stowed/elevated): 2.0/0.4 mph, Controls: proportional/Drive system: 2 wheel drive, Raise / lower time: 68 / 72 seconds, Power source: 24V DC battery electric/Charger: 90-240V, 25amp, Gradeability: 25%, Weight: 6,825 lbs. Multiple options to satisfy mission requirements. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$56,412.00
Snorkel	Mini Scissor Lift	S8010P	Mini Scissor Lift - Max. working height: 15' 10", Platform capacity (SWL): 430 lbs., Overall width: 2' 4", Raise / lower time: 19 / 26sec, Overall length: 3' 11", Power source: 12V DC battery/Charger: Built-in multi-voltage (90V - 240V)/Integrated battery charger 90V - 240V, Slide-out service trays, Auto brake system, Tilt sensor, Forklift pockets, Battery charge indicator, Emergency lowering system, 2 year parts & labor, 5 year structural warranty. Multiple options to satisfy mission requirements. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$10,532.00
Snorkel	400S RT Telescopic Boom Lift - 4WD	400S	Telescopic boom lift with 40 ft platform height and 46 ft working height. Maximum horizontal reach 35 ft. Platform capacity 600 lb unrestricted and 1,000 lb restricted. 8 ft x 3 ft tri-entry platform with 150° hydraulic rotation and 360° continuous superstructure rotation. 4-wheel drive with oscillating axle and 50% gradeability for rough terrain performance. Tier 4 Final diesel engine standard; dual fuel (gas/LP) configuration available. Ground clearance 12.5 in; operating weight 15,790 lb. Proportional controls, platform overload system, tilt alarm with cut-out, swing-out engine tray, ANSI compliant. Snorkel warranty: 2-year parts and labor, 5-year structural coverage.	\$119,000.00
Snorkel	Telescopic Boom Lift All Terrain	660SJ All Terrain	Telescopic Boom Lift - Snorkel's All Terrain 660SJ mid-size telescopic boom lift is rugged and robust for all terrains. Built to last, a constant 4-wheel drive delivers outstanding rough terrain performance with tracks instead of tires. For full reach on any job site, operators benefit from all-proportional hydraulics and a jib for added flexibility. Max. working height 71 ft 11 in, Max. platform height 65 ft 11 in, Max. horizontal reach 58 ft 5 in, Platform size 8 ft 3 in. For additional information contact Fedharmony Support at (202) 792-7050 or e-mail gsasupport@fedharmony.com	\$215,029.91

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Snorkel	Telescopic Boom Lift	460SJ	Mid-Size Telescopic Boom Lift: Mac Working Height 52ft 1in, Max Platform Height 46ft 1", Max Horizontal Reach 42ft, Platform Capacity unrestricted 600 lbs, Platform Capacity restricted 1000 lbs, Max Drive Speed 4.25 mph, 360 degree Superstructure Rotation. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$119,520.00
Snorkel	Telescopic Boom Lift	TB86J	Telescopic Boom Lift: 126' platform height, 132' working height, 62' 11" horizontal reach, 500lb capacity with 6' 6" JIB (135 degree arc), 360 degree continuous hydraulic turret rotation, KUBOTA V2403 T4F diesel, 65hp, Proportional controls, Foam filled 445-65 D22 tires. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$249,876.00
Snorkel	Material Lift	ML25I	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$13,501.00
Snorkel	Material Lift	ML20I	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$12,780.00
Snorkel	Material Lift	ML15I	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$11,250.00
Snorkel	Material Lift	ML10I	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$10,315.00
Snorkel	Material Lift	ML5I	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$9,525.00
Snorkel	Material Lift	ML20M	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$13,510.00
Snorkel	Material Lift	ML16M	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$11,835.00
Snorkel	Material Lift	ML12M	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$11,106.00
Snorkel	Material Lift	ML24C	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$12,931.00
Snorkel	Material Lift	ML12C	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$10,696.00
Snorkel	Material Lift	ML18C	For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$11,923.00
Snorkel	Rough Terrain Scissor Lift	S2770RT	Max. working height 33 ft, Platform size (stowed) 9 ft 8 in x 5 ft 2 in (extended) to 13 ft, Platform capacity (SWL) 1,250 lbs, 4-wheel drive, Roll-out deck extension, automatic leveling, Proportional controls, Platform overload system, Power line to platform, Hour meter & on-board diagnostics display, Fold-down guardrails, Flashing amber lights, Drive motion alarm, Descent alarm, Oscillating axle, ANSI compliant, Dual lanyard attachment points, 2 year parts & labor, 5 year structural warranty. For additional information contact Global Support at (202) 792-7050 or email GSASupport@fedharmony.com	\$65,063.00
Southeastern Tool and Die	Hydraulic Lift Platform	SMERT 40	This "patent pending" creation makes it easier for loading and unloading of military equipment and planes. The ability to raise or lower the Self-contained, Multipurpose, Elevating, Rollerized Trailer (SMERT), by remote control, to various height requirements makes the SMERT trailer versatile enough for any job. The bed system allows for standard load width (88" width) to wider loads widths (108" width) by spreading apart the trailer bed rails.	\$621,262.99
Southeastern Tool and Die	Hydraulic Lift Platform	SMERT 53	This "patent pending" creation makes it easier for loading and unloading of military equipment and planes. The ability to raise or lower the Self-contained, Multipurpose, Elevating, Rollerized Trailer (SMERT), by remote control, to various height requirements makes the SMERT trailer versatile enough for any job. The bed system allows for standard load width (88" width) to wider loads widths (108" width) by spreading apart the trailer bed rails. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$803,987.67
Spaulding Mfg. Inc.	Asphalt Reclaimer	RS-4T	Asphalt Reclaimer - Heavy Duty Steel Construction, Commercial Rated Tires, Continuous Welds, Adjustable 12-Position Hitch, Automatic Temperature Controller, 105,000 BTU Burner for Diesel, Electric Brakes, Fully Insulated Walls, Tandem Axles, Fully Insulated Loading Doors. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$67,078.47
Spaulding Mfg. Inc.	Asphalt Recycling Trailer	6TRMVD	Asphalt Recycling Trailer - 1 - 6 ton hopper, propane/diesel burner, automatic temperature controller, tandem-axle trailer with numerous options. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$134,255.64
Stellar Industries, Inc.	Petroleum Trailer	AE-FuelMate	Petroleum Trailer - Multi-Tank Fuel Trailer, Electric Start aux engine driven 50 GPM diesel fuel pump with Fill-Rite 901 mechanical meter, Multiple internally baffled fuel tanks with sight gauge, vented cap and tank breather, Safety Chains, Two (2) 6,000# axles, Adjustable height hitch, Electric brakes, Removeable Jack, DOT lighting. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$48,997.98
Stellar Industries, Inc.	Mechanic Truck with Crane	OTR	The Stellar Mini OTR's versatility comes from the combination of its service body, tire handling crane, tire loading liftgate, and a large hydraulic-driven air compressor. All together, this powerful asset provides 4,000 lbs of payload. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$220,836.13
Stellar Industries, Inc.	Slider 65 Hook Lift	SL65	Adjustable hook height: 54' to 62' Tandem aluminum fenders and aluminum fender for pusher axle Hot Shift P.T.O. Inside air controls mounted to column Hoist up alarm Tool box mounted one side, hydraulic oil tank mounted to opposite side Painted black 90,000 pound rated pintle hitch bumper assembly with air operated pintle hitch and rear glad hands and 7 pin trailer light connector (18,000 pound vertical load hitch	\$328,071.73
Stoughton Trailers, LLC	Dry-Van Trailer	DVT1	Rigid trailing arm style air suspension, tapered spindles and bearings with Pro-Torq axle nuts, and 20,000 lb brake rating per axle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$127,036.80
Stoughton Trailers, LLC	Refrigerated Van Trailer	PBRT	The PBRT refrigerated van trailer is an innovative designed trailer that is more thermally efficient, lighter weight, and safer than competitive trailers on the market today. Composite framing is used in the front wall and rear doors to optimize thermal efficiency and reduce overall weight. With up to 53' of trailer, it will be a challenge to match the quality you'll find in the PBRT. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$95,277.60
Superior Storage Tanks and Trailer	Petroleum Trailer	TF M-Series	Petroleum Trailer - Multiple tanks with different configurations, V-Bottom, Baffled for fluid sloshing, Custom Trans Fueler Trailer, Powder Coat Finish, 2" Fill Port with CimTek Pre-Vent Cap, Heavy-Duty Steel Chassis, Fuel Level Gauge Port, Steel Fenders & Decking, Discharge Port, 1.25" Drop Tube w/ISO B Male Coupling, Electric Brakes with Breakaway Safety System. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$53,522.31

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Superlift	Electric powered Walkie Pallet Jack	SL100	The SL100's versatility and heavy lifting capability of 10,000 lbs makes it quite the competitive rival in today's supply chain environment. Pallet For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$53,593.20
Superlift	Walk Behind Roll Clamp	SL WCT-10	For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$33,990.00
Superlift	Walk Behind Roll Clamp	SL RCT-30	For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$34,990.00
Superlift	Walk Behind Roll Clamp	SL RCT-10	For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$33,990.00
Superlift	Box Clamp Truck	Hercules	For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	
Superlift	Vehicle Mover	SLKM 60	For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$23,630.00
Talbert Mfg.	M872-A4 Trailer	M872A4	M872-A4 Trailer - NSN: 2330-01-497-0706, Trailer meets all M-Series testing required by the US Army, and is manufactured by the current awardee of this unit. Tri-axled trailer, CARC paint, Toolboxes, Apitong wood flooring and more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$207,851.30
Talbert Mfg.	Tilt Deck Trailer	AC-20ART	Tilt Deck Trailer - 40,000 lb. Capacity, Adjustable 3 in. Pintle Eye, 25,000 lb. (2) Two-Speed Landing Leg, Lockable Tool Box, Apitong Flooring, Apitong Flooring, Hutch Spring Suspension and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$52,577.35
Talbert Mfg.	Heavy payload Lowboy trailer with Dolly	T4LW-95CC-FG-T1	Heavy payload Lowboy trailer with Dolly - up to 95 ton capacity, Suspension 140K Ridewell (4) axle mechanical walking beam, quad 30k axles, jeep dolly, apitong and steel flooring. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$487,447.33
Talbert Mfg.	Lowdeck Gooseneck Trailer	T55CC	Lowdeck Gooseneck Trailer - Up to 55 ton load capacity, With an industry-leading 18 inch loaded deck height, offers state-of-the-art load versatility. Robust, four-cylinder hydraulic removable gooseneck maximizes lift capacity and load height. Best in class lift capacity of any trailer on the market. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$128,752.71
Talbert Mfg.	Travel Axle Trailer	4048 - 53TA	Travel Axle Trailer - Gooseneck design, Planetary winch, 2 Speed Landing Gear, apitong flooring, ABS Braking. Four beam seck sectional design, 25,000 lbs axles. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$136,896.54
Talbert Mfg.	Travel Axle Trailer	5548-53TA	Travel Axle Trailer - Four Beam, T-1 & 80k Construction, 20,000 lb. Planetary Winch with Air-Tensioner, Cable and shackle, Six-Function Wireless Remote, Large Cap., Lockable Toolbox, Two-Speed Landing Gear, Cable Roller at Front, Center of Lower Deck, 8 ft. - 6 in. Width, Piggy-Back Cylinder, 4 in. I-Beam Crossmembers on 9 in. Centers, 1 1/2 in. Apitong Flooring, Lengths up to 53'. ABS Braking. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$178,128.72
Talbert Mfg.	Travel Axle Trailer	5548TA	Travel Axle Trailer - Four Beam, T-1 & 80k Construction, Two-Speed Landing Gear, 20,000 lb. Planetary Winch with Air-Tensioner, Cable and Shackle, Cable Roller at Front, Center of Lower Deck, Six-Function Wireless Remote (Winch, Tilt and Axles), 8 ft. - 6 in. Width, Wet-Line Operation (Gas Power Pack Optional), Updated, Larger Diameter Piggy-Back Cylinder, Large Cap., Lockable Tool Box on Curb Side with Chain Rack, Updated Hardware and Door Seal, 4 in. I-Beam Crossmembers on 9 in. Centers. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$168,284.06
Talbert Mfg.	Tag A Long Trailer	AC3-30-AR	Tag A Long Trailer - One-piece tongue, main beam and beavertail (cold formed), Flooring: 1-1/2" apitong, Beavertail: 5'-0" self-cleaning design with traction bars (lumber between main beams), Ramps: 38" wide x 6'-0" length air ramps, self-cleaning, stored vertically with lock bar, Adjustable pintle eye with Pintle eye, chain and grab hooks, lockable toolbox with aluminum diamond plate lid, Axles: (3),25,000#, full-width track, Landing Gear: Electric/Hydraulic single-leg, BABS. Spring brakes on all axles., Electrical receptacle: Seven pin connector. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$67,489.89
Talbert Mfg.	Travel Axle Trailer	5553TA	Gooseneck design: LP Fixed, Deck section length: 41'-3" lower deck; 53'-0" OAL, Upper deck length: 11'-9", Deck section width: 8'-6", Loaded 5th wheel height: 49", Planetary winch:30,000# hydraulic with air clutch, air release/spring tensioner; 100' of 3/4" diameter cable with chain extension - cable roller guide (4-way rollers), Axle capacity: 25,000# - GAWR 20,000#, Capacity in tons: 55, Power source: Hydraulic couplings: 3/4" fixed at front of gooseneck, Roller at rear of upper deck, Electrical receptacle: Seven pin connector. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$149,209.48
Taylor Big Red	Multipurpose-Heavy duty equipment lift truck	X-650L	Multipurpose-Heavy duty equipment lift truck - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$773,738.94
Taylor-Wharton	Truck, Liquid Nitrogen 900 gallon	0.9K-90-TM-AF-LIN	Truck, Liquid Nitrogen 900 gallon 0.9K-90-TM-AF-LIN: 900 gallon tank with usable capacity of at least 810 gallons, Operating temperature -40°F to 125°F, Working pressure Max of 250 PSI, Commercial truck chassis, Overall height of tank 81", DOT approved lighting, tires, Polyurethane topcoat, All appropriated DOT transportation of gases safety placards and signs affixed to vehicle and tank, Overall Length of tank 10' to 12', Minimum of 1 yr manufactures warranty with options available, Superior Strength and Longevity, High Pressure/Convenient Payload, All markings in FED-STD-595, Reduced Operating and Installation Costs, Optimal draining to avoid water entrapment, Impact tested and certified, Height and width compatible for air transport, Corrosion protected for operations in diverse climates, Low Heat Loss/No Perlite Compaction, & Manufactured by highly skilled craftsmen, the tanks are made with superior design features and quality components. For additional information contact Fedharmony Support at (202) 779-0225 or <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$550,356.32
Taylor-Wharton	Mobile Nitrogen Pumper Unit	180K N2	Mobile Nitrogen Pumper Unit - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$1,453,237.05
Tenco Inc	Runway Sweeper	SW-425HF	Hauling or fifth wheel hook-up arrangement, 300 HP diesel engine Hydrostatically-driven brush, Mechanically-driven or hydrostatically-driven air blower, Air blower capacity exceeds 9,439 L/sec (20,000 SCFM), Working speed: 48 km/h (30 mph) 1 Year Warranty	\$323,802.47

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
Tenco Inc	Runway De-icer With Chassis	CLA-BU	Tenco, Inc. Runway De-icer, 2600 gal stainless steel tank, Hydraulic driven, computer controlled, 75 foot hydraulic fold booms, mounted on a current year Western Star 4900 (or equivalent). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$406,054.54
Terradyne Armored Vehicles Inc	Armored Multi-purpose vehicle	Gurkha MPV	Mounted on Medium-duty Commercial truck Chassis Diesel or Gasoline, High Ground Clearance, Top Speed: 70 mph (110 km/h), Independent lab ballistic resistance test to NIJ IV parameters on multi-layer ballistic plates, Electronic 4x4 shift on the fly, Dana Axles, ABS braking system, Front coil and rear Leaf Spring Suspension, Water fording up to 41 inches, Rear HVAC unit, Insulated interior floors, walls, Turret, and rear ballistic windows, rear seating and storage, Heavy Duty front winch, emergency and work lights, Side / Rear Steps for quick mount / dismount of vehicle, Grab handles for personnel safety. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$466,800.00
Textron	U-30 Push back tractor Mil spec	U-30	U-30 Push back tractor Mil spec. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$548,330.58
Textron	GT-35 Pushback/Tow Tractor	GT-35	GT-35 Pushback/Tow Tractor. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$258,774.41
Textron	Belt Loader	BL-BAG	Belt Loader. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$115,748.64
Textron	GT-110 Tow Tractor	GT-110	Aircraft towing vehicle. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$486,420.64
Textron	M1A30 Tow Tractor	M1A30-34	Multipurpose Towing Tractor. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$114,744.37
Textron	Tow Tractor MT	TUG MT	Tow Tractor MT. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$280,519.51
Textron	Tow Tractor MR	MR	Tow Tractor MR. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$114,227.30
Textron	Medium Powered Aircraft Air Start Trailer	TMD180	High Powered Aircraft Air Start Trailer - diesel powered,180 PPM, towbar w/3" eye, 24v electrical System ~435hp Cummins engine available in T3 or T4F configurations for worldwide operations support and Compressor GHH-Rand CD26S GS20. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$353,338.93
Textron	High Powered Aircraft Air Start Trailer	TMD250	High Powered Aircraft Air Start Trailer - diesel powered,250 PPM, towbar w/3" eye, 24v electrical System 535hp Cummins engine available in T3 or T4F configurations for worldwide operations support and Compressor GHH-Rand CD42S GS11. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$389,198.88
Textron	Tow Tractor, Electric	M7	Tow Tractor, Electric - 80V battery producing 40hp, 4500 draw bar pull, cabbed or no cab options. . For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$135,693.96
Textron	Tow - Pushback Tractor options package	Tex - GSE	Tow - Pushback Tractor options package - options may include Export powered diesel engine (for Export only), engine extreme winterization kit, In-Cab HVAC unit, custom paint/markings, LED lighting internal/external, advanced backup system camera/screen and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$63,894.03
Textron	Truck Mounted DeIcer	MT43P21ABS	Truck Mounted DeIcer - Mounted on a Medium duty diesel commercial truck chassis, Deice fluid tank 1,800 gal (6804 l) stainless steel, Anti-ice fluid tank 300 gal (1,134 l) stainless steel, Lift working height (open basket) 43? (13,716 mm), Lift working height (enclosed basket) 43? (13,106 mm). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$648,052.92
Textron	Baggage Tractor	TUG MA	Baggage Tractor - Low profile multipurpose tug with towing capabilities 3000-6000 lbs, Proven reliability and effective, Heavy Duty 4 Wheel Suspension, Drawbar and multiple safety attachments available, High torque for enhanced towing of flight line equipment, Automatic transmission, Designed for use around aircraft and aircraft maintenance facilities, Rugged design for extended life expectancy, Multiple engine options, Warranty and technical support available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$84,021.48
Textron	Belt Loader	BL660	Belt Loader BL660: Deutz 2.9L diesel tier IV final engine EPA compliant, Variable belt speed control, 12 Volt system Side and Handrail options, LED headlights taillights backup and turn signals, Remote belt controls, Horn, Operations safety beacon, Hour meter, Adjustable Front and rear LED spotlights, Seat belts, Single lever shift control - shift operation is in the direction of travel, 4-wheel disc brakes, Cable-actuated parking brake, Multi-position E-stops, Electronically controlled boom and belt controls, All models are engineered to maximize parts commonality which delivers ease of maintenance and lower cost of operation, Emergency stops located in the LF, LR, and Dash, Operator and maintenance training at customers' location after delivery of equipment, Superior steering & 2-year/ 2000 Hour warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$123,454.80
Trepel	Aircraft Tow Tractor	CH700	The Challenger 700 offers push-back and towing of aircraft up to 600,000 kg (660 Tons; A380). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$679,622.33
Trepel	Aircraft Tow Tractor	CH550	Aircraft Tow Tractor - Capacity Aircraft weight up to 450 tons, Dimensions (L x W x H) 7.760 x 3.000 x 2.060 mm (standard configuration w/o couplings), Drawbar pull 369 kN (calculated theoretical value, dependent on ballasted weight and adhesion factor) , Driving speed 30 km/h (depends on ballasted weight), Turning radius 6.900 mm, Weight 50 tons (without ballast) up to 60 tons (ballasted), Engine Deutz 6-cylinder diesel TCD 2013 L6 (COM IIIA / EPA-TIER3), Other engines or emission class on request. Transmission ZF-power shift transmission, torque converter, 6 speed forward, 3-speed reverse. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$597,482.14
Trepel	Conventional Aircraft Tractor	CH430	The CHALLENGER 430 is a conventional aircraft tractor that is capable to handle push-back, repositioning and maintenance towing of aircraft up to a fully loaded B777. The hydro-pneumatic front axle suspension provides the best possible driving comfort for the operator. The crane-liftable power-pack compartment minimizes downtime of the tractor and reduces maintenance costs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$467,485.99
Trepel	Towbarless Aircraft Tractor	CH380	The Charger 380 offers push-back, inter-gate service and long distance maintenance towing up aircraft up to 380,000kg(418,000 Tons; A340-500/600, B777-200LR/300ER). Additionally, the CH380 features a liftable driver's cabin (w/up to 3 seats) as well as a patented oversteer protection system. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$564,233.40

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Trepel	7 Ton Pallet/Container Loader	CH70U	The CH70U range, TREPEL 7 ton cargo high loaders, combines highest availability with extremely low operation and maintenance costs, making this versatile pallet and container high loader a real CHAMP. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$304,506.72
Trepel	Aircraft Tow Tractor	CH150	Aircraft Tow Tractor: Diesel engine, folding steps at the rear, Hydraulic power steering with emergency steering, Engine cooling system with direct drive, Four-wheel steering, Front axle with hydro-pneumatic suspension, adjustable and lockable in any height, Hydraulic dual-circuit brake system, Rear axle not suspended, Multiple wet disc brakes on each wheel, Safety-brake pressure accumulators for emergency braking, Switches, levers, or controls inside the cabin, Fail-safe emergency- and parking brake at the rear axle, Single stage for drawbar, Driver's seat with mechanical suspension, longitudinally adjustable with weight adjustment, Adjustable steering wheel for left-hand drive (LHD), Winter Kit, Roof window, & The warranty period is 12 months or 1500 hour's, whatever comes first.	\$296,160.00
Turnkey Industries	Custom Command Personnel Trailer	TKI-400	Custom Command Personnel Trailer - Enclosed cargo trailer, customized with a high powered generator that is capable to hook up to shore power, HVAC unit, multiple door/window configurations, workstations, audio/visual equipment, cabinets, flooring, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$523,498.60
Turnkey Industries	Command Custom Trailer	30CT	Command Custom Trailer - Mobile command and operation centers, designed to meet the rigorous standards required for military and government applications. Options include: Aluminum construction, Designed to suit your specific needs for any application, Tradeshow support, Multiple slide-outs, Generators/ air compressor, Satellite dish ? AV components- data network, Custom lounges/ restrooms. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$171,232.44
Turnkey Industries	Custom Command Trailer	TKI-255	Custom Command Trailer - Up to 53' in length, custom-built interior to support mission requirements. Layouts may include Maintenance style work stations, command-style configurations include high powered generator, Comm equipment, Multiple workstations, Audio/Visual, shelving, insulated flooring, HVAC, doors, entry stairs and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$330,737.48
Turnkey Industries	Mobile Communications Center	TKI - 1M	Mobile Command Center - Trailer equipped with advanced communication, radio, audio, visual, security, lighting, flooring, Insulation, HVAC, Doors, safes, custom-designed, and engineered to meet or exceed mission requirements. Options include generators, cabinetry, awnings, railings, stairs, advanced work lighting awnings, expandable sides and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,646,350.27
Turnkey Industries	Communications Command Trailer	CCT	Communication Command Trailer - Mobile command and operation centers, designed to meet the rigorous standards required for military and government applications. Options include: Aluminum construction, Designed to suit your specific needs for any application, Tradeshow support, Multiple slide-outs, Generators/ air compressor, Satellite dish ? AV components- data network, Custom lounges/ restrooms. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$565,868.76
Turnkey Industries	Emergency Response Trailer	48CR	Emergency Response Trailer - Mobile command and operation centers, designed to meet the rigorous standards required for military and government applications. Options include: Aluminum construction, Designed to suit your specific needs for any application, Tradeshow support, Multiple slide-outs, Generators/ air compressor, Satellite dish ? AV components- data network, Custom lounges/ restrooms. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$387,519.41
Turnkey Industries	Command Custom Trailer	40CT	Command Custom Trailer - Mobile command and operation centers, designed to meet the rigorous standards required for military and government applications. Options include: Aluminum construction, Designed to suit your specific needs for any application, Tradeshow support, Multiple slide-outs, Generators/ air compressor, Satellite dish ? AV components- data network, Custom lounges/ restrooms. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$437,909.90
Turnkey Industries	Command Transport Trailer	53CTT	Command Transport Trailer - Up to 53' in length, custom-built interior to support mission requirements. Layouts may include Troop transport up to 80 pax, command-style configurations include high powered generator, Comm equipment, Multiple workstations, Audio/Visual, shelving, insulated flooring, HVAC, doors, entry stairs and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$666,754.23
Turnkey Industries	Mobile Command Trailer	TKI300	Mobile Command Trailer - Enclosed gooseneck trailer, Dual axles appropriate for the weight of the trailer with electric brake, Four point leveling system ? electric/hydraulic, DOT LED Lighting, Exterior skins to be .125 aluminum skins, HVAC, Diamond plate on the forward edge of trailer (rock guard), Insulated walls, multiple flooring options, high powered generator with capability to connect to shore power, custom storage, A/V equipment, and workstations. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$379,075.99
Turnkey Industries	22' Vaccination - Testing Mobile Trailer	22VT-GE-01	22' Vaccination - Testing Mobile Trailer - All aluminum 22' long 102" wide bumper pull, Generator power capable of powering the entire unit, foam insulated, GFI power outlets, Shore power connection capable of operating lights, HVAC shall be a wall mount unit, 2-Ton A/C with 10kW Heat, 2 heavy-duty refrigerators and incidental items, Workstations with overhead cabinets, Space and electrical for (2) ultra-low refrigerator units, Bathroom with RV style toilet and small sink, split doors (Dutch style) to accommodate walk-up and drive-up patient on either side of the trailer. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$147,783.91
Turnkey Industries	26' Vaccine - Testing Trailer	26VT-GE-01	26' Vaccine - Testing Trailer - 26' Hydraulic Lift steel base frame, 36" wide aluminum ramps with wheelchair lips on both sides and compliant handrails, Aluminum structure and skins, Windows, Hydraulic lift will be able to lower the trailer off the wheels and suspension to be set down on the frame, slider access window to allow for an initial temperature check and questionnaire, ADA Ramps available, Multiple workstations, Entry Doors, positioned to allow for the flow of individuals through the trailer without compromising the integrity of an infectious control program. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$154,053.91

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
UTEC	Base Operations Telescopic Bucket Truck non-insulated	UTLN35A	Base operations telescopic bucket truck non- Insulated. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$159,980.19
UTEC	Base Operations Telescopic Bucket Truck- insulated	UTLI35B	Base operations telescopic bucket truck - Insulated. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$172,102.34
UTEC	Articulating Telescoping Aerial Device	UTLI46	Articulating Telescoping Aerial Device. Insulated and Non-insulated options 45 foot working height Heavy Duty Commercial Truck Chassis multiple options available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com.	\$195,023.70
UTEC	Articulating Telescoping Aerial Device	UTLI41	Articulating Telescoping Aerial Device - Mounted on a Medium Duty commercial truck chassis. Height to bottom of platform 36? 9? (11.20m), Working height 41? 9? (12.73m), Horizontal reach from center line w/ side mount platform 25? 9? (7.85m), Horizontal reach from center line w/ end mount platform 27? 9? (8.46m). For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$184,494.24
Vancer	Two Stage Loader-Mounted Snow Blower	RPM217	Two-Stage Loader-Mounted Snow Blower - Caterpillar Tier 4 Final, turbocharged Diesel engine, Up to 1,800 tons/hour, Adjustable height from 125 to 155 in., Two (2) interchangeable 17 in. diameter full flight, augers welded in one piece, Caterpillar Tier 4 Final, turbocharged Diesel engine, Cutting width: 110 in., 46 gal steel tank, Overall height: 129 in., telescopic chute retracted, Six (6) steel skates 586 sq in, OPTIONAL EQUIPMENT: 116 in. cutting width steering vanes, Hydraulic steering vanes, LCD color display screen, Arctic lubrication kit for constant temp. below -25°C (-13°F) and more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$148,986.11
Vancer	Hi-Rail Excavator	CHX35	Hi-Rail Excavator - Has high and low rail capabilities, diesel powered, Hi-Rail Drive Four hydraulic motor/gearbox combo drive system with flushing system, Hydraulic Interlock levers, molded poly track pads, internal weather protected electronic system for adverse weather conditions, multiple attachments include buckets, under cutters, tie heads, brush cutters, mowers and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,710,966.97
Vancer	Culvert Cleaner	CC50	Wireless control of monitor nozzle (left/right and up/down). Nozzle position allows customer to easily view target ½? and 15/16? nozzles for large or small material removal 15 minutes to clean out a plugged culvert. Hydraulically driven high flow water pump Attachment can be used as a push pad. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$81,058.14
Vancer	Ballast Cribber	CBC	Removable buckets for different crib widths. Heavy duty cylinders for durability and long life. Rail clamps to hold you to the rail while cribbing. Rail wheels to easily move attachment to next crib. Removable teeth allows for easy replacement For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$168,196.20
Vancer	Hi Rail Tie Crane-Light	TC08	This machine offers a modern approach to railroad tie handling. The Vancer CTC08E Tie Crane?s compact design packs a powerful lift capacity and precise tool control, which delivers enhanced tie handling agility. Operators can work efficiently with railroad concrete and wood ties as well as other material handling applications. The on-track drive of the machine allows for greater visibility and enhanced tie placement accuracy. Ideal for concrete and wood tie handling. Grapple can hold five ties at once. Tie placer can move multiple ties per hour. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$472,839.15
Vancer	Hi Rail Tie Crane	TC13	The Vancer CTC13 Tie Crane?s compact design packs a powerful lift capacity and precise tool control, which delivers enhanced tie handling agility. Operators can work efficiently with railroad concrete and wood ties as well as other material handling applications. The on-track drive of the machine allows for greater visibility and enhanced tie placement accuracy. Ideal for concrete and wood tie handling, Grapple can hold five ties at once, Tie placer can move multiple ties per hour. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$688,994.19
Vancer	Hi Rail Excavator	CHX41	The Vancer CHX41 Hi-Rail Excavator is the most productive piece of maintenance equipment in the railroad industry. This machine features a hydraulically powered hi-rail gear undercarriage with train air brakes, multiple tool carrier functionality and dual pivoting railcar couplers ? plus, unmatched travel and transport capabilities For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$2,053,472.88
Vancer	Hi Rail Excavator-Medium	CHX25	Hi Rail Excavator-Medium - The combination of compact size and rail capability makes the Vancer CHX25 Hi-Rail Excavator an excellent fit for any rail maintenance job. The C4.4 ACERT motor provides ample power while conserving fuel and minimizing DEF usage. In-cab controls for auxiliary and hi-rail equipment are engineered for ease of use, guaranteeing high productivity. Pneumatic components were added for train air brakes. Hi-rail drive allows the CHX25F Hi-Rail Excavator to easily make its way to water-logged, crowded or remote work locations. Using this machine will bring decreased downtime and increased productivity. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$1,168,588.19
Vancer	Hi Rail Excavator-Light	CHX13	Compact in design, the CHX13 hi-rail excavator features great strength and performance in a lighter-weight machine. It provides operators the performance and power needed to complete rail maintenance projects in short windows. The advanced hydraulic system of the compact CHX13 allows the operator to work on and off track ? but delivers performance that is unmatched for its size For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$898,394.39
Vancer	Hi Rail Backhoe Loader	CBL20	The Vancer CBL20 Hi-Rail Backhoe Loader is a customized system that allows for the machine to travel on hi-rail for ease of use at remote job-site locations. The specialized hi-rail system delivers reduced downtime associated with equipment relocation to job sites and allows for increased agility in getting on and off track. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$398,535.86
Vancer	Hi Rail Maintenance Truck	HRMT	Hi Rail Maintenance Truck - Mounted on a Medium Duty Kenworth T470 Commercial truck chassis or equal, Hydraulically operated rail gear, Mitchell model M2040, or equal, Flat Deck Body, Onsite field and in service training anywhere in the U.S.. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$402,134.83

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Vancer	Ditching Gondola Cart-25 yd Capacity	HGC25	Hytracker's ditching gondola will allow you to make emergency repairs faster, reduce traffic delays and improve "on time" work time. It also works with the Hytracker rail cart to gain access to previously inaccessible worksites, reduce manpower and work train requirements. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$105,239.70
Vancer	Rail Hydraulic Tow Cart-100K lb Capacity	HTC100	The rail hydraulic tow cart has hydraulic ramps and stabilizers for loading. All wheels have fail safe brakes. A Tow Cart can be towed on the rail, loaded on and off the rail and transport trailers with the excavator. It can be towed at speeds of up to 25 mph. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$317,477.72
Vestergaard Co Inc.	Vacuum Service Truck	VTS	Vacuum Service Truck - Mounted on a medium duty Isuzu diesel powered truck chassis or equal, dual tanks for servicing sludge, PTO powered vacuum system, Operators platform with controls, Tie downs for Air transportability, HMI display and emergency management system and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$306,128.35
Vestergaard Co Inc.	Truck Mounted Aerial Pumper	BETA1600	Truck Mounted Aerial Pumper - Mounted on a Medium duty diesel powered truck chassis, 1600 gallon tank capacity, Batch Heating System ensures hot fluid (90°C/194° F) available immediately after refilling, De-icing operation at ultra heights . Max eye level 15.5 m (51') Max nozzle height 23.5 m (77'), long reaching telescopic spray boom enables fast and effective operation while minimizing fluid consumption. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$767,591.84
Vestergaard Co Inc.	Truck Mounted Aerial Pumper	BETA2600	Truck Mounted Aerial Pumper - 2600 Gallon Capacity - Mounted on a Medium duty diesel powered truck chassis, 2600 gallon tank capacity, Batch Heating System ensures hot fluid (90°C/194° F) available immediately after refilling, De-icing operation at ultra heights . Max eye level 15.5 m (51') Max nozzle height 23.5 m (77'), long reaching telescopic spray boom enables fast and effective operation while minimizing fluid consumption. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$1,301,705.24
Wall 2 Wall MFG	Canine trailer	Bayou	Canine Trailer - 4? aluminum frame, flush mount lockable metal latches, tongue box, insulated floors, LED interior lights, LED tail lights, radial tires and galvanized rims, 20-gallon water tank, top storage box, full walkout fender wells that you can walk on without bending, floors designed for easy washout (self-draining). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$32,048.28
Wall 2 Wall MFG	Aluminum Canine Trailer	Bayou 10	Aluminum Canine Trailer - 4? Aluminum Frame, LED tail lights, Flush mount lockable latches, Radial tires and galvanized rims, Tongue Box, Water Tank, Insulated Floors, Top Storage box, LED interior lights, Full walk out fender wells, HVAC option, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$58,960.96
Ward Apparatus	First Response Attack Truck	MCB Responder	Mounted on Medium-duty Commercial truck Chassis, Storage compartments are custom sized and built to spec w/illumination, Emergency Light Bars, Hannay booster reel, Siren, Folding Stairs to ease personnel access, Telescopic scene lights, Aux Engine for pumping, Large Capacity water tank, Back up camera for safer scene maneuverability, Cab control console, Sump pump for easy filling/drainage of tank, Custom Paint, Graphics, Wraps, Multiple Tank outlets for quick emergency response, Back up Alarm, Rear suspension Stabilization and much more. NFPA 1901 compliant. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$252,630.00
Watts Manufacturing	Type 6 Wildland Fire Apparatus	WM6BT	Type 6 Wildland Fire Apparatus - Brush Trucks, also known as Wildland Trucks, are designed to move quickly in rugged terrain. Watts Manufacturing custom fabricates brush fire trucks for you. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$274,951.21
Watts Manufacturing	3,000 Gal Fire Tender Truck	FT3000	3,000 Gal Fire Tender Truck - Tender trucks are custom built by Watts Manufacturing to your specifications. We will even help you develop your tender fire truck specifications. We fabricate our tender trucks for many chassis and our tender truck designs are based on the needs of your rural environment. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$297,920.30
Wiggins Lift, Co.	Yardbull Lift Vehicle-700	W700	Yardbull Lift Vehicle-700 - Diesel Powered, Max Fork Height 144 inches, Pneumatic Tires, 8 foot forks, 2 wheel drive, 70,000 lb load, 24 inch load center, Dual Front Tires, 2 stage mast, Various attachments, Overhaul Lowered Height 152 Inches. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$574,506.18
Wiggins Lift, Co.	Yardbull Lift Vehicle-460	W460	Diesel Powered, Max Fork Height 144 inches, Pneumatic Tires, 8 foot forks, 2 wheel drive, 46,000 lb load, 24 inch load center, Dual Front Tires, 3 stage mast, Carriage Width 96 inches, Overhaul Lowered, Height 152 Inches. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$469,499.66
Wiggins Lift, Co.	Yardbull Lift Vehicle-550	W550	Yardbull Lift Vehicle-550 - Diesel Powered, Max Fork Height 144 inches, Pneumatic Tires, Overhaul Lowered Height 152 Inches, 2 wheel drive, 8 foot forks, Dual Front Tires, 55,000 lb load 24 inch load center, Carriage Width 96 inches, Simplex Mast. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$540,772.94
Wiggins Lift, Co.	Yardbull Lift Vehicle-420	W420	Yardbull Lift Vehicle-420 - Diesel Powered, Mx Fork Height 144 inches, Pneumatic Tires, Overhaul Lowered Height 152 Inches, 2 wheel drive, 8 foot forks, Dual Front Tires, 42,000 lb load 24 inch load center, Carriage Width 96 inches, Simplex Mast. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$501,079.40
Wiggins Lift, Co.	Yardbull Lift Vehicle-360YXL	W360YXL	Yardbull Lift Vehicle-360YXL - Diesel Powered, 2 stage mast, 36,000 lb Lift Capacity @ 24 inch LC, Side Shift, 25,000 lb lift Capacity @ 48 inch LC, Fork positioner, 220 inch inch Lifting Height, Enclosed Cab, 8 foot forks, Dual Front Wheels, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$371,937.84
Wiggins Lift, Co.	Yardbull Lift Vehicle-360Y	W360Y	Yardbull Lift Vehicle-360Y - Diesel Powered, 2 stage mast, 36,000 lb Lift Capacity @ 24 inch LC, Side Shift, 25,000 lb lift Capacity @ 48 inch LC, Fork positioner, 220 inch inch Lifting Height, Enclosed Cab, 8 foot forks, and Dual Front Wheels. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$356,256.68

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Wiggins Lift, Co.	Zero Emissions Lift Vehicle	360Ye	Zero Emissions Lift Vehicle - Motion Alerts ? visual and audible, Radar and Back Up camera, Unique Battery Management System for extended service life and safety, Vibration and Shock component mounting, Significantly lower operating and maintenance costs compared to diesel, Bundling with Charge Stations available Level II or DC Fast Charge, SAFE ANSI/ITSDF B56.1 and UL-583 Conformance. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$729,896.11
Wiggins Lift, Co.	Yardbull Lift Vehicle	W300Y	Yardbull Lift Vehicle - Large Lifting capacity, dual stage Mast, Open, or enclosed cab with HVAC, Multiple carriage Options, High torque diesel Engine, Multiple Optional equipment such as lighting, cameras. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$316,758.36
Worldwide Enterprise	Return Fire Package Sedan	RFP-Sedan	Return Fire Package Sedan - Sedan - Current year model Mid/Full sized Sedan, Level IV or better ballistic door paneling for enhanced passenger protection, housings, Level IIIA Ballistic glass. Glass enables occupants to fire from inside of vehicle out while still preventing the fire from outside (One Way). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$144,487.13
Worldwide Enterprise	Return Fire Package SUV4x4	SUV44 RFP	Return Fire Package SUV44 - Current year model SUV or equal 4x4, Level IV or better ballistic door paneling for enhanced passenger protection, housings,Level IIIA Ballistic glass. Glass enables occupants to fire from inside of vehicle out while still preventing fire from outside (One Way). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$167,059.13
Worldwide Enterprise	Return Fire Package Kit	RFP - Kit	Return Fire Package Kit - Door Paneling molded and installed to the interior of door panel for occupant protection, Ballistic level IIIA glass modified to replace all OE glass, Level IV or better ballistic door paneling for enhanced passenger protection, Glass enables occupants to fire from inside of vehicle out while still preventing fire from outside (One Way). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$69,274.72
Worldwide Enterprise	Return Fire Package SUV4x2	SUV42 RFP	Return Fire Package SUV4x2 - Current year model SUV or equal 4x2, Level IV or better ballistic door paneling for enhanced passenger protection, housings, Level IIIA Ballistic glass. Glass enables occupants to fire from inside of vehicle out while still preventing fire from outside (One Way). For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$155,773.13
XL Specialized Trailers	Gooseneck Lowboy Trailer	XL 70MFG	Gooseneck Lowboy Trailer - Gooseneck decking; apitong decking flush, d-rings: bent d-rings, Overall width 102", Main deck length: 29', rear deck length: 9', Capacity 70,000 lb distributed; 70,000 lb in 16', Loaded main deck height: 18" w 6" ground clearance, loaded rear deck height: 40", Gooseneck: length - 10' full-width neck, kingpin, Rear Decking 1 1/8" apitong decking, flush, Swing clearance - 84", 5th wheel height - 49", Crossmember 6" & 4" Jr I-beam on 12" alternating centers. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$119,711.16
XL Specialized Trailers	Gooseneck Lowboy Trailer	XL 60MFG	Gooseneck Lowboy Trailer - Side beams 4 fab I-beams 12", ABS with spring brakes on 2 axles, Main deck D-rings: D-rings per side- 8 total, rear deck d-rings: 2 bent D-rings in tail channel, Brakes 16 1/2" x 7", Axles ( 2 ) 25,000 nominal, 77 1/2" tracking, spacing 54", Drums hub pilot / outboard drums, Suspension 25,000 air, Capacity 60,000 lb distributed; 60,000 lb in 16', Loaded main deck height: 18" w 6" ground clearance, loaded rear deck height: 40. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$116,746.40
XL Specialized Trailers	HYDRAULIC DETACHABLE GOOSENECK TRAILER	XL 80HDGS	Hydraulic Detachable Gooseneck Trailer - Main Deck: LENGTH - 26', D-Rings: 6 BENT D-RINGS PER SIDE - 12 TOTAL, Loaded Main Deck Height: 22" W/ 8" GROUND CLEARANCE, Outriggers:12" SWING OUT OUTRIGGERS ON 24" CENTERS, WITH DOUBLE UP FRONT, Decking:1 3/8" APITONG DECKING, RAISED - CENTER OPEN, Chain Drops:24" O/C - OUTSIDE BEAMS, Crossmember: 8" & 4" JR. I-BEAM STUBBED 12" ALTERNATING CENTERS, Rear Deck Length:9' 6" WITH 32" REAR TRANSITION, Side Beams: 4 BEAMS 14", Loaded Rear Deck Height: 40". For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$118,070.16
XL Specialized Trailers	Hydraulic Detachable Gooseneck Trailer	XL 70HDG	Hydraulic Detachable Gooseneck Trailer - Multiple lengths trailer, 12? 5? gooseneck length, 24? main deck, 40? rear deck height, 16? king pin setting, 108? swing clearance, Axels (3) 25,000 LB NOMINAL, (4) 16? FAB I-BEAMS, 10? and 4? stubbed jr. I-beam cross members on 12? alt. ctrs. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$153,170.68
XL Specialized Trailers	Hydraulic Tail Trailer	XL 80PT	Hydraulic Tail Trailer XL 80PT: capacity: 80,000 lb overall concentrated: 50,000 lb in 10', 16" king pin setting, 20,000 lb. hydraulic winch, planetary drive 18,000 lb hydraulic winch with 75' of 1/2" cable, 13' 8" hydraulic tail: 8' 8" platform 60" fold under flip tail, 6.75 x 17.5 steel rims, rumber raised decking, spring brakes on 2 axles, 25,000 lb air ride suspension, 36" loaded deck height, 2 speed landing gear with handle on driver side, 2 function wireless remote for winch, integrated foot step and grab handle, on both sides, work-around pulley for winch cable, double drop design, automatic flip tail lock, PSI tire inflation system, liquid filled air gauge, Air-weigh digital scale & 20 ton snatch block pulley system w/15 ton D-ring. For additional information contact Fedharmony Support at (202) 779-0225 or <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$187,928.12
XL Specialized Trailers	Trailer Booster Jeep Dolly	XL Jeep	Trailer Booster Jeep Dolly - XL Jeeps are designed to make your trailer more versatile. The ability to use the jeep in front of your trailer when needed to distribute the weight of the load, but remove when unnecessary makes you able to handle a wider range of loads. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$98,262.17
XL Specialized Trailers	Heavy-Duty Lowboy Trailer	XL140	Heavy-Duty Lowboy Trailer - Rated at 140,000 pounds capacity overall, Multiple load securement options to ensure safe transport, Low rear deck height, Gooseneck offers multiple position variable ride height, The heavy-duty trailer can include three-axle jeep, and three-axle power booster., Extension stops every two feet, Heavy-duty hardwood flooring with optional metal flooring, Brackets for 36? flip neck, Extendable deck to accommodate a diversity of load lengths and widths. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$505,877.88

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
XL Specialized Trailers	Heavy Duty Step Deck Trailer	XL 200 SD	Heavy-Duty Step Deck Trailer - Step Deck, 5th wheel height: 58", Overall Length: 42', Overall Width: 10' 6", Capacity: 200,000 Lb Distributed At 5 Mph Up To 35 Mph, Decking: Galvanized Heavy Duty Grating, Gooseneck length: 12', Landing Gear: 2 Speed, Handle Curb Side - Heavy Duty, Kingpin Setting: 16" - 3 1/2" Diameter, Stake Pockets: 24" Oc, 5/16" X 2" Rub Rail W/ Double Pipe Spools - Heavy Duty Flat Plate Kick Up Sheet On Back Of Neck, Swing clearance: 97", Main deck length: 30'. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$433,608.36
XL Specialized Trailers	Gooseneck Lowboy Trailer	XL 100MGX	Gooseneck Lowboy Trailer - Expandable wheel area to extend from 102" wide to 120" wide, (2) 6" air cylinders to expand and retract wheel area, Bolsters between axles to be 40" wide, Decking: 2" apitong decking, center deck open, Crossmember: formed on 24" centers, Side beams: 2 fab I-beams 15", D-rings, Ramps, Outriggers: swingout on 24" centers, apitong outrigger planks. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$219,093.83
XL Specialized Trailers	Flat Deck Trailer	XL 60FD	Flat Deck Trailer - T-1 flange and 80K web with 1 1/8-inch Apitong decking, these XL Step Decks are built to last. Choose from 48' or 53' OAL, and four axle spacing options (49", 54", 60" or 10' 1") to build the trailer best suited for your needs. The 53' version is available with a 6' beavertail and spring assist ramps to make loading much faster. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$87,429.95
XL Specialized Trailers	Slide Axle Trailer	XL110SA	Slide Axle Trailer - Honda powered hydraulic system, 30,000LB planetary winch, 17 degree dump angle for unloading containers with ease, Hydraulic sliding axle assembly with traveling bumper for under ride protection, 6 1/2 degree load angle permits you to easily load pavers and rollers, Automatic slack adjusters, Single 2 stage cylinder provides maximum travel and minimal maintenance, Pivoting 5th wheel plate, and Winch at the front for loading inoperable equipment. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$152,251.86
XL Specialized Trailers	Step Deck Trailer	XL 60SD	Step Deck Trailer - T-1 flange and 80K web with 1 1/8-inch Apitong decking, these XL Step Decks are built to last. Choose from 48' or 53' OAL, and four axle spacing options (49", 54", 60" or 10' 1") to build the trailer best suited for your needs. The 53' version is available with a 6' beavertail and spring assist ramps to make loading much faster. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$93,015.29
XL Specialized Trailers	Custom Flat Deck Trailer	XL 100FD	Custom Flat Deck Trailer - Up to 53' in length, Hardwood Apitong Flooring, Heavy Duty steel frame, Dual speed landing gear, Toolbox, Axle spacing, Load height built to customer specs. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$138,270.92
XL Specialized Trailers	Lowbed Gooseneck Trailer	XL 70	Lowbed Gooseneck Trailer - Gooseneck narrow fixed neck, Load lights mount on the rear of neck, Kingpin hitch, Landing gear dual speed, Decking: diamond steel plate between the center of trailer 2" oak outside, toolbox in the gooseneck, Side beams: 8' x 11.5 lb side channel, ABS: spring brakes, D-rings side mounted for load securement, Spare tire mount, beaver tail, Strobe lights at the rear and more at rear with 1/4" tread plate with traction bars. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$114,708.80
XL Specialized Trailers	Slide Axle Trailer	XL80SA	Slide Axle Trailer - Air & electric done after paint, Many custom options available, 17 degree dump angle for unloading containers with ease, Hydraulic sliding axle assembly with traveling bumper for under ride protection, 6 1/2 degree load angle permits you to easily load pavers and rollers, Automatic slack adjusters, Single 2 stage cylinder provides maximum travel and minimal maintenance, Pivoting 5th wheel plate, and Winch at the front for loading inoperable equipment. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$152,251.86
XL Specialized Trailers	Gooseneck Lowboy Trailer	XL120HDG	XL Hydraulic Detachable Gooseneck Lowboy Trailer is built distinctively to handle the heaviest hauls with ease. Versatility through the many different axle configurations available, Main deck available in many, lengths, widths and heights, Hydraulic neck is wider and stronger than the industry standard offering increased stability for high center of gravity loads, Hydraulic support arm contacts truck frames rails only; there is no need to carry a 4 x 4 for blocking the neck, paint includes a full 1 year warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$166,330.53
XL Specialized Trailers	Expandable Trailer	XL110HDE	Expandable Trailer - The XL Hydraulic Detachable Extendable features the patented XL Extend-A-Trac which allows for extending and retracting the trailer without hooking and unhooking air and electrical lines, The next generation HDE units come with more standard features such as chain drops, swingout outrigger brackets, as well as an improved track design. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$213,479.32
XL Specialized Trailers	Drop Deck Extendable Trailer	XL 80DDE	Drop Deck Extendable Trailer - The XL Hydraulic Detachable Extendable features the patented XL Extend-A-Trac which allows for extending and retracting the trailer without hooking and unhooking air and electrical lines, The next generation HDE units come with more standard features such as chain drops, swingout outrigger brackets, as well as an improved track design. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$162,266.47
XL Specialized Trailers	Flip Axle	24FA	Flip Axle - Frame: T1 flange, 80 k web, 54" axle spacing, 102" width, Suspension: 25,000 lb air ride, Axles: (1) 25,000 lb nominal, Hub pilot, outboard drums 16 1/2" x 7" brakes, Limit chains, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$35,943.68
XL Specialized Trailers	Step Deck Trailer	XL 70SD	Step Deck Trailer - T-1 flange and 80K web with 1 1/8-inch Apitong decking, these XL Step Decks are built to last. Choose from 48' or 53' OAL, and four-axle spacing options (49", 54", 60" or 10' 1") to build the trailer best suited for your needs. The 53' version is available with a 6' beavertail and spring assist ramps to make loading much faster. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$113,890.67
XL Specialized Trailers	Side Dump Trailer	XL 60SD3-37	Side Dump Trailer: 18" kingpin setting, grease zerks in 5th wheel plate, grease hubs, removable, kingpin, bolt-on high density polyethylene fenders front and rear, landing gear, rolled tub, bolt-on push block, water level volume: air ride suspension, thick tub material, taillight package with aluminum cover, aero side kick 2 tarp system, 1 year paint, & 1 year parts.	\$112,963.73

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
XL Specialized Trailers	Low Profile Trailer	XL 102HDG	Lowboy Trailer - Hydraulic detachable narrow neck, kingpin setting, Hydraulics run off of wet kit, 7 position variable ride height, Air operated lock w/ manual safety latch, 5th wheel, Axles (3), bent d-rings per side, Hub pilot, outboard drums, apitong decking raised, Center deck open, Swing-out outriggers, Fab I-beams, Paint 1-year warranty: Black, red, or new cat yellow trailer may be slightly modified to satisfy mission requirements.	\$145,433.31
XL Specialized Trailers	Side Dump Trailer	XL 60SD2-37	Side Dump Trailer: kingpin setting, grease zerks in 5th wheel plate, grease hubs, removable, kingpin, bolt-on high density polyethylene fenders front and rear, landing gear, rolled tub, bolt-on push block, water level volume: air ride suspension, thick tub material, taillight package with aluminum cover, aero side kick 2 tarp system, 1 year paint, & 1 year parts.	\$127,156.05
XL Specialized Trailers	Step Deck Trailer	XL 110 SD	Step Deck Trailer: Smooth Steel Decking, ABS brakes, 2 Speed Heavy Duty w/Sand Shoes Landing Gear, Pilot Mount Steel Disc Wheels, Aluminum Toolbox on Gooseneck, Outboard Drums, D-Rings, Sealed Electrical System, Spring Ride Suspension, Winch, Winch Bar, Black Duraback on Upper & Main Deck, Legend Placard Systems, Slip Resistant Tread - Cover Front & Rear, Tank Brackets, 1 Year Warranty Against Axles, Suspension, Landing Gear, Wheels, Rims, and Hub, Winch Straps w/Hooks & Protective Sleeving, 6 Month Min Warranty Against All Other Component Defects, Hubometer on 1st Axle, & 5 Year Warranty Against Structural Framework.	\$142,590.42
XL Specialized Trailers	Flat Deck Trailer	XL 110 FD	Flat Deck Trailer: Smooth Steel Decking, ABS brakes, Heavy Duty w/Sand Shoes Landing Gear, Pilot Mount Steel Disc Wheels, Pelican Storage Boxes for Swivel Rings, Outboard Drums, D-Rings, Sealed Electrical System, Spring Ride Suspension, Winch, Fabricated Side Beams, Hubometer, Legend Placard Systems, Swivel Rings for Balance Lifting, Tank Brackets, 1 Year Warranty Against Axles, Suspension, Wheels, Rims, and Hub, Single Drop Driver-side Aluminum Toolbox, 6 Month Min Warranty Against All Other Component Defects, Winch Straps w/Hooks & Protective Sleeving, & 5 Year Warranty Against Structural Framework.	\$146,129.74
XL Specialized Trailers	Lowboy Trailer	XL 70HDGS	XL 70HDGS Lowboy Trailer: 35 Ton detachable gooseneck, Front ramps, ABS brakes, Running gear, D-Rings, Wheel bolster, Apitong decking, Air ride suspension, Chain slots, Folding tail (fold under), Manual ride height control, Outriggers: heavy duty pullout, Tail sections decked with steel, LED lighting, Storage with lids (2 sections), Sealed wiring harness, Chain boxes, 13 HP Honda, dual hydraulics w/steel cover brackets for power unit, Valve stem extensions on inner wheels, & 5-year warranty on structure and frame. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$187,612.20
XL Specialized Trailers	Lowboy Trailer	XL110HDGS18	Lowboy Trailer XL110HDGS18: Low Profile Scraper Neck, Air Ride Suspension, Hydraulics Runs off Wet Kit, Steel Wheels, Raised Center-Covered Apitong Decking, Outboard Brake Drums, D-Rings, Adjustable Ride Height, Swing Out Riggers - Flat Back Front, Bent D-Rings per Side on Main Deck, Limit Chains on All Axles, Hydraulic Winch Mounted in Rear Transition, Liquid Filled Air Gauge, Flag Holders, Spring Assist Ramps Self Cleaning, Raise and Lower Valve, Beaver Tail at Rear - Steel Covered w/Traction Aids, Front Ramp Upper Flange Reinforcement, 1 Year Paint Warranty & 5 Year Warranty Against Structural Framework. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$178,056.21
XL Specialized Trailers	Lowboy Trailer	XL 80HDGSA	Lowboy Trailer XL 80HDGSA: Low Profile Scraper Neck, Toolbox w/Chain Rack & Aluminum Door, Air Rid Suspension, Outboard Brake Drums, Hydraulics: Top Mount Honda Unit, Spring Brakes, Full-Width Style Apitong Decking Flush, Aluminum Pullout Outriggers, Pan Style D-Ring in Each Corner, Bent D-Rings per Side on Main Deck, Stake Pockets with Rub Rail and Single Pipe Spools, Steel Skid Seats for Portable Ramps on Transition Wheel Area, Manual Ride Height Control, Portable Aluminum Ramps, Aluminum Pullout Ramps on Front Transition w/Steel Face Plate, Hubometer on 2nd Axle Roadside, Extra Clearance Lights Per Side on Main Deck, 1 Pair of Flag Holders, Year Paint Warranty & 5 Year Warranty Against Structural Framework. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$173,705.01
XL Specialized Trailers	Lowboy Trailer	XL 80HDG	Lowboy Trailer XL 80HDG: Hydraulic Detachable Narrow Neck, King Pin, Air Rid Suspension, Hydraulics Run Off of Wet Kit, Travel Up/Down, Air Operated Lock w/Manual Safety Latch, 7 Variable Ride Height, Bent D-Rings per Side, Raised Apitong Decking, Rear Bridge Open Wheels w/Bolsters, Decked Outside of Main Beams Only, Open Boom Trough, Swing Out Outriggers, Flag Holders, Double Outriggers Up Front, 1 Year Paint Warranty & 5 Year Warranty Against Structural Framework. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$146,653.20
XL Specialized Trailers	2 Axle Power Booster	XL42PMB	2 Axle Power Booster XL42PMB: Air Ride Suspension, Hydraulic Controls on Driver's Side, Honda Power Unit, Steel Wheels, Hub Pilot Outboard Drums, DOT Approved 12V Sealed Grote Harness, Limit Chains, Rubber Mounted LED Lights, 2 Taillight Package w/Aluminum Cover, Landing Gear, Power Booster Uses Hydraulic Pressure, Accompanied by a Nitrogen Accumulator, The Nitrogen Accumulator Allows for Travel w/out Damaging the Frame, XL's one-piece construction results in stronger products, Standard Booster Units Fit w/Trailers Reinforced for a Booster, Premium Paint Process, XL Boosters Help Scale Loads That Need Extra Rear Axles, 1 Year Paint Warranty & 5 Year Structural Warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$116,148.56
XL Specialized Trailers	3 Axle Power Booster	XL60PMB	3 Axle Power Booster XL60PMB: Air Ride Suspension, Hydraulic Controls on Driver's Side, Honda Power Unit, Steel Wheels, Hub Pilot Outboard Drums, DOT Approved 12V Sealed Grote Harness, Limit Chains, Rubber Mounted LED Lights, 2 Taillight Package w/Aluminum Cover, Pivot Landing Gear, Power Booster Uses Hydraulic Pressure, Accompanied by a Nitrogen Accumulator, The Nitrogen Accumulator Allows for Travel w/out Damaging the Frame, XL's one-piece construction results in stronger products, Standard Booster Units Fit w/Trailers Reinforced for a Booster, Premium Paint Process, Featuring Sandblasting, XL Boosters Help Scale Loads That Need Extra Rear Axles, 1 Year Paint Warranty & 5 Year Structural Warranty. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$148,014.06

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
XL Specialized Trailers	Hydraulic Tail Trailer	XL100PT	Hydraulic Tail Trailer XL 100-PT: Full-Width Neck, Pivoting Fifth Wheel Plate, Toolboxes in Upper Deck w/Steel Doors, Hydraulic Winch, Roller Guide & Cable w/Loop, Air Ride Suspension, Drop Leg Jack & 2 Speed Landing Gear, Manual Dump Valve, Hydraulics Run Off of Wet Kit, Hub Pilot Outboard Drums, Auto Slack Adjusters, Steel Tread Plate Decking, Limit Chains on all Axles, D-Rings, Steel Rims, Stake Pockets, 4S2M Spring Brakes on ( 2 ) Axles, Pop Up Ramp to go from Main Deck to Upper Deck, Rubber Mounted LED Lights & 5-year warranty on structure and frame. For additional information contact Fedharmony Support at (877) 993-4886 or e-mail gsasupport@fedharmony.com	\$172,560.80
XL Specialized Trailers	Step Deck Trailer	XL 70 SDS	Step Deck Trailer XL70SDS: Rumber raised decking, Locks: Tricon & Bicon, Landing gear: 2 speed curbside handle, ABS w/spring brakes on 2 axles, Stake pockets, Wheels: steel disc, Air ride suspension, Outboard drums, Chain drops, Electrical: 12V sealed Grote system w/2 tail light aluminum package, Flag holders, Spare 255 tire on steel wheel, Hubometer on 1st axle, Steel single drop door lockable toolboxes, Limit chains on both axles, Nato plug, one set of wheel chocks, Steel sliding winch track (roadside) on upper and main deck, Spare tire carrier & Military lift and tie down provisions. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$161,732.55
XL Specialized Trailers	Hydraulic Detachable Extendable Trailer	XL120HDE	Hydraulic Detachable Extendable Trailer XL120HDE: Gooseneck mounted pony motor (13 HP), Hydraulic winch, D-Rings and Semi-Trailer ratchets, Extension brackets, Stake pockets and bumper guards, Air brakes, Toolbox above the kingpin, Apitong decking, Extendable deck, Removable swing outrigger brackets, Air ride suspension, 7 Variable ride height, Outboard drums, Hydraulics run off of wet kit, 12V sealed Grote electrical system w/tail light package, Air operated lock on gooseneck w/manual safety latch, Raise and lower valve, Rubber mounted LED lights, Prep for 72" flip neck & Premium paint process, featuring sandblasting, includes a full 1 year warranty. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$249,405.90
XL Specialized Trailers	Lowboy Trailer	XL 90 MGX	Lowboy Mechanical Gooseneck Expandable XL 90 MGX: Ramps filled with Apitong, Outriggers: Flatback brackets, Electrical: Macronova clearance lights, Stubbed beavertail w/traction aids, Wood decking, 4 trunnion axles, Crossmember: Formed C-channel, Walking beam suspension, Bent D-rings, ABS brakes, Steel wheels, 7-way Round Pin, Outboard drums, Tie downs, 12V sealed Grote electrical system w/taillight package, Toolbox w/steel lids, Chain hooks, Flag holders and oversized load sign, Spare tire carrier & 1 year factory warranty. For additional information contact Fedharmony Support at (202) 779-0225 or gsasupport@fedharmony.com	\$180,880.05
XL Specialized Trailers	Trailer Mil Spec Package	XL-TOP	Trailer Mil Spec Package - Rumber Decking, Spare tire and carrier, Pop up ramp to go from main deck to upper deck, 2 function wired remote in lieu of wireless, Air dump on all axles, Additional safety strobe lighting, Hubometers, Military lift & tie down provisions to include first article testing, Nonskid coating on top of flanges on main deck, Wheel area and tread plate, Tool package, wheel chocks, pair of recessed led work lights in the pop up ramp and main tail, Cross functional LED clearance /illumination lighting under frame and tail for normal use and ground illumination led work lights under main deck and main tail, Pair swing out ramp work lights at front & rear all load lighting must have manual control off-switches, Traction aids welded to outer edges of rear deck starting 5' in front of approach plate, Heavy duty snatch block pulley system w/ High ton D-ring, NATO plug (12pin/24V to 7pin/12V connection), Air Weigh Scale, Training, Additional Tie down D-Rings, stake pockets, winch. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$77,141.45
XL Specialized Trailers	Lowboy Trailer	XL110HDGS	Lowboy Trailer XL110HDGS: Low Profile Scraper Neck, Outriggers: Removable HD swing out outriggers - HD flat back front & center, 5th Wheel variable ride height positions, Chain drops, 13 HP Honda unit set up w/dual hydraulic brackets for power unit, Hendrickson suspension, Work lights, Outboard drums, Apitong decking w/raised center deck, 12V Sealed Grote system with taillight aluminum package, Decking: Open wheels bolster style, open boom trough, Manual ride height control, Medium duty removable wheel covers, Prep for single axle booster, D-rings: flat D-rings at rear on main beams, Raise and Lower Valve, Chain drops: 2 per bolster, Toolbox at front of main deck, Stake pockets at the rear & Liquid filled air gauge. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$157,815.36
XL Specialized Trailers	Lowboy Trailer	XL 70MDE	Lowboy Trailer XL70MDE: Apitong decking, Chain drops each side, D-rings, Outriggers: removable swing out outrigger brackets, Aluminum Mud Flaps, Hend-Turner suspension, Toolbox in base w/lockable aluminum lid, chain rack and light, ABS brakes, Fabricated side I-beams, 25,000 lb air ride suspension, Raise and lower valve, DOT approved lights, wiring, and connectors, Manual Ride Height Control, Rubber mounted LED lights, Hub pilot outboard drums, 2 taillight package w/aluminum cover, Double donut front connector plate, Patented XL Extend-A-Trac, Wheels: Steel rims & Frame reinforcement for flip axle. For additional information contact Global Support at (202) 779-0225 or email GSASupport@fedharmony.com	\$137,746.18
XL Specialized Trailers	Triaxle Trailer	XL110	Triaxle Trailer - Capacity: 110,000 LB Distributed, 1 3/8" Raised Apitong Decking, 53" OAL, Gooseneck Length: 10' 5" Full-Width Neck, Chain Drops on 48' Centers, Both Sides, 21" Kingpin Setting, Hydraulics Set Up for Wet Kit, 82" Swing Clearance, Hydraulic Control Levers, 49" 5th Wheel Height 2 Speed Landing Gear - Handle on Curbside, 2 Toolboxes on Gooseneck, Manual Dump Valve on All Axles, 1 Recessed Cable Roller, 3 Axles, 25,000 Nominal, 71 1/2" Tracking, 20,000 Hydraulic Winch w/Manual Kickout & 100" With 9/16" Cable w/Loop, Planetary Drive, 60" Axle Spacing ,2-Function Wireless Remote, Limit Chains on All Axles, Hend-Turner I 25,000 Air Suspension, Side Beams: Fabricated I-Beam. . For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$217,462.64
XL Specialized Trailers	Lowboy Trailer	XL100HDG	Lowboy Trailer - Capacity: 100,000 LB, 108" swing clearance, Hydraulic detachable narrow neck 12' 5" long, 16" kingpin setting, Approximately 35' travel up/down, Hydraulics run off of wet kit, 7 position variable ride height, Air operated lock w/ manual safety latch, 49" 5th wheel height, Axles (3) 25,000 lb nominal, 54" spacing, (5) bent d-rings per side, Hub pilot, outboard drums, 1 3/8" apitong decking raised, 24" loaded deck height, Center deck open, 8" ground clearance, Swing-out outriggers with 24", (4) 16" Fab I-beams, Paint 1-year warranty: Black, red, or new cat yellow. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$161,234.81

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.				
XL Specialized Trailers	3 Axle Pivot Booster	XL60MB	3 Axle Pivot Booster - 60,000 lb. capacity, D.O.T. approved 12V sealed Grote harness with 7 year warranty, 115" swing clearance, XL's one piece construction results in stronger products, Loaded deck height of 26", Trailer I-beams are made from one piece web and flange and then welded on all sides, premium paint process, featuring sandblasting, full 1 year warranty on paint, All new XL products feature a 5 year structural warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$98,173.52
XL Specialized Trailers	Lowboy Trailer	XL120	Gooseneck Lowboy Trailer - Capacity 120,000 lb distributed; 120,000 lb in 16' (centered) 110,000 lb distributed; 110,000 lb in 10', Kingpin setting 16", 5th wheel height 51" w/ 5 variable ride height positions, Hydraulics Run off wet line, Overall length 53', Overall width 102", Flip neck Frame reinforcement, air, brackets, electrical for flip neck, Weight +/- 3% 25,650 lbs, Main deck Length 25', Neck style Low-profile scraper neck, Loaded deck height 20" w/ 6" ground clearance, Decking 2" apitong decking, raised - center open, Chain drops (12) chain drops per side - outside beams, Crossmember 10" & 4" stubbed jr i-beam 12" alternating centers, Rear deck 15' with 32" rear transition, Axles ( 3 ) 27,500 nominal, 77 1/2" tracking. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$185,695.42
XL Specialized Trailers	Gooseneck Lowboy Trailer	XL140HDG	Gooseneck Lowboy Trailer - Hydraulic Detachable Gooseneck, Frame reinforcement, air, electric and brackets for 66" flip neck extension, Overall length: 60' 2", overall width: 120", capacity: 140,000 lb distributed; 140,000 lb in 10', 66" flip neck extension, Gooseneck Length 13' 8", Hydraulic Assist Flip Neck Extension, Kingpin Setting: 16", Main Deck: 10' wide, 28' long, Swing Clearance: 113", Rear Deck: 18' 7" long, Axles: ( 3 ) 25,000 Nominal, 95 1/2" Tracking, Suspension: Hend-Turner / 25,000 Capacity / Air Brakes: 16 1/2" x 7", Axle spacing: 54", Drums: Hub Pilot / Outboard Drums, ABS: NA spring brakes on 1 axle, Electrical: 12V Sealed Grote System With 3 Tail Light Aluminum Package, Decking: Open Wheels Bolster Style, Covered Boom Trough Removable Wheel Covers, Heavy Duty, Loadbearing. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$314,436.15
XL Specialized Trailers	2 Axle Jeep	XL80JPS	2 Axle Jeep - One-piece construction process results in stronger products, Rear Bridge, 15' 3" Long, T-I Flange, 80k Web, 53" Sliding 5th Wheel Travel, 50" Loaded 5th Wheel Height, Bent D-Ring Per Side, Engineered models to work with hydraulic or mechanical trailers, Axles: (2) 25,000 Lb Nominal, 54" Spacing, Hub Pilot, Outboard Drums, 16 1/2 X 7" Brakes, (1) Pair Of Spring Brakes, Limit Chains On All Axles, Multiple capacities available through different axle options, POPULAR OPTIONS: Hydraulic hatbox, Aluminum fenders, Detachable neck, Pin-on axle, 30,000 lb suspension, The ability to use the jeep in front of your trailer when needed to distribute the weight of the load, but remove when unnecessary makes you able to handle a wider range of loads, POPULAR OPTIONS: MFG style ramps on rear, Spare tire carrier on upper deck, Longer goosenecks, Various widths and lengths, Suspension: 25,000 Lb Air Ride, Raise And Lower Valve, LIGHTING: D.O.T. Approved 12v Sealed Grote Harness. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$70,708.13
XL Specialized Trailers	Lowboy Trailer	XL110HDG	Lowboy Trailer - Capacity: 110,000 lb overall, concentrated: 110,000 lb in 10", OAL: 50' 5"   OAW: 102", Gooseneck: hydraulic detachable narrow neck, 12' 5" long, approximately 35" travel up/down, 7 position variable ride height, 49" 5th wheel height, 108" swing clearance, 16" kingpin setting, hydraulics run off of wet kit air operated lock w/ manual safety latch, Suspension: 25,000 lb air ride, manual ride height control, Axles: (3) 25,000 lb nominal, 54" spacing, hub pilot, outboard drums, Main deck: 24" long, loaded deck height, 8" ground clearance, (5) bent d-rings per side, 1 3/8" apitong decking raised, Center deck open, Swing-out outriggers with 24" centers, double at front, Rear bridge: 14" long, 40" loaded deck height, Lighting: DOT Approved 12v sealed grote harness, Paint: 1-year warranty. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$179,145.48
XL Specialized Trailers	Lowboy Trailer	XL80 MDE	Lowboy Trailer - Capacity: 80,000 lb overall, Rear deck height of 40", Concentrated: 60,000 lb in 10" closed, (2) 25,000 lb nominal Axles, OAL: 48' / OAW: 102', 54" spacing, 25,000 lb air ride Suspension, 84" swing clearance, XL paint includes a full 1 year warranty, Haul with even more versatility, with the popular 2' option which allows you to extend in 2' increments., Main Deck: 29' - 50' 4" Long, XI Extend-A-Trac, 20" Loaded Deck Height, 6" Ground Clearance, 8" Side Rails, Stake Pockets On 24" Centers, Double Box Beam Construction, POPULAR OPTIONS: Front fold-down ramps, Detachable wheel area, 30,000 lb suspension, Fabricated side rails needed for swing outs, Various D-Rings, Removable wheel covers, XL Flip Axle, Liquid filled air gauge, Raise and lower valve, 7 position manual height control, Many more available. For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$223,080.92
XL Specialized Trailers	Lowboy Trailer	XL 102HDGS	Lowboy Trailer - Main Deck: LENGTH - 26', D-Rings: 9 BENT D-RINGS PER SIDE - 18 TOTAL, Loaded Main Deck Height: 18" W/ 6" GROUND CLEARANCE, Outriggers: SWING OUT OUTRIGGERS ON 24" CENTERS, WITH DOUBLE UP FRONT, Decking: 1 3/8" APITONG DECKING, RAISED - CENTER OPEN, Chain Drops: 24" O/C - OUTSIDE BEAMS, Crossmember: 8" & 4" JR. I-BEAM STUBBED 12" ALTERNATING CENTERS, Rear Deck Length: 9' 6" WITH 32" REAR TRANSITION, Side Beams: 4 BEAMS 14", Loaded Rear Deck Height: 40". For additional information contact Global Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$129,834.34
XL Specialized Trailers	Paver Trailer	XL 70PS	Paver Trailer - Gooseneck narrow fixed neck, Load lights mount on the rear of the neck, Kingpin hitch, Landing gear dual speed, Decking: diamond steel plate between the center of trailer 2" oak outside, toolbox in the gooseneck, Side beams: 8' x 11.5 lb. side channel, ABS: spring brakes, D-rings side mounted for load securement, Spare tire mount, beaver tail, Strobe lights at the rear and more at the rear with 1/4" tread plate with traction bars. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$151,012.36
XL Specialized Trailers	Flip Axle	22FA	Flip Axle - Frame: T1 flange, 80 k web, 54" axle spacing, 102" width, Suspension: 25,000 lb. air ride, Axles: (1) 25,000 lb. nominal, Hub pilot, outboard drums 16 1/2" x 7" brakes, Limit chains, and much more. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail gsasupport@fedharmony.com	\$28,129.46

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
XL Specialized Trailers	Gooseneck Trailer	XL80 Series	Hydraulic Detachable Gooseneck Trailer - XL 80 Low-Profile HDG features an 11-foot long hydraulic gooseneck with XL's low-profile design. A five-position ratchet-style variable ride height allows users to adjust the neck height to fit their various loads. This new two axle construction lowboy is available in three options: a 44-foot, 6-inch overall length with 24 feet in the well, a 46-foot, 6-inch overall length with 26 feet in the well, or a 48-foot overall length with 27 feet, 6 inches in the well. The short gooseneck allows for the main deck to stay as long as possible, an important factor for many users who may need to fit a long load or multiple small pieces of equipment onto the main deck. For additional information contact Fedharmony Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$140,384.43
XL Specialized Trailers	55 Ton Lowboy Trailer	XL110LPHDG	55 Ton Lowboy Trailer: Capacity 110,000 lb Distributed; 110,000 lb in 12 ft, Low-Profile Scraper Neck, Hendrickson Air Ride Suspension, (3) 25,000 lbs axles. For additional information contact Global Support at (202) 792-7050 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$126,766.44
XL Specialized Trailers	XL 80 HFG Hydraulic Folding GN Lowboy	XL 80 HFG	XL 80 HFG hydraulic folding gooseneck (HFG) lowboy semitrailer, 40 ton (80,000 lb) capacity rated 80,000 lb distributed and in 10'. Overall length 47' 8" and 102" overall width. 26' main deck with 26" loaded deck height and 8" ground clearance; 9' 6" rear deck with 32° transition and 40" loaded height. 9' 8" gooseneck with 50" 5th wheel height. (2) 25,000 lb nominal axles with Hendrickson air ride suspension, ABS 2S1M. 1-3/4" Apitong decking, removable swing-out outriggers, bent D-rings, 13HP Honda hydraulic power unit. XL 5-3-1 warranty: 5-year structural, 3-year paint, 1-year parts coverage.	\$161,920.03
XOS Trucks	HUB GEN 2.0 EV Charger w/trailer	MC02-ZA-A0001	The trailer-mounted Xos Hub is a rapidly deployable charging unit designed to help expedite EV adoption without the need for lengthy and costly infrastructure and permitting requirements. The Hub is a versatile solution for several applications, including stopgap charging for EV fleets, remote and rescue charging, semi-permanent charging, or backup power during grid outages. For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$252,387.75
Xtreme Manufacturing	7,000 lbs Capacity Telehandler	XR734	7,000 lbs Capacity Telehandler - 360° operator visibility, Ductile steel manifold, Suspension seat, Easy cab mounted grab handles, Easy service access, Master disconnect switch, Protected tilt & extend cylinders, Boom lift point, Steel hydraulic & fuel tanks, Manual lowering valve (cylinders), Long life Lexan labels, Large cross-section boom, Heavy-duty boom chains, Easy tie-downs, Suspended pedals, Heavy-duty pre-cleaner, Large capacity fuel tank, Additional high-pressure hydraulic filter, Trunnion mounted sway cylinders. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$148,562.33
Xtreme Manufacturing	10,000 - LB Capacity Rough Terrain Forklift	XR1055	Xtreme 10,000 Lb. Maximum Lift Capacity Rough Terrain Forklift. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$269,623.79
Xtreme Manufacturing	70,000 - LB Capacity Rough Terrain Forklift	XR7038	Xtreme 70,000 Lb. Maximum Lift Capacity Rough Terrain Forklift. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$998,398.13
Xtreme Manufacturing	11,000 - LB Capacity Rough Terrain Forklift	XR1147	Xtreme 11,000 Lb. Maximum Lift Capacity Rough Terrain Forklift. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$258,933.38
Xtreme Manufacturing	15,000 - LB Capacity Rough Terrain Forklift	XR1570	Xtreme 15,000 Lb. Maximum Lift Capacity Rough Terrain Forklift. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$403,960.73
Xtreme Manufacturing	5,500 - LB Capacity Rough Terrain Forklift	XR5519	Xtreme 5,500 Lb. Maximum Lift Capacity Rough Terrain Forklift. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$133,797.51
Xtreme Manufacturing	6,000 - LB Capacity Rough Terrain Forklift	XR630	Xtreme 6,000 Lb. Maximum Rough Terrain Forklift. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$184,223.54
Xtreme Manufacturing	20,000 - LB Capacity Rough Terrain Forklift	XR2042	20,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$384,476.18
Xtreme Manufacturing	40,000 - LB Capacity Rough Terrain Forklift	XR4030	40,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$704,565.93
Xtreme Manufacturing	30,000 - LB Capacity Rough Terrain Forklift	XR3034	30,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$522,026.64
Xtreme Manufacturing	24,000 - LB Capacity Rough Terrain Forklift	XR2450	24,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$581,175.74
Xtreme Manufacturing	20,000 - LB Capacity Rough Terrain Forklift	XR2045	20,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$414,007.41
Xtreme Manufacturing	12,000 - LB Capacity Rough Terrain Forklift	XR1255	12,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$298,395.32
Xtreme Manufacturing	12,000 - LB Capacity Rough Terrain Forklift	XR1245	12,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$288,403.65
Xtreme Manufacturing	15,000 - LB Capacity Rough Terrain Forklift	XR1534	15,000 - LB Capacity Rough Terrain Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$320,984.13
Xtreme Manufacturing	20,000 - LB Capacity Rough Terrain Forklift	XR2034	Telehandler has the off-road capabilities to meet construction needs, with the options of enclosed or open cab, multiple carriages, and numerous attachments. Capacity Weight 20,000 lbs, Lift Height 34 ft, Forward Reach 16' 7" Frame Leveling L/R 8 degrees. Machine Weight 40,150 lbs, and a Cummins engine.	\$404,503.13

Product Manufacture Name	Product Name	Manufacturer Part Number	Product Description	Commercial Price List
<b>NOTE: 3.5% will be added to all credit card purchases. Federal Excise Tax not included in the price and will be charged as applicable.</b>				
Xtreme Manufacturing	6,000 - LB Capacity Rough Terrain Forklift	XR619	6,000 - LB Capacity Rough Terrain Forklift - Max lift height 19' 5.79m, Forward reach 11' 3.35m, 360° operator visibility, Suspension seat, Protected tilt & extend cylinders. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$172,603.91
Xtreme Manufacturing	7,000 - LB Capacity Rough Terrain Forklift	XR742	7,000 - LB Capacity Rough Terrain Forklift - Telehandler has Capacity Weight 7,000 lbs, Lift Height 42 ft, Forward Reach 26 ft 11 in, Frame Leveling L/R 11 degrees, Machine Weight 27,000 lbs, and a Cummins Engine. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$327,211.20
Xtreme Manufacturing	9,000 - LB Capacity Rough Terrain Forklift	XR944	9,000 - LB Capacity Rough Terrain Forklift - Telehandler has the off-road capabilities to meet construction needs, with the options of enclosed or open cab, multiple carriages, and numerous attachments. Capacity Weight 9,000 lbs, Lift Height 44 ft, Forward Reach 28 ft 10 in, Frame Leveling L/R 11 degrees, Machine Weight 28,700 lbs, and a Cummins engine. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a> .	\$356,506.20
Xtreme Manufacturing	Xtreme XR5919	XR5919	Xtreme 5,900 Lb. Maximum Lift Capacity Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$106,522.00
Xtreme Manufacturing	Xtreme XR1045	XR1045	Xtreme XR1045 is a 10,000 lb Maximum Lift Capacity Forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$196,727.43
Xtreme Manufacturing	Xtreme XR842	XR842	New 2017 XR842 8,000 lb Max Lift Capacity heavy duty forklift - For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$184,868.26
Xtreme Manufacturing	17,000 - LB Capacity Rough Terrain Forklift	XR1734-C	Rough Terrain Forklift XR1734-C: 17,000 Lb Maximum Lift Capacity, 50 Gallons Fuel Capacity, 34' Maximum Lift Height, Protected tilt & extend cylinders, 17' Maximum Forward Reach, Heavy duty boom chains, 33,360 lbs Operating Weight, Melonite pins, Suspension seat, Steel dash, Large cross section boom, Individual gauges/switches, Manual lowering valve (cylinders), Steel hood, Easy tie-downs, Solid plate chassis, Heavy duty pre-cleaner, Rear axle stabilization, Additional high pressure hydraulic filter & Back up alarm with light. For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$331,959.00
Xtreme Manufacturing	Telehandler	XR843-B	Telehandler XR843-B: Lift capacity: 8,000 lbs., Axles: ZF MST3055 / 3055, Max lift height: 43', Transmission: ZF 3WG94, Forward reach: 26' 11", Fuel capacity: 50 gal, Weight: 27,000 lbs., Tires: Foam Filled 15.5 x 25, Engine (Cummins 3.8L): 74 hp HT (Tier 4F), Hydraulic flow (per min): 49 gal, Hydraulic pressure: 3,500 psi, Wheelbase: 125", Hydraulic oil capacity: 62 gal, Ground clearance: 16.5", Length to fork face: 20' 10", Turning radius: 12', Width: 101", 360 degree operator visibility, Height: 8' & Warranty: 10-5-2. For additional information contact Global Support at (202) 779-0225 or email <a href="mailto:GSASupport@fedharmony.com">GSASupport@fedharmony.com</a>	\$250,931.00
Xtreme Manufacturing	Telehandler	XR843	Telehandler - 8,000 lbs. Capacity, 43 ft. Max Lift Height, 26 ft. 11 in Forward Reach, 74 h.p HT, 360° operator visibility, Ductile steel manifold, Suspension seat, Easy cab mounted grab handles, Easy service access, Master disconnect switch, Protected tilt & extend cylinders, Boom lift point, Steel hydraulic & fuel tanks, Manual lowering valve (cylinders), Long life Lexan labels, Large cross section boom, Heavy duty boom chains, Easy tie downs, and much more. For additional information contact Global Support at (202) 779-0225 or e-mail <a href="mailto:gsasupport@fedharmony.com">gsasupport@fedharmony.com</a>	\$202,104.00
Zimmerman Industries, Inc.	Concrete Mixing Trailer	ZM-408-HP	Concrete Mixing Trailer - Drop Deck fifth wheel trailer mounted, diesel powered, Dual chain material feed system, 400 gallon polyethylene water tank with ground level water fill, water pump, Fill-Rite water recording meter, up to 8 Cubic Yards.	\$366,052.78