

Section 1 - Identification

Product Identifier	LIGHTNING STRIP PLUS Floor Finish Solubilizer
Other means of identification	510005
Recommended use	Floor stripper.
Recommended restrictions	For commercial and industrial use only.
Manufacturer / Importer / Supplie	r / Distributor Information
Company Name	BeyondClean, LLC
Address	601 Heritage Drive, STE422, Jupiter FL 33458
Telephone	800-426-4246
Supplier Email	orders@gobeyondclean.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

Section 2 - Hazard(s) Identification

		azaru(s) identification			
SDS Hazards ar		product. Refer to diluted SDS for Ready-To-Use Hazar	ds and Warnings.		
Dhysical Hazarda	Classification Not Classified	Category			
Physical Hazards Health Hazards	Not Classified Serious eye damage/eye irritation	1			
Health Hazards	, , ,				
	Skin corrosion/irritation	1			
OSHA defined hazards Label Elements	Not Classified.				
Hazard Symbol					
Signal Word	Danger				
Hazard Statement	Causes severe skin burns and eye dar	nage.			
Precautionary statement					
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.				
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.				
Storage	Store in a well-ventilated place. Keep	container tightly closed. Store locked up.			
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.				
Hazard(s) not otherwise classified (HNOC)	None known.				
	Section 3 - Composit	ion/Information on ingredients			
Mixture					
Hazardous Components	Ingredient Name	CAS #	%		
	2-Butoxyethanol	111-76-2	5 - 10		
	Sodium Hydroxide	1310-73-2	1 - 5		
	Sodium dimethylbenzenesulfonate	1300-72-7	1 - 5		
	2-Amino Ethanol	141-43-5	1 - 5		
	Section 4	- First-aid Measures			
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.				
Skin contact	•	d clothing. Rinse skin with water/shower. Call a physici e treated by a physician. Wash contaminated clothing b	•		
		LIGHTNING STRIP Floor Finish Solubilizer 51	.0005 Page 1 of 7		

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Burning pain and severe corrosive skin damage. Headache. Nausea, vomiting. Irritation of nose and throat. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
Section 5 - Fire-fighting measures
Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).
Do not use water jet as an extinguisher, as this will spread the fire.
During fire, gases hazardous to health may be formed.
Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Move containers from fire area if you can do it without risk.
No unusual fire or explosion hazards noted.
Use standard firefighting procedures and consider the hazards of other involved materials.
Section 6 - Accidental release measures
Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe ist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Avoid discharge into drains, water courses or onto the ground.
Section 7 - Handling and storage
Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 C	FR 1910.1000)		
Components	Туре	Value	Form
2-Amino Ethanol (CAS 141-43-5)	TWA	6 mg/m³ , 3 ppm	
2-Butoxyethanol (CAS 111-76-2)	TWA	240 mg/m ³ , 50 ppm	
Sodium Hydroxide (CAS 1310-73-2)	TWA	2 mg/m³	
US. ACGIH Threshold Limit Values			
Component	Туре	Value	Form
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm	
2-Amino Ethanol (CAS 141-43-5)	STEL	6 ppm	
2-Amino Ethanol (CAS 141-43-5)	TWA	3 ppm	
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m³	
US. NIOSH: Pocket Guide to Chemical Hazards			
Components	Туре	Value	
2-Amino Ethanol (CAS 141-43-5)	STEL	15 mg/m³, 6 ppm	

510005

2-Amino Ethanol (CAS 141-4	43-5)	TWA	8 mg/m ³ , 3 ppm				
2-Butoxyethanol (CAS 111-76-2)			24 mg/m ³ , 5 ppm				
Sodium Hydroxide (CAS 131	•	Ceiling	0, , - , - , - , - , - , - , - , - , - ,				
US. ACGIH. BEIs. Biological Ex		0	0.		Sampling		
Components		Value	Determinate	Specimen	Time		
2-Butoxyethanol (CAS 111-7	76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*		
* - For sampling details, ple	ease see the source documen	t.					
Exposure guidelines	Use personal protective equ	ipment as required.	Keep working clothes separately.				
US. California Code of Regulat	tions, Title 8, Section 5155. A	irborne Contaminan	ts				
Components		Exposure	2				
2-Butoxyethanol (CAS 111-7	76-2)	Can be a	bsorbed though the skin.				
US.Minnesota Hazardous Sub	stances List (Minn. Rules 520	6.0400).					
Components		Exposure	2				
2-Butoxyethanol (CAS 111-7	76-2)	Skin des	ignation applies.				
US.NIOSH: Pocket Guide to Ch	nemical Hazards						
Component	ent Exposure						
2-Butoxyethanol (CAS 111-76-2)			bsorbed though the skin.				
US.OSHA Table Z-1 Limits for	Air Contaminants (29 CFR 191	.0.100)					
Components			Exposure				
2-Butoxyethanol (CAS 111-76-2)			bsorbed though the skin.				
US.OSHA Table Z-1-A (29 CFR	1910.100)						
Components Exposure							
2-Butoxyethanol (CAS 111-7	76-2)	Can be a	bsorbed though the skin.				
US.Tennesee. OELs Occupation	onal Exposure Limkits, Table 2	1A					
Components		Exposure	e				
2-Butoxyethanol (CAS 111-7	76-2)	Can be a	bsorbed though the skin.				
Appropriate engineering controls	conditions. If applicable, use airborne levels below recom levels to an acceptable level	e process enclosures, imended exposure li . Eye	s per hour) should be used. Venti local exhaust ventilation, or othe mits. If exposure limits have not b vailable when handling this produ	er engineering controls to mair been established, maintain air	itain		
Individual protection measures, so	uch as personal protective eq	uipment					
Eye/face protection	If use of product risks expos	ure to contact, wear	safety glasses with side shields.				
Skin protection							
Hand protection	Impervious gloves are recommended for prolonged use.						
Other	If use of product risk exposu	ire to contact, wear s	suitable protective clothing.				
Respiratory protection	In case of insufficient ventila	ation, wear suitable r	espiratory equipment.				
Thermal hazards	Wear appropriate thermal p	protective clothing, w	vhen necessary.				
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			•			
	Section 9 - I	Physical and	chemical properties	5			

Appearance			
Physical state	Liquid.		
Form	Clear, thin liquid.		
Color	Blue.		
Odor	Sassafras.		
Odor threshold	Not available.		
рН	13.4		
Melting point/freezing point	Not available.		
Initial boinging point and	212 °F (100 °C)		
boiling range			
Flash point	> 212.0 °F (> 100.0 °C)		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or expl	losive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		

Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.03 ± 0.01
Relative density temperature	75 °F (23.9 °C)
Solubilities (water)	Not available.
Partition Coefficient n-octanol/water	Not available.
Auto-ignition temperature	Not Available.
Decomposition temperature	Not Available.
Viscosity	< 10 cP
Viscosity Temperature	75 °F (23.9 °C)

Section 10 - Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions. Can form peroxides on prolonged exposure to air and light.
Possiblity of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Strong acids. Acids. Strong oxidizing agents. Oxidizing agents.
Hazardous Decomposition	No hazardous decomposition products are known.
Products	

Section 11 - Toxicological information

Information on	likely routes	of exposure

Causes digestive tract burns. Harmful if swallowed.
May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Causes severe skin burns. 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.
Causes serious eye damage.
Burning pain and severe corrosive skin damage. Headache. Nausea, vomiting. Irritation of nose and throat. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Information on toxicological effects.

Acute toxicity	Not expected to be acu	toly toxic				
•	Not expected to be acu	•				
Components		Level	Туре	Code	Species	Results
2-Amino Ethanol (CAS 141-4	3-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
		Acute	Oral	LD50	Rat	1715 mg/kg
2-Butoxyethanol (CAS 111-7	6-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
		Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
		Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
		Acute	Oral	LD50	Guinea pig	1.2 g/kg
		Acute	Oral	LD50	Mouse	1519 mg/kg
		Acute	Oral	LD50	Rabbit	0.32 g/kg
		Acute	Oral	LD50	Rat	560 mg/kg
Sodium dimethylbenzenesulfonate (CAS 1300-72-7)		Acute	Dermal	LD50	Rabbit	>2000 mg/kg
		Acute	Oral	LD50	Rat	7200 mg/kg
Sodium Hydroxide (CAS 1310-73-2)		Acute	Oral	LD50	Rabbit	500 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eye damage.					
Serious eye damage/ eye irritation	Causes serious eye dam	age.				
Respiratory sensitization	This product is not expected to cause respiratory sensitization.					
Skin sensitization	This product is not expected to cause skin sensitization.					

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component	Result	Comment
2-Butoxyethanol (CAS 111-76-2)	3	Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

510005

			0	Y DATA SHEET			
Specific target org	an toxicity -	May cause respirator	y irritation.				
single exposure Specific target org		Not classified.					
repeated exposur		Not classified.					
Aspiration hazard			orbod through	the skin. Drolonged inholation may be bermful			
Chronic effects		May be harmful if absorbed through skin. Prolonged inhalation may be harmful. 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.					
		Prolonged or repeate	d exposure m	ay cause liver and kidney damage. These effects	have not been observed in humans.		
		Sec	tion 12	- Ecological Information			
cotoxicity The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.							
Component(s)							
2-Amino Ethan	ol, 141-43-5						
Aquatic							
Level	Туре		Code	Species	Test Results		
Acute	Algae		EC50	Selenastrum capricornutum (new name Pseudokirchnerella subca	2.5 mg/l, 48 hours		
	Crustacea		EC50	Daphnia magna	65 mg/l, 48 hours		
	Fish		LC50	Goldfish (Carassius auratus)	170 mg/l, 96 hours		
	Fish		LC50	Cyprinus carpio	349 mg/l, 96 hours		
Persistence and d		No data is available o			- 0, ,		
Bioaccumulative p		No data available.					
		/ water log (Kow)		Doculto			
Componen		76.2)		Results			
-	hanol (CAS 111-			0.83			
	hanol (CAS 141-			-1.31			
Mobility in soil		No data available.					
Mobility in genera		No data available.					
Other adverse eff	ects			ffects (e.g. ozone depletion, photochemical ozon al) are expected from this component.	e creation potential, endocrine		
		Sec	tion 13 -	Disposal considerations			
Disposal instruction	ons	Dispose in accordanc	e with applica	ble federal, state, and local regulations.			
Local disposal reg	ulations	Dispose of in accorda	nce with local	regulations.			
Hazardous waste	code	Waste codes should I	be assigned by	the user based on the application for which the	e product was used.		
Waste from residu products	ues / unused	Dispose in accordance					
Contaminated pac	ckaging	Since emptied contai	ners may reta	in product residue, follow label warnings even a	fter container is emptied.		
		Se	ction 14	- Transport information			
UN number		UN1824					
UN number Proper shippin	-	UN1824 SODIUM HYDROXIDE S	SOLUTION				
UN number	-		SOLUTION				
UN number Proper shippin	-	SODIUM HYDROXIDE	Solution				
UN number Proper shippin Transport haza	ard class(es)	SODIUM HYDROXIDE S 8 II		nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group	ard class(es) tions for user	SODIUM HYDROXIDE S 8 II		nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio	ard class(es) tions for user ons	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2		nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer	tions for user ons mption	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154		nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non	tions for user ons mption bulk	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202		nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non Packaging bulk	tions for user ons mption bulk	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154		nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non Packaging bulk	tions for user ons mption bulk	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202 242		nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non Packaging bulk ATA UN number	ard class(es) tions for user ons mption bulk	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202 242 UN1824	ns, SDS and en	nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non Packaging bulk ATA UN number UN proper ship	ard class(es) tions for user ons mption bulk c	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202 242 UN1824 SODIUM HYDROXIDE S	ns, SDS and en	nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non Packaging bulk ATA UN number	ard class(es) tions for user ons mption bulk c	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202 242 UN1824 SODIUM HYDROXIDE S 8	ns, SDS and en	nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non Packaging bulk ATA UN number UN proper ship	ard class(es) tions for user ons mption bulk c opping name ard class(es)	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202 242 UN1824 SODIUM HYDROXIDE S	ns, SDS and en	nergency procedures before handling.			
Proper shippin Transport haza Packing group Special precau Special provisio Packaging exer Packaging non Packaging bulk ATA UN number UN proper ship Transport haza	ard class(es) tions for user ons mption bulk c opping name ard class(es)	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202 242 UN1824 SODIUM HYDROXIDE S 8	ns, SDS and en	nergency procedures before handling.			
UN number Proper shippin Transport haza Packing group Special provisio Packaging exer Packaging non Packaging bulk ATA UN number UN proper ship Transport haza Packaging grou	ard class(es) tions for user ons mption bulk c opping name ard class(es)	SODIUM HYDROXIDE S 8 II Read safety instruction B2, IB2, N34, T7, TP2 154 202 242 UN1824 SODIUM HYDROXIDE S 8 II	ns, SDS and en	nergency procedures before handling.			

510005

IMDG	
UN number	UN1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packaging group	II
Environmental hazards Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

		Section *	15 - Regulatory	Information	ı	
US federal regulations			Chemical" as defined by t 5. EPA TSCA Inventory Lis		nmunication Standard, 29 C	FR 1910.1200.
TSCA Section 12(b) Expo	rt Notification (40 CFI	R707, Subpt. D)	Not regu	ated.		
US. OSHA Specifically Re	gulated Substances (29 CFR 1910.10				
CERCLA Hazardous Subs	tance List (40 CFR 302	.4				
Components			Res	ult		
Sodium Hydroxide (CAS 1310-73-2)			LIS	ED		
2-Butoxyetha	nol (CAS 111-76-2)		LIS	ED		
Superfund Amendments	and Reauthorization	Act of 1986 (SA	ARA)			
Hazard Categories	Immediate Hazard	Yes				
	Delayed Hazard	No				
	Fire Hazard	Yes				
	Pressure Hazard	No				
	Reactivity Hazard	No				
SARA 302 Extremely haz		Not listed.				
SARA 311/312 Hazardou		Yes				
SARA 313 (TRI reporting	-			0 • • • •		
	al name			CAS #	% by wt.	
	yethanol			111-76-2	5 - 10	
Other federal regulations			_			
Clean Air Act (CAA) Secti				Not regulate		
Clean Air Act (CAA) Secti			tion (40 CFR 68.130)	Not regulate	d.	
Safe Drinking Water Act		gulated.				
Food and Drug Administ	ration (FDA) Not rep	gulated.				
US state regulations US.Massachusetts RTK -	Substance List		Components			
US.Wassachusetts KTK -	Substance List		2-Butoxyethanol (CAS	111-76-2)		
			2-Amino Ethanol (CAS	-		
			Sodium Hydroxide (CA			
US New Jorcey Worker a	and Community Bight	to Know Act		(3 1310-73-2)		
US.New Jersey Worker a	ind community Right	-to-know Act	Components 2-Butoxyethanol (CAS	111 76 2)		
			2-Amino Ethanol (CAS	-		
			Sodium Hydroxide (CA	,		
LIC Denneylyania DTK _ LI	anardaus Cubstances			(3 1310-73-2)		
US.Pennsylvania RTK - H	azardous substances		Components 2-Butoxyethanol (CAS	111 76 2)		
			2-Amino Ethanol (CAS	-		
			Sodium Hydroxide (CA			
LIE Phode Island PTK				(3 1310-73-2)		
US.Rhode Island RTK		Components	111 76 2)			
			2-Butoxyethanol (CAS 2-Amino Ethanol (CAS	-		
				,		
UC California Dranoviti			Sodium Hydroxide (CA	-	- (
US - California Proposition 65			-	nforcement Act of 1986 (Pro nicals currently listed as carc		
International Inventories						
Country(s) or region	Invento	ry Name			0	n Inventory (yes/no)*
Australia			of Chemical Substances	(AICS)		Yes
Canada	Dome	stic Substances	List (DSL)			Yes
			LIGHTNING ST	RIP Floor Finish Solu	bilizer 510005	Page 6 of 7

Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates this product of	complies with the inventory requirements administered by the governing country(s).	

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

ision date	8/01/2018
sion #	01

Version # Disclaimer

Rev

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.