


Drop In Tile Series
PRODUCT SKU: JC-BP3B1516SE

PARAMOUNT
CREATING EXQUISITE WOODWORK SINCE 1984





PROJECT: YOUR PROJECT NAME
LOCATION: YOUR PROJECT
ADDRESS
SUBMITTAL DATE: XX/XX/XXXX


MATERIAL: VENEER ON MDF
SPECIES: YOUR SPECIES
STAIN: OPTIONAL
FINISH: OPTIONAL FINISH

PRODUCT DIMENSION: 24" x 24"
TILE THICKNESS: $\frac{3}{4}$ "
GRID: $1\frac{5}{16}$ " | PERF: P3 | CHANNEL: No
EDGE: STEP | SCRIM: None


1.1 Isometric









LIFT TILE AT AN ANGLE
THROUGH T-GRID OPENING, AND
SLIDE INTO THE FIRST NOTCH.



LEVEL THE TILE BY
SLIDING FULLY INTO THE
SECOND NOTCH, AND
BRINGING THE LIP FLUSH
WITH THE T-GRID.



SLIDE THE TILE FULLY
INTO THE SIDE WITH THE
SINGLE NOTCH, AND
ALLOW THE ADJACENT END
TO REST ON THE FIRST
NOTCH.



PRO TIP: EACH TILE WILL HAVE APPROXIMATELY $\frac{1}{6}$ "
OF ADJUSTABLE PLAY. USE A $\frac{1}{4}$ " GUIDE TO CREATE A
UNIFORM LOOK IN BETWEEN TILES.

PARAMOUNT JC-BP3B1516SE

Drop In Tile Series
PRODUCT SKU: JC-BP3B1516SE

PARAMOUNT
CREATING EXQUISITE WOODWORK SINCE 1984

