

SCALE REPRESENTATION.

1.5 = 12"

PROJECT: YOUR PROJECT NAME MATERIAL: HARDWOOD

LOCATION: YOUR PROJECT **ADDRESS**

SUBMITTAL DATE: XX/XX/XXXX

SPECIES: YOUR SPECIES

STAIN: OPTION NOT INCLUDED

FINISH: OPTIONAL FINISH

PRODUCT DIMENSION: 24"x24"


BLADE QTY:12


BLADE SIZE: 1/2" x 1 1/2" BLADE SPACING: 1/2"

1.1 Isometric

0


Drop In Panel Grille Series





BACKER SYSTEM LAYOUT
BACKER DIMENSIONS: ½" x 1 ½" x 23-¾"

SCALE REPRESENTATION 1.5 = 12"



SCALE REPRESENTATION. 1.5 = 12"

0

Drop In Panel Grille Series





TILE IS STRAIGHTENED TILE IS THEN LOWERED INTO PLACE. EVEN ABOVE GRID OPENING.


12 BLADE HOROZONTAL DROP IN PANEL GRILLE PRODUCT REPRESENTATION. ACTUAL BLADE WIDTH VARIES.

TILE IS LIFTED AT AN ANGLE

THROUGH T-GRID OPENING.

Drop In Panel Grille Series





Drop In Panel Grille Series

CAN FIXTURE MUST BE SUPPORTED AND CANNOT REST SOLELY ON PRODUCT BLADES. CUT CIRCULAR PENETRATION IN FIELD FOR CAN SHROUD.

ATTACHMENT BRACKETS ARE

REQUIRED FOR FIXTURE STABILITY

LIGHTING AND ACCESSORIES ARE NOT SUPPLIED BY PARAMOUNT

Drop In Panel Grille Series

#8 x ¾" Wood Screw (Contractor Supplied) C-108: SAFETY CLIP

> (1) CLIP PER TILE FOR SEISMIC STABILITY

1.7 C-108 Safety Clip Installation

Supplemental Information 05