# University of Minnesota Soil Testing Laboratory

# SOIL TEST REPORT

### Lawn and Garden

Client Copy

Department of Soil, Water, and Climate Minnesota Extension Service Agricultural Experiment Station

**BLACK DIRT GRAND RAPIDS** 21851 MOOSE POINT RD COHASSET, MN 55721

Page

1

Report No. Laboratory No. 83938 165598

Date Received

10/17/22

Date Reported

10/31/22

Sample/Field Number: BDG

SOIL TEST RESULTS

Estimated Soil Texture	Organic Matter %	Soluble Salts mmhos/cm	рH	Buffer Index	Nitrate NO3-N ppm	Olsen Phosphorus ppm P	Bray 1 Phosphorus ppm P	Potassium ppm K	Sulfur SO4 -S ppm	Zinc ppm	Iron ppm	Manganese ppm	Copper ppm	Boron ppm	Calclum	Magnesium	Lead
Peat	34.3	0.3	5.0	5.2			38	285								ppm.	—ppm—

## INTERPRETATION OF SOIL TEST RESULTS

Phosphorus (P)	PPPPPP	рН	********					ı					
	5 Low	10 Medi	15 um	20 High	25 V. High		3.0 Acid	4.0	5.0	6.0 Optimum	7.0	8.0 All	9.0 caline
Potassium (K) KKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKK						Soluble Salts	***				1		1 1
	25 Low	75 Mediu	125 um	175 High	225 V. High		0 1.0 Satisfac			5.0 6.0 sible Prof		8.0 9.0 Excessiv	

RECOMMENDATIONS FOR: Before seeding or sodding

LIME RECOMMENDATION: 140 LBS/1,000 SQ.FT.

TOTAL AMOUNT OF EACH NUTRIENT TO APPLY PER YEAR:\*

NITROGEN 1 LBS/1,000 SQ.FT.

44 LBS/ACRE

PHOSPHATE

1 LBS/1,000 SQ.FT.

45 LBS/ACRE

POTASH

Grass watered Clippings removed

0 LBS/1,000 SQ.FT.

0 LBS/ACRE

THE APPROXIMATE RATIO OR PROPORTION OF THESE NUTRIENTS IS: 10-10-0

During preparation of the seedbed and prior to seeding, till into the top 4-6 inches of soil a fertilizer that supplies the recommended amount of phosphate and potash (ie. a fertilizer that contains little or no nitrogen). Much of the nitrogen applied to this depth will be lost through leaching.

Next, rake into the surface prior to seeding an amount of fertilizer that contains only nitrogen such as 34-0-0 or 46-0-0, or a grade that is high in nitrogen but low in phosphate and potash, that will result in 0.5 lb, of nitrogen per 1000 sq. ft. (22 lb./acre) being applied.

An additional 0.5 lb. N/1000 sq. ft. (22 lb./ acre) should be applied two weeks after seedling emergence or sodding and watered in. After this, the rates and timing of N fertilization are based on the cultural practices that are used. Contact your county extension educator for more information. Water frequently the first year. Retest soil after one year to determine maintenance recommendations. It is recommended that clippings not be removed.

\*CAUTION! Do not apply more that 1 lb. nitrogen per 1000 sq. ft. in one application to avoid burning the grass. Additional information is provided on the back side of this form County: ITASCA. For additional information, contact the YARD & GARDEN LINE: Phone: 612-301-7590 Website: www.extension.umn.edu/yardandgarden

## **Explanation of Soil Test Report**

Soil pH This is a measurement of acidity, which is important because it affects:

- 1) the availability of several plant nutrients, 2) the activity of soil microorganisms,
- 3) the ability of soil to hold plant nutrients.
- The optimum pH for most plants and soil microorganisms is between 6.0 and 7.0. Some plants, however, such as blueberries, azaleas and others prefer more acidic conditions (i.e., lower pH). Since grasses are quite tolerant to a wide pH range, lime is generally not recommended on established grasses.

Buffer Index: This test is used only to determine the lime requirements and should not be confused with soil pH.

Organic Matter: The Regular Series test includes an estimate of the percent organic matter. The classifications used for organic matter are: Low 0-3%, Medium 3.1-4.5%, High 4.6-19%, and Organic Soil 19.1% or greater.

Organic Matter has many important functions in soils, some of which are:

- to improve soil structure, water infiltration, drainage, and soil aeration on clayey type soils.
- 2) to act as a reservoir of available plant nutrients
- 3) to increase the water holding capacity of sandy soils. When organic matter is low, large amounts of peat, compost, crop residues, manure or other organic amendments are required to change the organic matter content of the soil.

Soluble Salts: This test is used primarily to check for high amounts of salts in "black" dirt that is used in new landscaping or for top-dressing purposes and for possible salt damage to grass from salted streets and sidewalks. Excess salt must be leached by intense watering before the plants will grow normally.

Lead: Recommended for soils or sandbox sand to which young children may be repeatedly exposed.

Other Special Tests: Recommendations are not provided for these tests since the interpretations are limited to special situations. The tests are provided for professionals only.

Interpretation of Soil Tests: The relative levels of various nutrients are indicated by a series of symbols. A line of P or K letters ending in the lower areas of the block, represents a low level of the nutrient.

Recommendations and Calculation of Fertilizer Required: Lime and plant nutrient recommendations are given in pounds per area (1000 square feet for turf, or 100 square feet for gardens, trees or shrubs). Plant nutrients are expressed as nitrogen (N), phosphate (P205) and potash (K20). The recommended plant nutrient requirements can be met by applying a given amount of fertilizer(s).

Commercial fertilizers are identified with a 3-numeral code that indicates the percentage of nitrogen, phosphate, and potash. A common garden fertilizer labeled 10-10-10 contains 10% of each of the three plant nutrients. Most garden centers sell fertilizer blends (10-10-10) rather than single nutrient fertilizers like 20-0-0 or 0-0-60 which are available from fertilizer dealers. Because there are a limited number of fertilizer blends on the market you may not find one that exactly meets the ratio recommended (reported on the front side). In this case, you should select a fertilizer blend with the closest ratio of N-P2O5-K2O to that recommended.

Since meeting the exact amount required for each nutrient will not be possible in all cases, it's most important to match the Nitrogen (N) required. The amount of fertilizer to apply that will give the recommended amount of nitrogen can be obtained from the following table:

Table to Determine Total Amount of Fertilizer to Apply Based on Actual Nitrogen Recommended:

		Nitrogen Recommended							
	Fertilizer Nitrogen %	0.1 lb. N/100 sq. ft	0.15 lb. N/100 sq ft	0.2 lb. N/100 sq. ft	1.0 lb. N/1000 sq. ft				
	(First number of fertilizer				Total lbs. fertilizer to				
	grade on bag)	Total Ibs	apply/1000 sq. ft						
	45	0.22	0.33	0.44	2.2				
	37	0.27	0.40	0.54	2.7				
	36	0.28	0.42	0.56	2.8				
	33	0.30	0.45	0.60	3.0				
	32	0.31	0.46	0.62	3.1				
	30	0.33	0.50	0.66	3.3				
	28	0.36	0.54	0.72	3,6				
	27	0.37	0.56	0.74	3.7				
	25	0.40	0.60	0.80	4.0				
	24	0.42	0.63	0.84	4.2				
	22	0.45	0.68	0.90	4.5				
	21	0.48	0.72	0.96	4.8				
	20	0,50	0.75	1.00	5.0				
d	19	0.53	0.80	1.06	5.3				
	18	0.56	0.84	1.12	5.6				
S	16	0.63	0.95	1.26	6.3				
	15	0.67	1.00	1.34	6.7				
	13	0.77	1.15	1.54	7.7				
	12	0.83	1.25	1.66	8.3				
	10	1.00	1.50	2.00	10.0				
	8	1.25	1.88	2.50	12.5				
	6	1.67	2.50	3,34	16.7				
	5	2.00	3.00	4.00	20.0				

Example: If the N (nitrogen) recommendation is for 0.1 lb. N/100 ft. sq. and the fertilizer grade you selected has a ratio of 18-6-12 (column 1), you will have to apply 0.56 lbs of this fertilizer (from column 2) for each 0.1 lb. N recommended per 100 square feet.

Note: 2 cups (1 pint) of dry fertilizer weighs about 1 pound.

### General Information

### For Home Lawns: follow these rules when applying fertilizer:

- 1) use a formula designed for lawns (not trees, flower beds or farms).
- 2) apply fertilizer during the spring and late summer (do not fertilize frozen ground).
- 3) apply fertilizer uniformly in two directions with a mechanical spreader.
- 4) sweep up any fertilizer accidentally applied on sidewalks and driveways to prevent its movement to storm sewers, lakes and streams.
- 5) water the lawn thoroughly after fertilizing to dissolve the nutrients and force them down to the soil surface to combine with the soil.

### For Vegetable and Flower Gardens:

Manure, compost, or other forms of organic matter may be added. These amendments provide a good source of trace nutrients as well as improve soil granulation. Three to five bushels of manure or compost per 100 square feet are recommended.