

### The Ghazi Group (TGG) Presents: VIP Gold Series Brochure

A SuperMicro Certified Platinum Reseller Partner

Advanced SuperMicro Server Solutions Immediately Available



Advanced GPU Compute Solutions Available Now www.theghazigroup.com
Contact: Sales@theghazigroup.com





## TABLE OF CONTENTS

01	ENTERPRISE COMPUTE	P. 5 - 7
02	ENTERPRISE AI	P. 8 - 10
03	ENTERPRISE STORAGE	P. 11 - 13
04	INTELLIGENT EDGE	P. 14



### Ready-to-Deploy, Pre-Configured Systems

The Gold Series systems take the guesswork out of enterprise server acquisition, with pre-configured systems ready to ship directly from our warehouses. All Gold Series servers are optimized for specific Al, cloud, storage, and edge workloads, and include CPUs, GPUs (enterprise Al only), memory, storage, networking, and power supplies pre-installed and ready to power-on out of the box.





#### **ENTERPRISE COMPUTE**

**Enterprise Data Center** 



**General-Purpose Compute** 







**ENTERPRISE AI** 

Large-Scale Al

**Inferencing & Training** 

**GPU-Optimized Rackmount** 







ENTERPRISE STORAGE

U.2 All-Flash Storage

**Data Lake and Object Storage** 



**E1.S All-Flash Storage** 





INTELLIGENT EDGE

**Edge Box PC** 

**Compact Edge** 

**Fanless Edge** 















#### **Purchase with Confidence**

Based on our most popular server products, Supermicro Gold Series systems are pre-configured for specific workloads, complete with CPUs, GPUs (enterprise AI only), memory, storage, networking, and power supplies. These configurations have been pre-tested and are ready to go from day one.

#### **Short Lead Times**

Gold Series products are pre-configured with key components, meaning no need to wait for parts and assembly. Gold Series systems are ready to deploy from Supermicro's warehouses, significantly shortening lead times. Select models are even available to ship next business day.

### **Effortless Implementation**

Systems are delivered to the customer with components already installed and pre-tested. Simply unpack, rack, and connect power & networking to get started.



### **Enterprise Data Center**

### Maximum performance and flexibility rackmount platform



#### Benefits & Advantages:

- · Single and dual processor configurations
- Compact 1U form factor maximizes compute density per rack unit
- Flexible I/O and storage allows the addition of components as workloads evolve
- Tool-less platform for ease of servicing and maintenance



X13 1U DP Hyper SYS-121H-TNR-G1

#### **Form Factor**

1U Air Cooled

#### CPU

5th Gen Intel® Xeon®/ AMD EPYC™ 9004 Series

#### Storage

2.5" U.2 NVMe







Applications	Virtualization, Cloud Services	Virtualization, Cloud Services	Virtualization, Cloud Services
Model	AS -1115HS-TNR-G1	SYS-121H-TNR-G1	AS -1125HS-TNR-G1
CPU	1x AMD EPYC™ 9454P (48Core/2.75GHz)	2x Intel® Xeon® 6548Y+ (32Core/2.5GHz)	2x AMD EPYC™ 9654 (96Core/2.4GHz)
Memory	12x 32GB DDR5-5600 (at 4800)	16x 32GB DDR5-5600	24x 96GB DDR5-5600 (in 4800)
M.2		2x 960GB M.2 NVMe SSD	
Storage	1x 960GB U.2 NVMe SSD	2x 3.8TB U.2 NVMe SSD	1x 960GB U.2 NVMe SSD
Networking	1x Dual 10GbE RJ45	1x Dual 10GbE RJ45	1x Dual 10GbE RJ45
Power Supplies	2x 1200W Titanium Level	2x 1200W Titanium Level	2x 1200W Titanium Level



### **Cloud Data Center**

### All-in-one rackmount platforms for cloud data centers



#### Benefits & Advantages:

- Efficiency-optimized single-processor configurations
- Tool-less platform for ease of servicing and maintenance
- Pre-configured with M.2 storage for system OS, and flexible support for a range of drive options
- PCle 5.0 I/O allows for high speed networking



H13 2U UP CloudDC AS -2015CS-TNR-G1

#### Form Factor

1U Air Cooled 2U Air Cooled

#### CPU

5th Gen Intel® Xeon®/ AMD EPYC™ 9004 Series

#### Storage

2.5" U.2 NVMe 3.5" SATA









Applications	Appliance, Cloud Storage	Appliance, Cloud Storage	Database Management	Database Management
Model	SYS-521C-NR-G1	AS -2015CS-TNR-G1	SYS-111C-NR-G1	AS -1115CS-TNR-G1
CPU	1x Intel® Xeon® 4510 (12Core/2.4GHz)	1x AMD EPYC™ 9454P (48Core/2.75GHz)	1x Intel® Xeon® 4510 (12Core/2.4GHz)	1x AMD EPYC™ 9454P (48Core/2.75GHz)
Memory	2x 64GB DDR5-5600	12x 64GB DDR5-5600 (at 4800)	2x 64GB DDR5-5600	12x 32GB DDR5-5600 (at 4800)
M.2	2x 960GB M.2 NVMe SSD	2x 960GB M.2 NVMe SSD	2x 960GB M.2 NVMe SSD	2x 960GB M.2 NVMe SSD
Networking	1x Dual 10GbE RJ45	1x Dual 10GbE RJ45	1x Dual 10GbE RJ45	1x Dual 10GbE RJ45
Power Supplies	2x 1200W Titanium Level	2x 1200W Titanium Level	2x 860W Titanium Level	2x 860W Platinum Level



### General-Purpose Compute

### Cost-effective, I/O-optimized systems for enterprise applications



#### Benefits & Advantages:

- Single processor architecture to balance performance and efficiency
- Flexible expansion bay can accommodate a range of single and double-width cards



X13 1U WIO SYS-511E-WR-G1

#### Form Factor

1U Air Cooled

#### CPU

5th Gen Intel® Xeon®

#### Storage

3.5" SATA



Model         SYS-511E-WR-G1           CPU         1x Intel® Xeon® 4510 (12Core/2.4GHz)           Memory         1x 64GB DDR5-5600           M.2         1x 960GB M.2 NVMe SSD           Networking         1x onboard dual 1GbE RJ45           Power Supplies         2x 860W Titanium Level	Applications	General Compute, Web Hosting
Memory 1x 64GB DDR5-5600  M.2 1x 960GB M.2 NVMe SSD  Networking 1x onboard dual 1GbE RJ45	Model	SYS-511E-WR-G1
M.2 1x 960GB M.2 NVMe SSD  Networking 1x onboard dual 1GbE RJ45	CPU	1x Intel® Xeon® 4510 (12Core/2.4GHz)
Networking 1x onboard dual 1GbE RJ45	Memory	1x 64GB DDR5-5600
	M.2	1x 960GB M.2 NVMe SSD
Power Supplies 2x 860W Titanium Level	Networking	1x onboard dual 1GbE RJ45
	Power Supplies	2x 860W Titanium Level



### Large-Scale Al

### GPU-optimized servers for generative AI, LLMs, and AI training



#### Benefits & Advantages:

- High performance NVIDIA or AMD 8-GPU modules provide maximum acceleration for AI
- Up to 1:1 GPU:NIC ratio with 400G networking to create large GPU clusters
- · Modular design with separate CPU and GPU trays for simplified deployment and servicing
- · Thermally-optimized chassis with air or liquid cooling options



#### **Form Factor**

8U Air Cooled 4U Liquid Cooled

#### **GPU**

NVIDIA HGX™ H200 8-GPU/AMD Instinct™ MI300X

#### CPU

5th Gen Intel® Xeon®/ AMD EPYC™ 9004 Series

#### Storage

2.5" U.2 NVMe









Applications	Large Size Enterprise Al Inference & Training	Large Size Enterprise Al Inference & Training	Large Size Enterprise Al Inference & Training	Large Size Enterprise Al Inference & Training
Model	SYS-821GE-TNHR-G1	SYS-421GE-TNHR2-LCC-G1	AS -8125GS-TNHR-G1	AS -8125GS-TNMR2-G1
СРИ	2x Intel® Xeon® Platinum 8570 (56Core/2.1GHz)	2x Intel® Xeon® Platinum 8570 (56Core/2.1GHz)	2x AMD EPYC™ 9474F (48Core/3.6GHz)	2x AMD EPYC™ 9654 (96Core/2.4GHz)
GPU	1x NVIDIA HGX™ H200 8-GPU	1x NVIDIA HGX™ H200 8-GPU	1x NVIDIA HGX™ H200 8-GPU	1x AMD Instinct™ MI300X 8-GPU
Memory	32x 96GB DDR5-5600	32x 96GB DDR5-5600	24x 96GB DDR5-5600 (at 4800)	24x 96GB DDR5-5600 (at 4800)
M.2	2x 960GB M.2 NVMe SSD	2x 960GB M.2 NVMe SSD		
Storage			1x 1.9TB U.2 NVMe SSD	1x 1.9TB U.2 NVMe SSD
Networking	8x Single 400G NDR/ETH OSFP 1x Dual 200G NDR200/ETH QSFP112	8x Single 400G NDR/ETH OSFP 1x Dual 200G NDR200/ETH QSFP112	1x Dual 10GbE RJ45 8x 400G NDR/ETH OSFP	1x Dual 10GbE RJ45 4x Single 400GbE QSFP112
Power Supplies	8x 3000W Titanium Level	4x 5250W Titanium Level	6x 3000W Titanium Level	6x 3000W Titanium Level

### **Enterprise Al Inferencing & Training**

### Power and flexibility for content creation and Al-enabled office applications



#### Benefits & Advantages:

- Up to 13 PCle 5.0 slots for flexible GPUs, I/O and networking options
- Highly flexible architecture for balanced acceleration, I/O, and storage configurations
- Thermally optimized chassis design to support maximum performance with air cooling



H13 4U 8-GPU PCle AS -4125GS-TNRT-G1

#### **Form Factor**

5U Air Cooled 4U Air Cooled

#### **GPU**

**NVIDIA L40S** 

#### CPU

5th Gen Intel® Xeon®/ AMD EPYC™ 9004 Series

#### Storage

2.5" U.2 NVMe





Applications	Medium Size Enterprise Al Inference & Training	Large Enterprise Al Inference & Training
Model	AS -4125GS-TNRT-G1	SYS-521GE-TNRT-G1
CPU	2x AMD EPYC™ 9124 (16Core/3GHz)	2x Intel® Xeon® Platinum 8562Y+ (32Core/2.8GHz)
GPU	2x NVIDIA L40S PCIe	8x NVIDIA L40S PCIe
Memory	24x 64GB DDR5-5600 (at 4800)	16x 64GB DDR5-5600
Storage	1x 1.9TB U.2 NVMe SSD	2x 960GB SATA SSD
Networking	1x Onboard Dual 10GbE RJ45	1x Single IB/Ethernet NDR200
Power Supplies	4x 2000W Titanium Power Supplies	4x 2700W Titanium Level



### **GPU-Optimized Rackmount**

### Flexible, accelerated compute for Enterprise Al applications



#### Benefits & Advantages:

- Dual processor performance and GPU acceleration a standard 2U rackmount form factor
- Highly flexible modular architecture
- Optimized thermal design to maximize airflow
- Tool-less platform for ease of servicing and maintenance



X13 2U DP Hyper SYS-221H-TNR

#### **Form Factor**

2U Air Cooled

#### **GPU**

**NVIDIA L40S** 

#### **CPU**

5th Gen Intel® Xeon®/ AMD EPYC™ 9004 Series

#### Storage

2.5"U.2 NVMe 2.5"/3.5" SATA





Applications	Medium Size Enterprise Al Inference & Training	Medium Size Enterprise Al Inference & Training
Model	SYS-221H-TNR-G1	AS -2025HS-TNR-G1
СРИ	2x Intel® Xeon® Platinum 8562Y+ (32Core/2.8GHz)	2x AMD EPYC™ 9124 (96Core/2.4GHz)
GPU	2x 2 NVIDIA L40S	2x NVIDIA L40S
Memory	16x 64GB DDR5-5600	24x 96GB DDR5-5600 (at 4800)
Storage	2x 960GB M.2 NVMe SSD	1x 1.9TB U.2 NVMe SSD
Networking	1x Dual 10GbE RJ45	1x Dual 10GbE RJ45
Power Supplies	2x 2000W Titanium Level	2x 2000W Titanium Level



### All-Flash Storage

### High throughput and density storage for data-intensive applications



#### Benefits & Advantages:

- Unprecedented density design to support up to 1.92PB in 2U with Gen5 NVMe drives
- Direct-attached EDSFF E1.S and E3.S media for the best thermal and I/O performance
- Symmetrical architectures reduce latency by minimizing data paths



#### **Form Factor**

1U Air Cooled 2U Air Cooled

#### CPU

5th Gen Intel® Xeon®

#### Storage

EDSFF E3.S EDSFF E1.S 2.5"U.2 NVMe







Applications         AI, VDI, CDN, Object, Cloud Computing         AI, VDI, CDN, Object, Cloud Computing         Software Defined Storage           Model         SSG-221E-NE324R-G1         SYS-221H-TN24R-G1           CPU         2x Intel® Xeon® 6548Y+ (32Core/2.5GHz)         2x Intel® Xeon® 6548Y+ (32Core/2.5GHz)         2x Intel® Xeon® 6548Y+ (32Core/2.5GHz)           Memory         4x 64GB DDR5-5600         4x 64GB DDR5-5600         4x 64GB DDR5-5600           M.2         1x 960GB M.2 NVMe SSD         1x 480GB M.2 NVMe SSD         2x 960GB M.2 NVMe SSD	
CPU 2x Intel® Xeon® 6548Y+ (32Core/2.5GHz) 4x 64GB DDR5-5600 4x 64GB DDR5-5600	
Memory 4x 64GB DDR5-5600 4x 64GB DDR5-5600 4x 64GB DDR5-5600	
	2.5GHz)
M.2 1x 960GB M.2 NVMe SSD 1x 480GB M.2 NVMe SSD 2x 960GB M.2 NVMe SSD	
Storage 1x 1.92TB E3.S NVMe SSD 1x 3.8TB E1.S NVMe SSD 4x 3.8TB U.2 NVMe SSD	
Networking 1x Quad 1GbE RJ45 1x Quad 25GbE SFP28 1x Quad 25GbE SFP28	
Power Supplies 2x 2000W Titanium Level 2x 2000W Titanium Level 2x 1600W Titanium Level	



### Simply Double Storage

### Large-scale storage building blocks in a standard rackmount form factor



#### Benefits & Advantages:

- Unique dual-loading design improves density without impacting serviceability
- Direct access to 24 drives without removing chassis cover
- Pre-configured with RAID storage controller



H13 Simply Double ASG-2015S-E1CR24H-G1

#### Form Factor

2U Air Cooled

#### **CPU**

5th Gen Intel® Xeon® / AMD EPYC™ 9004 Series

#### **Storage**

3.5" SATA





Applications	Big Data, Hadoop	Big Data, Hadoop
Model	SSG-521E-E1CR24H-G1	ASG-2015S-E1CR24H-G1
CPU	1x Intel® Xeon® 4510 (12Core/2.4GHz)	1x AMD EPYC™ 9124 (16Core/3GHz)
Memory	4x 64GB DDR5-5600	4x 64GB DDR5-5600 (at 4800)
M.2	1x 960GB M.2 NVMe SSD	1x 960GB M.2 NVMe SSD
Storage	2x 20TB 3.5" SATA	2x 20TB 3.5" SATA
Networking	1x Dual 10GbE RJ45	1x Dual 10GbE RJ45
Power Supplies	2x 1600W Titanium Level	2x 1600W Titanium Level
Storage Controlle	r 1x SAS Controller - HW RAID via Broadcom® 3908	1x SAS Controller - HW RAID via Broadcom® 3908



### Data Lake and Object Storage

### Accessibility and efficiency for large-scale data centers



#### Benefits & Advantages:

- Ideal mix of storage density, efficiency, and economy for large-scale object storage and data lake applications
- Front-access drawer architecture allows easy access to drives
- · Tool-less drive brackets simplify installation and maintenance



X12 90-bay Top-Loading SSG-640SP-E1CR90-G1

#### Form Factor

**4U Air Cooled** 

#### **CPU**

3rd Gen Intel® Xeon® Scalable

#### Storage

3.5" SATA





Applications	Cloud Object Storage	Cloud Object Storage
Model	SSG-640SP-E1CR60-G1	SSG-640SP-E1CR90-G1
CPU	2x Intel® Xeon® 4310 (12Core/2.1GHz)	2x Intel® Xeon® 4310 (12Core/2.1GHz)
Memory	4x 64GB DDR4-3200	4x 64GB DDR4-3200
M.2	1x 960GB M.2 NVMe SSD	1x 960GB M.2 NVMe SSD
Storage	4x 20TB 3.5" SATA	4x 20TB 3.5" SATA
Networking	1x Onboard Dual 10GbE RJ45	1x Onboard Dual 10GbE RJ45
Power Supplies	2x 2000W Titanium Level	1x 2600W Titanium Level
Storage Controller	1x SAS Controller - HW RAID via Broadcom® 3916	1x SAS Controller - HW RAID via Broadcom® 3916



### Intelligent Edge

### Compact and fanless systems for the intelligent edge



#### Benefits & Advantages:

- Power-efficient compute and Al performance to environments such as retail, manufacturing, healthcare, and public spaces
- Ready to be deployed in remote environments or integrated into existing infrastructure
- Broad selection of PCIe & M.2 expansion slots and I/O ports, including support for AI
  accelerators at the edge



X13 Edge Box PC SYS-E403-13E-FRN2T-G1

#### **Form Factor**

Compact Box Mini-1U Compact Fanless

#### **CPU**

5th Gen Intel® Xeon® Scalable / Intel® Core™ / Intel® Atom®

#### **Storage**

2.5"U.2 NVMe M.2 NVMe M.2 SATA









Applications	Edge Al Computing	Edge Computing	Edge Computing	Edge Computing
Model	SYS-E403-13E-FRN2T-G1	SYS-E300-13AD-G1	SYS-E200-12A-G1	SYS-E100-13AD-G1
CPU	1x Intel® Xeon® 4510 (12Core/2.4GHz)	1x Intel® Core™ i5-13500E (14Core/2.4GHz)	1x Intel® Atom® C5325 (8Core/2.4GHz)	1x Intel® Core™ i3-1215UE (6C)
Memory	4x 32GB DDR5-5600	1x 32GB DDR4-3200	1x 32GB DDR4-3200	1x 16GB DDR5-4800
M.2	1x 480GB M.2 NVMe SSD	1x 960GB M.2 NVMe SSD	1x 960GB M.2 NVMe SSD	1x 256GB M.2 SATA SSD
Networking	1x Onboard Dual 10GbE RJ45	1x Onboard single 2.5GbE RJ45 1x Onboard single 1GbE RJ45	1x Onboard quad 1GbE RJ45 1x Onboard dual 10GbE SFP+	1x Onboard dual 2.5GbE RJ45
Power Supplies	1x 800W Platinum Level	1x 180W	1x 150W	1x 84W



### System Management Software



## Leverage Supermicro's management software suite to meet your IT infrastructure challenges

With a comprehensive range of high-end software solutions, Supermicro gives IT administrators the tools to optimize the management of IT systems and increase the utilization of computing and storage infrastructure. Whether you are looking to manage individual systems, optimize server lifecycle processes, or streamline operations for an entire data center, Supermicro has the right software to help you accomplish your goals.



- Obtain valuable insights in your infrastructure
- Monitor the health of servers and critical components
- · Get proactive alerts



- Maintain system uptime to meet SLAs
- Early symptom detection to prevent component failure
- Remote management and troubleshooting



- Protect your IT infrastructure from external threats
- Centralized patch and BIOS management
- · Extensive security features

### System Management Software Suite Bundles

Supermicro's System Management Software Suite consists of a set of specialized applications. These are available in the following bundles.

Suite Bundle	Standard	Basic	Advanced	Enterprise
Description	Covers all core functionality to effectively set up, manage, and monitor your Supermicro systems. These features are available to all Supermicro users.	Extends the core functionality and makes system management easier with additional features, such as remote BIOS management and system updates.	Delivers a broad set of tools to help administrators improve the performance, up-time, and monitoring of Supermicro systems.	Offers an extensive platform to manage large data centers and coordinate automated lifecycle management, software-defined infrastructure, and more in a single pane of glass.
License	No license required	SFT-OOB-LIC	SFT-DCMS-SINGLE	SFT-DCMS-SINGLE + SFT-SDDC-SINGLE
	Secure remote console (KVM/ HTML5) System temperature monitoring System power thresholds &	Remote BMC management Remote BIOS management Out-of-Band systems checks TPM Provisioning	Remote OS deployment Auto-discovery Power capping RAID monitoring and	3rd Party vendor support POD & Rack-level management SDI Lifecycle management Manage Composable
Key Features*	alerts Component monitoring Email alerting Remote configuration Offline diagnostics Crash dump License management	Mount/Unmount ISO images from Samba/HTTP Basic Redfish APIs CIM management SysLog	configuration HDD monitoring Advanced Redfish APIs FW update policy System lock down Crash screen/video capture	Disaggregated Infrastructure Zero-touch provisioning for network configuration Single pane of glass for data center deployment Rich analytics & telemetry User defined role-based access control

<sup>\*</sup> For detailed information, please check with your Supermicro sales representative or refer to Supermicro website: https://www.supermicro.com/en/solutions/management-software





# Faster

First-to-Market Innovation with the Highest Performance Server Designs





Reduced Environmental Impact and Lower TCO



#### **Worldwide Headquarters**

The Ghazi Group 2332 Galiano Street Miami, FL 33136, USA Tel: +1-305-791-2966

E-mail: Sales@theghazigroup.com

#### **EMEA Headquarters**

Burkhan World Investments Al Maryah Tower, ADGM Square, Abu Dhabi, U.A.E. 7th Floor Tel: +1-917-667-9466

E-mail: Sales@theghazigroup.com



www.theghazigroup.com

