Final Product Information	
Product Form	Infused Preroll
Strain	Alien Banana Candy
Batch Number	NAP-DynamiteABC06142024
Harvest Date	6/20/2024
Manufacture date	6/20/2024
Expiration Date	6/20/2025
Starting Concentrate Information	
Туре	
Batch Number	
Strain	
Havest/Manufacture Date	
Type of Extraction	
Manufactured By	
Distribution Chain	
Manufactured By	Best Dispensary (00000032DCOW00232310)
Packaged By	Best Dispensary (00000032DCOW00232310)
Distributed By	Best Dispensary (00000032DCOW00232310)
Marijuana Establishment Name	Best Dispensary (00000032DCOW00232310)
AZDHS WARNING	Warning: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.







PRODUCED: JUN 20, 2024 15:01:15

BEST DISPENSARY

NAPDYNAMITEABC06142024

CERTIFICATE OF ANALYSIS

REGULATORY COMPLIANCE TESTING













PASS







PASS HEAVY METALS

PASS

CANNABINOID SUMMARY

** **TOTAL THC** = (THCA X 0.877) + THC | **TOTAL CBD** = (CBDA X 0.877) + CBD

29.0671 TOTAL THC**

TOTAL CBD**

36.6305 % **TOTAL CANNABINOIDS Q3**

TOTAL TERPENES Q3

D-LIMONENE

TRANS-B-CARYOPHYLLENE

LINALOOL

TERPENOID SUMMARY 1.49% 0.35% 0.35% 0.19%

SAMPLE INFO

BATCH NO.: NAPDYNAMITEABC06142024

LOT NO.: 2406PS0049.0160 **CULTIVAR: ALIEN BANANA CANDY**

MATRIX: FLOWER SUBMATRIX: N/A CATEGORY: INHALABLE SAMPLE ID: PS-240613-001

COLLECTED ON: JUN 13, 2024 09:00:39 **RECEIVED ON: JUN 14, 2024 14:46:30** BATCH/SAMPLE SIZE: 10 G / 9.637 G **RECEIVED BY: WILLIAM LAVERTY**

DISTRIBUTOR INFO

00000032DCOW00232310

ADULT-USE AND MEDICINAL - DISTRIBUTOR

LICENSE

DISTRIBUTOR

JAMESTOWN CENTER

Results relate only to the samples received and have been tested using validated state certified testing methodologies as required by Arizona state law. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results are obtained in accordance with Plant Safe's Quality Assurance Plan and applicable standard operating procedures and are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes. Plant Safe makes no claims as to the efficacy, safety or other risks associated with consuming this product.





HPLC-POT-L020: CANNABINOIDS BY HPLC | JUN 18, 2024 15:45:00

TESTED

ANALYTE		LOQ (mg/g)			ANALYTE		LOQ (mg/g)	LIMIT				
СВС	Q3	1.00	ND	ND	CBN	Q3	1.00		ND	ND		
CBCA	Q3	2.00	6.543 mg/g	0.6543 %	CBNA	Q3	1.00		1.869 mg/g	0.1869 %		
CBD		1.00	ND	ND	Δ^8 -THC	Q3	1.00		ND	ND		
CBDA		1.00	1.089 mg/g	0.1089 %	Δ^9 -THC		1.00		16.152 mg/g	1.6152 %		
CBDV	Q3	1.00	ND	ND	THCA	D1	2.00		313.021 mg/g	31.3021 %		
CBDVA	Q3	1.00	ND	ND	THCV	Q3	1.00		ND	ND		
CBG	Q3	1.00	1.647 mg/g	0.1647 %	THCVA	Q3	1.00		4.978 mg/g	0.4978 %		
CBGA	Q3	1.00	21.006 mg/g	2.1006 %	TOTAL THC**			290.671 mg/g	29.0671 %	N/A		
CBL	Q3	1.00	ND	ND	TOTAL CBD**			0.955 mg/g	0.0955 %	 N/A	ľ	

^{**} TOTAL CBD = (CBDA X 0.877) + CBD

^{**} TOTAL THC = (THCA X 0.877) + THC



GC-TRP-L024: TERPENES BY GC-MS | JUN 17, 2024 09:20:00

TESTED

					- 1	,					- X
ANALYTE		LOQ (mg/g)	AMT	AMT		ANALYTE		LOQ (mg/g)	AMT	AMT	
D-LIMONENE	Q3	0.02	3.5 mg/g	0.35 %		α-PHELLANDRENE	Q3	0.02	ND	ND	
TRANS-β-CARYOPHYLLENE	Q3	0.02	3.5 mg/g	0.35 %		α-TERPINENE	Q3	0.02	ND	ND	
LINALOOL	Q3	0.02	1.9 mg/g	0.19 %		CAMPHOR	Q3	0.02	ND	ND	
β-MYRCENE	Q3	0.02	1.4 mg/g	0.14 %		CIS-β-OCIMENE	Q3	0.02	ND	ND	$\overline{}$
α-HUMULENE	Q3	0.02	1.2 mg/g	0.12 %		CIS-NEROLIDOL	Q3	0.02	ND	ND	
(-)-α-BISABOLOL	Q3	0.02	0.6 mg/g	0.06 %		Δ³-CARENE	Q3	0.02	ND	ND	
(1R)-ENDO-(+)-FENCHYL ALCOHOL	Q3	0.02	0.6 mg/g	0.06 %		EUCALYPTOL	Q3	0.02	ND	ND	
α-TERPINEOL	Q3	0.02	0.6 mg/g	0.06 %		FENCHONE	Q3	0.02	ND	ND	
(-)-β-ΡΙΝΕΝΕ	Q3	0.02	0.5 mg/g	0.05 %		y-TERPINENE	Q3	0.02	ND	ND	
α-ΡΙΝΕΝΕ	Q3	0.02	0.5 mg/g	0.05 %		y-TERPINEOL	Q3	0.02	ND	ND	
(-)-CARYOPHYLLENE OXIDE	Q3	0.02	0.3 mg/g	0.03 %		GERANIOL	Q3	0.02	ND	ND	
BORNEOL	Q3	0.02	0.1 mg/g	0.01 %		GERANYL ACETATE	Q3	0.02	ND	ND	
CAMPHENE	Q3	0.02	0.1 mg/g	0.01 %		ISOBORNEOL	Q3	0.02	ND	ND	
TERPINOLENE	Q3	0.02	0.1 mg/g	0.01 %		MENTHOL	Q3	0.02	ND	ND	
(+)-CEDROL	Q3	0.02	ND	ND		NEROL	Q3	0.02	ND	ND	
(+)-PULEGONE	Q3	0.02	ND	ND		SABINENE	Q3	0.02	ND	ND	
(-)-GUAIOL	Q3	0.02	ND	ND		SABINENE HYDRATE	Q3	0.02	ND	ND	
(-)-ISOPULEGOL	Q3	0.02	ND	ND		TRANS-NEROLIDOL	Q3	0.02	ND	ND	
α-CEDRENE	Q3	0.02	ND	ND		VALENCENE	Q3	0.02	ND	ND	+
α-ΟСΙΜΕΝΕ	Q3	0.02	ND	ND		TOTAL TERPENES	Q3		14.9 mg/g	1.49 %	



ICP-HVY-L021: HEAVY METALS BY ICP-MS | JUN 20, 2024 13:40:00

PASS

ANALYTE	LOQ (ppm)				ANALYTE	LOQ (ppm)	LIMIT (ppm)		
ARSENIC	0.20	0.4	ND	PASS	LEAD	0.50	1	ND	PASS
CADMIUM	0.20	0.4	ND	PASS	MERCURY	0.10	0.2	ND	PASS

Results relate only to the samples received and have been tested using validated state certified testing methodologies as required by Arizona state law. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results are obtained in accordance with Plant Safe's Quality Assurance Plan and applicable standard operating procedures and are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes. Plant Safe makes no claims as to the efficacy, safety or other risks associated with consuming this product.









LC-PES-L022: PESTICIDES BY LC-MS/MS | JUN 17, 2024 09:10:00

RABMECTIN 0.25 0.5 ND PASS MIDIACLOPRID 0.20 0.4 ND PASS ACEPHATE 0.20 0.4 ND PASS ACEPHATE 0.20 0.4 ND PASS ACEPHATE 0.20 0.4 ND PASS ACETHATE 0.20 0.4 ND PASS METALLYTL 0.20 0.2 ND PASS ACCTANGRIPH 0.20 0.4 ND PASS METALLYTL 0.20 0.2 ND PASS ACCTANGRIPH 0.20 0.4 ND PASS METHOCARB 0.10 0.2 ND PASS BIFENAZATE 0.10 0.2 ND PASS METHOCARB 0.10 0.2 ND PASS BIFENAZATE 0.10 0.2 ND PASS METHOCARB 0.10 0.2 ND PASS BIFENAZATE 0.10 0.2 ND PASS METHOCARB 0.10 0.2											
ACETAMIRPID 0.10 0.2 ND PASS MALATHION 0.10 0.2 ND PASS MALATHION 0.10 0.2 ND PASS MALACYMIN METHYL 0.20 0.4 ND PASS MALACYMIN 0.10 0.2 ND PASS MALACYMIN 0.10 0.2 ND PASS METHOCARB 0.10 0.2 ND PASS MALED 0.25 0.5 ND PASS MALED 0.25 ND PASS MALED 0.2	ANALYTE			LIMIT (ppm)	AMT (ppm)	PASS/FAIL	ANALYTE	LOQ (ppm)		AMT (ppm)	PASS/FAIL
ALCICARM RI VI 0.20 0.4 ND PASS MALATHION 0.10 0.2 ND PASS ALCICARB RI VI 0.20 0.4 ND PASS METALAXYL 0.10 0.2 ND PASS ACCONTROBIN 0.10 0.2 ND PASS METHICCARB 0.10 0.2 ND PASS BIFENTHRIN 0.10 0.2 ND PASS METHICCARB 0.10 0.2 ND PASS BIFENTHRIN 0.10 0.2 ND PASS METHICCARB 0.10 0.2 ND PASS BIFENTHRIN 0.10 0.2 ND PASS METHICCARB 0.10 0.2 ND PASS BIFENTHRIN 0.10 0.2 ND PASS METHICCARB 0.10 0.2 ND PASS BIFENTHRIN 0.10 0.2 ND PASS METHICCARB 0.10 0.2 ND PASS CARBARYL 0.10 0.2 ND PASS NALED 0.25 0.5 ND PASS CARBARYL 0.10 0.2 ND PASS NALED 0.25 0.5 ND PASS CARBARYL 0.10 0.2 ND PASS NALED 0.20 0.4 ND PASS CARBARYL 0.10 0.2 ND PASS NALED 0.20 0.4 ND PASS CARBARYL 0.10 0.2 ND PASS PACLOBUTRAZOL 0.20 0.4 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS PACLOBUTRAZOL 0.20 0.4 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS PHOEMET 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10	ABAMECTIN		0.25	0.5	ND	PASS	IMIDACLOPRID	0.20	0.4	ND	PASS
ALDICARB RI VI 0.20 0.4 ND PASS METALAXYL 0.10 0.2 ND PASS AZOXYSTROBIN 0.10 0.2 ND PASS METHOCARB 0.10 0.2 ND PASS BIFENAZATE 0.10 0.2 ND PASS METHOMYL 0.20 0.4 ND PASS BIFENAZATE 0.10 0.2 ND PASS METHOMYL 0.20 0.4 ND PASS BIFENAZATE 0.10 0.2 ND PASS METHOMYL 0.20 0.4 ND PASS BIFENAZATE 0.10 0.2 ND PASS MYCLOBUTANIL 0.10 0.2 ND PASS BIFENAZATE 0.10 0.2 ND PASS MYCLOBUTANIL 0.10 0.2 ND PASS BIFENAZATE 0.10 0.2 ND PASS NALED 0.25 0.5 ND PASS BASSACALID 0.20 0.4 ND PASS NALED 0.25 0.5 ND PASS CARBARYL 0.10 0.2 ND PASS NALED 0.25 0.5 ND PASS CARBARYL 0.10 0.2 ND PASS DAGRAPH 0.10 0.2 ND PASS CARBARYL 0.10 0.2 ND PASS PASS PACLOBUTAZOL 0.20 0.4 ND PASS CHLORANTANILIPROLE 0.10 0.2 ND PASS PERMETHRIN 0.10 0.2 ND PASS CHLORANTANILIPROLE 0.10 0.2 ND PASS PHOSMET 0.10 0.2 ND PASS CHLORANTANILIPROLE 0.10 0.2 ND PASS CHLO	ACEPHATE		0.20	0.4	ND	PASS	KRESOXIM-METHYL	0.20	0.4	ND	PASS
AZOXYSTROBIN 0.10 0.2 ND PASS METHIOCARB 0.10 0.2 ND PASS METHOMYL 0.20 0.4 ND PASS BIFENAZATE 0.10 0.2 ND PASS MYCLOBUTANIL 0.10 0.2 ND PASS MYCLOBUTANIL 0.10 0.2 ND PASS CARBARYL 0.10 0.2 ND PASS NALED 0.25 0.5 ND PASS CARBARYL 0.10 0.2 ND PASS DAMIL CHIORANTRANILIPROLE 0.10 0.2 ND PASS PASS PACLOBUTRAZOL 0.20 0.4 ND PASS PASS PASS PACLOBUTRAZOL 0.20 0.4 ND PASS PASS PASS PACLOBUTRAZOL 0.20 0.4 ND PASS CHIORANTRANILIPROLE 0.10 0.2 ND PASS PASS PASS PHOSMET 0.10 0.2 ND PASS CHIORENAPYR 0.50 1 ND PASS PROPONUBLITATION 0.10 0.2 ND PASS CYPERMETHRIN 0.10 0.2 ND PASS PROPICONAZOLE 0.20 0.4 ND PASS PROPICONAZOLE 0.50 1 ND PASS PROPICONAZOLE 0.50 1 ND PASS PROPICONAZOLE 0.50 1 ND PASS PASS PASS PASS PASS PASS PASS PARLIBRINIS 0.50 1 ND PASS PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND NAIA DICHLORVOS 0.05 0.1 ND PASS PASS PASS PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND NAIA DICHLORVOS 0.05 0.1 ND PASS PASS PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND NAIA DICHLORVOS 0.05 0.1 ND PASS PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND NAIA DICHLORVOS 0.05 0.1 ND PASS PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND NAIA DICHLORVOS 0.05 0.10 0.2 ND PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND ND NAIA DICHLORVOS 0.05 0.10 0.2 ND PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND ND NAIA DICHLORVOS 0.05 0.10 0.2 ND PASS PASS PARLIBRINIS PYRETHRINI 0.50 ND ND NAIA PASS PARLIBRINIS PYRETHRINI 0.50 ND ND NAIA PASS PARLIBRINIS PYRETHRINI 0.50 ND ND NAIA PASS PARLIBRINIS PYRETHRINI 0.50 ND ND ND NAIA PASS PARLIBRINIS PASS PARLIBRINIS PASS NO ND ND PASS PARLIBRINIS PASS PARLIBRINIS PASS NO ND ND PASS PARLIBRINIS PASS NO ND ND PASS PARLIBRINIS PASS ND ND PASS PASS PARLIBRINIS PASS ND ND PASS PASS ND ND PASS PASS	ACETAMIPRID		0.10	0.2	ND	PASS	MALATHION	0.10	0.2	ND	PASS
BIFENAZATE 0.10 0.2 ND PASS METHOMYL 0.20 0.4 ND PASS BIFENTHRIN 0.10 0.2 ND PASS MYCLOBUTANIL 0.10 0.2 ND PASS BIFENTHRIN 0.10 0.2 ND PASS MYCLOBUTANIL 0.10 0.2 ND PASS BOSCALD 0.20 0.4 ND PASS NALED 0.55 0.5 ND PASS CARBARYL 0.10 0.2 ND PASS OXAMYL 0.50 1 ND PASS CARBARYL 0.10 0.2 ND PASS OXAMYL 0.50 1 ND PASS CARBARYL 0.10 0.2 ND PASS PACLOBUTRAZOL 0.20 0.4 ND PASS CHLOBANTRANILIPROLE 0.10 0.2 ND PASS PERMETHRIN 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS PROMET 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS PROMET 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.10 0.2 ND PASS CHL	ALDICARB	R1 V1	0.20	0.4	ND	PASS	METALAXYL	0.10	0.2	ND	PASS
BIENTHRIN 0.10 0.2 ND PASS MYCLOBUTANIL 0.10 0.2 ND PASS BOSCALID 0.20 0.4 ND PASS NALED 0.25 0.5 ND PASS BOSCALID 0.20 0.4 ND PASS NALED 0.25 0.5 ND PASS BOSCALID 0.20 0.4 ND PASS NALED 0.25 0.5 ND PASS CARBARYL 0.10 0.2 ND PASS OXAMYL 0.50 1 ND PASS CARBARYL 0.10 0.2 ND PASS PACLOBUTRAZOL 0.20 0.4 ND PASS CARBORURA 0.10 0.2 ND PASS PERMETHIN 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS PERMETHIN 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.2 ND PASS CHLORANTRANILIPROLE 0.10 0.10 0.2 ND PASS CHLORANTRA	AZOXYSTROBIN		0.10	0.2	ND	PASS	METHIOCARB	0.10	0.2	ND	PASS
PASS	BIFENAZATE		0.10	0.2	ND	PASS	METHOMYL	0.20	0.4	ND	PASS
CARBARYL	BIFENTHRIN		0.10	0.2	ND	PASS	MYCLOBUTANIL	0.10	0.2	ND	PASS
PASS	BOSCALID		0.20	0.4	ND	PASS	NALED	0.25	0.5	ND	PASS
PASS PERMETHRIN 0.10 0.2 ND PASS PERMETHRIN 0.10 0.2 ND PASS	CARBARYL		0.10	0.2	ND	PASS	OXAMYL	0.50	1	ND	PASS
PASS PHOSMET 0.10 0.2 ND PASS PHOSMET 0.10 0.2 ND PASS	CARBOFURAN		0.10	0.2	ND	PASS	PACLOBUTRAZOL	0.20	0.4	ND	PASS
PASS PIPERONYLBUTOXIDE 1.00 2	CHLORANTRANILIPROLE		0.10	0.2	ND	PASS	PERMETHRIN	0.10	0.2	ND	PASS
PASS PRALLETHRIN 0.10 0.2 ND PASS PRALLETHRIN 0.10 0.2 ND PASS	CHLORFENAPYR		0.50	1	ND	PASS	PHOSMET	0.10	0.2	ND	PASS
CYPELUTHRIN 0.50	CHLORPYRIFOS		0.10	0.2	ND	PASS	PIPERONYLBUTOXIDE	1.00	2	ND	PASS
DAMINOZIDE 0.50	CLOFENTEZINE		0.10	0.2	ND	PASS	PRALLETHRIN	0.10	0.2	ND	PASS
DAMINOZIDE 0.50 1 ND PASS PYRETHRINS 0.50 1 ND PASS DIAZINON 0.10 0.2 ND PASS PYRETHRINS PYRETHRIN I 0.50 ND N/A DICHLORVOS 0.05 0.1 ND PASS PYRETHRINS PYRETHRIN II 0.50 ND N/A DIMETHOATE 0.10 0.2 ND PASS PYRIDABEN 0.10 0.2 ND PASS ETHOPROPHOS 0.10 0.2 ND PASS SPINOSAD 0.10 0.2 ND PASS ETOFENPROX 0.20 0.4 ND PASS SPINOSAD A 0.10 ND ND N/A FENOXYCARB 0.10 0.2 ND PASS SPIROSAD D 0.10 0.2 ND PASS FENOYCARB 0.10 0.2 ND PASS SPIROMESIFEN 0.10 0.2 ND PASS FENOYCOXIMATE 0.20 0.4 ND <	CYFLUTHRIN		0.50	1	ND	PASS	PROPICONAZOLE	0.20	0.4	ND	PASS
DIAZINON 0.10 0.2 ND	CYPERMETHRIN		0.50	1	ND	PASS	PROPOXUR	0.10	0.2	ND	PASS
DICHLORVOS 0.05 0.1 ND PASS PYRETHRINS PYRETHRIN II 0.50 ND N/A DIMETHOATE 0.10 0.2 ND PASS PYRIDABEN 0.10 0.2 ND PASS ETHOPROPHOS 0.10 0.2 ND PASS SPINOSAD 0.10 0.2 ND PASS ETOFENPROX 0.20 0.4 ND PASS SPINOSAD A 0.10 ND ND N/A ETOXAZOLE 0.10 0.2 ND PASS SPINOSAD D 0.10 ND ND N/A FENOXYCARB 0.10 0.2 ND PASS SPIROMESIFEN 0.10 0.2 ND PASS FENPYROXIMATE 0.20 0.4 ND PASS SPIROXAMINE 0.20 0.4 ND PASS FILONICAMID 0.50 1 ND PASS THBUCONAZOLE 0.20 0.4 ND PASS FLUDIOXONIL 0.20 0.4	DAMINOZIDE		0.50	1	ND	PASS	PYRETHRINS	0.50	1	ND	PASS
DIMETHOATE 0.10 0.2 ND PASS PYRIDABEN 0.10 0.2 ND PASS	DIAZINON		0.10	0.2	ND	PASS	PYRETHRINS PYRETHRIN I	0.50		ND	N/A
Description	DICHLORVOS		0.05	0.1	ND	PASS	PYRETHRINS PYRETHRIN II	0.50		ND	N/A
ND NA ND PASS SPINOSAD A 0.10 ND NA NA NA NA NA NA NA	DIMETHOATE		0.10	0.2	ND	PASS	PYRIDABEN	0.10	0.2	ND	PASS
ND ND ND ND ND ND ND ND	ETHOPROPHOS		0.10	0.2	ND	PASS	SPINOSAD	0.10	0.2	ND	
FENOXYCARB 0.10 0.2 ND PASS SPIROMESIFEN 0.10 0.2 ND PASS FENOYROXIMATE 0.20 0.4 ND PASS SPIROTETRAMAT 0.10 0.2 ND PASS FIRONIL 0.20 0.4 ND PASS SPIROXAMINE 0.20 0.4 ND PASS FLONICAMID 0.50 1 ND PASS TEBUCONAZOLE 0.20 0.4 ND PASS FLUDIOXONIL 0.20 0.4 ND PASS THIACLOPRID 0.10 0.2 ND PASS HEXYTHIAZOX 0.50 1 ND PASS THIAMETHOXAM 0.10 0.2 ND PASS	ETOFENPROX		0.20	0.4	ND	PASS	SPINOSAD A	0.10		ND	N/A
FENPYROXIMATE 0.20 0.4 ND PASS SPIROTETRAMAT 0.10 0.2 ND PASS FIRONIL 0.20 0.4 ND PASS SPIROXAMINE 0.20 0.4 ND PASS FLONICAMID 0.50 1 ND PASS TEBUCONAZOLE 0.20 0.4 ND PASS FLUDIOXONIL 0.20 0.4 ND PASS THIACLOPRID 0.10 0.2 ND PASS HEXYTHIAZOX 0.50 1 ND PASS THIAMETHOXAM 0.10 0.2 ND PASS	ETOXAZOLE		0.10	0.2	ND	PASS	SPINOSAD D	0.10		ND	N/A
	FENOXYCARB		0.10	0.2	ND	PASS	SPIROMESIFEN	0.10	0.2	ND	PASS
FLONICAMID 0.50 1 ND PASS TEBUCONAZOLE 0.20 0.4 ND PASS FLUDIOXONIL 0.20 0.4 ND PASS THIACLOPRID 0.10 0.2 ND PASS HEXYTHIAZOX 0.50 1 ND PASS THIAMETHOXAM 0.10 0.2 ND PASS	FENPYROXIMATE		0.20	0.4	ND	PASS	SPIROTETRAMAT	0.10	0.2	ND	PASS
FLUDIOXONIL 0.20 0.4 ND PASS THIACLOPRID 0.10 0.2 ND PASS HEXYTHIAZOX 0.50 1 ND PASS THIAMETHOXAM 0.10 0.2 ND PASS	FIPRONIL		0.20	0.4	ND	PASS	SPIROXAMINE	0.20	0.4	ND	PASS
HEXYTHIAZOX 0.50 1 ND PASS THIAMETHOXAM 0.10 0.2 ND PASS	FLONICAMID		0.50	1	ND	PASS	TEBUCONAZOLE	0.20	0.4	ND	PASS
HEXYTHIAZOX 0.50 1 ND PASS THIAMETHOXAM 0.10 0.2 ND PASS	FLUDIOXONIL		0.20	0.4	ND	PASS	THIACLOPRID	0.10	0.2	ND	PASS
NATURE 0.00 NO. 100 NO	HEXYTHIAZOX		0.50	1	ND	PASS					
	IMAZALIL		0.10	0.2	ND	PASS	TRIFLOXYSTROBIN				PASS



LC-MYC-L022: MYCOTOXINS BY LC-MS/MS | JUN 17, 2024 09:10:00

TESTED

ANALYTE	LOQ (µg/kg)	LIMIT	AMT (µg/kg)		ANALYTE	LOQ (µg/kg)	AMT (µg/kg)	PASS/FAIL
AFLATOXINS			ND	N/A	AFLATOXIN G1	10.00	ND	N/A
AFLATOXIN B1	10.00		ND	N/A	AFLATOXIN G2	10.00	ND	N/A
AFLATOXIN B2	10.00		ND	N/A	OCHRATOXIN A	10.00	ND	N/A




PCR-ASP-L017: ASPERGILLUS BY QPCR | JUN 19, 2024 07:13:00

PASS

ANALYTE LIMIT AMT (in one gram) PASS/FAIL ANALYTE LIMIT AMT (in one gram) PASS/FAIL

Results relate only to the samples received and have been tested using validated state certified testing methodologies as required by Arizona state law. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results are obtained in accordance with Plant Safe's Quality Assurance Plan and applicable standard operating procedures and are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes. Plant Safe makes no claims as to the efficacy, safety or other risks associated with consuming this product.





Any

Any

ND ND PAS

ASPERGILLUS NIGER
ASPERGILLUS TERREUS

Any Any ND

PASS PASS



TMP-ECO-L018: E. COLI BY PETRI-FILM | JUN 18, 2024 10:06:00

PASS

ANALYTE	LIMIT (CFU/g)	AMT (CFU/g)	
ESCHERICHIA COLI	100	<10	PASS



PCR-SAL-L016: SALMONELLA BY QPCR | JUN 18, 2024 08:30:00

PASS

ANALYTE	LIMIT	AMT (in one gram)		
SALMONELLA SPP.	Any	ND	PASS	

PRODUCT IMAGES





Results relate only to the samples received and have been tested using validated state certified testing methodologies as required by Arizona state law. The report shall not be reproduced, except in full, without written approval of the laboratory. Limits and required tests referenced from A.A.C. Title 9, Ch. 17 and/or Ch. 18. Results are obtained in accordance with Plant Safe's Quality Assurance Plan and applicable standard operating procedures and are based on simple acceptance of the analytical value, the reported analytical value is used to determine pass/fail status for the indicated analytes. Plant Safe makes no claims as to the efficacy, safety or other risks associated with consuming this product.



