

PPS/VPS

VERSATILE PROTECTIVE SUIT



FLEXIBLE

Trauma reduction, Perfect fit, Agile, Unisex, Ventilated



VERSATILE

All in one Riot scale to Balistic



VPAM KDIW
CERTIFIED 2004

Safety and Liability



WASHABLE

Easy to clean and disinfect



2 SIZES

Logistics optimization **Size 1:** XS – XL | **Size 2:** 2XL - 4XL



LIGHTWEIGHT

Long-term workability

ENFORCEMENTTechnology Group

WWW.ETGI.US 414.276.4471



IWI GAL™ PPS/VPS



MK-2 Under Door Camera Robot



The only remote under door camera robot on the market. Closed doors are no longer an obstacle.

MK-4 Throwable Robot

The only foam-bodied, 4-wheel-drive, shock-proof, throwable public safety robot.
Clothes are no longer an obstacle.



No.

MK-8 Stair Climbing Robot

The smallest, lightest, easiest to operate, public safety stairclimbing robot. Climbs stairs that other robots simply can't.

Recon Stick Pole Camera

The only all-in-one grab and go pole camera specifically designed for tactical teams.



3-Year No-Fault Warranty

Manual Guide

Forth Generation "Gal" Riot Control system suite



General:

The purpose of the user manual is to make the instructions for wearing, maintaining and storing the suit accessible.

The system consists of 4 main parts:

The upper part - vest, upper arm, lower arm.

Upper leg, lower leg and carrying bag.


Description and structure:

The suit is made of two parts:

- A. Carrier consists of:
 - Outer part high-quality 1000 "Cordura" flame retardant fabric.
 - Inner part made of anti-tear mesh with high-quality reinforcement strips, combined with high-quality Velcro.
- B. Trauma Protection flexible material consisting of polypropylene and compressed sponge Built in the form of waves to Maximum energy abrasion.







THE FUTURE OF TECHNOLOGY... TODAY

Kevin Otto kevin@etgi.us

400 North Broadway, 4th floor Milwaukee, Wisconsin, USA 53202

Phone: 800-873-2872 Local: 414-276-4471 Fax: 414-276-1533

www.etgi.us





1 Lower leg



Check connection of units (7),(8) and (9) and adjust the straps on the lower leg.

Make sure that the connection of the foot is fastened at the bottom of the shoe.

2 Upper leg



Put on the groin protector (6), make sure that the hip protector (11) is connected to the pelvic protection belt and put on the pelvic protector (10). Adjust the thigh protector straps on the thigh according to comfort.

Tactical Vest
Arm
protection



Make sure that the lower arm parts (13+14) are connected to the elbow. Make sure that the upper arm parts (3+4) are attached to the vest.

Make sure that the lower abdomen protector (5) is attached to the vest. wear the vest (12).

Adjust the straps on the arms.

4Bag



An equipment bag contains all the equipment for the security guard.

Inside 2 compartments - a large compartment for a suit + overalls.

A small compartment for a mask and helmet.

The bag has several external compartments:

Baton, Ventilation compartment for helmet and mask after use.

Personal name check box. Velcro strips for organization and unit marking.

RIOT CONTROL



Safety & Maintenance



The outer cover is machine washable. 30 degrees without detergents.

The trauma protection can only be cleaned by hand with a wet towel. Ventilate in an open place before inserting into the cover.



The body shield is a unique, flexible patent that meets the German VPAM2/3 standard. The VPAM standard is the strictest standard in the world for examining the trauma of beatings and injuries to the body.

VPAM KDIW W2 / W3

Standard 2 - corresponding to the impact of stones on the body.

Standard 3 - equivalent to the impact of rocks on the body.



Storage conditions: ventilated place at a temperature between 10-30 Celsius. The equipment itself can work between (-20)C to 70C.



Level 2 - 6.4kg

Level 3 - 7.8kg

A lightweight system with a very high protection capacity.



Versatile: suit for all the operator needs:

Arrest and search mood, with preparedness for ballistic protection.

rapid riot control mood for immediate event.

Full riot control protection for known event.



Flexible: The suit protection consists of flexible compressed sponge & layer of HDPE and PP. The flexibility of the material allows for optimal attachment to the body that allow a wider range of motion in operation and make it suitability for both men and women.



ASTM 6413 EN ISO 6941 Method A DIN EN ISO 15025 Method A

00 å00

AATCC 127

Anti Erosion

ASTM D 3886

Flame Retardant

Liquid Repellent

Sizes - Eu



Sizes

Circumference	Size 1 – xs - xi	Size 2 – 2xl-4xl
Chest	85-115 cm	116-146 cm
Waist	85-115 cm	116-146 cm
Elbow	25-35 cm	36-46 cm
knee	35-45 cm	46-56 cm

Sizes - USA

Size 1 – xs - xl	Size 2 – 2xl-5xl
33.5-45 inch	45-58 inch
33.5-45.5 inch	45-58 inch
10-14 inch	14-18 inch
14-18 inch	18-22 inch







THE FUTURE OF TECHNOLOGY... TODAY



Versatile Protection Suit

- Very Unique
- Ultra Light Weight
- Highly Flexible
- Versatile Design
- Modular, 4 in 1
- Adjustable to 4x
- High Impact
- Flame/Liquid Resistant

Now available in the US and Canada (Exclusively thru ETGI)
The unique VPS disturbance/response suit is modular by design
(full suit or segments there of);

Is easy to wear, flexible, transportable, is very light weight-yet highly protective; offers a 4 in 1 technical ability by adding inserts (trauma, adv trauma, stab, ballistic protection.)

Helmets & Shields available. Min. order may apply.

Demo Videos Available

For information, inquire to info@etgi.us or call...800.873.2872

Technology Group THE FUTURE OF TECHNOLOGY...TODAY

Kavin Otto kevin@etgi.us

400 North Broadway, 4th floor Milwaukee, Wisconsin, USA 53202 Phone: 800-873-2872 Local: 414-276-4471 Fax: 414-276-1533

www.etgi.us

