Meet the 6th Generation of Wi-Fi

Wi-Fi 6

Omada Wi-Fi 5 and Wi-Fi 4 Access Points

EAP265 HD
AC1750 Wireless MU-MIMO Gigabit Ceiling Mount Access Point
1300 Mbps + 450 Mbps

- High-Density Wi-Fi
- Centralized Management
- Cloud Access
- Mesh
- Seamless Roaming
- PoE Support
- Long Range
- Guest Network

EAP245
AC1750 Wireless MU-MIMO Gigabit Ceiling Mount Access Point
• 1,300 Mbps + 450 Mbps

EAP225
AC1350 Wireless MU-MIMO Gigabit Ceiling Mount Access Point
• 867 Mbps + 450 Mbps

EAP115/EAP110
300 Mbps Wireless N Ceiling Mount Access Point

❯ Omada Ceiling Mount Wi-Fi 6 Access Points

EAP620 HD
AX1800 Ceiling Mount Wi-Fi 6 Access Point
1G | PoE+

5 GHz	2× 600 Mbps
2.4 GHz	2× 287 Mbps

EAP670
AX5400 Ceiling Mount Wi-Fi 6 Access Point
160 MHz | 2.5G | PoE+

5 GHz	4× 1201 Mbps
2.4 GHz	2× 287 Mbps

EAP660 HD
AX3600 Ceiling Mount Wi-Fi 6 Access Point
2.5G | PoE+

5 GHz	4× 600 Mbps
2.4 GHz	4× 287 Mbps

EAP650
AX3000 Ceiling Mount Wi-Fi 6 Access Point
160 MHz | 1G | PoE+

5 GHz	2× 1201 Mbps
2.4 GHz	2× 287 Mbps

EAP610
AX1800 Ceiling Mount Wi-Fi 6 Access Point
1G | PoE+

5 GHz	2× 600 Mbps
2.4 GHz	2× 287 Mbps

❯ Omada Outdoor Wi-Fi 6 Access Points

EAP670-Outdoor HD*
AX5400 Indoor/Outdoor Wi-Fi 6 Access Point
160 MHz | 2.5G | IP67

5 GHz	4× 1201 Mbps
2.4 GHz	2× 287 Mbps

EAP650-Outdoor*
AX3000 Indoor/Outdoor Wi-Fi 6 Access Point
160 MHz | 1G | IP67

5 GHz	2× 1201 Mbps
2.4 GHz	2× 287 Mbps

EAP610-Outdoor
AX1800 Indoor/Outdoor Wi-Fi 6 Access Point
1G | IP67

5 GHz	2× 600 Mbps
2.4 GHz	2× 287 Mbps

❯ Omada Wall Plate Wi-Fi 6 Access Points

EAP655-Wall*
AX3000 Wall Plate Wi-Fi 6 Access Point
160 MHz | 1G | PoE+

5 GHz	2× 1201 Mbps
2.4 GHz	2× 287 Mbps

EAP650-Wall*
AX3000 Wall Plate Wi-Fi 6 Access Point
160 MHz | 1G | PoE+

5 GHz	2× 1201 Mbps
2.4 GHz	2× 287 Mbps

EAP615-Wall
AX1800 Wall Plate Wi-Fi 6 Access Point
1G | PoE+

5 GHz	2× 600 Mbps
2.4 GHz	2× 287 Mbps

*These products are being developed and the product images and specifications are for reference only.

EAP235-Wall
AC1200 Wireless MU-MIMO Gigabit Wall Plate Access Point
- 867 Mbps + 300 Mbps
- Centralized Management
- Cloud Access
- 4× Gigabit Ports
- Easy Installation
- PoE Input and PoE Passthrough
- Guest Network

EAP230-Wall
AC1200 Wireless MU-MIMO Gigabit Wall Plate Access Point
- 867 Mbps + 300 Mbps
- 2× Gigabit Ports

EAP115-Wall
300 Mbps Wireless N Wall Plate Access Point
- 2× 10/100 Mbps Ethernet Ports

EAP225-Outdoor
AC1200 Wireless MU-MIMO Gigabit Indoor/Outdoor Access Point
- 867 Mbps + 300 Mbps
- Centralized Management
- Cloud Access
- Mesh
- Seamless Roaming
- Long Range
- PoE Support
- IP67 Weatherproof Enclosure

EAP110-Outdoor
300 Mbps Wireless N Outdoor Access Point

Omada Mesh
Omada Mesh technology enables wireless connectivity between access points for extended range, making wireless deployment more flexible and convenient.

Long-Range Coverage
Dedicated high-power amplifier and professional antennas ensure long-range coverage over 2.4 GHz and 5 GHz wireless bands.

MU-MIMO
Simultaneously sends data to multiple devices for higher throughput.

Band Steering
Pushes dual-band devices to the wider and faster 5 GHz band, improving overall network performance, especially in high-client density environments.

Seamless Roaming
802.11k and 802.11v Seamless Roaming provide seamless switching to the access point with the optimal signal when moving between APs.

Guest Network
Provides secure Wi-Fi access along with multiple authentication options (SMS/Facebook Wi-Fi/Voucher, etc.) and abundant wireless security features.

Airtime Fairness
Improves total Wi-Fi throughput by limiting access time for low-speed devices.

Load Balance
Improves overall network performance by limiting the number of users on each access point and removes devices with weak reception.

Note: Please refer to page 38-39 for detailed products specifications.

*The features listed on this page are supported by certain product models.