

Roaches...What are they?

DUBIA ROACHES (BLAPTICA DUBIA) ARE AN EXCELLENT FEEDER INSECT FOR REPTILES AND OTHER EXOTIC PETS. THEY ARE EASY TO CARE FOR, ODORLESS COMPARED TO CRICKETS, AND HAVE A HIGH NUTRITIONAL VALUE. HERE'S A SIMPLE GUIDE TO MAINTAINING A SMALL-SCALE DUBIA ROACH COLONY.

Housing

- CONTAINER: USE A PLASTIC STORAGE BIN WITH SMOOTH SIDES TO PREVENT ESCAPE.
 A 10-20 GALLON BIN WORKS WELL FOR A MINI COLONY.
- VENTILATION: CUT OUT SECTIONS OF THE LID AND COVER THEM WITH FINE MESH TO ALLOW AIRFLOW WHILE PREVENTING PESTS.
 - HIDING SPACES: PROVIDE STACKED EGG CARTONS FOR ROACHES TO HIDE AND Breed.

Temperature & Humidity

• IDEAL TEMPERATURE: 85-95°F (BEST FOR BREEDING). A HEAT MAT OR CERAMIC HEAT EMITTER CAN BE USED.

• HUMIDITY: KEEP HUMIDITY AROUND 40-60%.

MIST LIGHTLY IF NEEDED, BUT AVOID EXCESSIVE

MOISTURE TO PREVENT MOLD.

Food& Water

• FOOD: FEED A VARIETY OF FRESH FRUITS, VEGETABLES, AND HIGH-PROTEIN ROACH CHOW OR DRY DOG FOOD. AVOID CITRUS AND OVERLY WET FOODS.

• WATER: USE WATER CRYSTALS OR FRESH VEGGIES FOR HYDRATION. NEVER USE AN OPEN WATER DISH, AS ROACHES CAN DROWN.

Cleaning& Maintenance

 SPOT CLEAN: REMOVE UNEATEN FOOD AND DEAD ROACHES EVERY FEW DAYS.

- FRASS MANAGEMENT: ROACH WASTE (FRASS) CAN BUILD UP; CLEAN THE BIN EVERY 4-6 WEEKS BUT LEAVE SOME FRASS BEHIND TO MAINTAIN BENEFICIAL MICROBES.
 - PEST CONTROL: KEEP OUT MITES AND OTHER PESTS BY MAINTAINING DRY
 CONDITIONS AND PROPER VENTILATION.

Breeding & Population Management

- SEX RATIO: A GOOD BREEDING RATIO IS 1 MALE PER 3-5 FEMALES.
- GROWTH CYCLE: NYMPHS HATCH IN ABOUT A MONTH AND TAKE 4-6
 MONTHS TO REACH ADULTHOOD.
- HARVESTING: IF USING FOR FEEDERS, SEPARATE THE DESIRED SIZE ROACHES
 AND LEAVE ENOUGH ADULTS TO KEEP BREEDING.

WITH THESE SIMPLE STEPS, YOU CAN MAINTAIN A HEALTHY MINI DUBIA ROACH COLONY FOR FEEDING YOUR REPTILES OR EVEN EXPANDING INTO A LARGER FARM IF NEEDED!