



AVTECHNOLOGY TRADING COMPANY

BLK 134 Lot 6, 2 C. Arellano St. Katarungan Village, Poblacion, Muntinlupa City, 1776, Philippines

Tel: (+63) 2 7238 5427 | Email: sales@avtechnology.ph

Website: <https://avtechnology.ph>

Hygiene Station

Dahe®



Hand-wash-sink



Technical Data
Power supply230 V; 50/60 Hz, 2A
Operating voltage24 V DC
Drain 32mm - center
Water connection1/2" (cold- + warmWater)
Line pressuremin 2,5 bar, max. 4 bar

Type	Washing places	Version	Dimensions W x D x H in mm
HWB8201	1(SUS304)	Sensor-operated	450*500*1256mm
HWB8202	2(SUS304)	Sensor-operated	450*1000*1256mm
HWB8203	3(SUS304)	Sensor-operated	450*1500*1256mm



Soap Dispenser



TYPE:SDT8000



Specification	Technical data
Function	Soap Dispenser, Turnstile Entry
Electrics	AC220 50Hz
Soap	5L
Drainage	-
Size	L*H*W 865*819*1500mm

Soap Dispenser



TYPE:SDT9000

Specification	Technical data
Function	Soap Dispenser, Turnstile Entry
Electrics	AC220 50Hz
Soap	5L
Drainage	-
Size	L*H*W 1230*819*1500mm

Hand Disinfection



TYPE:HDT8000




Specification	Technical data
Function	Hand Disinfection,Turnstile Entry
Electrics	AC220 50Hz
Disinfectant	5L
Drainage	-
Size	L*H*W 865*819*1500mm

Hand Disinfection



TYPE:HDT9000



Specification	Technical data
Function	Hand Disinfection,Turnstile Entry
Electrics	AC220 50Hz
Disinfectant	5L
Drainage	-
Size	L*H*W 1230*819*1500mm

Sole-cleaning




TYPE:GH5100



Specification	Technical data
Function	Sole Cleaning
Power supply	AC220 50Hz
Performance	0,2 kW
Drainage	50mm
GH5100 Size	L*H*W 748*503*1100mm

Sole-cleaning



TYPE:HSC8206

Sole Cleaning



Specification	Technical data
Function	Sole Cleaning、Desinfection
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HSC8206 Size	L*H*W 2100*800*1200mm
HSC8210 Size	L*H*W 2500*800*1200mm

Sole-cleaning



TYPE:HSC8206T

Sole Cleaning+Turnstile Entry




Specification	Technical data
Function	Sole Cleaning、Sole Disinfection(Disinfection pool)、Turnstile Entry
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HSC8206 Size	L*H*W 2100*860*1200mm

Sole-cleaning



TYPE:F9000

Sole Cleaning for the industrial hygiene



Specification	Technical data
Function	Sole Cleaning、 for the industrial hygiene
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
F9006 Size	L*H*W 1550*800*200mm
F9009 Size	L*H*W 1910*800*200mm
F9012 Size	L*H*W 2270*800*200mm
F9015 Size	L*H*W 2630*800*200mm
F9018 Size	L*H*W 2990*800*200mm

Sole-cleaning



TYPE:HSC8306T

Sole Cleaning+Sole Disinfection(spray)+
Turnstile Entry



Specification	Technical data
Function	Sole Cleaning、Sole Disinfection(spray)、Turnstile Entry
Hygiene Control	Automated Process Control: Time setting range(Touch Screen) Shoe Hygiene → Sole Disinfection(spray)→Turnstile Entry
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HSC8206 Size	L*H*W 2500*860*1200mm

Boot-washer



TYPE:HBW5300

Brush: Nylon 3PCS



Specification	Technical data
Function	Boot Wash and Sole cleaning for the food hygiene
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HBW5300 Size	L*H*W 890*630*1080mm


Boot-washer



TYPE:HBW8306

- Boot Brush:3PCS
- Sole Brush: 2PCS
- Boot Brush: 200*300H
- Sole Brush:140*600mm

Specification	Technical data
Function	Boot Wash and Sole cleaning for the food hygiene
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HBW8306 Size	L*H*W 1800*950*1200mm
HBW8310 Size	L*H*W 2150*950*1200mm




Boot-washer



TYPE:HBW7308

Boot Brush:4PCS
Sole Brush: 2PCS
Boot Brush: 220*800H
Sole Brush:200*800mm
for the **Coal mines and mines**

Specification	Technical data
Function	Boot Wash and Sole cleaning for the food hygiene
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HBW7308 Size	L*H*W 1800*950*1200mm
HBW7312 Size	L*H*W 2150*950*1200mm



Boot-washer



TYPE:HBW9306


Boot Brush:3PCS
Sole Brush: 2PCS
Boot Brush: 250*300H
Sole Brush:180*600mm
for the **Livestock and breeding**

Enhance cleaning effectiveness
Suitable for animal husbandry, suitable for cleaning
animal feces and stains

Cleaning agents can be added
Double the cleaning effect of removing stains and grease

Specification	Technical data
Function	Boot Wash and Sole cleaning for the Livestock and breeding
Electrics	AC220 50Hz
Water	DN20
Drainage	80mm
HBW9306 Size	L*H*W 2150*1100*1200mm

Boot-washer



TYPE:K8000

Boot Brush: 20PCS
Sole Brush: 4PCS
Boot Brush: 200*300H
Sole Brush:180*1000mm
for the **Coal mines and mines**

Specification	Technical data
Function	Boot Wash and Sole cleaning for the Coal mines and mines
Electrics	AC220 50Hz
Water	DN20
Drainage	80mm
K8000 Size	L*H*W 2150*1100*1200mm
K8000 Double lane Size	L*H*W 2150*1500*1200mm



Hygiene station



TYPE:HCS83206

Specification	Technical data
Function	Hand Hygiene: Hands Disinfection Sole Hygiene: Sole Wash+Sole Disinfection(Disinfection pool) Turnstile Entry
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HCS83204 Size	L*H*W 1850*960*1850mm Sole Brush:140*400mm
HCS83206 Size	L*H*W 2250*960*1850mm Sole Brush:140*600mm
HCS83210 Size	L*H*W 2650*960*1850mm Sole Brush:140*1000mm
Hygiene Control	Time setting range(Touch Screen)



Hygiene station



TYPE:HCS93206

Sole Brush:180*600mm

Specification	Technical data
Function	Hand Hygiene: Hands Disinfection Sole Hygiene: Sole Wash+Sole Disinfection(Disinfection pool) Turnstile Entry
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HCS93206 Size	L*H*W 2100*860*1770mm Sole Brush:180*600mm
HCS93206 Double lane Size Size	L*H*W 2100*1700*1770mm Sole Brush:180*600mm
Hygiene Control	Time setting range(Touch Screen)




Hygiene station



TYPE:HCS96206

Boot Brush: 3PCS
Sole Brush: 2PCS
Boot Brush: 250*300H
Sole Brush:180*600mm

Specification	Technical data
Function	Hand Hygiene: Hands Disinfection Sole Hygiene: Sole Wash+Sole Disinfection(Disinfection pool) Turnstile Entry
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HCS96206 Size	L*H*W 2400*1000*1770mm Sole Brush:180*600mm
HCS96206 Double lane Size Size	L*H*W 2400*2050*1770mm Sole Brush:180*600mm
Hygiene Control	Time setting range(Touch Screen)



Hygiene station



TYPE:HCS82210

Specification	Technical data
Function	Hand Disinfect , Sole Desinfection(Disinfection pool), Turnstile Entry
Electrics	AC220 50Hz
Water	DN15
Drainage	32mm
HCS82210 Size	L*H*W 1000*860*1680mm



Hygiene station




TYPE:HCS83506

Sole Brush:140*600mm

Specification	Technical data
Function	Hand Hygiene (1: Wet hands, 2: Liquid Soap, 3:Rub hands 15~20s, 4:Rinse hands, 5:Dry Hands, 6:Disinfect Hands) Shoe Hygiene (1: Sole Cleaning, 2: Sole Desinfection)
Hygiene Control	Automated Process Control: Time setting range(Touch Screen) Hands & Shoe Hygiene → Hand Disinfection→Turnstile Entry
Electrics	AC220 50Hz
Water	DN15*2
Drainage	50mm
HCS83506 Size	L*H*W 2250*960*1850mm



Hygiene station



TYPE:HCS8240

Specification	Technical data
Function	Hand Hygiene (1: Wet hands, 2: Liquid Soap, 3:Rub hands 15~20s, 4:Rinse hands, 5:Dry Hands, 6:Disinfect Hands)
Hygiene Control	Automated Process Control: Time setting range(Touch Screen) Hand Hygiene → Hand Disinfection→Turnstile Entry
Electrics	AC220 50Hz
Water	DN15
Drainage	50mm
HCS8240 Size	L*H*W 2023*864*1496mm



Hygiene station



TYPE:HCS96508

Boot Brush: 3PCS
Sole Brush: 2PCS
Boot Brush: 250*300H
Sole Brush:180*800mm

Specification	Technical data
Function	Hand Hygiene (1: Wet hands, 2: Liquid Soap, 3:Rub hands 15~20s, 4:Rinse hands, 5:Dry Hands, 6:Disinfect Hands) Shoe Hygiene:Boot and Sole Wash+Sole Disinfection(Disinfection pool)
Hygiene Control	Automated Process Control: Time setting range(Touch Screen) Hand & Shoe Hygiene → HandDisinfection→Turnstile Entry
Electrics	AC220 50Hz
Water	DN20 3/4
Drainage	50mm
HCS83506 Size	L*H*W 2650*1000*1895mm



Hygiene Station



TYPE:HCS93510

Sole Brush:180*1000mm

Sensor	OMRON
PLC	OMRON
Touch Screen	Kinco

Specification	Technical data
Function	Hand Hygiene (1: Wet hands, 2: Liquid Soap, 3:Rub hands 15~20s, 4:Rinse hands, 5:Dry Hands, 6:Disinfect Hands) Shoe Hygiene (Sole Wash+Sole Disinfection(Disinfection pool))
Hygiene Control	Automated Process Control: Time setting range(Touch Screen) Hand & Shoe Hygiene → HandDisinfection→Turnstile Entry
Electrics	AC220 50Hz
Water	DN15*2
Drainage	50mm
HCS93510 Size	L*H*W 2600*860*1850mm



Hygiene station



TYPE:HCS93507

Sole Brush:110*500mm

Specification	Technical data
Function	Hand Hygiene（1: Wet hands, 2: Liquid Soap, 3:Rub hands 15~20s, 4:Rinse hands, 5:Dry Hands, 6:Disinfect Hands） Shoe Hygiene（Sole Wash+Sole Disinfection(Disinfection pool)）
Hygiene Control	Automated Process Control: Time setting range(Touch Screen) Hand & Shoe Hygiene → HandDisinfection→Turnstile Entry
Electrics	AC220 50Hz
Water	DN15*2
Drainage	50mm
HCS93510 Size	L*H*W 2150*950*1768mm



Hygiene station



TYPE:HCS73506

Sole Brush:140*600mm

Specification	Technical data
Function	Hand Hygiene: Automatic Faucet+Soap+Dry Hands+Disinfection Hands(Turnstile) Sole Hygiene: Sole Wash
Hygiene Control	---
Electrics	AC220 50Hz
Water	DN15*2
Drainage	50mm
HCS73506 Size	L*H*W 2250*960*1850mm



Boot-dryer



TYPE:BD5020

Specification	Technical data
Function	Boot Dryers（30~50 Celsius）,Ozone disinfection
Time setting range	0-3H
Electrics	AC220 50Hz
BD5020 (Quantity 20PCS) Size	L*H*W 1608*500*1500
BD5025 (Quantity 25PCS) Size	L*H*W 1608*500*1820



Boot-dryer



TYPE:BD9020

Specification	Technical data
Function	Boot Dryers（30~50 Celsius）、Ozone disinfection+UV
Time setting range	0-3H
Electrics	AC220 50Hz
BD9020 (Quantity 20PCS) Size	L*H*W 2200/2000*1350*600



Working Clothes-dryer



TYPE:WCD9020

Specification	Technical data
Function	Working Clothes（30~50 Celsius）、Ozone disinfection+UV
Time setting range	0-3H
Electrics	AC220 50Hz
HD9090	1900/1700*900*500mm
HD9120	1900/1700*1200*500mm
HD9150	1900/1700*1500*500mm
HD9170	1900/1700*1700*500mm

