

ROLECEV

SECURICHARGE

Intelligent EV charging unit



SECURICHARGE

Intelligent EV charging unit

NEW MODELS Contactless payment terminal & LCD display screen

The SECURICHARGE is a heavy-duty and vandal-resistant EV charging unit. An ideal wall-mounted solution for car parks in exposed locations.

Effortless integration with any OCPP chargepoint management system offers an ideal plug-and-charge or pay-to-charge solution.

Seamless charging experience for EV drivers via an app, RFID card/fob, or optional contactless payment.

Additionally, an optional 5" LCD screen displays real-time charging status.

Feature-rich, this EV charger supports dynamic load balancing and is equipped with PME fault detection to reduce installation costs. Available in Iway or 2way versions, providing up to 22kW superfast charging.








Product features

- Plug & charge, app, contactless payment (model dependant), or RFID controlled charging
- Choose from 1x or 2x universal charging socket(s)
- Up to 7.4kW or 22kW charging output(s)
- PME fault detection (no earth rod required)
- Supports dynamic load balancing & static load management
- OCPP 1.6 compliant (can integrate with any back-office)
- Over-the-air firmware / software updates
- Built-in AC overload & fault current protection (RCBO)
- Built-in 6mA DC leakage protection
- Dual tamper and breach security notifications
- Lockable front access door (model dependant)
- 5" LCD Screen (model dependant)
- Cable lock security feature (can be permanently locked by user)
- MID-approved energy metering
- 4G / Wi-Fi / Ethernet connectivity
- Conforms with PAS 1899 accessible charging standard*
- Strong and durable IP54 / IK10 rated
- Wall or post mountable







Independent back plate included as standard on models with front access door

*When installed in at the specified hight



OCPP 1.6 compliant

Ability to integrate with any OCPP compliant chargepoint management system and app.



Easy to operate

Quick and simple ways to operate; plug & charge, app, RFID card/fob, or optional contactless payment.



Eligible for grant funding

This range is approved for grant funding. For more information visit: rolecserv.com/ozev-grant-funding



4G / Wi-Fi / Ethernet enabled

Complete with secure 4G, Wi-Fi and Ethernet connectivity, ensuring chargers are always online 24/7.



Branding & colour options available

Rolec offers a bespoke chargepoint branding service; from logos & brand colours, to vinyl wraps.



No earth rod required

Equipped with built-in PME fault detection, saving installation time and costs.



The details

SCREEN

The 5" LCD screen, protected by a tempered glass front, provides clear step-by-step charging instructions, real-time charging status, and live MID meter readings for each outlet. Support contact information is also conveniently displayed at the bottom of the screen.



CONTACTLESS

The market-leading integrated contactless payment terminal offers EV drivers a hassle-free tap-and-charge experience. Perfect for public locations.

LEARN MORE

Go to www.bit.ly/3WA8EYf

UP TO 22KW

Available in both single phase and three phase models, providing up to 22kW superfast charging.

SECURICHARGE is compatible with all EVs & PHEVs, charging at the fastest speed possible, ensuring vehicles are ready to go in no time.



ACCURATE BILLING

Built-in MID-approved energy metering ensures accurate consumption reporting, which is essential for businesses and residential car parks, wishing to bill for their usage. Use our back-office management platform to generate revenue by setting your own tariffs.

SECURE

Rolec's entire EV chargepoint range is fully UK Smart Charge Point Regulation compliant, and come with a 3 year warranty for added peace of mind.

Chargers receive over-the-air updates ensuring a safe and future-proof product 24/7.



The details

Model Variations









SECURICHARGE with LCD screen & terminal

ROLEC3123B

SECURICHARGE with LCD screen

SECURICHARGE with contactless payment terminal

ROLEC1123B

SECURICHARGE with standard features

ROLEC0123B/G/W

contactless payment \Diamond \Diamond \Diamond \Diamond Plug & charge operation \Diamond \Diamond Mobile app operation RFID card/fob operation \Diamond \Diamond \Diamond \Diamond \Diamond Contactless payment terminal \Diamond 5" LCD screen **(/**) **(/**) **(/**) Lockable front access door Optional **(/**) **(/**) **(**/) Wall/post mounting plate Charging speeds (Max. kW) 7.4 | 22 7.4 | 22 7.4 | 22 7.4 | 22 Charging outputs 1x | 2x 1x | 2x 1x | 2x 1x | 2x Colour options **Product codes** ROLEC3111B ROLEC2111B ROLEC1111B ROLEC0111B/G/W ROLEC3121B ROLEC2121B ROLEC1121B ROLEC0121B/G/W ROLEC3113B ROLEC2113B ROLEC1113B ROLEC0113B/G/W

ROLEC2123B



Specifications


Produ	ıct Overview					
	Connection Type	Charging Output	Input Supply	Unit Colour	Additional Features	Product Code
	1x Universal charging socket	Input Output Supply Unit Colour Reatures LCD screen & contactless payment terminal None It Up to 32A Single Phase* 230V AC (±10 %) 50/60Hz Takkw (32A) Per socket Takw (32A) Per socket It Up to 53A Single Phase* 230V AC (±10 %) 50/60Hz It Up to 53A Single Phase* 230V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 32A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 63A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 63A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 63A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 63A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 63A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 63A Three Phase* 400V AC (±10 %) 50/60Hz It Up to 63A Three Phase* 400V AC (±10 %) 50/60Hz	Single Phase* 230V AC (±10 %)	● Black	LCD screen & contactless payment terminal	ROLEC3111B
Single					LCD screen	ROLEC2111B
					Contactless payment terminal	ROLEC1111B
					None	ROLEC0111B
				Grey	None	ROLEC0111G
				O White	None	ROLEC0111W
Phase Units			ROLEC3121B			
	2x Universal charging sockets		Single Phase* 230V AC (±10 %)	● Black	LCD screen	ROLEC2121B
					Contactless payment terminal	ROLEC1121B
					None	ROLEC0121B
				Grey	None	ROLEC0121G
				O White	None	ROLEC0121W
	1x Universal	•	Three Phase* 400V AC (±10 %)	● Black	LCD screen & contactless payment terminal	ROLEC3113B
					LCD screen	ROLEC2113B
					Contactless payment terminal	ROLEC1113B
	charging socket				None	ROLEC0113B
				Grey	None	ROLEC0113G
Three				O White	None	ROLEC0113W
Phase Units	2x Universal charging sockets	22kW (32A)	Three Phase* 400V AC (±10 %)	● Black	LCD screen & contactless payment terminal	ROLEC3123B
					LCD screen	ROLEC2123B
					Contactless payment terminal	ROLEC1123B
					None	ROLEC0123B
				Grey	None	ROLEC0123G
				O White	None	ROLEC0123W


 ${}^*\mathsf{Chargepoint}(\mathsf{s}) \text{ will downrate if the input supply is lower than the maximum charging output}$



Specifications

Unit Dimensions







Specifications


Technical Data	
User Interface	 Mobile app Contactless card payment terminal (EMVCo. L1 v3.0 Certified) (model dependant) RFID reader (ISO14443 A & B (T=CL), Desfire EV2/3 & Mifare Classic protocols) NFC (ISO18092) 5" LCD display screen RFID reader(s) (MIFARE ISO/IEC 14443 A) (model dependant) Plug & charge RGB LED status indicator halo(s) - configurable
Charge Protocol	Mode 3 (IEC 61851-1)
Protection	 AC overload & fault current protection - 40A 30mA Type A RCBO (per socket) DC fault protection - 6mA Lightning surge, over temperature protection PME fault detection - No earth electrode/rod required Supports automatic dynamic load balancing (may require additional hardware) Supports static load management (software configurable)
Cable Terminals	Single Phase – 3x 50mm 1P + N + E Three Phase – 5x 50mm 3P + N + E
Communications	4G LTE Cat-1 (built-in nano SIM, subscription required) LTE FDD: B1/B3/B5/B7/B8/B20/B28 GSM: B2/B3/B5/B8 Wi-Fi 802.11 b/g/n 2.4 GHz (2412-2472 MHz / 2422-2462 MHz) NFC 13.56 MHz RJ45 Ethernet connection Bluetooth Low Energy (BLE 4.1) 2402-2480 MHz (for installer configuration purposes) OCPP 1.6J Cyber security - Data encryption level TLS 1.2
Energy Metering	Integrated Class 1 MID compliant metering
Standby Power Consumption	 Charging circuits - < 7.5W (per socket) Panel heater - 8W LCD display screen - < 3W (where fitted) Contactless card payment terminal - 18W (where fitted)
Dimensions	320mm x 575mm x 155mm (W x H x D)
Weight	< 15.5kg (model dependant)
Environmental	 Ingress protection - Enclosure IP54, Socket IP54 Impact protection - IK10 Security - Dual tamper and breach notifications Operating temperature30°C to +50°C Operating humidity - 5% to 95%
Materials	 Body (& door where fitted) – Heavy duty 1.5mm Steel applied with 45–55 microns of Zinc primer Finish – Corrosive resistant, textured Polyester powder coating Fascia – tempered glass (where fitted)
Unit Colour	● Black ● ○ Grey & White (model dependant) ② Other colours available upon request
Certifications & Compliances	 EV Charging Compliance - EN 61851-1:2019, EN 61851-22:2002 Smart Charge Points - (SI 2021/1467) Wiring Regulations - BS 7671:2018+A2:2022 EMC Compliance - EN 61000-6-3:2007+A1:2011, EN 61000-6-2:2005, 2014/30 /EU, SI 2016/1091, (EN 301 489-1 V1.9.2, EN 301 489-3 V2.1.1, EN 301 489-17 V1.3.1, EN 301 489-19 V2.1.1, EN 301 489-52 v1.1.0)^P Safety Compliance (LVD) - EN 62368-1:2014, 2014/35/EU, SI 2016/1101, EN 60950-22:2006^P 30 mA AC & 6 mA DC Protection - in accordance with IEC EN 61009-1:2012+A12:2016, IEC61009-2-1:1994+A11:1998, BS IEC 62955:2018 Communications / RED - EN 62311:2008, 2014/53/EU, SI 2017/1206, EN 300 330 V2.1.1 (2017-02), EN 301 908-1 V15.1.1 (2021-09), EN 301 908-13 V13.2.1 (2022-02), EN 301 511 V12.5.1 (2017-03), EN 300 328 V2.2.2 (2019-07), EN 300 440 V2.2.1 (2018-07), (EN 301 908-2 V13.1.1, EN 303 413 V1.1.1)^P Environmental Protection - BS EN 60529:1992+A2:2013 Impact Rating - BS EN 62262:2002+A1:2021 Metering - 2014/32/EU, SI 2016/1153 Accessibility - PAS 1899 accessible charging standard (when installed in at the specified hight) ROHS - 2011/65/EU, SI 2012/3032 REACH - 1907/2006, REACH etc. (Amendment) Regulations 2021 Payter Payment Device - CE, FCC, RoHS, WEEE , REACH, EMVCo, PCI-PTS 6.x, TQM, MasterCard, VISA, American Express, Discover, Diners P Certification Markings - CE & UKCA
Warranty	3 years



Options & accessories

Product Code	Item Description	
RFID0010 RFID0020	RFID card RFID fob	
EVFP0035 EVFP0060 EVFP0070	Rolec universal mounting post (fits up to 2 chargers) Mounting post to fit 1x SecuriCharge unit Mounting post to fit 2x SecuriCharge units	
EVCB0020 EVCB0040	Root mount protection barrier – 48mm Surface mount protection barrier – 48mm	
EVPS0010	EV parking sign - A4 landscape (Other sizes are available)	
EVPP0100 EVPP0107 EVPP0105 EVPP0108	5m 32A Type 2 to Type 2 charging cable 10m 32A Type 2 to Type 2 charging cable 5m 32A Three phase Type 2 to Type 2 charging cable 10m 32A Three phase Type 2 to Type 2 charging cable (Other cables are available, including Type 1 options)	
EVRS0030	Remote wall mount for Type 2 charge plug holster	
ACSR0520 ACSR0530	Perific fuse protection device – 3x 36mm current sensors Perific fuse protection device – 3x 100mm current sensors	
ACSR0125	100A up to 35mm² screened CT clamp with 10m cable	





Brand names, logos and trademarks used herein remain the property of their respective owners. This listing of any firm or their logos is not intended to imply any endorsement or direct affiliation with Rolec Services Ltd. and is purely to demonstrate branding opportunities.





















Chargepoint management



Monta's chargepoint management platform provides businesses and organisations with the ability to deploy and self-manage their very own electric vehicle charging network. Ideal for workplace, fleet, commercial and residential locations.



Full & automated control of your chargepoints



Unlock additional revenue streams



Set chargepoints for public and/or private use



Set different pricing for individual chargepoints & groups



N Dynamic pricing allows operators to set pricing in line with their hour-by-hour energy cost



Fully scalable solution; add or remove chargepoints & users



Complete fleet management solutions with analytical feedback & reporting



Reduce charging costs and CO₂ with Smart Charge feature



Vehicle integration provides visibility of battery size, SOC, percentage & location etc.



Automatically reimburse employees' home charging


Smart queuing system that sends notifications to drivers when they become available

charger stability & availability

Static, Dynamic or True Dynamic load balancing options

Over-the-air updates and self-healing algorithms ensure

EV Roaming feature, allowing chargepoints to be available on other apps



Reserve charge point



🂢 Fuuse

wattif

+ many more







For more information about Monta's chargepoint management solutions and pricing, see the Powered by Monta Overview Sheet



Chargepoint operation



Charge your EV on your terms. With Monta you have full control over your charging experience, at home or on the road.

- Easily locate and navigate using the chargepoint map
- Remotely control your home EV charging
- Choose your ready time and choose to prioritise lower costs, lower CO₂ or only using renewable energy
- Schedule charges so your car is ready when you are
- Integrate with most EV manufacturer apps and cars
- Real-time information on your car and battery levels to maximize your charging experience
- Solar PV & battery storage integration
- Share and give charging access to friends, family and guests
- Set your home charger for public use with custom pricing
- Access to over 500,000 public chargepoints across Europe
- Easily initiate charging and complete payments via credit card, Apple Pay, Google Pay or Monta Wallet
- 24/7 online chat or email support for help when you need it most







RFID activation

Great for quick activation, RFID cards or key fobs are easily accessible and add for a much simpler charging experience, which can also be used alongside the mobile app.



DOWNLOAD THE APP





For more details about the Monta solution for EV drivers and the Monta app, please visit www.monta.com/uk/home-charging



THIS DOCUMENT CONTAINS INFORMATION THAT IS SUBJECT TO CHANGE WITHOUT NOTICE.

 $The \ latest\ version\ of\ this\ publication\ can \ be\ downloaded\ at\ https://www.rolecserv.com/downloads-ev-charging$

Illustrations of the product and user interface are for marketing purposes only.

Brand names, logos and trademarks used herein remain the property of their respective owners. This listing of any firm or their logos is not intended to imply any endorsement or direct affiliation with Rolec Services Ltd. and is purely to demonstrate branding opportunities.

© 2024 by Rolec Services Ltd. All rights reserved.

EVSD-V02-R1 SecuriCharge Data Sheet



t: 01205 724754

e: enquiries@rolecserv.co.uk