



Artificial Natural Tandem Intelligence (ANTI) Framework Applied to High-Level Pocket Billiards Performance

Including the evolved form: Artificial Natural Total Integration

*A developmental framework for human–AI collaboration in precision sensorimotor skill,
from external tandem support to agency-preserving total integration.*

Todd Morgan Shirley

Bainbridge Island, Washington

Lucky.Loser.Billiards@gmail.com | (206) 798-4959

<https://LuckyLoserBilliards.com> | [linkedin.com/in/murakumodojo](https://www.linkedin.com/in/murakumodojo)

Working Technical Report | Version 1.0 | October 11, 2026

Origin date of the ANTI Framework: October 11, 2026

Who This Is For

- **Instructors** who want measurable progress for students without replacing the teaching relationship
- **Serious players** who want faster improvement while keeping full ownership of every decision and every stroke
- **Organizations** (leagues, academies, associations, manufacturers) exploring fair, human-centered AI tools for training and development

Key Claims

1. Continuous, high-resolution diagnostic feedback (Tandem) accelerates skill acquisition and raises intermediate performance ceilings relative to intermittent human-only coaching.
2. The partnership is deliberately asymmetric: AI supplies scale and diagnosis; the human retains executive decision, motor command, and competitive meaning.
3. After a graduation point of transhumanism, Total Integration via neural coupling can deepen the partnership further—only if agency-preserving constraints remain non-negotiable.
4. Pocket billiards is an especially favorable test bed: clean physics, measurable outcomes, rich tactics, and existing instructional infrastructure.

Author Credentials

Todd Morgan Shirley holds a Bachelor's degree in Chemistry from the University of California, Santa Cruz (UCSC), with an emphasis in instrumental analysis. His professional career in chemistry has spanned trace detection of explosives, narcotics, and chemical warfare agents; high-altitude and micro-gravity complex gas analysis; air-quality monitoring and instrument calibration; Phantom Works YAL-1; SOCOM applications; Sandia National Laboratories projects; and autonomous systems development at Naval Surface Warfare Center (LASR building). Extensive martial arts credentials. Leading Pacific Northwest billiards instructor (PBIA Certified, Billiards University Senior Instructor, ACS Level 2). Based on Bainbridge Island, Washington. The ANTI Framework was created and formed by Todd Morgan Shirley on October 11, 2026.

"Precision measurement taught me that feedback without calibration is noise; martial arts taught me that pressure without agency is collapse; faith in God and a lived spirituality taught me that the table is more than a game—it is a metaphor for life, a mirror for self-examination, and a way of being more fully in the world. ANTI is the framework that joins them."

— Todd Morgan Shirley

Abstract

This paper presents the Artificial Natural Tandem Intelligence (ANTI) Framework, created by Todd Morgan Shirley, and applies it to high-level pocket billiards. In the present Tandem phase, Artificial Intelligence and Natural Intelligence operate as complementary partners: AI supplies continuous diagnosis, simulation, and adaptive practice design through external technologies (VR/AR, cue sensors, computer vision, biometrics), while the human retains full executive control. Illustrative mathematical models—logistic skill growth, coupled skill–clarity–pressure systems, multivariate shot-class dynamics, reaction–diffusion skill density on the table, and Bayesian updating—formalize the hypothesized mechanisms, with worked numerical examples. In the later Total Integration phase, reached after a graduation point of transhumanism, high-bandwidth neural coupling enables continuous SAI participation while agency-preserving constraints keep motor commands and competitive intention in the human. A ten-dimension phase comparison with pros and cons, fairness principles, and organizational financial analysis complete the exposition. All conceptual content originated with Todd Morgan Shirley.

1. Introduction

In plain English: AI can help you improve faster at pool—but you still make every decision and every stroke.

Pocket billiards is a domain in which millimeter-scale variations in cue angle, tip offset, speed, and spin produce large differences in outcome. Elite performance depends on perceptual judgment, motor precision, strategic pattern recognition, and psychological resilience. Traditional pathways rely on Natural Intelligence (NI)—the human player’s own perception, judgment, and feel—augmented by human coaching and are bandwidth-limited. The ANTI Framework introduces a structured partnership with Artificial Intelligence that expands both the rate and the attainable ceiling of improvement while preserving human executive control.

Todd Morgan Shirley defined two successive readings of the acronym. **Artificial Natural Tandem Intelligence** describes current collaboration of distinct AI and NI systems, supportable by external wearable and optical technologies. **Artificial Natural Total Integration** anticipates a future state in which human, advanced AI (SAI — super or advanced artificial intelligence capable of real-time multi-horizon simulation), and robotic systems operate as a more unified cognitive-motor whole after a graduation point of transhumanism—enabled by high-bandwidth neural interfaces while human agency remains central.

2. Framework Definitions

In plain English: Tandem = a tireless coach that never takes the cue. Total Integration = the same idea, closer to the body—still your decision.

2.1 Present Phase — Artificial Natural Tandem Intelligence

AI and NI remain distinct yet tightly coordinated. AI supplies data scale, pattern recognition, simulation, and continuous diagnosis. NI supplies contextual feel, pressure management, creative adaptation, and final executive decision plus embodied execution. The relationship is asymmetric by design: AI amplifies; the human steers.

Layer	Core Strength	Role in Billiards Tandem
Artificial (AI)	Data scale, pattern recognition, simulation, continuous monitoring	Shot libraries, leave analysis, error diagnostics, opponent modeling, adaptive drills
Natural (NI)	Contextual feel, pressure management, creative adaptation, intentionality	Final shot selection, stroke execution, match temperament, competitive meaning

Table A. Complementary roles of Artificial and Natural Intelligence in the Tandem phase.

2.2 Evolved Phase — Artificial Natural Total Integration

After a graduation point of transhumanism, boundaries between human cognition, SAI, and robotic/sensorimotor embodiment become deliberately permeable via high-bandwidth neural interfaces. The artificial layer participates continuously at perceptual timescales while the human remains the locus of intention and meaning.

2.2.1 Agent Architecture of the Tandem Partnership

Two-agent system under human authority. In architectural terms the Tandem phase is a coordinated multi-agent system. The *AI agent* continuously perceives table state and biomechanics, maintains predictive models, and proposes actions or diagnostics. The *human agent* holds exclusive rights to intention formation, final action selection, and motor command. Communication is asymmetric by design: the AI agent may inform, rank, and simulate; it may not issue the stroke. A thin interface layer (sensors, vision, overlays, later neural channels) mediates the exchange without collapsing the two agents into one. This architecture scales from external devices today to neural coupling tomorrow without violating the agency constraint that defines the framework.

2.3 Side-by-Side Comparison: Tandem vs Total Integration

Table 1. Comparison of ANTI developmental phases across ten dimensions.

Dimension	Tandem Phase	Total Integration Phase
AI–human relationship	Distinct partners; asymmetric collaboration	Permeable boundaries; continuous co-presence

Primary coupling medium	External devices (VR/AR, sensors, vision, biometrics)	High-bandwidth neural interfaces
Information flow	Episodic / on-request overlays and diagnostics	Continuous, low-latency readout and write-in
Latency character	Human decision timescale (seconds)	Perceptual timescale (tens–hundreds of ms)
Motor command origin	Exclusively human	Exclusively human (agency constraint retained)
Phenomenology	External advisor / coach-like partner	Enhanced intuition / extended mind
Optional / removable	Yes — devices can be doffed at will	User-controllable; full suspend required
Skill-atrophy risk	Moderate if self-diagnosis neglected	Higher if integration-off intervals omitted
Competitive status	Generally permissible with transparency	Likely restricted until fairness norms established
Technology readiness	Near-term / currently deployable	Speculative; multi-stage graduation path

Table 2. Pros and cons of each phase relative to ANTI Framework design goals (accelerate skill; preserve human agency).

	Tandem Phase	Total Integration Phase
Pros	• Deployable with current or near-term hardware • Devices fully optional and removable • Clear human executive control • Lower skill-atrophy risk when used well • Easier competitive acceptance • Lower cost and regulatory burden	• Continuous support at perceptual timescales • Deeper predictive / intuitive integration • Potentially larger performance ceiling • Kinesthetic and regulatory channels available • Adaptive value alignment over long periods • Shared representational space possible
Cons	• Episodic rather than continuous support • Overlay latency and attention switching • Limited to external sensing bandwidth • Self-diagnosis still required when devices off • Hardware management and calibration overhead	• Technology still speculative • Surgical or chronic risk for invasive options • Higher skill-atrophy risk without off-intervals • Fairness, consent, and access concerns • Likely competitive restrictions for years • Privacy and neural-data security issues

2.4 Instrument Analogy — From Analytical Chemistry to the Table

Calibration loop ↔ Tandem diagnosis. In instrumental analysis a reliable measurement requires baseline characterization, signal acquisition, comparison against a standard, and recalibration when drift appears. The ANTI Tandem phase applies the same logic to the stroke: sensors and vision establish a quantitative baseline; the AI layer compares against known patterns; feedback returns within seconds; the human decides the adjustment—just as the analytical chemist interprets a chromatogram.

3. Practical Application of ANTI Tandem

In plain English: In everyday terms: the AI watches, measures, and suggests; you still choose and shoot.

Enabling hardware (all external and optional): VR/AR glasses for shot-line and leave overlays; cue-mounted inertial and contact sensors for elevation, tip offset, and follow-through; multi-angle computer vision for table-state encoding; biometric sensors for arousal estimation. Workflows include real-time stroke diagnosis, leave optimization with AR path overlays, adaptive drill sequencing driven by Bayesian success estimates (updating beliefs about shot success as new results arrive), pressure/arousal calibration via progressive exposure, and opponent-pattern capture with structured debriefs. AI measures and predicts; the human decides and executes.

3.1 Hero Scenario — A Single Critical Leave

Consider a 9-ball match situation: the player has ball-in-hand after a foul, with the 6 near the side rail and the 9 near the corner. The unaided player sees two plausible routes—a thin cut on the 6 with natural roll to the 9, or a firmer stun path that parks the cue ball for a longer but straighter 9. Under time pressure the player chooses the thin cut, under-cuts by roughly 1.5° , and leaves a difficult safety.

Under Tandem support the same situation unfolds differently. Overhead vision encodes ball positions within millimeters. The AI enumerates both routes, scores them on make probability, scratch risk, and leave quality if missed, and projects the top two options as translucent AR paths with brief numeric annotations (e.g., estimated make 0.72 vs 0.61). Cue sensors are armed for the chosen stroke. The player selects the stun route—human value judgment under match score—and executes. Post-stroke, the system reports tip offset $+0.4$ mm and elevation within the player's personal successful band. The 6 falls; the leave on the 9 is makeable. The difference is not that the AI “played the shot”; it is that the set of considered futures was larger, the diagnostic residual was quantitative, and the human still owned the decision.




Figure 1. Hero scenario — critical 9-ball leave. Left: unaided decision under pressure leads to under-cut and difficult leave. Right: tandem support surfaces scored path options; the human still selects and executes.

3.2 A Player's Arc — Eight Weeks in Brief

Alex is a solid league player, stuck for two seasons at the same level: good on easy patterns, inconsistent on thin cuts and long position routes. In week one of tandem support, overhead video and a simple cue sensor make the miss pattern visible—tip offset drifting high on pressure shots. Weeks two through four use adaptive drills that keep returning to that weak class until the error shrinks. By week six, leave quality in matches has improved enough that opponents notice. Week eight includes scheduled “AI-off” sessions so Alex can still diagnose without the overlay. The wins and losses remain Alex's. The difference is clearer feedback and denser practice—not a machine taking the cue.




Figure 2. Projected skill-acquisition curves: traditional NI-only vs ANTI Tandem support.




Figure 3. Illustrative cognitive/motor load distribution between AI and NI in the tandem phase.

4. Mathematical Formalism — Expanded Treatment with Worked Numerical Examples

In plain English: These equations describe how clearer, faster feedback can speed up improvement—and how pressure and practice interact.

The following models are illustrative formalisms that make the hypothesized mechanisms of tandem advantage explicit. They are not empirically validated laws; they supply a coherent quantitative language for further experimental design.

4.1 Logistic Skill Growth with Feedback-Dependent Rate

Let $S(t)$ be an effective skill index and C be diagnostic clarity (how clearly the learner can see what went wrong). A standard logistic form is

$$dS/dt = r(C) \cdot S \cdot (1 - S / S_{max}), \quad r(C) = r_{\square} + \kappa C, \quad dC/dt = \gamma I_{AI} - \delta C$$

Here I_{AI} is the AI information rate (how continuously and richly diagnostic feedback is supplied). Steady-state clarity $C^* = (\gamma/\delta) I_{AI}$ yields elevated growth rate $r^* = r_{\square} + \kappa(\gamma/\delta)I_{AI}$. **Worked example.** $r_{\square} = 0.04$, $\kappa = 0.15$, $\gamma = 0.8$, $\delta = 0.4$, $S(0) = 0.25$. NI-only ($I_{AI} \approx 0.1$): 20-week $S \approx 0.58$. Moderate tandem ($I_{AI} = 0.5$): $S \approx 0.82$. High tandem ($I_{AI} = 1.0$): $S \approx 0.93$.

4.2 Two-Dimensional Skill–Clarity System with Pressure

$$\begin{aligned} \partial S / \partial t &= \alpha C (S_{max} - S) - \beta P \\ \partial C / \partial t &= \gamma I_{AI} - \delta C + \eta (S - S_{\square}) \end{aligned}$$

Worked example. Low clarity + high $\beta \rightarrow S^* \approx 0.41$. High clarity + high $\beta \rightarrow S^* \approx 0.71$. High clarity + low $\beta \rightarrow S^* \approx 0.88$.

4.3 Multivariate Shot-Class Skill Vector and Optimal Allocation

$$dS_{\square}/dt = r_{\square}(C, S) \cdot S_{\square} \cdot (1 - S_{\square} / S_{max, \square}) + \sum_{j \neq i} p_{\square \square} S_{\square}$$

Cross terms capture transfer across shot classes. Optimal (or greedy) allocation of diagnostic attention yields adaptive drill sequencing.

4.4 Partial Differential Model of Skill Density on the Table

$$\partial u / \partial t = D \nabla^2 u + f(u, I_{AI}(x, y, \theta, t)) - \lambda u$$

This reaction–diffusion equation treats skill as a density over table geometries. Diffusion (D) formalizes generalization: practice on one geometry improves nearby geometries. Targeted I_{AI} raises the integral of u over competitively relevant regions.

4.5 Bayesian Shot-Success Updating and Calibration

Worked example (Beta update). Prior $\text{Beta}(8, 4) \rightarrow p_{\blacksquare} \approx 0.67$. After 6 makes and 4 misses $\rightarrow \text{Beta}(14, 8) \rightarrow p_{\blacksquare} \approx 0.64$ with approximate 95% credible interval $[0.43, 0.81]$. The human still chooses the action.




Figure 4. Modeled reduction in unforced positional error rate over 25 weeks.




Figure 5. Effect of different AI information rates on normalized skill accumulation.

4.6 Testable Hypotheses

To move from illustrative formalism to empirical program, the following hypotheses are stated so they can be confirmed or falsified:

- H1.** Over an 8-week training block, players receiving continuous tandem diagnostic feedback will show a greater reduction in mean absolute angular error on thin-cut shots than matched controls receiving equivalent hours of traditional instruction alone.
- H2.** Adaptive drill sequencing driven by running Bayesian success estimates will produce more balanced multi-class skill profiles than fixed traditional routines of equal total duration.
- H3.** Progressive pressure-exposure protocols paired with biometric monitoring will expand the arousal window at which error rates remain near practice baseline, relative to matched controls.
- H4.** Players who maintain scheduled “AI-off” intervals will retain unaided diagnostic accuracy better than players who train exclusively with tandem support.
- H5.** (Longer horizon.) When intermediate neural-coupling tools become available in training-only settings, agency-preserving designs will show higher sustained voluntary adherence than designs without those controls.

5. Neural Coupling Model for Total Integration

In plain English: In the future, AI support could feel more like heightened intuition than a screen—but the stroke still starts with you.

The Total Integration phase requires a coupling whose bandwidth and latency approach those of biological sensory and motor pathways. The coupling is not a replacement of the human motor system; it is a high-rate informational and, where appropriate, gently regulatory channel. Motor commands continue to originate in the human. Interface classes: invasive, semi-invasive, advanced non-invasive. Readout (extraction of neural features such as intention, motor plan, confidence, and arousal) and write-in modes (informational, kinesthetic, regulatory) form a closed loop with latency inside ordinary decision windows. Continuous recalibration and agency-preserving constraints remain mandatory. Fairness: transparency, category separation, consent with reversibility, training-vs-competition distinction, access and equity.




Figure 6. Neural Interface Coupling Architecture. Human agency remains the center of intention and meaning.




Figure 7. Conceptual transition from tandem intensity to total-integration readiness.

5.1 Risks and Failure Modes

Responsible adoption requires explicit attention to what can go wrong. **Skill atrophy**: continuous external diagnosis can dull unaided self-assessment if “AI-off” intervals are neglected (H4). **Overtrust**: players may defer to AI path suggestions even when match context favors a lower-percentage but higher-value option. **Competitive unfairness**: undeclared high-bandwidth assistance would undermine match play; transparency and category separation are the remedies. **Neural drift** without recalibration; **access stratification** if tools are expensive. Naming these failure modes is part of the framework, not an afterthought.

5.2 Developmental Roadmap

Figure 8 summarizes the intended arc from near-term tandem tools through intermediate coupling pilots to longer-term total integration, with the agency constraint holding at every horizon.




Figure 8. ANTI Framework developmental roadmap. Human motor origin remains non-negotiable throughout.

6. Illustrative Financial Benefits for Large Billiards Organizations

In plain English: For leagues and academies: better instruction efficiency, stronger retention, and useful performance data—if implemented well.

Tandem-phase adoption offers productivity, retention, and data-asset benefits for leagues, academies, associations, and manufacturers. Illustrative five-year projections (scenario only) show cumulative value overtaking early investment inside a three-to-four-year window under moderate assumptions.




Figure 9. Illustrative five-year relative cost and value projection (scenario only).




Figure 10. Modeled five-year ROI multiples by organization type (illustrative).




Figure 11. Traditional versus ANTI-optimized practice-time allocation.

7. Discussion, Limitations, and Conclusion

In plain English: The big idea: use AI to see more clearly and practice smarter—without ever handing over the cue or the decision.

Several caveats are essential and should be stated without equivocation. The mathematical models of Section 4 are illustrative formalisms; field validation would require controlled longitudinal studies (see hypotheses H1–H5). Technology readiness varies widely: VR/AR, sensors, and vision are already usable; high-bandwidth neural interfaces remain speculative. Over-reliance risks skill atrophy if off-intervals are neglected. Financial projections are scenario-based. None of these limitations undermine the central claim of the framework.

That claim is modest in statement and robust in implication: a structured partnership that assigns analytical scale, continuous diagnosis, and high-fidelity simulation to Artificial Intelligence, while reserving executive decision, embodied execution, and evaluative meaning to Natural Intelligence, is likely to improve the efficiency of skill acquisition in a high-precision sensorimotor domain. Pocket billiards is an especially favorable test bed. In the near term, the Tandem phase offers concrete, implementable pathways through external technologies that remain optional and under human control. In the longer term, the Total Integration phase anticipates a deeper synthesis enabled by neural coupling, always under the non-negotiable constraint that motor commands and competitive intention originate in the human.

The ANTI Framework, as created and formed by Todd Morgan Shirley on October 11, 2026, therefore supplies both a practical near-term agenda and a principled developmental arc. It does not promise that machines will play pool for us, nor that human skill will become obsolete. It argues instead that human performance can be accelerated and deepened when analytical bandwidth is expanded by artificial partners, provided the human remains—and is architecturally required to remain—the center of intention, decision, and meaning. Instructors, serious players, leagues, and manufacturers who adopt the tandem tools of the present phase will be better prepared, both technically and ethically, for whatever forms of closer coupling the future eventually makes possible. In that sense the framework is not only a model of skill acquisition; it is a model of responsible augmentation.

8. Attribution & Intellectual Property

Both readings of the acronym—Artificial Natural Tandem Intelligence and Artificial Natural Total Integration—together with the associated conceptual framework, the neural coupling model, and the specific application to pocket billiards, were created and formed by Todd Morgan Shirley on October 11, 2026. This document is an interpretive elaboration. Mathematical models, figures, numerical examples, and financial scenarios are illustrative and do not constitute independent claims of invention by any AI system.

Archival note. To establish an independent timestamp of origin, the author is encouraged to deposit this working technical report on a public archive under the October 11, 2026 origin date of the ANTI Framework, with subsequent versions clearly numbered.

9. Glossary of Key Terms

ANTI

Artificial Natural Tandem Intelligence (present) or Artificial Natural Total Integration (evolved). Created and formed by Todd Morgan Shirley, Oct 11, 2026.

Agency (human)

Capacity to form intention, issue motor commands, and retain evaluative authority. Non-negotiable constraint.

Clarity (C)

Diagnostic clarity—how clearly the learner can see what went wrong; quality and continuity of feedback.

Graduation threshold

Point at which separation of human/AI/robotic layers becomes less useful than value-aligned fusion.

I_AI

AI information rate—how continuously and richly diagnostic or predictive feedback is supplied.

Kinesthetic assist

Write-in reducing motor variance around the player's own plan.

NI

Natural Intelligence—human cognitive, perceptual, emotional, and motor resources.

Readout

Extraction of neural features (intention, motor plan, confidence, arousal) for the SAI's model of player state.

SAI

Super/Advanced AI—multi-horizon simulation and adaptive player modeling.

Tandem phase

AI and NI distinct yet coordinated; external optional hardware; human executive control.

Total Integration phase

Post-graduation; permeable boundaries via neural coupling; human agency retained.

Write-in

Delivery of informational/kinesthetic/regulatory signals; subordinate to human intention.

References

- Bernstein, N. A. (1967). *The Co-ordination and Regulation of Movements*. Pergamon Press.
- Ericsson, K. A., et al. (1993). The role of deliberate practice in the acquisition of expert performance. *Psychological Review*, 100(3), 363–406.
- Krakauer, J. W., et al. (2019). Motor learning. *Comprehensive Physiology*, 9, 613–663.
- Schmidt, R. A., & Lee, T. D. (2011). *Motor Control and Learning* (5th ed.). Human Kinetics.
- Shirley, T. M. (2026). Artificial Natural Tandem Intelligence (ANTI) Framework and its evolution to Artificial Natural Total Integration. Original conceptual formulation, October 11, 2026.
- Wolpert, D. M., & Flanagan, J. R. (2010). Motor learning. *Current Biology*, 20(11), R467–R472.

Yarrow, K., et al. (2009). Inside the brain of an elite athlete. *Nature Reviews Neuroscience*, 10, 585–596.

Prepared as a public-facing technical reference at the request of the originator, Todd Morgan Shirley. Not a claim of independent invention by any AI system. All mathematical models and numerical examples are illustrative.