



STUNNING BEAUTY  
LASTING DURABILITY

CertainTeed  
SAINT-GOBAIN

SimTek®  
Fence Products



CertainTeed  
CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM  
20 Moores Road, Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com


©01/22 CertainTeed, Printed in the USA, Code No. 03-00-65-US-EN







**DREAM YARDS** DON'T JUST HAPPEN, THEY'RE BUILT ON A FOUNDATION OF QUALITY AND TIMELESS DESIGN.



# WE CREATE BEAUTIFUL YARDS

SimTek decorative walls offer elegance, privacy, and security for your yard. They provide a secluded place for you and your family to spend time together in the place that matters most: your home.

#ilovemyfence



## PATENTED CONSTRUCTION

SimTek® Fence has reinvented fence manufacturing with its patented design of rotationally-molded fence allowing realistic granite-stone appearance, dramatic wood texture, and superior performance.

## EXTREMELY DURABLE

SimTek Fence is made with a proprietary blend of virgin and recycled polyethylene plastic and reinforced with galvanized steel. Our fence will withstand significant impact or wind-load without compromising aesthetics.



## VIRTUALLY MAINTENANCE-FREE

SimTek Fence will never need painting or staining and will not warp, fade or crack. SimTek withstands extreme temperatures and is resistant to any negative organic process.

## SOLID PRIVACY AND SECURITY

SimTek Fence provides exceptional privacy and security for your loved ones. So sit back, relax and enjoy the great outdoors.

Colors throughout this brochure are simulated. Consult product samples before making final selection.



MADE OF STRONG LLDPE



SUPERIOR WIND RATING



BLOCKS 98% OF DIRECT SOUND



IMPACT RESISTANT



FADE RESISTANT



ECO-FRIENDLY




EASY INSTALLATION



MADE IN THE USA





# WE CREATE QUIET SPACES

SimTek decorative rock walls block 98% of direct sound.







# WE CREATE STRONG BARRIERS

SimTek's decorative rock walls have been tested to withstand high wind and hurricane conditions with gusts up to 115 MPH. Our walls are engineered with steel-reinforced polyethylene, making them extremely durable. They are fade-free and uniquely graffiti resistant.





**WE ENHANCE  
OUTDOOR SPACES**











# WE CREATE MAINTENANCE-FREE SPACES



**THE ASHLAND®** COLLECTION FEATURES RICH COLORS AND DRAMATIC TEXTURE, WHICH GIVES OUR PANELS A REALISTIC WOOD APPEARANCE

-  Ashland panels are made from a proprietary blend of polyethylene. No trees are cut down for the purpose of manufacturing our fence.
-  Our panels contain UV inhibitors to maintain vibrant colors. Ashland polymers have been tested to withstand extreme weather conditions with little to no fading.
-  Ashland panels will never need painting or staining and will not warp, fade, or crack.
-  Ashland panels have the same look on both sides, thus enhancing both you and your neighbor's outdoor living space.



Scan QR Code  
and watch our  
Ashland video



# STEEL REINFORCED GATES




## EXTREMELY DURABLE

- The internal frame of our gate is made of a 1.5" x 1.5" galvanized, 14 gauge, heavy-duty, steel frame. Each gate comes complete with two self-closing hinges, a latch, and a striker rod.
- Gates come in 3ft, 4ft, 5ft and 6ft widths and may be double hung for 7ft, 8ft, 9ft, 10ft, 11ft or 12ft openings.
- Hinges thread directly into the interior metal frame of the gate.
- Our spring loaded, self-closing hinges meet national pool codes. Check with your local building code official as local codes may vary.

For more information including installation instructions, please visit our website: [www.certainteed.com](http://www.certainteed.com)

# CONCRETE MOUNTING BRACKETS



A quality finished wall is the result of a quality installation.


Be certain that your retaining wall is at least 10" wide so the bolts can be anchored properly.

SimTek Fence can be installed on top of a 10 inch minimum width, poured concrete wall or on a flat concrete surface. Our concrete mounting brackets are made with heavy steel plates and have vertical members. They attach to the concrete with wedge anchors and are bolted to the posts.

Mounting brackets are available for lines, ends, corners, and gate posts. Decorative skirts are used to cover the plates and anchor bolts for a finished look.



Scan QR Code and watch our how-to video







# PANEL & POST SIZES

- Panels come in 6'H x 6'W and 4'H x 8'W
  - All panels contain high-grade galvanized steel in both top and bottom rails
  - Panel heights cannot be modified; however, panels can be cut to any custom width
  - Our panels have been engineered to allow stacking to create 8' high walls
- Posts come in 8.5' and 12' heights and have a five-inch outer diameter
  - All posts contain full-length, internally molded, steel stiffeners for optimum strength
  - Posts are made from 50% recycled polyethylene plastic

## ECOSTONE® SIZES & HEIGHTS



## ASHLAND® SIZES & HEIGHTS



### NEED HELP?

Customer Service



Contact SimTek Fence  
866-648-9336  
simtekinfo@certainteed.com  
www.certainteed.com



Proud member



NOA Approval  
18-0208.02



For full warranty  
information, please  
visit our website



Proudly made in  
the United States



U.S. Patents  
7,478,797 / 7,635,114  
Foreign Patents Pending

# GRANITE & WOOD GRAIN COLOR OPTIONS



Brown Granite



Dark Brown Granite



Beige Granite



Gray Granite



Black Granite



Walnut Brown



Red Cedar



Nantucket Gray



Black Oak



Request a sample

Contact SimTek Fence  
simtekinfo@certainteed.com  
www.certainteed.com