

STANDARD FEMALE
API, PAC, MT, AMMT, THREAD
OTHER CONNECTIONS
AVAILABLE ON REQUEST

OAL APPROX 9 TO 36 INCHES
DEPENDING ON SELECTED OD


SELECT CUP OD FROM
STANDARD SIZES
OR CUSTOM $\varnothing$

4X $\varnothing$ 0.25 INCH REARWARD PORTS

CUP

3X $\varnothing$ 0.25 INCH FORWARD PORTS


NOTE: SIZES ARE MAX OD. SPECIFY 1/8 INCH LESS THAN DRIFT $\varnothing$



UNDERCUT FISHNECK

CUP PUCK ASSEMBLY

PUCK
SOLD SEPARATELY



BJG TECH LLC

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
BJG TECH LLC.
APPROVED FOR PUBLIC RELEASE


TITLE
Customer Drawings - TC

DWG. NO.
IMB-0057-C
DRAWN 3/9/2025


REV
2.2

SHEET
1 OF 5
SIZE E


ASSEMBLY STEPS



1. IDENTIFY FEATURES




2. ALIGN RETENTION SNAPS TO
GUIDE GROOVES



3. PUSH PUCK SECURELY
INTO CUP


BREAK RETENTION SNAPS

PICK TOOL





TIP: BREAK SNAP AT TOP OF RETENTION CLIPS

PRY PUCK FROM CUP



2.29" CUP FOR 2.54" DRIFT DIAMETER WITH 1/8" ANNULUS

NOTE: THERE ARE MULTIPLE CUP SIZES



THREAD COMPATIBILITY, OAL, MAKEUP LENGTHS

NC = NOT COMPATIBLE YES = COMPATIBLE

	THREAD COMPATIBILITY				OAL	MAKEUP LENGTH
CUP OD - INCH	1 AMT	1-1/2 AMT	2-3/8 PAC	2-3/8 REG	±0.125"	±0.125"
1.56"	YES	NC	NC	NC	9.395	8.955
1.64"	YES	NC	NC	NC	9.683	9.243
1.82"	YES	NC	NC	NC	10.323	9.883
1.97"	YES	NC	NC	NC	10.864	10.424
2.02"	YES	NC	NC	NC	11.049	10.609
2.10"	YES	NC	NC	NC	11.096	10.656
2.29"	YES	NC	NC	NC	11.812	11.372
2.67"	YES	YES	NC	NC	13.501	13.061
2.81"	YES	YES	NC	NC	14.032	13.592
2.99"	YES	YES	NC	NC	14.722	14.282
3.09"	YES	YES	NC	NC	14.983	14.543
3.17"	YES	YES	NC	NC	15.293	14.853
3.29"	YES	YES	YES	NC	15.545	15.165
3.39"	YES	YES	YES	NC	15.791	15.411
3.49"	YES	YES	YES	NC	16.166	15.786
3.57"	YES	YES	YES	YES	17.156	16.526
3.67"	YES	YES	YES	YES	17.528	16.898
3.75"	YES	YES	YES	YES	17.828	17.198
3.80"	YES	YES	YES	YES	18.017	17.387
3.84"	YES	YES	YES	YES	18.168	17.538
4.02"	YES	YES	YES	YES	18.730	18.100
4.15"	YES	YES	YES	YES	19.230	18.600
4.31"	YES	YES	YES	YES	19.724	19.094
4.42"	YES	YES	YES	YES	20.152	19.522
4.64"	YES	YES	YES	YES	20.886	20.256
4.70"	YES	YES	YES	YES	20.997	20.367
5.79"	YES	YES	YES	YES	25.187	24.557
6.02"	YES	YES	YES	YES	26.191	25.561
6.11"	YES	YES	YES	YES	26.459	25.829
6.28"	YES	YES	YES	YES	27.076	26.446
6.31"	YES	YES	YES	YES	27.207	26.577
6.62"	YES	YES	YES	YES	28.436	27.806
6.77"	YES	YES	YES	YES	29.091	28.461
7.37"	YES	YES	YES	YES	31.335	30.705
7.57"	YES	YES	YES	YES	32.083	31.453
7.73"	YES	YES	YES	YES	32.783	32.153
7.76"	YES	YES	YES	YES	32.913	32.283
7.84"	YES	YES	YES	YES	33.137	32.507
8.40"	YES	YES	YES	YES	35.332	34.702
8.47"	YES	YES	YES	YES	35.638	35.008
8.64"	YES	YES	YES	YES	36.379	35.749
8.72"	YES	YES	YES	YES	36.729	36.099