



Certificate of Analysis

Compliance Test

Client Information:

CRUSHWELL LLC

Batch # 004
Batch Date: 2025-03-13
Extracted From: hemp

Test Reg State: Florida

SARASOTA, FL 34237

Order # CRU250313-130001
Order Date: 2025-03-13
Sample # AAGM509

Sampling Date: 2025-03-14
Lab Batch Date: 2025-03-14
Completion Date: 2025-03-20

Initial Gross Weight: 51.914 g

Number of Units: 1
Net Weight per Unit: 15000.000 mg



Product Image



**Potency
Tested**



Potency 10

Specimen Weight: 101.000 mg

Tested

SOP13.001 (LCUV)

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBG	2.48E-4	0.015	107.660	10.766
CBD	5.40E-5	0.015	40.180	4.018
THCV	7.00E-6	0.015	0.650	0.065
CBN	1.40E-5	0.015	0.230	0.023
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
Total Active CBD			40.180	4.018
Total Active THC			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD 4.018% 602.700 mg
Total CBG 10.766% 1614.900 mg	Total CBN 0.023% 3.450 mg
Total Cannabinoids 14.872% 2230.800 mg	

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.