


(702) 262-9197

NEVADA SCAFFOLD




NEVADA SCAFFOLD RENTAL & SALES
8935 El Camino Rd | Las Vegas, NV 89139
WWW.NEVADASCAFFOLD.VEGAS

5' Wide Frames - Flip Lock




Flip Lock


"Flip Lock's" are standard. Other locks available upon request.




Single Box Frame
 NV-056
 5' wide x 4'1" high
 Weight: 30.3 lbs.




Double Box Frame
 NV-057
 5' wide x 4'1" high
 Weight: 31.3 lbs.




Double Box Frame
 NV-058
 5' wide x 3'1" high
 Weight: 28.0 lbs.




Single Box Frame
 NV-054
 5' wide x 5'1" high
 Weight: 36.7 lbs.




Double Box Frame
 NV-055
 5' wide x 5'1" high
 Weight: 37.7 lbs.



Single Box Frame
 NV-052
 5' Wide x 6'8" high
 Weight: 41.3 lbs.




Double Box Frame
 NV-053
 5' wide x 6'8" high
 Weight: 37.7 lbs.




Walk through Frame
 NV-051
 5' wide x 6'8" high
 Weight: 45.5 lbs.


3' Wide Frames




Snap-On Locks are standard.
Other locks available upon request.




Box Frame
NV-037
3' wide x 40" high
Weight: 21.2 lbs.



Walk Thru Frame
NV-033
3' wide x 6'8" high
Weight: 34.0 lbs.




Apartment Frame
NV-030
3' wide x 10'8" high
Weight: 50.2 lbs.




Walk Thru Frame
NV-035
3' wide x 4' high
Weight: 23.0 lbs.


3' Wide Frames




Box Frame
NV-038
3' wide x 20' high
Weight: 15.0 lbs.



Walk Thru Frame
NV-051
3' wide x 5' high
Weight: 29.0 lbs.




Apartment Frame
w/ Ladder
NV-031
3' wide x 10'8" high w/ ladder
Weight: 60.9 lbs.



Walk Thru Frame
w/ Ladder
NV-032
3' wide x 6'8" high w/ ladder
Weight: 44.8 lbs.

Punched Hole Cross Braces X-Braces




Model	Frame Spacing	Lock Spacing	Weight
NV-080	10'	3/4'	17.2 lbs.
NV-081	10'	4'	17.2 lbs.
NV-083	10'	2'	17.2 lbs.
NV-084	7'	3/4'	13.2 lbs.
NV-085	7'	4'	13.2 lbs.
NV-086	7'	2'	13.2 lbs.
NV-087	5'	3/4'	9.6 lbs.

Punched Hole Guard Rails



Model	Length	Weight
NV-010.P	10'	10.3 lbs
NV-011.P	7'	5.7 lbs
NV-012.P	5'	4.2 lbs
NV-013.P	3'	2.6 lbs

Snap-On Cross Braces X-Braces



Model	Frame Spacing	Lock Spacing	Weight
NV-.090	10'	4'	18.8 lbs.
NV-092	7'	4'	14.8 lbs.
NV-094	5'	4'	12.6 lbs.




Snap-On Guard Rails




Model	Length	Weight
NV-010	10'	11.3 lbs
NV-011	7'	6.5 lbs
NV-012	5'	5.0 lbs
NV-013	3'	3.4 lbs

Goosers Brace



Horizontal Goosers

Model	Length	Weight
NV-022	10'	11.6 lbs
NV-023	7'	8.6 lbs
NV-024	5'	6.6 lbs
NV-025	3'	4.3 lbs




Horizontal Diagonals
 Provides additional rigidity in towers and ties towers together.


Model	Frame Spacing	Frame Width	Weight
NV-020	10'	5'	11.7 lbs.
NV-021	7'	5'	10.2 lbs.

Accessories

Other Sizes and Styles
 Available upon Request
 Through our Special Order Program




Guard Rail Posts / Snap-On
 NV-043
 Weight: 6.6 lbs.



Guard Rail Posts/ Flip-Lock
 NV-040
 Weight: 6.6 lbs.


Angle Iron Side Brackets with Coupling Pin




Model	Dimension	Weight
NV-122	20" w/ Coupling Pin	12.0 lbs.
NV-123	20" w/ Stud Pin	12.2 lbs.
NV-124	12" w/ Coupling Pin	8.2 lbs.

*** Exclusive to Nevada Scaffold: This product is an 24' Ext. base plate that has a 10" x 10' steel "mud-sill" attached to the base.


Mudsill Base Plate Leg***
 NV-145
 Weight: 5.8 lbs.




Ext. Base Plate/ 24" Ext. Leg
 NV-143
 Weight: 2.5 lbs.




Short Base Plate Leg
 NV-144
 Weight: 1.8 lbs.




Coupling Pin with 1/8" Ring
 NV-152
 Weight: 0.7 lbs.



Coupling Pin w/o Ring
 NV-153
 Weight: 0.5 lbs.



Spring Retainer Clip
 NV-154
 Weight: 0.1 lbs.





Roll Pin
 NV-155
 Weight: 0.2 lbs.



Gravity Lock Pin
 NV-141
 Weight: 0.1 lbs.



Screw-Jack with Base Plate
 NV-146
 Weight: 12.2 lbs.




Screw Socket or Screw Jack without Base Plate
 NV-147
 Weight: 12.0 lbs.

Saddle Type Connector Base

Provides connectors from which additional scaffolding can be erected.



Model	Description	Weight
NV-150	Saddle Pin w/ Bolt	5.0 lbs.





Swivel Clamp for 1.625"/1.90"
 NV-132
 Weight: 3.0 lbs.



U-Clamp / Side By Side Clamp
 NV-130
 Weight: 32.0 lbs.


Outrigger Bracket w/ Clamps
 NV-111
 Weight: 19.0 lbs.



Right Angle / Knuckle Clamp for 1.625"/1.90"
 NV-131
 Weight: 4.0 lbs.




Triangle Outrigger Bracket
 NV-110
 Weight: 9.5 lbs.




Adds stability for
 rolling tower use.

Micro-Lam Laminated Plank




Model	Dimensions
NV-099	2" x 10" x 16'
NV-100	2" x 10" x 12'
NV-101	2" x 10" x 9'
NV-106	2" x 12" x 12" (mudsill)


Hook-Deck Planks Aluminum/Plywood Planks 19.25" wide




Model	Length	Weight
NV-107	10'	38.0 lbs
NV-108	7'	28.5 lbs
NV-109	5'	18.0 lbs

8" Caster with Brake
 NV-140
 Weight: 13.7 lbs.








36" Safety Gate
 NV-019
 Weight: 15.0 lbs.




Expandable Safety Gate
 NV-018
 Weight: 15.2 lbs.




30" Safety Gate
 NV-017
 Weight: 15.2 lbs.



Expandable Safety Gate
 NV-016
 Weight: 16.1 lbs.




3' Hanging Rail
 NV-015
 Weight: 4.8 lbs.




5' Hanging Rail
 NV-014
 Weight: 10.0 lbs.


Putlogs



Model	Length	Weight
NV-550	22'	87.9 lbs
NV-551	20'	81.2 lbs
NV-552	16'	66.6 lbs



Model	Length	Weight
NV-500	16'	58.1 lbs
NV-501	12'	36.2 lbs
NV-502	10'	29.9 lbs
NV-503	8'	26.8 lbs



12" diameter for up to 1" rope. 100 lb. capacity.


Hoist Standard w/ Guard RailPost
 NV-650

Weight: 32.7 lbs.

Well Wheels

NV-651

Weight: 11.0 lbs.



Half Rung
 NV-606
 Weight: 6.8 lbs.

A-Frame / Folding Trestles

Model	Height	Weight
NV-200	6'	29.6 lbs.
NV-201	4'	26.0 lbs.
NV-204	3'	20.7 lbs.




Extensions

Model	Height	Weight
NV-204	3'	13.2 lbs.
NV-205	2'	10.6 lbs.



Mini Tower / Baby Tower

Comes complete with four locking casters and 2 metal planks with locking clamps.





Model	Dimension	Weight
NV-800	20" wide x 45" long x 48" high	38.2 lbs.

- Fast, easy assembly and height adjustment.
- Streamlined caster lever design for easy 360 degree movement of assembled scaffold.
- One person assembly of basic units in less than one minute.
- With optional storage brackets, two units can be contained in a 1' x 7' x 2.5' area.

Multi- Usage Medium Size Rolling Towers

Model	Description	Weight
NV-700	Multi-Usage Tower	133.6 lbs.
NV-705	Rail Kit	39.8 lbs.
NV-702	Outriggers Small	22.1 lbs.
NV-703	Outriggers Large	68.5 lbs.



Typical Rolling Towers

Frames are made 5' wide by 5' or 6'8" high, 5' wide. Single box denotes rungs running across frames. Rolling Scaffolds height is increased by simply adding more frames to scaffold. Each section consists of 2 frames and 2 crosses.

Components: Standard crosses are usually 7' or 10' long.



Goosers: One diagonal brace across base of scaffold (gooser) is required to prevent racking. On high scaffolds over 20' additional goosers are required. Check federal and local safety codes.

Casters: 8" rubber tired (500 lbs.) casters that lock on the wheel and stem are recommended.

Screw Jacks: Screw jacks are optional. If you require an exact height, the screw jacks will give you that adjustment.

Guard Rails: Guard Rails are required as specified by the (OSHA) federal safety regulations. Scaffold illustrated requires 4 frames, 4 crosses, 1 gooser, 4 guard rail posts, 8 guard rails, 4 screw jacks, four 8" casters and toeboards (If required).

- Fast, easy assembly of standard components into any size or type of rolling tower
- Wide range of accessories permit assembling a tower to meet any working requirement or job condition.




Width	Span	Height	Shipping Weight
5'	10'	20'	532 lbs.
5'	10'	15'	427 lbs.
5'	10'	10'	330 lbs.
5'	7'	20'	474 lbs.
5'	7'	15'	391 lbs.
5'	7'	10'	295 lbs.

IMPORTANT RULE - When assembling a rolling tower ALWAYS USE HORIZONTAL BRACES on the frame section. This prevents the tower from "racking" (getting out of square). Horizontal braces must be used at the bottom and at every 20' height on rolling towers measured from the rolling surface.

Access Ways

Access Ladders (California Type)




Model	Description	Weight
NV-072	10'	23.0 lbs.
NV-073	6'	16.8 lbs.

Access Ladder Brace
 NV-075
 Weight: 8.0 lbs.




1 5/8" Access Ladders
 (To be used w/ Gooser
 Brace and Clamps)




Model	Description	Weight
NV-070	10'	29.2 lbs.
NV-071	6'	19.8 lbs.

Temporary Scaffold Stairs



Model	Description	Weight
NV-150	Starter Bar (2 per unit)	10.0 lbs.
NV-175	5' Stairs w/ Rails -complete unit for 5' x 5'1" frames w/ inside & outside rails	128.2 lbs.
NV-176	5' Stairs w/ Rails -complete unit for 6' x 6'8" frames w/ inside & outside rails	146.4 lbs.


Vertical Post



Model	Dimension	Weight
NV-300	3' 3" Vertical Post	11.0 lbs.
NV-301	4' 11" Vertical Post	16.5 lbs.
NV-302	6' 7" Vertical Post	21.0 lbs.
NV-303	9' 10" Vertical Post	31.5 lbs.


System Scaffold

Ledger



Model	Dimension	Weight
NV-310	2'	6.8 lbs.
NV-311	3'	8.0 lbs.
NV-312	4'	10.6 lbs.
NV-313	5'	14.3 lbs.
NV-314	6'	15.2 lbs.
NV-315	7'	18.3 lbs.
NV-316	8'	20.3 lbs.
NV-317	10'	25.6 lbs.


System Steel Planks



Model	Dimension	Weight
NV-350	2' Steel Plank Pre-Galvanized Coil	11.0 lbs.
NV-351	3' Steel Plank Pre-Galvanized Coil	16.0 lbs.
NV-352	4' Steel Plank Pre-Galvanized Coil	20.0 lbs.
NV-353	5' Steel Plank Pre-Galvanized Coil	25.0 lbs.
NV-354	6' Steel Plank Pre-Galvanized Coil	29.0 lbs.
NV-355	7' Steel Plank Pre-Galvanized Coil	33.0 lbs.
NV-356	8' Steel Plank Pre-Galvanized Coil	38.0 lbs.
NV-357	9' Steel Plank Pre-Galvanized Coil	42.0 lbs.
NV-358	10' Steel Plank Pre-Galvanized Coil	46.0 lbs.

Accessories

Starter Collar



Model	Dimension	Weight
NV-390	Starter Collar, Hot-Dip Galvanized	5.5 lbs.
NV-391	Board Bracket, Hot-Dip Galvanized	3.5 lbs.
NV-392	Board Bracket, Hot-Dip Galvanized	13.0 lbs.
NV-393	Board Bracket, Hot-Dip Galvanized	17.0 lbs.
NV-394	10' Ladder, Hot-Dip Galvanized	42.0 lbs.
NV-395	5' Ladder, Hot-Dip Galvanized	22.0 lbs.
NV-396	3' Ladder, Hot-Dip Galvanized	15.0 lbs.
NV-397	Ladder Bracket, Hot-Dip Galvanized	6.7 lbs.