

ENCLOSED CARGO

4x6 – 8.5x20



4x6 – 5x10

STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > V-Nose Construction
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 5/8" Water Resistant Decking (4' & 5' Wide)
- > Single Barn Door (4' Wide)
- > Double Barn Doors (5' Wide)
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > 2" Coupler
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 4x6	Cargo 5x8	Cargo 5x10
Model Number	MEC4x6-IF	MEC5x8-IF	MEC5x10-IF
Box (WxLxH)	50"x6"x60"	60"x8"x66"	60"x10"x66"
Interior (WxLxH)	47"x5'10"x58"	57"x7'10"x64"	57"x9'10"x64"
Overall (WxLxH)	72"x10"x72"	82"x12'8"x78"	82"x14'8"x78"
Deck Height	12"	13"	13"
Hitch Height	11"	12"	12"
Rear Door Opening (WxH)	42"x54"	52"x60"	52"x60"
Axle(s) - Qty/Rating	1-2200# Idler	1-3500# Idler	1-3500# Idler
Wheels	13" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	175/80R13	205/75R15	205/75R15
GVWR	2200#	2990#	2990#
Curb Weight	650#	875#	950#
Payload	1550#	2115#	2040#
V-Nose	24"	28"	28"
Coupler Rating/Ball Size	3500# / 2"	3500# / 2"	3500# / 2"
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
RAMP OPTIONS
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap
DOORS/WINDOWS/VENTS
32"x58" Side Access Door w/Paddle Handle & Piano Hinge
12V LIGHTING & ELECTRICAL OPTIONS
Recessed LED Puck Light Package

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Silver Mod
Upgrade to 13" Aluminum
Upgrade to 15" Aluminum Wheels
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire
Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Bolt-On Spare Tire Carrier (Tongue-Mounted)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
6000# Recessed Swivel D-Ring w/Backing Plate (Zinc)

COLOR OPTIONS



6x10 – 6x12 TA

STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x3" Subframe Tubing
- > 24" Stone Guard
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 2000# Center Jack
- > Safety Chains
- > 32"x66" Side Door
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 6x10	Cargo 6X12 SA	Cargo 6X12 TA
Model Number	MEC6x10-IF	MEC6x12SA-IF	MEC6x12TA-IF
Box (WxLxH)	72"x10'x78"	72"x12'x78"	72"x12'x78"
Interior (WxLxH)	69"x9'10"x76"	69"x11'10"x76"	69"x11'10"x76"
Overall (WxLxH)	94"x15'7"x90"	94"x17'7"x90"	94"x19'7"x90"
Deck Height	13"	13"	13"
Hitch Height	12"	12"	12"
Rear Door Opening (WxH)	64"x72"	64"x72"	64"x72"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	7000#
Curb Weight	1120#	1300#	1450#
Payload	1870#	1690#	5550#
V-Nose	38-1/2"	38-1/2"	38-1/2"
Coupler Rating/Ball Size	8000# / 2"	8000# / 2"	8000# / 2"
Power Connection	4-Way Flat	4-Way Flat	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
INTERIOR
Upgrade to White Vinyl Backed Luan Walls w/Divider
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 1-3K Torsion Braked Axle
RAMP OPTIONS
Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels (Radial; From 15" 205 Silver Mod Radial)
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
Stainless Steel 6000# Recessed Swivel D-Ring w/Backing Plate
12V LIGHTING & ELECTRICAL OPTIONS
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

7x12 TA – 7x20

STANDARD FEATURES

- > All Aluminum Construction
- > 16" O.C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > 24" Stone Guard
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 2000# Center Jack
- > Safety Chains
- > A-Frame Coupler
- > 32"x66" Side Door
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 7x12 TA	Cargo 7x14	Cargo 7x16	Cargo 7x18	Cargo 7x20
Model Number	MEC7X12TA-IF	MEC7X14-IF	MEC7X16-IF	MEC7X18-IF	MEC7X20-IF
Box (WxLxH)	84"x12"x78"	84"x14"x78"	84"x16"x78"	84"x18"x78"	84"x20"x78"
Interior (WxLxH)	81"x11'10"x76"	81"x13'10"x76"	81"x15'10"x76"	81"x17'10"x76"	81"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	76"x72"	76"x72"	76"x72"	76"x72"	76"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
INTERIOR
Upgrade to White Vinyl Backed Luan Walls w/Divider
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade; 15" 225 6-Lug Tire Upgrade)
RAMP OPTIONS
Rear Stowable Ramp Kit: Extrusion to Hook Ramps, Add (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate
6000# Recessed Swivel D-Ring w/Backing Plate (Zinc)
12V LIGHTING & ELECTRICAL OPTIONS
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

7.5x12 – 7.5x20

STANDARD FEATURES

- > All Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 24" O/C Floor Crossmembers
- > 2"x5" Subframe Tubing
- > 32"x66" Side Door
- > Dexter Torsion Ride Axles
- > Exterior LED Lighting
- > Smooth .030 Bonded Side Panels
- > One-Piece Aluminum Roof
- > Roof Vent
- > Interior LED Lighting
- > 3/8" Water Resistant Walls
- > 3/4" Water Resistant Decking
- > Double Barn Doors
- > 24" Stone Guard
- > 2000# Center Jack
- > Safety Chains
- > A-Frame Coupler
- > Limited Lifetime Warranty
- > Roof Vent

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 7.5x12 TA	Cargo 7.5x14	Cargo 7.5x16	Cargo 7.5x18	Cargo 7.5x20
Model Number	MEC7.5X12-IF	MEC7.5x14-IF	MEC7.5x16-IF	MEC7.5x18-IF	MEC7.5x20-IF
Box (WxLxH)	90"x12"x78"	90"x14"x78"	90"x16"x78"	90"x18"x78"	90"x20"x78"
Interior (WxLxH)	87"x 1'10"x76"	87"x13'10"x76"	87"x15'10"x76"	87"x17'10"x76"	87"x19'10"x76"
Overall (WxLxH)	102"x17'10"x90"	102"x19'10"x90"	102"x21'10"x90"	102"x23'10"x90"	102"x23'10"x90"
Deck Height	13"	13"	13"	13"	13"
Hitch Height	12"	12"	12"	12"	12"
Rear Door Opening (WxH)	80"x72"	80"x72"	80"x72"	80"x72"	80"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1450#	1750#	1900#	2075#	2275#
Payload	5550#	5250#	5100#	4925#	4725#
V-Nose	60"	60"	60"	60"	60"
Coupler Rating/Ball Size	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"	14000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
INTERIOR
Upgrade to White Vinyl Backed Luan Walls w/ Divider
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (Includes Axle Carrier Upgrade; 16" O/C Floor Stud Upgrade; 15" 225 6-Lug Tire Upgrade)
RAMP OPTIONS
Rear Stowable Ramp Kit: Extrusion to Hook Ramps, Add (2) Extra Strap Hinges to Each Barn Door, Ramp Lock Extrusion
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/ Backing Plate
6000# Recessed Swivel D-Ring w/ Backing Plate (Zinc)
12V LIGHTING & ELECTRICAL OPTIONS
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

8.5x12 – 8.5x20

STANDARD FEATURES

- All Aluminum Construction
- 16" O/C Wall & Roof Studs
- 24" O/C Floor Crossmembers
- 2"x5" Subframe Tubing
- A-Frame Tongue
- Dexter Torsion Ride Axles
- 2000# Center Jack
- Safety Chains
- 3/8" Water Resistant Walls
- Double Barn Doors
- One-Piece Aluminum Roof
- Smooth .030 Bonded Side Panels
- Polished Aluminum Fenders
- 32"x66" Side Door
- Roof Vent
- 24" Stone Guard
- Exterior LED Lighting
- 3/4" Water Resistant Decking
- (3) Interior LED Dome Lights w/Switch
- Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	Cargo 8.5x12	Cargo 8.5x14	Cargo 8.5x16	Cargo 8.5x18	Cargo 8.5x20
Model Number	MEC8.5X12-IF	MEC8.5X14-IF	MEC8.5X16-IF	MEC8.5X18-IF	MEC8.5X20-IF
Box (WxLxH)	99"x12"x78"	99"x14"x78"	99"x16"x78"	99"x18"x78"	99"x20"x78"
Interior (WxLxH)	96"x11'10"x76"	96"x13'10"x76"	96"x15'10"x76"	96"x17'10"x76"	96"x19'10"x76"
Overall (WxLxH)	102"x18'8"x92"	102"x20'8"x92"	102"x22'8"x92"	102"x24'8"x92"	102"x26'8"x92"
Deck Height	15"	15"	15"	15"	15"
Hitch Height	14"	14"	14"	14"	14"
Rear Door Opening (WxH)	89"x72"	89"x72"	89"x72"	89"x72"	89"x72"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	7000#	7000#	7000#	7000#	7000#
Curb Weight	1850#	1950#	2050#	2275#	2475#
Payload	5150#	5050#	4950#	4725#	4525#
V-Nose	53"	53"	53"	53"	53"
Coupler Rating/Ball Size	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"	15000# / 2-5/16"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

CONSTRUCTION
Add 3", 6", or 9" to Box Height
Upgrade to 16" O/C Floor Studs
EXTERIOR
Two Tone Color w/6" Anodized Divider
Upgrade to 36" Stone Guard
INTERIOR
Upgrade to White Vinyl Backed Luan Walls w/ Divider
White Vinyl Backed Luan Ceiling
AXLE OPTIONS
Upgrade to 2-5K Torsion Braked Axles & Frame (Includes Axle Carrier Upgrade; 16" O/C Floor Stud Upgrade; 15" 225 6-Lug Tire Upgrade)
RAMP OPTIONS
Upgrade to Rear Ramp Door w/Spring Assist & Starter Flap (From Barn Door)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" Aluminum Wheels
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/ Backing Plate
6000# Recessed Swivel D-Ring w/ Backing Plate (Zinc)
12V LIGHTING & ELECTRICAL OPTIONS
LED Porch Light w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights
Recessed LED Puck Light Package
DOORS/WINDOWS/VENTS
Upgrade to 32"x72" Paddle Handle & Piano Hinge Side Access Door

COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

ENCLOSED CARGO POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Flat Front Construction
Cast Polished Corners for Flat Front
Upgrade to Radius Roof Construction (Up to 30'; Sloped V-Nose, Cast Corners, & Rear Canopies are Not Available with Radius Roof Option.)
2' Round Nose w/Anodized Nose Cone
Add Slope in V-Nose
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)
21" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)
6" Height Decrease
12" Height Decrease
Additional Length in 2' Intervals (6' Wide)
Additional Length in 2' Intervals (7' Wide)
Additional Length in 2' Intervals (7.5' Wide)
Additional Length in 2' Intervals (8.5' Wide)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF) (Cargo Models going to 12K GVWR Axles +)
Add Beavertail w/Extra High Door (6' Wide +, 16' +)
Reverse Beavertail Construction on (6' Wide +)
12" Extended Tongue (For 3K Tandem Axle Enclosed With 2"x5" Frame; Includes Center Beam Upgrade)
16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must Have 2"x6" Frame or Larger)

DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
26"x58" Side Access Door w/ Paddle Handle and Piano Hinge
32"x58" Side Access Door w/ Paddle Handle and Piano Hinge
32"x66" Side Access Door w/ Paddle Handle and Piano Hinge
32"x72" Side Access Door w/ Paddle Handle and Piano Hinge
32"x72" Radius RV Door w/ Screen (Window Optional)
Upgrade to 32"x72" Side Access Door w/ Paddle Handle and Piano Hinge (From 66")
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)
Upgrade to 32"x72" Radius RV Door w/ Screen (Window Optional; (From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (from 32")
Upgrade to 48" Wide Side Access Door (from 32")

CONSTRUCTION OPTIONS (CONTINUED)

Upgrade to Triple Tube Tongue (Enclosed Cargo)
Upgrade to 2-5/16" A-Frame Coupler (From 2" A-Frame Coupler)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 5000# Center-Mount Wheel Jack (From 1500# Wheel Jack or 2000# Center Jack)
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade Wall Studs to 2"x2", PBF
Upgrade to .080 Wall Studs
Upgrade Ceiling Studs to 2"x2", PBF
Walk On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
8' Platform Roof w/Ladder & Rail Kit
10' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
12' Catwalk (Includes Ladder to Roof & 3 Ladder Racks)
14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)
20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)
Ladder to Roof (Outside V-Nose)
Upgrade to Roller on Rear Ladder Rack
Ladder Racks
Rear Canopy Loading Light System - 2013 Version (Not available w/ Radius Roof)
Rear Canopy Loading Light System - 2020 Version (Not available w/ Radius Roof)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)

48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Door(s) (From 32"x72" Side Access Door)
Upgrade to 78" - Tall Side Access Door (From 72" SAD; Excludes Radius RV Door)
Upgrade to Rear Ramp Door w/ Spring Assist & Starter Flap (From Barn Door)
Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp
Barn Doors on Side of Trailer (74"W x 72"H)
Ramp Door w/ Spring Assist on Side of Trailer (74"W x 72"H)
Generator Door (30"x30") w/ Salem Vent & Paddle Handle (Lockable)
Generator Door (36"x36") w/ Salem Vent & Paddle Handle (Lockable)

ENCLOSED CARGO POPULAR OPTIONS CONTINUED

DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS
Generator Compartment (30"H x 30"W x 24"D, Door Optional)
Generator Compartment (36"H x 36"W x 24"D, Door Optional)
Slide Out Generator Tray
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Propane Compartment (30"H x 30"W x 24"D, w/Vented Non-Locking Door)
Propane Compartment (36"H x 36"W x 24"D, w/Vented Non-Locking Door)
Fuel Door w/ Paddle Handle (14"x14")
Fuel Door w/ Paddle Handle (24"x24")
Concession Door (4'x4')
Concession Door (4'x6')
Concession Door (4'x8')
Escape Door (4'x4', Driver Side Over Wheel Well)
Hatch Door (30"x30")
RV-Style Pull-Out Step (Steel)
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step

EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040" Skin Upgrade (Black, White, & Silver Only)
.050" Skin Upgrade (Black & White Only)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to Larger 7" Bottom Trim (PBF)
Upgrade to 36" Stone Guard (From 24")

INTERIOR OPTIONS

INTERIOR OPTIONS
White .030" Aluminum Side Walls (Bonded)
White .030" Aluminum Side Walls (Screwed)
White .030" Aluminum Ceiling (Bonded)
White .030" Aluminum Ceiling (Screwed)
White Vinyl Backed Luan (Ceiling Only; PBF)
Upgrade to 3/8" Plywood Walls (From 3/8" Water Resistant) **May Extend Lead Time**
Upgrade to White Vinyl Faced Luan Walls (From 3/8" Water Resistant)
Upgrade to White Vinyl Backed 3/8" Plywood (From 3/8" Water Resistant; PBF)
Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF)
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Aluminum Pull-Out Step
Aluminum Loop Step (Stationary)
Rear Full Length Step Across Rear of Trailer (12" Deep w/ Expanded Aluminum on Top; Barn Doors Only)
Aluminum Grab Handle For Side Access Door
Keyed Locking Hasps for Rear Ramp
Upgrade to L-Latches/Freezer Latches (Per Ramp; Replaces Locking Bars; Premium Models w/CH Grade Rear Ramp Only)
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Full Piano Hinge For Rear Ramp
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull-Down Screen for Rear Door Opening
Pop-Out Tent Bed (60"H x 80"L Rough Opening)
Keyless Entry System For Side Access Door
Rear Stowable Ramp Kit: (2) 26"x6' Ramps (Extrusion to Hook Ramps, Ramps to Stow Interior of Barn Doors), (4) Extra Strap Hinges

EXTERIOR OPTIONS (CONTINUED)
Upgrade to 48" Stone Guard (From 24")
Two-Tone Color Package w/No Anodized Divider
Two-Tone Color Package w/6" Anodized Divider
Two-Tone Color Package w/12" Anodized Divider
Two-Tone Color Package w/24" Anodized Divider
Upgrade to Anodized Nose Cone
Add Red & White DOT Tape to Trailer (PLF) (Required on Trailers Over 10,000 lbs GVWR)
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

INTERIOR OPTIONS (CONTINUED)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation (Ceiling; Requires Ceiling Liner)
2" Foam Insulation (Ceiling Only; PBF)
.030" Aluminum Cove (All Colors)
Anodized Roof Covs
Anodized Spring Cover
Diamond Plate Spring Cover
.030" Aluminum Spring Assist Cover for 4'5' Wide Rear Ramp Door
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
Diamond Plate Kickplate (6")

ENCLOSED CARGO POPULAR OPTIONS CONTINUED

INTERIOR OPTIONS CONTINUED

INTERIOR OPTIONS
Diamond Plate Kick Plate (12")
Diamond Plate Kick Plate (24")
Water Resistant Kick Plate (12")

INTERIOR OPTIONS (CONTINUED)
Extruded Aluminum Kick Plate (6")
Carpet on Walls (Charcoal Only, 3' Up Wall, Calculate 4' for V-Nose)
Upgrade to Black TPO Coin Walls (3' Up Wall, Calculate 4' for V-Nose; PLF)

FLOORING

FLOORING
Upgrade to 3/4" Water Resistant Decking (From 5/8" Water Resistant Decking; PBF)
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp and V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045"; PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)

FLOORING (CONTINUED)
Painted Epoxy Floor Covering (PBF)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Extruded Aluminum Floor (From Rubber TPO Floor; Charge for Ramp and V-Nose; Include Starter Flap if Added to Order; PLF)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)
Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Silver Mod (Radial; From 13" Silver Mod Wheels; Incl. Fender Upgrade)
Upgrade to 15" 225 Silver Mod Wheels (Radial; From 15" 205 Silver Mod Radial)
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels) **SPECIAL ORDER**
Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels) **SPECIAL ORDER**
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" BLACK Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to Black Aluminum Rims from Aluminum (Same Size)
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Spare 13" Galvanized Wheel w/ 175/80R13 Tire
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Black Aluminum Wheel w/ 205/75R15 Tire
Spare 15" Galvanized Wheel w/ 205/75R15 Tire
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (5-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 16" Aluminum Wheel w/ 235/80R16 Tire
Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)
Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)

ENCLOSED CARGO POPULAR OPTIONS CONTINUED

AXLES

AXLES
Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler) **Trailer Must Have at Least 12" E-Rated Tires**
Upgrade to 2-3K Torsion Braked Axles (From 1-3K Torsion Idler)
Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Enclosed Models) **Includes Axle Carrier**
Upgrade to 16" O/C Floor Studs & 15" 225 6 Lug Tires
Upgrade to 2-6k Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)

TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings
Recessed Flip-Up Motorcycle Wheel Chock
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
E-Track, Surface Mounted (Floor)

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens)
12V LED Load Light (Single Light w/Switch, 950 Lumens)
Recessed LED Exterior Load Light Package For Side of Trailer: 1 Light w/Switch & Housing (950 Lumens)
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: One 12V Wall Switch w/(2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)

AXLES (CONTINUED)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Spread Axle Upgrade w/Individual Fenders (7' & 7.5' Wide Models)
Spread Axle Upgrade w/Tapered Fender Skirting (8' Wide Models)
Upgrade to Surge Brakes (From Compatible Brake Size)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time)

TIE-DOWNS (CONTINUED)
E-Track, Surface Mounted (Wall)
E-Track, HD Recessed w/Backing Plate (Floor)
E-Track, HD Recessed w/Backing Plate (Wall)
E-Track, Aluminum, Surface Mounted (Wall)
E-Track, Aluminum, HD Recessed w/Backing Plate (Floor)
E-Track, Aluminum, HD Recessed w/Backing Plate (Wall)
Airline Track, Aluminum, Surface Mounted (Floor)
Airline Track, Aluminum, Surface Mounted (Wall)
Airline Track, Aluminum, Recessed (Floor; PLF)
Airline Track, Aluminum, Recessed (Wall; PLF)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Recessed Slide Track, (2) Rows w/(4) Sliding D-Rings
Powder Coated Slide Track Upgrade (To Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL (CONTINUED)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light, 460 Lumens (From Incandescent Dome Light)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package (8 Recessed Lights & Wall Switch; Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Cabinet Package (Under Overhead Cabinet - (2) Round LED Flush Mount Dome Lights; (1) 12V Wall Switch; 18" 12V LED Light; Requires Ceiling Liner)
Upgrade Interior Dome Light to 12V 18" LED Light

ENCLOSED CARGO POPULAR OPTIONS CONTINUED

12V LIGHTING & ELECTRICAL CONTINUED

12V LIGHTING & ELECTRICAL
Upgrade to (3) 18" 12V LED Lights (From (2) 4' LED Wrap Around; Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
LED Interior Strip Light w/ Housing Package (Per Foot, Per Section)
Cold Weather HD Arctic Flex 7-Way Wire Harness
Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug)

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Package #1: (1) 15 AMP Motor Base Plug; (1) Wall Switch; (1) Receptacle; (1) 4' LED Wraparound Light. Note: No additions available w/this package.
110V Package #2: (1) 30 AMP Breaker; (1) 25' Shore Line; (2) 3-Way Wall Switches; (1) Standard Wall Receptacle; (1) GFI Wall Receptacle; (2) 4' LED Wraparound Lights
110V Package #3: (1) 30 AMP Panel; (1) Wall Switch; (4) Standard Wall Receptacles; (1) GFCI Receptacle; (4) 4' LED Wraparound Lights; (1) Brace and Wire Stub for A/C Unit
110V Package #4: (1) 15 AMP Motorbase Plug; (2) Wall Receptacle
110V Package #5: (1) 60A Breaker Panel w/60A Converter and 50A Motor Base Plug; (2) 3-Way Wall Switches; (1) Standard Wall Receptacle; (1) USB Wall Receptacle; (1) GFI Wall Receptacle; (2) 4' LED Wraparound Lights; 12V Deep Cycle Battery & Box
15A Motor Base Plug
30A Motor Base Plug (Replaces Shoreline; 110V Package Required)
30A Power Converter (110V Pkg #2)
30A Power Cord 25' Long (For Motor Base Plug)
30A Generator Line Switch

12V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lens)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Wireless Backup Camera System w/7" LCD Screen
Add LED 6" Oval Alternating Flashing Safety Lights (Orange) w/Exterior Toggle Switch (Pair) (Hard Wired Into Auxiliary; 7-Way Plug Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2)
50A Power Cord 25' Long (For Motor Base Plug)
60A Power Converter (110 Package Required)
110 Volt Wall Receptacle (Installed; Requires 110V Pkg)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)
110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)
GFI Wall Receptacle (Exterior; Requires 30A Package)
4' LED Wraparound Light (Requires 110V Pkg)
GFI Wall Receptacle (Interior; Requires 30A Package)
500W Swing-Mount Quartz Light
13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2)
Heat Strip for A/C Unit
Brace and Stub Wire for Future AC Installation (12 Gauge Wire and 20A Breaker; Requires 110V Pkg #2)
Heater; Electric; CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS

CABINETS
V-Nose Base Cabinet, 2 Door (50" & 60" Wide Models)
V-Nose Base Cabinet, 2 Door (80" Wide Models)
V-Nose Base Cabinet, 4 Door (80" Wide Models)
V-Nose Base Cabinet, 2 Door (84" Wide Models) (78"W x 22"D x 37"H)
V-Nose Base Cabinet, 4 Door (84" Wide Models) (74"W x 31"D x 37"H)
V-Nose Base Cabinet, 2 Door (90" Wide Models)
V-Nose Base Cabinet, 2 Door (99" Wide Models) (83"W x 30"D x 37"H)
V-Nose Base Cabinet, 4 Door (99" Wide Models) (83"W x 30"D x 37"H)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80" & 84" Wide Models)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90" & 99" Wide Models)
V-Nose Overhead Cabinet, 2 Door (50" & 60" Wide Models)
V-Nose Overhead Cabinet, 2 Door (80" Wide Models)
V-Nose Overhead Cabinet, 2 Door (84" Wide Models)

CABINETS (CONTINUED)
V-Nose Overhead Cabinet, 2 Door (90" Wide Models)
V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (56"W x 19"D x 19"H)
V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (72"W x 19"D x 19"H) **Special Option Cabinet**
4' Straight Wall Base Cabinet, 2 Door (48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet, 2 Door
6' Straight Wall Base Cabinet, 2 Door (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2 Door (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4 Door
Upgrade Base Cabinet to 28" L-Shape Extension
8' Flat Front 4 Door Base Cabinet
Add 4" Depth to 8' Flat Front 4 Door Base Cabinet (24" Deep)
Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 2 Door (48"W x 13"D x 18"H)
Premium Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)

ENCLOSED CARGO POPULAR OPTIONS CONTINUED

CABINETS CONTINUED

CABINETS
Overhead Cabinet, 1 Door (62"W x 12"D x 18"H)
Deluxe Overhead Cabinet, 4 Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4 Door (96"W x 13"D x 18"H)
Overhead Cabinet, 2 Flip-Up Door (96"W x 13"D x 18"H)
8' Flat Front 4 Door Overhead Cabinet
Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep)
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)
Wheel Well Cabinet 2 Door w/Shelving (72"W x 6 3/4"D x 62"H)
Premium 50" Helmet Cabinet w/Hooks
24" Wardrobe Cabinet (Single Full-Height Door; (1) Shelf; (1) Clothing Rod; 24"W x 24"D x 72"H)

CABINETS (CONTINUED)
96" Premium Overhead Split Cabinet w/Center Shelf, 2 Flip-Up Door (96"W x 18"D x 18"H)
36" Wide Wardrobe (Single Full-Height Door; (1) Shelf; (1) Clothing Rod; 36"W x 24"D x 76"H)
Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
Clothing Rod for Overhead Cabinets (48" Cabinets Only)
4' Coat Rack Package (47' Slide Track w/ (6) Adjustable Hooks)
18" Shelving w/Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
Standard Tool Crib Package: (1) 72x24 Horizontal Access Door (Over Fender, w/ Retainer Chains); (2) 38x22 Vertical Access Doors (Ahead/Behind Fender); Adjustable Shelf Brackets in Vertical Cabinets; 3/8" Water Resistant Liner (Interior & Exterior of Box Frame); 19"D x 42"H x 128"L Box Frame Inside Trailer; Hinged Lid (3 Sections)

AWNINGS

AWNINGS
12' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
16' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if Installed Over Side Access Door)
18' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)

AWNINGS (CONTINUED)
20' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
21' CareFree Travl'r Acrylic Fabric and Alumaguard Electric Awning (Requires Door Roller Option if Installed Over Side Access Door)
Door Roller for Awning

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package; Maxx-Air Roof Vent Cover)
Directional Salem Vent Kit (Plastic; Pair)

VENTS & WINDOWS (CONTINUED)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
HappiJac Bed System w/(1) Queen Size Mattress
Fold-Down Dinette/Sleeper
Fold Down Bench (12"x48"; Type: Work or Sitting)
Fold-Down Padded Bench (48"L; Vertical Design)
Premium 50" Fold-Up Padded Bench

MISC. OPTIONS & ACCESSORIES (CONTINUED)
Premium 36" Fold-Up Work Bench w/ Integrated Tool Storage
Premium Cup Holder
Basic Stereo Package - Includes (4) Boss Speakers Stabilizer Jacks
Premium (2) or (3) Race Fuel Holder
Bogey/Caster Wheels (Installed; Pair)
Scissor Jacks (Camper Style; Pair)
Upgrade to Wheel on 2000# Center Jack

POWDER COATING OPTIONS

POWDER COATING OPTIONS
Exterior Powder Coat Package (Cargo/Car Haulers) - Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	MSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#

TONGUE EXTENSION BY MODEL

Trailer Type	Allowable Extension	Additional Requirements	Item Numbe	Description
Enclosed Cargo (4' & 5' Wide)	N/A	Frame Upgrade Required; Consult Engineering	N/A	N/A
Enclosed Cargo (6', 7', 7.5' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Cargo (8.5' Wide, Premium)	12" (16" w/ Upgrade)	Min. 6" Frame for 16" Tongue Extension; Upgrade May Be Required	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Motorcycle (7' Wide)	12"	N/A	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame); Includes Center Beam Upgrade; Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler (8.5' Wide, Premium)	16"	N/A	TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed w/2"x6" Frame or Larger); Not Available With All Sport or Snow Trailers.
Enclosed Car Hauler - All Sport (8.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (7' & 7.5' Wide)	N/A	Extended Tongue Incompatible With Front Ramp	N/A	N/A
Enclosed Snowmobile (101" Wide)	10"	Requires 3"x5" Tongue Upgrade w/Straight-Pull Coupler	TBD	TBD