

NICO STONE

A DIVISION OF NICOLOCK



cool touch
cooler surface temperature
on hot days vs. natural stone

Bradstone™

Rosetta®

Pennsylvania Stone

Nature's Creations

NICOSTONE

Nicostone by Nicolock features our complete line of manufactured wetcast pavers including Pennsylvania Stone, Bradstone,™ Rosetta® Hardscapes and Nature's Creations. Our wetcast production process generates elegant finishes and a vast array of standard products to meet your projects demands.

by Nicolock



BRADSTONE

Bradstone embodies an elegance born of an earlier time while taking advantage of the high performance, low maintenance and long life offered by modern high grade manufacturing technology. Top craftsmen have taken special care to replicate, in hue, complexity and texture, the handcrafted stonework of English tradition in hundreds of faithfully detailed, properly-sired master stone designs. Each master design has been cast into finely detailed molds which are then used to reproduce a rich line of paving, edging and walling products in almost endless variations.



PENNSYLVANIA STONE

Pennsylvania Stone replicates the look and feel of natural stone but are economically priced and easily installed. Because each piece is hand-cast in molds made from real stone, no two are alike and every detail is captured in the finished product.



ROSETTA HARDSCAPES

Rosetta Hardscapes accurately creates the look and feel of nature in any application you imagine. This boutique line of precast concrete landscape products amazes even the most discerning craftsman or homeowner. Rosetta's diverse product lines are produced using wetcast concrete with integral color, giving them the most natural, multi-toned appearance on the market today. All Rosetta products are inspired by and modeled after natural stones and every Rosetta product is engineered to exacting specifications that ensure your project will stand the test of time.



NATURE'S CREATIONS

Give your patio that touch of exclusivity with Nature's Creations by Nicolock. All new and made from natural sandstone, Nature's Creations products have a wide range of natural shades and varied shapes, not to mention individual textures. Nature's Creations provides a wealth of design possibilities giving you a hardscape solution that's all together different.



Quality

that exceeds expectations!



We've invested millions in the most technologically advanced manufacturing equipment available to produce hardscape products that exceed the standards of the industry and the most discriminating buyer.

Using select materials, our rigorous quality-control during the entire manufacturing process guarantees product consistency and allows us to offer you a lifetime warranty on our products.


cool touch
cooler surface temperature
on hot days vs. natural stone

Roberto Nicolia

CEO/President, Nicolock Paving Stones | nicolock.com

ABOUT	2
TABLE OF CONTENTS	5
PAVERS	
OLD TOWN FLAGSTONE	7
OLD TOWN FLAGSTONE CIRCLE	9
WETHERDALE	11
OLD CATHEDRAL	13
GRAND FLAGSTONE	15
NATURE'S CREATIONS	17
NATURAL CLEFT FLAGSTONE	19
THERMAL FINISH FLAGSTONE	19
VERSAILLES TRAVERTINE	21
WALL SYSTEMS	
MADOC WALL	22
MOUNTAIN BLOCK	23
BELVEDERE	25
CLAREMONT	26
DIMENSIONAL COPING	28
KODAH WALL	29
ACCESSORIES	
IRREGULAR STEPS	31
ROCKFACE MULTI CAP	32
ROCKFACE STEPS	33
ROCKFACE TREADS	33
THERMAL TREADS	34
PIER CAPS	35
POOL COPING	36
BELVEDERE FIREPIT	37
ACCENTS	38-41
FAQ	42

**COMPLETE
PATIO ON A
PALLET!**



OLD TOWN FLAGSTONE:
York Brown



OLD TOWN FLAGSTONE:
Bluestone



OLD TOWN FLAGSTONE:
Autumn Cotswold

OLD TOWN FLAGSTONE PATIO PACKS

Naturally aged and textured surface • Stone cut edges • 1 1/2" thick



	width	length	thickness	s.f./pallet	s.f./pack	pcs./pallet	lbs./pallet
A	12"	12"	1-1/2"	5	68	6	1,200
B	12"	18"	1-1/2"	18		12	
C	12"	24"	1-1/2"	18		9	
D	18"	18"	1-1/2"	4.5		2	
E	18"	24"	1-1/2"	9		3	
F	24"	24"	1-1/2"	12		3	

Total surface area as laid = 68 square feet. Additional sizes available as special order.

Old Town Flagstone - Quartered Square

This classic design features a series of rectangular bands of slabs running out from a single central unit and radial lines that provide the quartered effect.

Although visually complex, it is easy to create as the mitred corner is in fact a single unit.



	width	length	thickness	s.f./pallet	s.f./pack	pcs./pallet	lbs./pallet
A	12"	12"	1-1/2"	1	81	1	1,420
B	18"	18"	1-1/2"	32		16	
C	12"	24"	1-1/2"	48		24	

Total surface area as laid = 81 square feet.

**The 18" x 18" is an "L" shaped unit with a false mitred corner joint.



autumn cotswold



bluestone



golden brown blend



york brown




gironde*

*denotes
premium color

OLD TOWN FLAGSTONE CIRCLES

Naturally aged and textured surface • Authentic character of reclaimed flagstone in a circular design
Stone cut edges • 1 1/2" thick



Small Circle Patio Pack

Square-Off Kits noted in grey and Large Circle Extension Pack sold separately
No cutting required!



autumn cotswold



bluestone





york brown



gironde*

*denotes premium color



SMALL CIRCLE PATIO PACK

	width	length	thickness	s.f./pack	pcs./pack	lbs./pack
A	18"	18"	1-1/2"	64	4	1,100
B	13"	18"	1-1/2"		16	
C	18"	20"	1-1/2"		16	

LARGE CIRCLE EXTENSION PACK**

	width	length	thickness	s.f./pack	pcs./pack	lbs./pack
D	24"	30"	1-1/2"	69	16	1200

**large circle extension pack sold separately

OLD TOWN FLAGSTONE:
(Large Circle Patio Pack) Gironde

Elegant and sublime

COMPLETE PATIO ON A PALLET!



gironde*



york brown



autumn cotswold





bluestone

*denotes premium color

WETHERDALE PATIO PACKS

Featuring a Patio Pack and Large Circle Pack • Riven surface texture • Stone cut edges • 1 3/8" thick




Wetherdale - Circle Patio Pack

Total surface area as laid per pack: 91 s.f.

Total weight: 1,550 lbs./pack (1 - 3/8" thick)

Also available in 2 - 3/8" thickness for use with pavers. (Pedestrian use only.)



STANDARD PATIO PACK

	width	length	thickness	s.f./pack	pcs./pack	s.f./pack
A	12"	12"	1-3/8"	6	6	68
B	12"	18"	1-3/8"	18	12	
C	12"	24"	1-3/8"	18	9	
D	18"	18"	1-3/8"	4.5	2	
E	18"	24"	1-3/8"	9	3	
F	24"	24"	1-3/8"	12	3	

CIRCLE PATIO PACK

	width	length	thickness	pcs./pack	lbs./pack	s.f./pack
G	11 1/2"	11 1/2"	1-3/8"	4	1,550	91
H	17"	4 1/2"	1-3/8"	16		
I	17 1/2"	11"	1-3/8"	16		
K	17 1/2"	18"	1-3/8"	16		


Also available in 2 - 3/8" thickness for use with pavers. (Pedestrian use only.)

WETHERDALE: York Brown

OLD CATHEDRAL PATIO PACKS

Modeled from floor slabs taken from an ancient cathedral
Subtle hewn surface with random saw cut markings • Square edges 1 3/4" thick

The Old Cathedral Patio Pack contains 51 sq. ft. of random paving slabs and is available in one solid shade and two blended shades.



	width	length	thickness	s.f./pc.	s.f./pack	pcs./pack	lbs./pack
A	8-1/2"	17"	1-3/4"	1.0	51	7	980
B	8-1/2"	25.5"	1-3/4"	1.5		10	
C	17"	17"	1-3/4"	2.0		7	
D	17"	25.5"	1-3/4"	3.0		4	



antique brown blend †
† colors blended on-site



bluestone



lilac blend †*

** antique brown, lilac and bluestone sold separately

*Also available in copper and light brown

† colors blended on-site
* denotes premium color



OLD CATHEDRAL PATIO PACK
Lilac Blend

THE GRAND FLAGSTONE COLLECTION

Beautiful natural stone texture • 15 unique shapes replicate large, irregular flagstone.
Fast installation with easy-to-install pattern • Uniform thickness (1.75") = Comfortable end result. • High strength concrete = Long term durability • Multiple natural color blends available.



Layer 1



Layer 2



Layer 3



Layer 4

	width	length	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
1	38"	42"	1-3/4"	-	90	30	2000
2	38"	42"	1-3/4"	-	90	30	2000
3	38"	42"	1-3/4"	-	90	30	2000
4	38"	42"	1-3/4"	-	90	30	2000

Outside dimensions of each layer are identical to all other layers, allowing any layer to be used anywhere in the pattern.

Each pallet contains (2) of each layer shown above.
Each layer is comprised of multiple individual pieces.



bluestone



golden brown blend



york brown



mocha





NATURE'S CREATIONS

NATURAL STONE PATIO PACK

Naturally aged and textured surface • Machine cut edges with riven surface texture and natural veining • Calibrated thickness.

New
FOR 2016



A



B



C



D

	width	length	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
A	24"	36"	.85"	-	165	13	1,763
B	24"	24"	.85"	-	-	13	-
C	12"	12"	.85"	-	-	13	-



fossil buff



silver grey




sunset buff

New and Improved! FOR 2016

FLAGSTONE TECHNOLOGY

Nicolock's enhanced design with upgraded technology creates a consistent sand joint with true modular dimensions. Our new flagstone paver gives you the best of both worlds - ease of installation with the speed of a traditional paver and the look of natural stone in both Natural Cleft and Thermal Finish.



NATURAL CLEFT FLAGSTONE PAVING SLABS

Uniquely attractive natural cleft texture • Old World charm • Saw cut edges


	width	length	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
A	12"	12"	1-1/2"	-	40	40	700
B	12"	18"	1-1/2"	-	60	40	1,100
C	12"	24"	1-1/2"	-	80	40	1,400
D	18"	18"	1-1/2"	-	45	20	800
E	18"	24"	1-1/2"	-	60	20	1,100
F	24"	24"	1-1/2"	-	80	20	1,400

Individual sizes sold in full pallets.

Also sold as a kit, see Thermal Finish Flagstone for details.



*denotes premium color
Also available as a patio pack



THERMAL FINISH FLAGSTONE PAVING SLABS

Natural stone appearance with thermal finish • Smooth and consistent texture • Saw cut edges

	width	length	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
A	12"	12"	1-1/2"	-	6	6	700
B	12"	18"	1-1/2"	-	18	12	1,100
C	12"	24"	1-1/2"	-	18	9	1,400
D	18"	18"	1-1/2"	-	4.5	2	800
E	18"	24"	1-1/2"	-	9	3	1,100
F	24"	24"	1-1/2"	-	12	3	1,400

Individual sizes sold in full pallets or as a kit.





Handcast detail & finish

VERSAILLES TRAVERTINE:
Gironde

VERSAILLES TRAVERTINE

Multi-size rectangular shapes • Flat surface with natural travertine markings
Square edges • Circle and border kit



New and Improved!
FOR 2016

Now with spacer bars for a consistent sand joint

		width	length	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
Patio Pack	A	8"	8"	1-1/2"	2.25	64	16	1,051
	B	16"	8"	1-1/2"	1.13		16	
	C	16"	16"	1-1/2"	.56		8	
	D	16"	24"	1-1/2"	.38		8	
Fullnose Coping Sold Separately	E	12"	24"	2"	.50	-	15	493



gironde




marble blend*

* denotes premium color

MADOC WALL STONES

Beauty of natural stacked field stone • Easy to build wall block • Create attractive piers or small garden walls

The authentic appearance of dry laid, natural stone is achieved by reproducing the profiles of a number of stones in a single, easy to handle, "Z" shaped Madoc block.



		width	depth	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
Full Block	A	24"	4"	6"	48	36 l.f.	48	1,600
Infill Unit*	B	4"	4"	2-3/4"	6		6	
Coping	C	18-1/2"	5"	1-1/4"	49	74 l.f.	49	1,600



MADOC: Bluestone

MOUNTAIN BLOCK


4" x 12" wall face • Rear lip connection system • Single-sided wall system • Tapered sides
1" setback per course • Solid block • Maximum wall height 36"



		width	depth	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
Full Block	A	12"	9"	4"	-	-	48	1,360
Cutting Block	B	12"	9"	4"			24	775
Corner Block	C	12"	9"	4"			24	775
Coping	D	12"	10"	1-1/2"			48	575

Sold only as full pallets in individual sizes.
3 full blocks per s.f. 16 square face feet per pallet. 48 l.f. of coping per pallet.

Mountain Block walling has 10 different facial profiles that create a unique appearance when installed.



MOUNTAIN BLOCK: York Brown

THE BELVEDERE COLLECTION

Natural stone texture on both front and back • Attractive freestanding & retaining walls possible.
Dimensional = Fast installation and no waste • Natural color blends available • Walls, columns, steps and more = Creative possibilities.



Wall Unit



A



B



C

Coping Unit
sold separately

D

Pier Cap
sold separately

	width	depth	height	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
A	18"	9"	3" / 6"	-	27	72	2475
B	12"	9"	3" / 6"				
C	6"	9"	3" / 6"				
D	27"	27"	2" -1/2"				

Contains 6", 12", or 18" long pieces at 3" or 6" height, and 9" width.
Weigh 10 to 67 pounds depending on size.

Belvedere Pier/Corner: 24 s.f./pallet. One pallet makes a 24"x 24"x 36" high pier. Sold separately.

Belvedere Coping: 66 l.f./pallet. Sold separately.

Belvedere Pier Cap: 66 l.f./pallet. 27"x 27"x 2-1/2" thick. Sold separately.



bluestone



golden brown blend



york brown



mocha

BELVEDERE WALL AND COPING:
Mocha

THE CLAREMONT COLLECTION

Linear, horizontal proportions evoke a contemporary yet classic stone appearance. Each unit is finished on both the front and back surfaces, allowing for both freestanding and retaining walls. Crisp, chiseled stone texture is indistinguishable from natural snapped limestone drywall.



A



B



C

Corner Block sold separately



D

	width	depth	height	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
A	18"	8"	4"	-	29	25	2800
B	24"	8"	4"			25	2200
C	22"	8"	4"		33.3	40	170
D	34"	34"	3"				



Claremont Pier: One pallet contains enough corners to build a 30"x30" corner, 40" H.



bluestone



golden brown blend



mocha



york brown



natural beauty

DIMENSIONAL COPING

Chiseled, natural stone texture • Comfortable dimensions for seat walls • Formal appearance perfect for any wall application • Compatible with Belvedere, Claremont and other Nicolock Walls Systems.



	width	depth	thickness	pcs./s.f.	l.f./pallet	pcs./pallet	lbs./pallet
A	24"	12-1/2"	2-1/2"	-	63	18	
B	18"	12-1/2"	2-1/2"			12	
C	19"	12-1/2"	2-1/2"			6	



york brown



bluestone



golden brown blend

KODAH WALL WALL STONE

Kodah wall is a one-of-a kind large scale retaining wall system. Its modern, linear proportions combined with its rough, quarried stone texture make it perfectly for a variety of applications. The Kodah wall also makes it easier than ever to provide you with the big block look without the over the top installation costs.

New
FOR 2016



york brown



bluestone



golden brown blend



mocha


	width	depth	thickness	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./pallet
A	12"	10-1/2"	6"	-	21 s.f.	18	2,400
B	21"	10-1/2"	6"	-	-	-	-
C	30"	10-1/2"	6"	-	-	-	-
D	42"	10-1/2"	6"	-	-	-	-
Corner E	21"	10-1/2"	6"	-	31.5s.f.	24	2,400



KODAH WALL: Bluestone

IRREGULAR STEPS

Beautiful appearance that is indistinguishable from natural stone • Uniform rise is both safe and comfortable. Irregular sizes lend a rustic sophistication to your landscape.



	width	depth	rise	pcs./s.f.	s.f./pallet	pcs./pallet	lbs./piece
A	54"	34"	7"	-	-	6	458
B	60"	24"	7"	-	-	6	600
C	42"	17"	7"	-	-	6	349
D	48"	28"	7"	-	-	6	567
E	42"	26"	7"	-	-	6	476
F	48"	24"	7"	-	-	6	512




bluestone



york brown



golden brown blend



mocha

Elegant and sublime

IRREGULAR STEPS:
YORK BROWN



ROCKFACE MULTI CAP

2" h x variable length units • Cast stone rock face texture
 Double-sided capstone • Attach with high-strength concrete adhesive
 • Trapezoid shapes • Use with any wall system

Rockface:



Rockface Grande:



	width	depth	thickness	l.f./pallet*	pcs./pallet	lbs./pallet
Rockface: A	9"	11-1/2"	2"	11'	14	-
B	12"	11-1/2"	2"	14'	14	-
C	15"	11-1/2"	2"	18'	14	-
End Unit: D	15"	11-1/2"	2"	5'	4	-
				Total 48'	Total 46	Total 1,200
Rockface Grande: E	9"	14"	2"	11'	14	-
F	12"	14"	2"	14'	14	-
G	15"	14"	2"	18'	14	-
End Unit: H	15"	14"	2"	5'	4	-
				Total 48'	Total 46	Total 1,400

* denotes premium color




gironde*



bluestone



york brown



ROCKFACE TREADS

Chiseled stone edge treatment on three sides
 Thermal finish top surface

length	depth	height	pcs./pallet	lbs./pallet
51"	14"	2"	13	1,810
64"	14"	2"	13	2,245
74"	14"	2"	13	2,515



bluestone



brown



gironde*

* denotes premium color

ROCKFACE STEPS

Make 6" changes in elevation with a single unit
 Thermal finish top surface • Chiseled stone edge treatments on three sides

width	depth	height	pcs./pallet	lbs./piece
51"	16"	6"	6	365
63"	16"	6"	6	455
75"	16"	6"	6	545





THERMAL TREADS: Bluestone

THERMAL TREADS

Square corners • Flamed finish texture on top surface and all four edges. • Install the products with or without mortar joints

length	depth	height	pcs./pallet	lbs./pallet
48"	12"	2"	15	1,490
60"	12"	2"	15	1,850
72"	12"	2"	15	2,200

length	depth	height	pcs./pallet	lbs./pallet
48"	14"	2"	15	1,815
60"	14"	2"	15	2,250
72"	14"	2"	15	2,515



FULLNOSE THERMAL TREADS

length	depth	height	pcs./pallet	lbs./pallet
48"	14"	2"	15	1,815
60"	14"	2"	15	2,250
72"	14"	2"	15	2,515



bluestone



brown



gironde*

* denotes premium color

PIER CAPS

Chiseled stone edges • Riven top surface • Multiple sizes allow use with many different concrete wall systems, natural stone or brick

width	length	thickness	pcs./pallet	lbs./pallet
18"	18"	2-1/2"	17	900
20"	20"	2-1/2"	17	1,100
24"	24"	2-1/2"	11	1,200
25"	25"	2-1/2"	12	1,450
26"	26"	3"	11	1,800
28"	28"	3"	10	1,850

BELVEDERE COLLECTION

width	length	thickness	pcs./pallet	lbs./pallet
27"	27"	3"		

CLAREMONT COLLECTION

width	length	thickness	pcs./pallet	lbs./pallet
32"	32"	3"		



bluestone



brown



gironde*

* denotes premium color



POOL COPING

Authentic Old Town Flagstone surface profile

	length	depth	thickness	pcs./pallet	lbs./pallet
Straight Unit:	18"	12"	1-1/2"	20	600
Curved Unit:	18"	12"	1-1/2"	20	600
Outside Corner:	12"	12"	1-1/2"		
Inside Corner:	18"	18"	1-1/2"		

Outside Corner and Inside Corner are sold as individual units.
Curved unit makes a 60° radius.



autumn cotswold



bluestone



york brown



gironde*

* denotes premium color



POOL COPING: Bluestone

BELVEDERE FIRE PIT

What better way to enjoy your outdoor living area than to be gathered around a beautiful fire pit with friends and family. The natural textures and colors of this product, blend seamlessly with the entire collection of attractive Rosetta Hardscapes.

	width	height	pcs./pallet	lbs./pallet
Belvedere Firepit	58" o.d.	14-1/2"		
Steel Ring	38" dia.			



york brown



bluestone



golden brown blend



mocha



STEPPING STONES

Effective in protecting lawns from traffic. Create winding paths across gravel, mulch or grass

width	depth	thickness	pcs./pallet	lbs./pallet
22"	16-1/2"	1-1/2"	20	777



autumn cotswold



bluestone



gironde*



lilac*

*denotes premium color

STEPPING STONES: Gironde

WINDING PATH

Design a path to suit your walkway Flip-flop the units as required make gentle curves

long	sideshort	sidethickness	pcs./pallet	lbs./pallet
24"	20"	1-1/2"	16	1,200

1 pallet = 16 pieces = 36 l.f.



autumn cotswold



bluestone



york brown



gironde*

*denotes premium color

WINDING PATH: York Brown



LOG SLEEPER

Authentic, maintenance-free alternative to traditional railroad ties

width	depth	thickness	pcs./pallet	lbs./pallet
24"	10"	1-1/2"	20	483

1 pallet = 21 pieces = 33 s.f.
Log Sleepers are available in Rustic Brown only.

LOG SLEEPER: Rustic Brown



DISH DRAIN

Provide an attractive solution to surface drainage

	width	length	thickness	pcs./pallet	lbs./pallet
Long Straight:	12"	24"	2"		
Short Straight:	12"	18"	2"		
Corner:	12"	12"	2"		

Special order only. Extended lead times apply.




autumn cotswold



bluestone



york brown



DISH DRAIN: York Brown

COBBLESTONE EDGING

Composite of 10 'stones' for ease of laying

width	height	depth	pcs./pallet	lbs./pallet
17-1/2"	4-1/2"	8-1/2"	20	600

1 pallet = 20 pieces = 29 l.f. - Sizing may vary.



autumn cotswold



bluestone

*denotes premium color



COBBLESTONE EDGING:
Autumn Cotswold

FREQUENTLY ASKED QUESTIONS:

Can I use salt to de-ice my NicoStone patio?

Nicolock recommends using rock salt to remove snow and ice from pavers. The use of magnesium chloride, or other chloride products are not recommended and will void the warranty as they may over time harm the structural integrity of your pavers.

Why do the paving stones have dark patches?

This is due to differential weathering, where the surface of the paving has cured at different rates, causing darker color variation on the paving. Generally this is exaggerated by the presence of efflorescence which, once removed, will reduce the effect of the dark patches. As with efflorescence the dark patches will generally disappear with time.

How often should I clean my patio?

Regular washing and brushing should be adequate to maintain your patio in pristine condition. However, you may wish to clean your patio using a recommended cleaner. This can enhance its appearance but it may affect long term durability and should

only be used sparingly (only two or three times during the lifetime of the paving). Consult your paving supplier for advice and a suitable cleaning product.

Can I use a sealer on my patio?

Yes - check proprietary manufacturer's instructions and suitability for sealing concrete paving. Please note: applying sealant to paving may affect the color.

Can I use NicoStone paving inside my house?

Yes - but it is preferable to seal the paving with a sealer after laying inside to protect against stains and reduce incidence of dust.

Can I use a pressure washer to clean my patio?

Yes - but, as always, follow the manufacturer's instructions carefully. Do not pressure wash your patio too strongly or too frequently as you may damage the surface of the paving.

Why do Nicolock pavers make the best pavement?

Not only are Nicolock pavers beautiful, they provide the best pavement solution in freeze/thaw conditions when installed over a compacted aggregate base. Installation over a compacted aggregate base results in a pavement that is strong, yet flexible enough to move as the ground shifts without breaking apart, rutting or heaving. In addition, pavers can be "unzipped" to allow for repairs or access to utility lines. Unlike asphalt and other surfaces, pavers are virtually maintenance-free. Concrete pavers are also about three times stronger than regular poured concrete. - See more at: <http://www.nicolock.com/fyi/frequently-asked-questions/#gq1>



How do pavers compare with patterned concrete?

Patterned concrete pavements are slabs of concrete that are embossed with a pattern. They are prone to problems with freeze/thaw cycles, namely cracking and fragmenting. In addition, unlike Nicolock pavers, patterned concrete pavements do not allow access to underground utilities or the ability to make repairs. At virtually the same price installed per square foot, Nicolock pavers are clearly a superior choice.

What is efflorescence?

Efflorescence is a whitish, powder-like deposit that can sometimes appear on the surface of the paving stones. It may appear immediately or within a short time after installation. Efflorescence occurs when natural salts come to the surface and leave behind a white deposit that can normally be brushed off. Left alone, normal wear and exposure to the elements will dissipate the efflorescence. This is not a product defect or harmful to pavers and walls. Nicolock accepts no liability for its occurrence. To remove the efflorescence before it wears away naturally, best results are obtained by using an efflorescence remover, available from most mason supply dealers. Do not use muriatic acid. If a sealer is to be applied to the paving stones, it is recommended that any presence of efflorescence be removed prior to sealing. Precautions

for proper drainage of the paving stone system should be taken to minimize the occurrence of efflorescence. Follow proper installation methods. - See more at: <http://www.nicolock.com/fyi/frequently-asked-questions/#gq1>

How do I keep my pavers clean?

The best way to clean pavers is to use hot, soapy water and a stiff bristle scrub brush. A liquid, acid-free soap is recommended. Simple Green, sold in many grocery, hardware and home center stores, is also very effective and safe for plant life and other vegetation. After scrubbing, rinse dirt and debris with clean water. If using a hose, be careful to spray away your joint sand. Pressure washers are not recommended as they can cause scarring by removing the cement paste from the surface and can also remove joint and bedding sand. Mechanical cleaners with rotating brushes have been found to be effective.

How can I remove moss or mold from my pavers?

Use liquid bleach diluted in water (10 parts water to one part bleach). Be careful to avoid plant material. Keep in mind moss and mold may reappear in shady, damp areas. Will weeds grow between my pavers? Weeds and grass occur when seeds or spores lodge in the joints between pavers. They will not grow

from underneath. This can be minimized by using polymeric sand or by mixing a pre-emergent granular weed killer into the joint sand. If weeds do appear, a spot vegetation killer (such as Round-Up™) can be used and will not damage the pavers.

For snow removal, is it ok to use a shovel, a plow, or a snow blower?

Pavers can be plowed and shoveled just like asphalt, concrete and other pavement materials. In fact, snow and ice will normally melt faster because of the joints around the pavers. A plow blade with a rubber edge is recommended. Do not use sharp objects to chop ice as they can damage the pavers. Using a snow blower on your pavers is perfectly fine; however, be careful not to scrape the pavers with the steel housing of the snow blower, which can cause damage.

What should I use to melt snow and ice on my pavers?

Nicolock recommends using rock salt to remove snow and ice from pavers. The use of magnesium chloride or other chloride products are not recommended and will void the warranty as they may harm the structural integrity of your pavers over time. -

See more at: <http://www.nicolock.com>

Nicostone by Nicolock

200 Henry Street, Lindenhurst, NY 11757
P: 631.669.0600 | F: 631.669.8052

New York

640 Muncy Avenue, Lindenhurst, NY 11757
P: 631.669.0700 | F: 631.669.0711

New England

99 Stoddard Avenue, North Haven, CT 06473
P: 203.234.2800 | F: 203.985.0381

Maryland

8400 Progress Court, Frederick, MD 21701
P: 301.620.0100 | F: 301.620.0007

New Jersey

50 Banta Place, Fair Lawn, NJ 07410
P: 201.448.6975 | F: 732.960.9950

Pennsylvania

85 Ben Fairless Drive, Morrisville, PA, 19030
P: 201.448.6975 | F: 732.960.9950

Massachusetts


241 Francis Avenue, Mansfield, MA 02048
P: 508.298.2243 | F: 508.590.7678

Delaware

1000 South Market Street, Wilmington, DE 19801
P: 302.981.0986 | F: 302.691.4500

Virginia

9124 Barricade Lane, Mechanicsville, VA 23116
P: 571.332.3513



nicolock.com

