



2200 CC Runaway



Specifications

Length Overall	22'-9"
Beam	8'-6"
Draft	19"
Boat Weight (Approx.)	2650 Lbs.
Maximum Horsepower	250
Minimum Horsepower	140
Transom Height	25" Single / 20" Twin
Fuel Capacity	100 Gal.
Deadrise at Transom	18°
Interior Freeboard	25"



McKee Craft
www.mckeecraft.com THE UNSINKABLES

Features

- Self Bailing Cockpit
- Large Head / Storage Area Below Console
- 275 Qt. Insulated Full Beam Fish Box
- 160 Qt. Insulated Bow Storage Area
- Integrated Anchor Pulpit with Rope Locker
- Stainless Steel Wrap Around Bow Rail
- Lighted 34 Gal. Round Live well
- Above Deck Battery / Oil Tank Storage
- 62 Sq. Ft Cockpit
- Leaning Post Standard
- Integrated Tackle Center
- Pop-up Stern Cleats
- Large Locking Electronics Box
- Tilt Hydraulic Steering
- High Pressure Raw Water Washdown
- Snag Free Deck Design
- Transom Splash Board With Rod Holders
- Molded Fire Extinguisher Recess

Options

- Bimini Top
- Factory Installed T-Top W/ Electronics Box
- Fold-Away Side Jump Seats
- Trim-Tabs
- Fresh Water Holding Tank System
- Leaning Post Back Rest with Rod Holders
- Bow Cushions
- Wrap Around Cockpit Bolsters

Specifications Subject to Change Without Notice.

Performance Bulletin

Test performed and certified by Yamaha application engineers

YPB#: 01159-MKC-Z
TEST DATE: 5-07-01

McKee Craft

www.mckeecraft.com THE UNSINKABLES

PO Box 623
Fairmont, NC 28340
(910) 628-0926
www.McKeeCraft.com



Z150 TXRZ



SPECIFICATIONS

BOAT MODEL:	2200 CC Runaway
LENGTH:	22' 9"
BEAM:	8' 6"
WEIGHT:	2,650 lbs.
MAX H.P.:	250
TRANSOM HT.:	25"
FUEL CAPACITY:	100
WEIGHT AS TESTED:	4,006 lbs.


ENGINE:

MODEL:	Z150TXRZ
HORSEPOWER:	150
DISPLACEMENT:	158.4 Cu. In.
INDUCTION:	H.P.D.I
WEIGHT:	475 lbs.
GEAR RATIO:	1.86
MOUNTING HEIGHT:	#2
PROPELLER (DIA/PITCH):	15 1/4" X 15" SWS
PROPELLER PART #:	6R4-45976-A0-00

TEST CONDITIONS:

NO. OF PEOPLE:	2
SECONDS TO PLANE:	3.26
AIR TEMP:	75°
WATER TEMP:	73°
ELEVATION:	Sea Level
WIND VELOCITY:	10-15 MPH
COMMENTS:	Tested with 1/3 tank of fuel, one group-24 battery, optional Aluminum T-Top, safety and test gear.

PERFORMANCE CURVE AND DATA



RPM	MPH	GPH	MPG	Db
1000	4.9	1.5	3.27	64
2000	7.7	2.9	2.66	64
3000	20.1	4.8	4.19	79
4000	30.3	7.3	4.15	81
5000	37.7	11.4	3.31	88
5400	40.7	14.3	2.85	93

NOTE: Data may vary due to changes in weather, elevation, load, and boat bottom conditions. Fuel data gathered with Yamaha Fuel Management System. Speed data gathered with Magellan GPS receiver.