

QTY	NONIMAL SIZE	GAUGE/SC WALL		FINISH	LENGTH	LBS/FT	LBS/PIECE	\$/LB	\$/PIECE	LOCATION
TUBE STOCK										
26	2-1/2" square	14 ga	0.083"	hr	18' 9"	2.73	37.45	0.6	22.47	145
47	3-1/2" square	1/8"	0.125"	hr	28' 10"	5.61	161.75	0.6	97.05	177
5	4x1-1/2" rectangular tube	3/16"	0.187"	hr	15'	6.23	93.45	0.6	56.07	135
21	4" square	1/2"	0.500"	hr	40'	21.63	865.22	0.6	519.13	211
30	4-1/2" square	9 ga	0.148"	hr	24'	8.568	196.11	0.6	117.67	144
34	5x2" rectangular tube	1/4"	0.250"	hr	20'	10.51	210.2	0.6	126.12	131
1	5x2" rectangular tube	1/4"	0.250"	hr	40'	10.51	420.4	0.6	252.24	223
92	5x3" rectangular tube	1/8"	0.125"	hr	40'	6.46	258.4	0.6	155.04	235
7	5x3" rectangular tube	1/8"	0.125"	hr	40'	6.46	258.4	0.6	155.04	135
11	5x4" rectangular tube	1/8"	0.125"	hr	20'	7.31	146.2	0.6	87.72	106
14	5" square	1/8"	0.125"	hr	40'	8.875	355	0.6	213.00	254
8	5" square	1/8"	0.125"	hr	48'	8.875	426	0.6	255.60	145
36	5" square	10 ga	0.134"	hr	24'	8.722	209.33	0.6	125.60	145
1	5" square	9 ga	0.148"	hr	24'	9.58	230	0.6	138.00	135
37	5" square	9 ga	0.148"	hr	42'11"	9.67	415.11	0.6	249.07	216
44	5" square	10 ga	0.148"	hr	46'5"	9.67	448.88	0.6	269.33	216
5	5" square	8 ga	0.165"	hr	24'	10.619	254.87	0.6	152.92	135
1	5" square	1/2"	0.500"	hr	22'1"	28.43	627.83	0.6	376.70	166
2	5" square	1/2"	0.500"	hr	24'	28.43	682.32	0.6	409.39	174
4	5" square	1/2"	0.500"	hr	42'	28.43	1194	0.6	716.40	214
4	6x4" rectangular tube	3/8"	0.375"	hr	40'	22.37	894.8	0.6	536.88	211
1	6x4" rectangular tube	1/2"	0.500"	hr	20'	28.43	568.6	0.6	341.16	166
4	6x4" rectangular tube	1/2"	0.500"	hr	40'	28.43	1177.2	0.6	706.32	212
7	6" square	1/2"	0.500"	hr	48'	35.24	1691.52	0.6	1014.91	255
5	6" square	5/8"	0.625"	hr	24'	42.29	1015	0.6	609.00	166
3	7x4" rectangular tube	3/8"	0.375"	hr	24'	24.93	598.32	0.6	358.99	166
3	7" square	5/16"	0.312"	hr	28'7"	27.59	788.5	0.6	473.10	245
15	7" square	5/16"	0.312"	hr	40'	27.59	1103.6	0.6	662.16	231
17	8x4" rectangular tube	5/16"	0.312"	hr	40'	23.425	937	0.6	562.20	233
34	8x6" rectangular	1/4"	0.250"	hr	20'3"	22.41	454	0.6	272.40	127
7	8" square	3/16"	0.187"	hr	40'	19.63	785.25	0.6	471.15	244
3	8" square	1/4"	0.250"	hr	48'	25.82	1239.36	0.6	743.62	255

150	10x6" rectangular	5/16"	0.187"	hr	22'2"	31.84	705.79	0.6	423.47	151
11	12x3" rectangular	1/4"	0.250"	hr	48'	24.12	1157.76	0.6	694.66	141
2	12x4" rectangular tube	3/8"	0.375"	hr	25'	37.69	942.33	0.6	565.40	166
8	12" square tube	1/4"	0.250"	hr	35'	39.43	1380.05	0.6	828.03	246
4	12" square tube	1/4"	0.250"	hr	36'	39.43	1419.48	0.6	851.69	246
4	12" square tube	1/4"	0.250"	hr	48'	39.43	1892.64	0.6	1135.58	246
1	12" square tube	5/8"	0.625"	hr	16'	93.34	1493.44	0.6	896.06	246
4	14x10" rectangular tube	1/4"	0.250"	hr	40'	39.43	1577	0.6	946.20	246
6	14x10" rectangular tube	1/4"	0.250"	hr	40'	39.43	1577	0.6	946.20	246
1	14x10" rectangular tube	5/8"	0.625"	hr	52'	93.33	4853.16	0.6	2911.90	246

ROUND STOCK

3	1.312" o.d. round tube	12 ga	0.109"	hr	15'6"	1.325	20.67	0.6	12.40	144
97	1.500" o.d. round tube	17 ga	0.054"	hr	10'	0.893	8.93	0.6	5.36	161
53	1.750" o.d. round tube	12 ga	0.109"	hr	20'	1.8	36	0.6	21.60	115
116	1.900" o.d. round tube	16 ga	0.065"	hr	24'	1.19	28.56	0.6	17.14	116
88	1.900" o.d. round tube	14 ga	0.083"	hr	24'	1.6	38.4	0.6	23.04	115
59	1.900" o.d. round tube	11 ga	0.120"	hr	21'	2.17	45.57	0.6	27.34	126
74	2.375" o.d. round tube	16 ga	0.065"	hr	19'6"	1.6	31.2	0.6	18.72	105
92	2.375" o.d. round tube	16 ga	0.065"	hr	20'2"	1.6	32.56	0.6	19.54	136
146	2.375" o.d. round tube	14 ga	0.083"	hr	15' 9-5/8'	2.03	31.97	0.6	19.18	146
900	2.500" o.d. round tube	16 ga	0.065"	p&o	7'6"	1.69	12.67	0.6	7.60	201
9	2.875" o.d. round tube	14 ga	0.083"	hr	21'	2.32	48.72	0.6	29.23	106
123	2.875" o.d. round tube	12 ga	0.109"	hr	21'	2.98	62.58	0.6	37.55	141
19	3.00" o.d. round tube	16 ga	0.065"	hr	20'	2.04	40.8	0.8	32.64	116
36	3.00" o.d. round tube	14 ga	0.083"	hr	20'6"	2.59	53.09	0.6	31.85	126
98	3.00" o.d. round tube	14 ga	0.083"	p&o	21'	2.59	54.39	0.6	32.63	156
89	3.00" o.d. round tube	11 ga	0.120"	p&o	20'2"	3.69	74.41	0.6	44.65	121

SOLID ROD

3-1/16" rod light rust	11'8"	25.05	292.08	0.4	116.83
3-1/8" rod light rust	11'8"	26.08	304.09	0.4	121.64

WIDE FLANGE BEAMS

W16x57 good used cond red rimer	50'	57	2805	0.5	1402.50	206
W16x57 good used cond red rimer	30'	67	2010	0.5	1005.00	206

18 ga	LIGHT BLUE	0.044	through	0.049
17 ga	GOLD	0.053	through	0.058
16 ga	PURPLE	0.060	through	0.065
15 ga	RED	0.066	through	0.074
14 ga	YELLOW	0.075	through	0.085
13 ga	DARK BLUE	0.087	through	0.097
12 ga	WHITE	0.101	through	0.111
11 ga	FLOUR GREEN	0.112	through	0.122
10 ga	PINK	0.126	through	0.136
9 ga	HUNTER GREEN	0.140	through	0.150
8 ga	LIGHT BLUE	0.157	through	0.167
7 ga	GOLD	0.175	through	0.185