

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 1 of 10

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

ABC CO Products of Sacramento
 P.O. Box 188469
 Sacramento, CA 95818


Contact: ABCO Products of Sacramento
Phone: +1-916-447-9931
Fax: +1-916-443-7466

Product Name: Electro Cleaner 877
Revision Date: 12/27/2014
Version: 1
SDS Number: 108
Common Name: Strong Alkaline Cleaner
CAS Number: MIXTURE
Product Code: ABCO J-877R3
Chemical Family: Strong Alkaline Cleaner
Chemical Formula: *** PROPRIETARY ***
Product Use: Electro-Cleaning of Metal
Emergency Phone: +1-800-424-9300 (CHEMTREC)

2 HAZARDS IDENTIFICATION

NFPA:
 HMIS III:

Health = 3, Fire = 0, Reactivity = 1
 H*3/F0/PH1



HMIS III	
HEALTH	<input checked="" type="checkbox"/> 3
FLAMMABILITY	0
PHYSICAL HAZARDS	1
PERSONAL PROTECTION F Safety Glasses, Gloves, Apron, Dust Respirator	

PERSONAL PROTECTION INDEX			
A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions
A		n	
o		p	
q		r	
s		Additional information	
t		u	
w		y	
z			

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 2 of 10

GHS Signal Word:

DANGER

GHS Hazard Pictograms:



GHS Classifications:

- Physical, Corrosive to Metals, 1
- Health, Acute toxicity, 4 Oral
- Health, Skin corrosion/irritation, 1 A
- Health, Specific target organ toxicity - Single exposure, 3

GHS Phrases:

- H290 - May be corrosive to metals
- H302 - Harmful if swallowed
- H314 - Causes severe skin burns and eye damage
- H335 - May cause respiratory irritation

GHS Precautionary Statements:

- P234 - Keep only in original container.
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
- P262 - Do not get in eyes, on skin, or on clothing.
- P264 - Wash skin thoroughly after handling.
- P271 - Use only outdoors or in a well-ventilated area.
- P273 - Avoid release to the environment.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P321 - Specific treatment (see supplementary first aid instructions on this label).
- P332+313 - If skin irritation occurs: Get medical advice/attention.
- P337+313 - If eye irritation persists: Get medical advice/attention.
- P363 - Wash contaminated clothing before reuse.
- P391 - Collect spillage. Hazardous to the aquatic environment.
- P403+233 - Store in a well ventilated place. Keep container tightly closed.
- P405 - Store locked up.
- P501 - Dispose of contents/container to an approved waste disposal plant.

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 3 of 10

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
1310-73-2	<60%	Sodium hydroxide, solid
6834-92-0	<30%	Silicic acid (H ₂ SiO ₃), disodium salt
7722-88-5	<10%	Diphosphoric acid, tetrasodium salt
N/A	<10%	Proprietary, non-hazardous, non-regulated
7601-54-9	<5%	Phosphoric acid, trisodium salt
64-02-8	<5%	Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, tetrasodium salt

4 FIRST AID MEASURES

- Inhalation:** Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.
- Skin Contact:** Take off contaminated clothing and shoes immediately. Wipe/brush off as much chemical as possible from skin BEFORE flushing skin with water (water will react exothermically with large amounts of residual dry chemical, potentially causing more severe burns). Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. If reddening develops and/or persists, obtain medical attention.
- Eye Contact:** Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Get immediate medical attention. Continue rinsing eyes during transport to hospital.
- Ingestion:** Rinse mouth with water. Give 3-4 glasses of water or milk to dilute stomach contents. Do NOT induce vomiting. If vomiting occurs, give more water or milk. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

Indication of any immediate medical attention and special treatment needed:

No data available.

5 FIRE FIGHTING MEASURES

- Flammability:** No data available
- Flash Point:** DNA
- Flash Point Method:** DNA
- Burning Rate:** No data available
- Autoignition Temp:** No data available
- LEL:** DNA
- UEL:** DNA

Extinguishing Media:

Water Spray
 Carbon Dioxide
 Alcohol-Resistant Foam
 Dry Chemical

Special Hazards Arising From the Substance or Mixture:

Ammonia

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 4 of 10

Carbon Oxides
Nitrogen Oxides (NO_x)
Phosphorous Oxides
Silicon Oxides
Sodium Oxides
Sulfur Oxides

Advice for Firefighters:

Firefighters should wear full-face, positive-pressure respirators.

Further Information:

If incinerated, may release toxic fumes.

Use water spray to cool unopened containers.

Do NOT use high volume water jet to extinguish fire, as the force of the water jet may cause fire to spread.

Gives off Hydrogen by reaction with reactive metals (Zinc & Aluminum) and their alloys (Brass, etc.). Hydrogen is flammable and potentially explosive. Use caution.

See Section 7 for more information on safe handling.

See Section 8 for more information on personal protection equipment.

See Section 13 for disposal information.

6

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment, including dust respirator.

Avoid dust formation.

Avoid breathing dust.

Keep from contacting skin or eyes.

Avoid breathing vapors, mist or gas.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

Environmental precautions:

Prevent further release (leakage/spillage) if safe to do so.

Do not allow product to enter drains.

Do not allow to drain to environment.

Methods and materials for containments and cleaning up:

Pick up and arrange disposal without creating dust.

Sweep up, shovel or collect spillage with an electrically protected vacuum cleaner.

Place contaminated material into suitable, closed containers for disposal.

Dispose of contaminated material according to Section 13.

After spillage has been collected, area may be flushed with water or wet-brushed.

Ensure adequate ventilation.

Reference to other sections:

Comply with federal, state and local regulations on reporting spills.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on proper disposal.

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 5 of 10

7 HANDLING AND STORAGE

Handling Precautions:

Avoid formation of dust or aerosols.
Avoid breathing vapors, mist or dust.
Avoid contact with eyes, skin, or clothing.
Use approved, original containers only.
Keep containers closed when not in use.
Do not expose containers to open flame, excessive heat, or direct sunlight.
Do not puncture or drop containers.
Handle with care and avoid spillage on the floor.
Keep material out of reach of children.
Keep material away from incompatible materials.
Do not use corrosive-sensitive materials for handling product.
Wash thoroughly after handling.
Ensure adequate ventilation.

Storage Requirements:

Keep away from heat, sparks and flames.
Do not store in direct sunlight.
Store away from strong acids, strong bases, Ammonia, strong reducing agents, strong oxidizing agents, organic materials, water, chlorinated solvents, reactive metals (Zinc & Aluminum) and their alloys (Brass), Alkali metals (Lithium, Sodium, Potassium, etc.), Tin & Tin oxides, Lead, Copper, Copper alloys, Nickel, galvanized surfaces, Phosphorous & Phosphorous Pentoxide), Nitro compounds (Nitromethane, etc.), Azides, Anhydrides and Halogens.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

Personal Protective Equip:

Eye/face protection:

When using material use safety glasses, gloves, apron and dust respirator according to HMIS PP, F. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin protection:

Handle with gloves made from Neoprene, Nitrile or Buna rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and laboratory practices.

Body Protection:

Chemically resistant gloves, apron, safety glasses and dust respirator are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.

Respiratory protection:

Full-face dust/vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds.

Control of environmental exposure:

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 6 of 10

Prevent leakage or spillage if safe to do so. Do not let material enter drains.

Components with workplace control parameters:

Component(s): Sodium Hydroxide, solid; Diphosphoric acid, tetrasodium salt; Phosphoric acid, trisodium salt
 CAS No(s): 1310-73-2; 7722-88-5; 7601-54-9
 USA OSHA Table Z-1 Limits for Air Contaminants (C): 2 mg/m³
 USA OSHA Occupational Exposure Limits Table Z-1 Limits for Air Contaminant (TWA): 2 mg/m³
 USA ACGIH (C/TLV): 2 mg/m³
 USA ACGIH (CEIL/TLV): 2 mg/m³
 USA NIOSH Recommended Exposure Limits (C): 2 mg/m³
 USA Workplace Environmental Exposure Levels (STEL/WEEL): 5 mg/m³

Biological occupational exposure limits:

Contains no substances with biological occupational exposure limits values.

Derived No Effect Level (DNEL):

Component(s): Sodium Hydroxide, solid
 CAS No(s): 1310-73-2
 Inhalation - Workers (Long-term local effects): 1 mg/m³
 Inhalation - Consumers (Long-term local effects): 1 mg/m³

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White, Granular Powder	Odor:	Characteristic
Physical State:	Solid	Molecular Formula:	MIXTURE
Odor Threshold:	Not determined	Solubility:	100%
Particle Size:	No data available	Softening Point:	Not determined
Spec Grav./Density:	DNA	Percent Volatile:	DNA
Viscosity:	Not determined	Heat Value:	Not determined
Sat. Vap. Conc.:	DNA	Freezing/Melting Pt.:	Not determined
Boiling Point:	Not determined	Flash Point:	DNA
Flammability:	(solid, gas): Not determined	Octanol:	Not determined
Partition Coefficient:	Not determined	Vapor Density:	(air = 1): Not determined
Vapor Pressure:	(mm Hg @ 20 °C): DNA	VOC:	DNA
pH:	@ 1%: > 13.5	Bulk Density:	Not determined
Evap. Rate:	DNA	Auto-Ignition Temp:	Not determined
Molecular weight:	MIXTURE	UFL/LFL:	DNA
Decomp Temp:	Not determined		

Percent Phosphorous: 2.01%

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 7 of 10

10 STABILITY AND REACTIVITY

Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Incompatibilities, flames, ignition sources.
Materials to Avoid:	Strong acids, strong bases, Ammonia, strong reducing agents, strong oxidizing agents, organic materials, water, chlorinated solvents, reactive metals (Zinc & Aluminum) and their alloys (Brass), Alkali metals (Lithium, Sodium, Potassium, etc.), Tin & Tin oxides, Lead, Copper, Copper alloys, Nickel, galvanized surfaces, Phosphorous & Phosphorous Pentoxide), Nitro compounds (Nitromethane, etc.), Azides, Anhydrides and Halogens.
Hazardous Decomposition:	Ammonia, Carbon Oxides, Nitrogen Oxides (NOx), Phosphorous Oxides, Silicon Oxides, Sodium Oxides and Sulfur Oxides.
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

Component(s): Sodium Hydroxide, solid; Silicic acid (H₂SiO₃), disodium salt; Diphosphoric acid, tetrasodium salt; Phosphoric acid, trisodium salt; Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, tetrasodium salt
CAS No(s): 1310-73-2; 6834-92-0; 7722-88-5; 7601-54-9; 64-02-8

Acute Toxicity:

LD50 Oral - Rat: 300 - 1,260 mg/kg
LDL Oral - Rabbit: 500 mg/l
LD50 Dermal - Rabbit: 1,350 mg/kg

Skin Corrosion/Irritation: Rabbit skin (4 h) - Corrosive.

Serious Eye Damage/Eye Irritation: Rabbit eyes (24 h) - Corrosive.

Respiratory or Skin Sensitation: No data available.

Germ Cell Mutagenicity: No data available.

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity - Single Exposure: Respiratory system - May cause respiratory irritation.

Specific Target Organ Toxicity - Repeated Exposure: No data available.

Aspiration Hazard: No data available.

Additional Information:

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 8 of 10

Component: Sodium Hydroxide, solid; RTECS: WB4900000
Component: Silicic acid (H₂SiO₃), disodium salt; RTECS: VV9287500
Component: Diphosphoric acid, tetrasodium salt; RTECS: UX7350000
Component: Phosphoric acid, trisodium salt; RTECS: TC9490000
Component: Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt; RTECS: AH4025000

12

ECOLOGICAL INFORMATION

Component(s): Sodium Hydroxide, solid; Silicic acid (H₂SiO₃), disodium salt; Diphosphoric acid, tetrasodium salt; Phosphoric acid, trisodium salt; Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt

CAS No(s): 1310-73-2; 6834-92-0; 7722-88-5; 7601-54-9; 64-02-8

Toxicity:

Toxicity to fish:

LC50 - Oncorhynchus mykiss (Rainbow Trout): 45.4 mg/l (96 h)

LC50 - Gambusia affinis (Mosquito Fish): 28.5 mg/l (96 h)

Semi-Static Test LC50 - Danio rerio (Zebra Fish): 210 mg/l (96 h)

Toxicity to daphnia and other aquatic invertebrates:

EC50 - Daphnia magna (Water Flea): 52.0 mg/l (48 h)

Immobilization EC50 - Daphnia: 40.38 mg/l (48 h)

Persistence and Degradability:

No data available

Bioaccumulative potential:

No data available

Mobility in Soil:

No data available

Results of PBT and vPvB assessment:

Not required/conducted

Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

13

DISPOSAL CONSIDERATIONS

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 9 of 10

14 TRANSPORT INFORMATION

DOT Class: Corrosive (8) #8

UN #: UN 3262, Class: 8, Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s. (containing Sodium Hydroxide, solid; Disodium trioxosilicate)

DOT (US)

UN Number: 3262

Class: 8

Packing Group: II

ERG #: 154

Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s. (containing Sodium Hydroxide, solid; Disodium trioxosilicate)

Marine Pollutant: No

Poison Inhalation Hazard(s): No

IMDG

UN Number: 3262

Class: 8

Packing Group: II

EMS-No: F-A, S-B

Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s. (containing Sodium Hydroxide, solid; Disodium trioxosilicate)

Marine Pollutant: No

IATA

UN Number: 3262

Class: 8

Packing Group: II

ERG #: 154

Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s. (containing Sodium Hydroxide, solid; Disodium trioxosilicate)

Marine Pollutant: No



15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Sodium hydroxide, solid (1310732 <20%) CERCLA, CSWHS, MASS, NJHS, OSHAWAC, PA, SARA311/312, TSCA, TXAIR

*Silicic acid (H₂SiO₃), disodium salt (6834920 <70%) NJHS, PA, SARA311/312, TSCA

*Diphosphoric acid, tetrasodium salt (7722885 <10%) MASS, NJHS, OSHAWAC, PA, SARA311/312, TSCA, TXAIR

*Phosphoric acid, trisodium salt (7601549 <5%) CERCLA, CSWHS, MASS, NJHS, PA, SARA311/312, TSCA

*Glycine, N,N'-1,2-ethanediybis[N-(carboxymethyl)-, tetrasodium salt (64028 <5%) NJHS, PA, SARA311/312, TSCA

REGULATORY KEY DESCRIPTIONS

CERCLA = superfund clean up substance

CSWHS = Clean water Act Hazardous substances



Safety Data Sheet (SDS)

ABC CO Products of Sacramento

Electro Cleaner 877

SDS Number: 108

Revision Date: 12/27/2014

Page 10 of 10

MASS = MA Massachusetts Hazardous Substances List
NJHS = New Jersey Right to Know Hazardous Substances
OSHA WAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA 311/312 = SARA 311/312 Toxic Chemicals
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION

Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that ABCO Products of Sacramento believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of ABCO Products of Sacramento's control, ABCO Products of Sacramento makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

Preparation Information:

GHS Conversion Services
www.ghsconversionservices.com
(669) 236-0304