

Printing date 09/16/2025 Reviewed on 09/16/2025

1 Identification

· Product identifier

· Trade name: #669 METAL CLEANER

· Article number: J-09R

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: ABCO Products of Sacramento 8255 Alpine Ave., SUITE A Sacramento, CA 95826

Tel: 916-447-9931

· Information department: Product safety department

· Emergency telephone number:

CHEMTREC

800-424-9300 ACCT# 11787

2 Hazard(s) identification

Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05 GHS06 GHS08

(Contd. on page 2)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labeling:

hydrofluoric acid

sulphuric acid

· Hazard statements

Fatal if swallowed or in contact with skin.

Toxic if inhaled.

Causes severe skin burns and eye damage.

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 3

Fire = 0

Reactivity = 1

· HMIS-ratings (scale 0 - 4)

Health = 3

Fire = 0

Reactivity = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

- US

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	s components:	
7664-39-3	hydrofluoric acid	<25%
7664-93-9	sulphuric acid	<15%
	Proprietary	<5%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of 1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eyes for at least several minutes under running water.

If easy to do so, remove contact lenses if worn.

Seek immediate medical advice.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

(Contd. on page 4)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 3)

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with the skin or eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Avoid contact with the eyes, skin and clothing.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
7664-93-9	sulphuric acid	0.20 mg/m ³
	Proprietary	30 mg/m³
PAC-2:		
7664-93-9	sulphuric acid	8.7 mg/m³
	Proprietary	330 mg/m
PAC-3:		·
7664-93-9	sulphuric acid	160 mg/m³
	Proprietary	2,000 mg/m

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 5)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 4)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

All ventilation should be disigned in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

7664-39-3 hydrofluoric acid

PEL Long-term value: 1* mg/m³, 3 ppm

as F, *sulfuric acid

REL Long-term value: 2.5 mg/m³, 3 ppm

Ceiling limit value: 5* mg/m³, 6* ppm

*15-min. as F

TLV Long-term value: 0.5 ppm

Ceiling limit value: 2 ppm

as F; Skin; BEI

7664-93-9 sulphuric acid

PEL Long-term value: 1 mg/m³
REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³

*as thoracic fraction, A2

· Ingredients with biological limit values:

7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

Parameter: Flourides (background)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Flourides (background)

(Contd. on page 6)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 5)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- Appearance:

Form: Liquid

Color: According to product specification

· Odor: Acidic

· Odor threshold: Not determined.

(Contd. on page 7)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

	(Contd. of pag
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100°C (212°F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapor pressure at 20 °C (68 °F):	40 hPa (30 mm Hg)
Density (Specific Gravity) at 20 °C (68 °F	
Bulk density: Relative density Vapor density Evaporation rate	1,080 kg/m³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Water: VOC content:	PROPRIETARY % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 8)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 7)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)

Oral	LD50	22.1 mg/kg
		22.1 mg/kg
Inhalative	LC50/4 h	2.21 mg/l

- Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Very toxic

Danger through skin absorption.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7664-93-9	sulphuric acid	1

· NTP (National Toxicology Program)

7664-93-9 sulphuric acid

K

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 9)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 8)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- DOT, IMDG, IATA

UN1790

- · UN proper shipping name
- ·DOT

Hydrofluoric acid

· IMDG, IATA

HYDROFLUORIC ACID

- · Transport hazard class(es)
- · DOT





· Class · Label 8 Corrosive substances

8, 6.1

· IMDG





· Class

8 Corrosive substances

(Contd. on page 10)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 9)

· Label

8/6.1

·IATA



· Class 8 Corrosive substances

· Label 8 (6.1)

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

· Hazard identification number (Kemler code): 86 · EMS Number: F-A.S-B

Segregation groups Strong acids

· Stowage Category D

Stowage Code SW1 Protected from sources of heat.

SW2 Clear of living quarters.

Handling Code
 Segregation Code
 Segregation Code
 H2 Keep as cool as reasonably practicable
 SG36 Stow "separated from" SGG18-alkalis.
 SG49 Stow "separated from" SGG6-cyanides

•

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

·IMDG

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1790 HYDROFLUORIC ACID, 8 (6.1), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

7664-93-9 sulphuric acid

(Contd. on page 11)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

		(Contd. of pag
Section 31	13 (Specific toxic chemical listings):	
7664-93-9	sulphuric acid	
TSCA (To	xic Substances Control Act):	
7732-18-5	water, distilled, conductivity or of similar purity	ACT
7664-93-9	sulphuric acid	ACT
	Proprietary	*
Hazardous	s Air Pollutants	
None of the	e ingredients is listed.	
Propositio	on 65	
Chemicals	s known to cause cancer:	
None of the	e ingredients is listed.	
Chemicals	s known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
Chemicals	s known to cause reproductive toxicity for males:	
	e ingredients is listed.	
Chemicals	s known to cause developmental toxicity:	
None of the	e ingredients is listed.	

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

7664-93-9 sulphuric acid

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms







GHS05 GHS06 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

hydrofluoric acid sulphuric acid

· Hazard statements

Fatal if swallowed or in contact with skin.

Toxic if inhaled.

Causes severe skin burns and eye damage.

May cause cancer.

(Contd. on page 12)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 11)

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/16/2025 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 13)

Printing date 09/16/2025 Reviewed on 09/16/2025

Trade name: #669 METAL CLEANER

(Contd. of page 12)

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 1: Acute toxicity – Category 1 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 1A: Carcinogenicity - Category 1A

US

^{*} Data compared to the previous version altered.