

Power, versatility and seamless integration.

Working smarter, faster and more productively. The challenges you've set for your team are the goals the TASKalfa 6053ci and TASKalfa 6003i Series are ready to help you achieve. Printing in vivid color or monochrome, rely on impactful images and graphics, crisp type and the finishing options your business is counting on for a professional look. Set yourself up for success, no matter what the day brings.



TASKalfa 6053ci / 6003i Series 

Up to 60 / 55 Pages per Minute

Professional Finishing Options

HyPAS-enabled for Solutions & Apps

KYOCERA Net Manager Ready

The TASKalfa 6053ci / 6003i Series Options





DP-7130
DSDP w/ MultiFeed Detection
270 Sheet



DP-7110
DSDP 270 Sheet



DP-7100
RADF 140 Sheet



DP-7120¹
RADF 50 Sheet

Platen Cover Type (E)



Keyboard Holder 10



AK-7110²
Attachment Kit



JS-7100³
Job Separator



DF-7100
Internal Finisher
500 Sheet / 50 Staple



DT-730 (B)
Original Hard Copy Holder



NK-7130
Numeric Keypad



PF-7120
3,000 Sheet Side Deck (Letter)



DF-7120
1,000 Sheet Finisher
50 Staple



DF-7110
4,000 Sheet Finisher
65 Staple / 65 Manual Staple



DF-7130⁴
4,000 Sheet Finisher
100 Staple / 100 Manual Staple



MT-730 (B)
7 Bin Mailbox



BF-730
Booklet / Tri-fold Unit



BF-9100
Booklet / Tri-fold Unit



PF-7100
2 x 500 Sheet Tray (Ledger)



PF-7110
2 x 1,500 Sheet Tray (Letter)



Copier Cabinet Stand

Stapler Option
 SH-10 for DF-7100 / DF-7120 / BF-730 / BF-9100
 SH-12 for DF-7110
 SH-14 for DF-7130

Hole Punch Option
 PH-7100 for DF-7100
 PH-7A for DF-7120 / DF-7110 / DF-7130

New and only available for the TASKalfa 6053ci & TASKalfa 6003i Series

¹ The DP-7120 is only available for the TASKalfa 3253ci & TASKalfa 2553ci
² The AK-7110 is new with this Series; and is not backward compatible
³ The JS-7100 is pre-installed on the TASKalfa 2553ci
⁴ The DF-7130 is not available for the TASKalfa 3253ci & TASKalfa 2553ci



General Specifications



TASKalfa 6053ci

Pages Per Minute:

Black — Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)

Color — Letter: 55 ppm, Legal: 33 ppm, Ledger: 27 ppm, 12" x 18": 27 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.4 Seconds or Less Black, 4.4 Seconds or Less Color
Print: 3.8 Seconds or Less Black, 5.1 Seconds or Less Color

Typical Electricity Consumption (TEC):

120V: 3.31 kWh/week;
220V: 3.08 kWh/week

Weight: 209.4 lbs

Maximum Monthly Duty Cycle: 250,000 Pages per Month

TASKalfa 5053ci

Pages Per Minute:

Color and Black — Letter: 50 ppm, Legal: 30 ppm, Ledger: 25 ppm, 12" x 18": 25 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.7 Seconds or Less Black, 4.8 Seconds or Less Color
Print: 4.3 Seconds or Less Black, 5.4 Seconds or Less Color

Typical Electricity Consumption (TEC):

120V: 2.75 kWh/week;
220V: 2.46 kWh/week

Weight: 209.4 lbs

Maximum Monthly Duty Cycle: 225,000 Pages per Month

TASKalfa 4053ci

Pages Per Minute:

Color and Black — Letter: 40 ppm, Legal: 24 ppm, Ledger: 20 ppm, 12" x 18": 20 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 4.5 Seconds or Less Black, 5.9 Seconds or Less Color
Print: 5.1 Seconds or Less Black, 6.5 Seconds or Less Color

Typical Electricity Consumption (TEC):

120V: 2.04 kWh/week;
220V: 1.90 kWh/week

Weight: 209.4 lbs

Maximum Monthly Duty Cycle: 200,000 Pages per Month

TASKalfa 3553ci

Pages Per Minute:

Color and Black — Letter: 35 ppm, Legal: 21 ppm, Ledger: 17 ppm, 12" x 18": 17 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 4.5 Seconds or Less Black, 5.9 Seconds or Less Color
Print: 5.1 Seconds or Less Black, 6.5 Seconds or Less Color

Typical Electricity Consumption (TEC):

120V: 1.85 kWh/week;
220V: 1.86 kWh/week

Weight: 209.4 lbs

Maximum Monthly Duty Cycle: 175,000 Pages per Month

TASKalfa 3253ci

Pages Per Minute:

Color and Black — Letter: 32 ppm, Legal: 19 ppm, Ledger: 16 ppm, 12" x 18": 16 ppm (print only)

Warm Up Time: 18 Seconds or Less (Power On)

First Page Out:

Copy: 5.3 Seconds or Less Black, 7.0 Seconds or Less Color
Print: 5.9 Seconds or Less Black, 7.7 Seconds or Less Color

Typical Electricity Consumption (TEC):

120V: 1.53 kWh/week;
220V: 1.46 kWh/week

Weight: 198.4 lbs

Maximum Monthly Duty Cycle: 125,000 Pages per Month

TASKalfa 2553ci

Pages Per Minute:

Color and Black — Letter: 25 ppm, Legal: 15 ppm, Ledger: 12 ppm, 12" x 18": 12 ppm (print only)

Warm Up Time: 18 Seconds or Less (Power On)

First Page Out:

Copy: 6.4 Seconds or Less Black, 8.5 Seconds or Less Color
Print: 7.0 Seconds or Less Black, 9.2 Seconds or Less Color

Typical Electricity Consumption (TEC):

120V: 1.09 kWh/week;
220V: 1.06 kWh/week

Weight: 198.4 lbs

Maximum Monthly Duty Cycle: 100,000 Pages per Month

TASKalfa 6003i

Pages Per Minute:

Black — Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.4 Seconds or Less Black
Print: 3.8 Seconds or Less Black

Typical Electricity Consumption (TEC):

120V: 3.25 kWh/week;
220V: 3.02 kWh/week

Weight: 183 lbs

Maximum Monthly Duty Cycle: 250,000 Pages per Month

TASKalfa 5003i

Pages Per Minute:

Black — Letter: 50 ppm, Legal: 30 ppm, Ledger: 25 ppm, 12" x 18": 25 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 3.7 Seconds or Less Black
Print: 4.3 Seconds or Less Black

Typical Electricity Consumption (TEC):

120V: 2.67 kWh/week;
220V: 2.37 kWh/week

Weight: 183 lbs

Maximum Monthly Duty Cycle: 225,000 Pages per Month

TASKalfa 4003i

Pages Per Minute:

Black — Letter: 40 ppm, Legal: 24 ppm, Ledger: 20 ppm, 12" x 18": 20 ppm (print only)

Warm Up Time: 17 Seconds or Less (Power On)

First Page Out:

Copy: 4.5 Seconds or Less Black
Print: 5.1 Seconds or Less Black

Typical Electricity Consumption (TEC):

120V: 1.96 kWh/week;
220V: 1.84 kWh/week

Weight: 183 lbs

Maximum Monthly Duty Cycle: 175,000 Pages per Month

Common Specifications

Basic Specifications

Configuration: Multifunctional System — Print/Scan/Copy/Optional Fax

Display: 10.1" Color Touch Screen Control Panel

Resolution: Up to 1200 x 1200 dpi

Memory / Hard Disk Drive: 4GB RAM / 8GB SSD / 320GB HDD Standard

Duplex: Standard Stackless Duplex Supports Statement (5.5" x 8.5") to 12" x 18", 17 lb Bond - 142 lb Index (64 — 256gsm)

Standard Output Tray: Statement — 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

Job Separator Output Tray: Statement — 12" x 18" / 100 sheets

Electrical Requirements: 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

Dimensions: 23.7" W x 26.2" D x 31.1" H

Security Specifications

Local Authentication, Network Authentication, Encryption Communication (IPsec, HTTPS, LDAP over SSL, SMTP/POP over SSL, FTP over SSL, SNMPv3), TPM (Trusted Platform Module), Secure Boot (Firmware Authenticity Verification), Run Time Integrity Check, Data Security Kit (E) (HDD Overwrite Mode and HDD Data Encryption), Common Criteria (ISO15408 EAL2), IEEE 2600.2

Print Specifications

Standard Controller: Freescale QorIQ T1024 (Dual Core) / 1.2GHz; Freescale QorIQ T1024 (Dual Core) / 1.0GHz for the 3253ci & 2553ci

PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL / PCL-5c), KPDL3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

Print Resolution: Up to 1200 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

OS Compatibility: Windows: 7/8.1/10/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2/Server 2016; Novell NetWare

3.x/4.x/5.x/6.x; Mac OS X v10.9 or later; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

Mobile Printing: Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA Mobile Print

Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);

Optional: IEEE 802.11b/g/n (IB-51 for Wireless LAN Interface) (communication distance 328.1 feet)

Network Print and Supported Protocols: TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver, PCL Mini Driver, KPDL Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX

Paper Supply

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 500 Sheet Trays (PF-7100), Dual 1,500 Sheet Trays (PF-7110); Side LCT: 3,000 Sheet Capacity Tray [(PF-7120) Requires PF-7100 or PF-7110]

Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets

Paper Size:

Tray 1 — 5.5" x 8.5" — 8.5" x 14" (Statement to Legal);

Tray 2 — 5.5" x 8.5" — 12" x 18", Custom Size;

PF-7100: 5.5" x 8.5" — 12" x 18";

PF-7110, PF-7120: 8.5" x 11";

MPT: 5.5" x 8.5" — 12" x 18" (Multiple Sheets);

Up to 12" x 48" Banner (Single Sheet)

Paper Weight: Trays / MPT: 14 lb Bond — 166 lb Index (52 — 300gsm)

Input Materials: Standard/Optional Trays: Plain, Bond, Recycled, Preprinted, Vellum, Color, Pre-Punched, Thick, Thin, High Quality, Letterhead, Envelope, Custom

MPT: Plain, Bond, Recycled, Preprinted, Vellum, Color, Pre-Punched, Thick, Thin, High Quality, Transparency (OHP film), Coated, Index Tab, Label, Letterhead, Envelope, Custom



The TASKalfa 6053ci / 6003i Series goes well beyond printing, offering a portfolio of business applications for enhanced capabilities. These include scan distribution to back-end applications and document management systems, along with print management to control devices, user policies and output costs.

Additional Specifications

Scan Specifications

Scan Type: Color and Black & White Scanner
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi
File Formats: TIFF, JPEG, XPS, OpenXPS, PDF (MMR, /IPG Compression / High Compression PDF)
PDF Extension: Searchable PDF (OCR) Option; MS Office File (Option)
Scan Speeds (B&W/Color, @300 dpi):
DP-7120¹: Simplex: 48 ipm / Duplex: 15 ipm
DP-7100: Simplex: 80 ipm / Duplex: 48 ipm
DP-7110: Simplex: 100 ipm / Duplex: 180 ipm; Simplex: 80 ipm / Duplex: 160 ipm for the 3253ci & 2553ci
DP-7130 (with Multi-Feed Detection): Simplex: 120 ipm / Duplex: 220 ipm; Simplex: 100 ipm / Duplex: 180 ipm for the 3253ci & 2553ci
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0
Scanning Functions: Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan, Specified Color Removal, Border Erase, Preview
Original Size: Through DP: Statement to Ledger (5.5" x 8.5" - 11" x 17"); Glass: Up to 11" x 17"
Drivers: TWAIN/WIA Driver

Copy Specifications

Copy Resolution: 600 x 600 dpi
Image Mode: Text, Photo, Text/Photo, Graphic/Map
Continuous Copy: 1 - 9999 / Auto Reset to 1
Additional Features: Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip, Specified Color Removal, Preview, ID Card Copy
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy
Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness
Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 - 400% in 1% Step Increments
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

Optional Fax Specifications

Fax Type: Fax System 12
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG
Transmission Speed / Modem Speed: Less than 3 seconds / 33.6 Kbps
Fax Memory: Standard 170 MB
Driver: Network Fax Driver
Fax Functions: Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast, Fax Server Integration, Fax Dedicated Paper Feeder

Optional Document Processors²

Type / Capacity:
DP-7120¹: Reversing Automatic Document Processor / 50 Sheets
DP-7100: Reversing Automatic Document Processor / 140 Sheets
DP-7110: Dual Scan Document Processor / 270 Sheets
DP-7130: Dual Scan Document Processor / 270 Sheets
Acceptable Originals: 5.5" x 8.5" - 11" x 17"
Acceptable Weights:
DP-7120¹: Simplex: 13 lb Bond - 90 lb Index (45 - 160gsm); Duplex: 16 lb - 32 lb Bond (50 - 120gsm)
DP-7100: Simplex: 13 lb Bond - 90 lb Index (35 - 160gsm); Duplex: 16 lb - 32 lb Bond (50 - 120gsm)
DP-7110 & DP-7130: Simplex: 13 lb Bond - 120 lb Index (35 - 220gsm); Duplex: 16 lb - 120 lb Index (50 - 220gsm)

Output & Finishing Options³

500 Sheet Internal Finisher DF-7100

Stack / Staple Capacity: 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" - 12" x 18"
Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)
Edge Staple Position: 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples
Optional Punch: PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond - 166 lb Index (52 - 300gsm)
Dimensions: 19.60" W x 20.98" D x 6.73" H

1,000 Sheet Finisher DF-7120⁴

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])
Paper Size: 5.5" x 8.5" - 12" x 18"
Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond - 166 lb Index (52 - 300gsm)
Dimensions: 21.57" W x 24.35" D x 41.34" H

4,000 Sheet Finisher DF-7110⁴ & DF-7130^{4,5}

Stack / Staple Capacity: Main Tray (A): 4,000 Sheets; DF-7110 Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm]) DF-7130 Sub Tray (B): 200 Sheets / 100 Sheets (up to 21 lb Bond [80gsm])
Paper Size: 5.5" x 8.5" - 12" x 18"
Paper Weight: 14 lb Bond - 166 lb Index (52 - 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" - 12" x 18"; 14 lb Bond - 166 lb Index (52 - 300gsm)
Dimensions:
DF-7110: 23.9" W x 26.3" D x 41.8" H;
DF-7130: 29.5" W x 26.2" D x 43.7" H
Optional Booklet Folder / Tri-fold Unit:
DF-7110: BF-730 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold Booklet Staple: 16 lb - 24 lb Bond (60 - 90gsm) 20 sheets; 25 lb - 28 lb Bond (91 - 105gsm) 13 sheets; Higher than 28 lb Bond (Higher than 105gsm) 1 sheet; Fold booklet no staple: 16 lb - 24 lb Bond (60 - 90gsm) 5 sheets; 25 lb Bond - 72 lb Index (91 - 120gsm) 3 sheets; 32 lb Bond - 110 lb Cover (121 - 256gsm) 1 sheet; Tri-fold supports 8.5" x 11" only: 16 lb - 24 lb Bond (60 - 90gsm) 5 sheets; 25 lb Bond - 72 lb Index (91 - 120gsm) 3 sheets; 16 lb - 28 lb Bond (60 - 105gsm) 1 sheet
DF-7130: BF-9100 Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold Booklet Staple: 16 lb - 24 lb Bond (60 - 90gsm) 20 sheets; 25 lb - 28 lb Bond (91 - 105gsm) 13 sheets; Higher than 28 lb Bond (Higher than 105gsm) 1 sheet; Fold Booklet No Staple: 16 lb - 24 lb Bond (60 - 90gsm) 5 sheets; 25 lb - 28 lb Bond (91 - 105gsm) 3 sheets; 29 lb Bond to 110 lb Cover (106 - 256gsm) 1 sheet; Tri-fold supports 8.5" x 11" only: 16 lb - 24 lb Bond (60 - 90gsm) 5 sheets; 25 lb - 28 lb Bond (91 - 105gsm) 3 sheets

Additional Options

Bridge Unit Attachment Kit (AK-7110), Banner Guide 10, Internet Fax Kit (A), IC Card Authentication Kit (B), Gigabit NIC (IB-50), Wireless LAN IEEE 802.11b/g/n (IB-51), ThinPrint (UG-33), Emulation (UG-34), Document Tray (DT-730 [B]), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, EFI Fiery Printing System 15 (Only available for the following models: 6053ci/5053ci/4053ci/3553ci/3253ci), Numeric Keypad (NK-7130), Job Separator (JS-7100) - Standard on the 2553ci.

¹ Only available for the TASKalfa 3253ci & TASKalfa 2553ci

² Only 1 Document Processor can be installed

³ Only 1 Output Option can be installed

⁴ Requires Bridge Unit Attachment Kit (AK-7110)

⁵ Not available on the TASKalfa 3253ci & TASKalfa 2553ci



Specifications and design are subject to change without notice. For the latest on connectivity visit usa.kyoceradocumentsolutions.com. TASKalfa, PRESCRIBE, KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.

KYOCERA Document Solutions Partner