

## Floors



Field applied ArcusStonecoat over existing tile floor



ArcusStonecoat tiles


Floors can be field applied over a stable substrate or installed as tiles.

The drawings that follow show a variety of traditional coursing pattern and decorative mosaic styles. ArcusStone applicators can recreate simple to complex designs with field-applied ArcusStonecoat or tiles. Designers are encouraged to choose a style appropriate for their project or to use the designs as inspiration for creating custom styles.


The style drawings may be used as guides, but the designer should indicate stone layouts and typical sizes on their elevations if possible.

The following information must be indicated on drawings to properly specify the products and allow the applicator to do accurate cost estimating:


1. Style of floor treatment (as shown on following pages, or custom style).
2. Location and extent of floor treatment.
3. Stone Texture.
4. Stone Color.



Style FPF 1




Style FPF 2



Style FPF 3



Style FPF 4




Style FPF 5


12"-36"



Style FPF 6




Style FPF 7




Custom


25"




Cobble Stone (in Strips)




Style MOS 1




Style MOS 2




Style MOS 3




Style MOS 4




Style MOS 5




Style MOS 6




Style MOS 7




Style MOS 8




Style MOS 9




Style MOS 10




Style MOS 11




Style MOS 12



Style MOS 13



Style MOS 14



Style MOS 15