

Name: Librela inquiries

DATE:4/1/2024

This serves as the response to your Freedom of Information Act (FOIA) request for records regarding adverse event reports received for Librela (bedinvetmab).

A search of CVM's Adverse Drug Event (ADE) database was performed on 4/1/2024.

The search parameters were:

Active ingredient(s): bedinvetmab

Reports received: From 5-5-2023 through 3-31-2024

Case type: Spontaneous ADE report

Species: All

Route of administration: All

For each drug (active ingredient), we have provided the '**CVM ADE Comprehensive Clinical Detail Report Listing**', which is a cumulative listing of adverse experiences in reports submitted to CVM.

General Information about CVM's ADE Database

The primary purpose for maintaining the CVM ADE database is to provide an early warning or signaling system to CVM for adverse effects not detected during pre-market testing of FDA-approved animal drugs and for monitoring the performance of drugs not approved for use in animals. Information from these ADE reports is received and coded in an electronic FDA/CVM ADE database. CVM scientists use the ADE database to make decisions about product safety which may include changes to the label or other regulatory action. CVM's ADE reporting system depends on detection and voluntary reporting of adverse clinical events by veterinarians and animal owners.

The Center's ADE review process is complex, and for each report takes into consideration confounding factors such as:

Dosage

Concomitant drug use

The medical and physical condition of animals at the time of treatment

Environmental and management information

Product defects

Name: Librela inquiries

DATE:4/1/2024

Extra-label (off label) uses

The specifics of these complex factors cannot be addressed in the CVM ADE Comprehensive Clinical Detail Report Listing.

How to Use the CVM ADE Comprehensive Clinical Detail Report Listing

Clinical signs reported for an active ingredient are listed in order from most frequently reported to least frequently reported, grouped by species and route of administration.

More than one clinical sign may have been reported per ADE case report, so the Number of times reported column is not additive and does not necessarily represent the total number of reports received. Also, if a manufacturer reports multiple products in a single ADE case report, clinical signs are associated with each of the manufacturer's products.

Librela (Bedinvetmab) is approved for parenteral use in **dogs** only. For the time period of the ADE database search (5-5-2023 to 3-31-2024), there were a total of 3359 ADE reports received for LIBRELA injectable.

The following shows the number of reports broken down by all species for which reports have been received during this time period:

DRUG: LIBRELA

Number of reports in dogs: 3342

Number of reports in cats: 1

Number of reports in other species: 0

Number of reports in humans, accidental exposure: 16

Total number of Adverse Drug Events in all species: 3359

When reviewing the CVM ADE Comprehensive Clinical Detail Report Listing, the reader should be aware that:

For any given ADE report, there is no certainty that the reported drug caused the adverse event. The adverse event may have been related to an underlying disease, using other drugs at the same time, or other non-drug related causes. The clinical detail listing does not include information about underlying diseases, other drugs used at the same time, other non-drug related causes, or the final outcome of the reaction.

The accuracy of information regarding the ADE is dependent on the quality of information received from the reporting veterinarian or animal owner.

Name: Librela inquiries

DATE:4/1/2024

Accumulated ADE reports should not be used to calculate incidence rates or estimates of drug risk, because there is no accurate way to determine how many animals were actually given the drug, which is needed as the denominator in calculations of incidence and relative risk.

It is inappropriate to make use of adverse event data to compare the safety of different products. For example, if a drug is widely used to treat certain conditions, there may be more ADEs for that drug than another product that is not used as often. This would not mean that the first drug was more unsafe than the second. The number of reports simply represents the number of ADEs received for a particular drug and should not be used for any type of comparison purposes.

Underreporting occurs with most adverse event reporting systems. The frequency of reporting for a given drug product varies over time, and may be greater when the drug is newly marketed, or when media publicity occurs.

Information on how the drugs were used (for indications on the product label or in an extra label manner) is not provided in the clinical detail listing.

More information about CVM's ADE Reporting System can be found on our web site at: [FDA, Animal and Veterinary, Safety and Health page](#)

CVM ADE Comprehensive Clinical Detail Report Listing

Cumulative Date Range : 05-May-2023 -thru- 31-Mar-2024

Included 1932a cases = : True

Included Medicated Feed cases = : True

DRUG: BEDINVETMAB

Species: Cat

Route of Administration: s

Sign: DECREASED APPETITE, Number of times reported: 1

Species: Dog

Route of Administration: i

Sign: ANXIETY, Number of times reported: 1

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: CRYING, Number of times reported: 1

Sign: EMESIS (MULTIPLE), Number of times reported: 1

Sign: EXCESSIVE THIRST, Number of times reported: 1

Sign: FAECAL INCONTINENCE, Number of times reported: 1

Sign: INJECTION SITE PAIN, Number of times reported: 1

Sign: LACK OF EFFICACY - NOS, Number of times reported: 1

Sign: LETHARGY, Number of times reported: 1

Sign: LOSS OF HEARING, Number of times reported: 1

Sign: PACING, Number of times reported: 1

Sign: PANTING, Number of times reported: 1

Sign: SHAKING, Number of times reported: 1

Sign: URINARY INCONTINENCE, Number of times reported: 1

Species: Dog

Route of Administration: M

Sign: LABOURED BREATHING, Number of times reported: 2

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 1

Sign: ASPIRATION PNEUMONIA, Number of times reported: 1

Sign: BRADYCARDIA, Number of times reported: 1

Sign: COUGH, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DEHYDRATION, Number of times reported: 1

Sign: DULLNESS, Number of times reported: 1

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 1

Sign: HYPERCALCAEMIA, Number of times reported: 1

Sign: IMPAIRED PROPRIOCEPTION, Number of times reported: 1

Sign: LARYNGEAL PARALYSIS, Number of times reported: 1

Sign: LATERAL RECUMBENCY, Number of times reported: 1

Sign: LETHARGY, Number of times reported: 1
Sign: LEUCOCYTOSIS NOS, Number of times reported: 1
Sign: MUSCLE WASTING, Number of times reported: 1
Sign: PACING, Number of times reported: 1
Sign: POLYDIPSIA, Number of times reported: 1
Sign: POLYURIA, Number of times reported: 1
Sign: QUADRIPARESIS, Number of times reported: 1
Sign: SEIZURE NOS, Number of times reported: 1
Sign: SPLENIC NEOPLASM NOS, Number of times reported: 1
Sign: UNABLE TO STAND, Number of times reported: 1
Sign: URINARY TRACT INFECTION, Number of times reported: 1
Sign: WHEEZING, Number of times reported: 1

Species: Dog

Route of Administration: o

Sign: ANAEMIA NOS, Number of times reported: 2
Sign: LACK OF EFFICACY - NOS, Number of times reported: 2
Sign: LETHARGY, Number of times reported: 2
Sign: DIARRHOEA, Number of times reported: 1
Sign: ELEVATED GLOBULINS, Number of times reported: 1
Sign: ELEVATED LIVER ENZYMES, Number of times reported: 1
Sign: ELEVATED TEMPERATURE, Number of times reported: 1
Sign: EMESIS, Number of times reported: 1
Sign: EMESIS (MULTIPLE), Number of times reported: 1
Sign: GUM DISORDER NOS, Number of times reported: 1
Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 1
Sign: INAPPETENCE, Number of times reported: 1
Sign: INCREASED SALIVATION, Number of times reported: 1
Sign: LEUCOCYTOSIS NOS, Number of times reported: 1
Sign: PANCYTOPENIA, Number of times reported: 1
Sign: POLYDIPSIA, Number of times reported: 1
Sign: REGENERATIVE ANAEMIA, Number of times reported: 1
Sign: THROMBOCYTOPENIA, Number of times reported: 1
Sign: UNCOMFORTABLE, Number of times reported: 1

Species: Dog

Route of Administration: s

Sign: LETHARGY, Number of times reported: 404
Sign: POLYDIPSIA, Number of times reported: 373
Sign: POLYURIA, Number of times reported: 359
Sign: VOMITING, Number of times reported: 316
Sign: DIARRHOEA, Number of times reported: 299
Sign: URINARY INCONTINENCE, Number of times reported: 237
Sign: DEATH BY EUTHANASIA, Number of times reported: 234
Sign: ATAXIA, Number of times reported: 232

Sign: SEIZURE NOS, Number of times reported: 198
Sign: LACK OF EFFICACY - NOS, Number of times reported: 187
Sign: URINARY TRACT INFECTION, Number of times reported: 177
Sign: ANOREXIA, Number of times reported: 170
Sign: DEATH, Number of times reported: 151
Sign: NOT EATING, Number of times reported: 138
Sign: DECREASED APPETITE, Number of times reported: 133
Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 128
Sign: LIMB WEAKNESS, Number of times reported: 127
Sign: PANTING, Number of times reported: 126
Sign: INAPPROPRIATE URINATION, Number of times reported: 117
Sign: HIND LIMB PARESIS, Number of times reported: 107
Sign: ELEVATED SERUM ALKALINE PHOSPHATASE (SAP), Number of times reported: 97
Sign: PROPRIOCEPTION DEFICIT, Number of times reported: 82
Sign: ELEVATED ALANINE AMINOTRANSFERASE (ALT), Number of times reported: 81
Sign: EMESIS (MULTIPLE), Number of times reported: 80
Sign: DECREASED URINE CONCENTRATION, Number of times reported: 78
Sign: ELEVATED BLOOD UREA NITROGEN (BUN), Number of times reported: 78
Sign: UNABLE TO WALK, Number of times reported: 77
Sign: UNABLE TO STAND, Number of times reported: 76
Sign: WEIGHT LOSS, Number of times reported: 73
Sign: WEAKNESS, Number of times reported: 72
Sign: LAMENESS, Number of times reported: 68
Sign: VOCALISATION, Number of times reported: 66
Sign: PAIN NOS, Number of times reported: 60
Sign: HIND LIMB ATAXIA, Number of times reported: 58
Sign: FAECAL INCONTINENCE, Number of times reported: 54
Sign: FEVER, Number of times reported: 54
Sign: WALKING DIFFICULTY, Number of times reported: 54
Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 53
Sign: INAPPETENCE, Number of times reported: 53
Sign: NOT HIMSELF/HERSELF, Number of times reported: 53
Sign: PROTEINURIA, Number of times reported: 51
Sign: ANAEMIA NOS, Number of times reported: 50
Sign: HYPOSTHENURIA, Number of times reported: 49
Sign: RESTLESSNESS, Number of times reported: 48
Sign: VESTIBULAR DISORDER NOS, Number of times reported: 48
Sign: ANXIETY, Number of times reported: 47
Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 47
Sign: HAEMATURIA, Number of times reported: 46
Sign: PACING, Number of times reported: 46
Sign: SHAKING, Number of times reported: 46
Sign: FALLING, Number of times reported: 45

Sign: LEUCOCYTOSIS NOS, Number of times reported: 45
Sign: COUGH, Number of times reported: 44
Sign: FREQUENT URINATION, Number of times reported: 43
Sign: PRURITUS, Number of times reported: 43
Sign: ELEVATED LIVER ENZYMES, Number of times reported: 42
Sign: ELEVATED SYMMETRICAL DIMETHYLARGININE (SDMA), Number of times reported: 42
Sign: DIFFICULTY TO RISE, Number of times reported: 41
Sign: DISORIENTATION, Number of times reported: 41
Sign: DRINKING A LOT, Number of times reported: 41
Sign: COLLAPSE NOS, Number of times reported: 40
Sign: KNUCKLING, Number of times reported: 39
Sign: DIFFICULTY STANDING, Number of times reported: 37
Sign: DROOLING, Number of times reported: 37
Sign: RELUCTANT TO MOVE, Number of times reported: 37
Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 36
Sign: PALE MUCOUS MEMBRANE, Number of times reported: 36
Sign: BLOODY DIARRHOEA, Number of times reported: 35
Sign: CONFUSION, Number of times reported: 35
Sign: UNABLE TO RISE, Number of times reported: 35
Sign: LOOSE STOOL, Number of times reported: 34
Sign: OTHER ABNORMAL TEST RESULT NOS, Number of times reported: 34
Sign: BLOOD IN URINE, Number of times reported: 33
Sign: NYSTAGMUS, Number of times reported: 33
Sign: DERMATITIS, Number of times reported: 32
Sign: ELEVATED CREATININE, Number of times reported: 31
Sign: ANAPHYLAXIS, Number of times reported: 30
Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 29
Sign: HIND LIMB PARALYSIS, Number of times reported: 28
Sign: HYPERPHOSPHATAEMIA, Number of times reported: 28
Sign: INAPPROPRIATE DEFECATION, Number of times reported: 28
Sign: LATERAL RECUMBENCY, Number of times reported: 28
Sign: NEUTROPHILIA, Number of times reported: 28
Sign: THROMBOCYTOPENIA, Number of times reported: 28
Sign: AZOTAEMIA, Number of times reported: 27
Sign: INJECTION SITE SWELLING, Number of times reported: 27
Sign: NOT DRINKING, Number of times reported: 27
Sign: STUMBLING GAIT, Number of times reported: 27
Sign: GENERAL ILLNESS, Number of times reported: 26
Sign: LIMPING, Number of times reported: 26
Sign: MUSCLE WEAKNESS NOS, Number of times reported: 26
Sign: URINE ABNORMALITIES NOS, Number of times reported: 26
Sign: TREMOR, Number of times reported: 25
Sign: HYPERGLYCAEMIA, Number of times reported: 24

Sign: INJECTION SITE PAIN, Number of times reported: 24
Sign: PANCREATITIS, Number of times reported: 24
Sign: UNCOMFORTABLE, Number of times reported: 24
Sign: WOBBLINESS, Number of times reported: 24
Sign: ABNORMAL CYTOLOGY, Number of times reported: 23
Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 23
Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 23
Sign: NAUSEA, Number of times reported: 23
Sign: STARING, Number of times reported: 23
Sign: DEHYDRATION, Number of times reported: 22
Sign: ITCHING, Number of times reported: 22
Sign: PROPRIOCEPTION LOSS, Number of times reported: 22
Sign: URINE LEAKAGE, Number of times reported: 22
Sign: COLLAPSE, Number of times reported: 21
Sign: PARESIS, Number of times reported: 21
Sign: REDDENING OF THE SKIN, Number of times reported: 21
Sign: RENAL FAILURE, Number of times reported: 21
Sign: TACHYCARDIA, Number of times reported: 21
Sign: TWITCHING, Number of times reported: 21
Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 20
Sign: EXCESSIVE THIRST, Number of times reported: 20
Sign: LIMB NON-WEIGHT BEARING, Number of times reported: 20
Sign: LOW PLATELET COUNT, Number of times reported: 20
Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 19
Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 19
Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 18
Sign: BREATHING DIFFICULTY, Number of times reported: 18
Sign: FACIAL SWELLING, Number of times reported: 18
Sign: HIGH PANCREATIC-SPECIFIC LIPASE, Number of times reported: 18
Sign: HYPOALBUMINAEMIA, Number of times reported: 18
Sign: STIFFNESS NOS, Number of times reported: 18
Sign: AGGRESSION, Number of times reported: 17
Sign: CRUST, Number of times reported: 17
Sign: DYSPNOEA, Number of times reported: 17
Sign: EMESIS, Number of times reported: 17
Sign: HEART MURMUR, Number of times reported: 17
Sign: POLLAKIURIA, Number of times reported: 17
Sign: HEAVY BREATHING, Number of times reported: 16
Sign: HIVES, Number of times reported: 16
Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 16
Sign: ISOSTHENURIA, Number of times reported: 16
Sign: LABOURED BREATHING, Number of times reported: 16
Sign: LYMPHOPENIA, Number of times reported: 16

Sign: MASS NOS, Number of times reported: 16
Sign: AGITATION, Number of times reported: 15
Sign: DIABETES, Number of times reported: 15
Sign: ELEVATED AMYLASE, Number of times reported: 15
Sign: HEAD TREMOR, Number of times reported: 15
Sign: PYURIA, Number of times reported: 15
Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 14
Sign: ELEVATED GLOBULINS, Number of times reported: 14
Sign: GENERALISED WEAKNESS, Number of times reported: 14
Sign: COLLAPSE OF LEG, Number of times reported: 13
Sign: DECREASED HAEMATOCRIT, Number of times reported: 13
Sign: ELEVATED LIPASE, Number of times reported: 13
Sign: ERYTHEMA, Number of times reported: 13
Sign: GAIT ABNORMALITY, Number of times reported: 13
Sign: IMPAIRED PROPRIOCEPTION, Number of times reported: 13
Sign: MONOCYTOSIS, Number of times reported: 13
Sign: RECUMBENCY, Number of times reported: 13
Sign: STAGGERING, Number of times reported: 13
Sign: STRANGURIA, Number of times reported: 13
Sign: TREMBLING, Number of times reported: 13
Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 13
Sign: CRYING, Number of times reported: 12
Sign: DEPRESSION, Number of times reported: 12
Sign: FLATULENCE, Number of times reported: 12
Sign: GLUCOSURIA, Number of times reported: 12
Sign: LICKING, Number of times reported: 12
Sign: LOCALISED HAIR LOSS, Number of times reported: 12
Sign: LYMPHOMA, Number of times reported: 12
Sign: PYODERMA, Number of times reported: 12
Sign: SKIN LUMP, Number of times reported: 12
Sign: TACHYPNOEA, Number of times reported: 12
Sign: ASPIRATION PNEUMONIA, Number of times reported: 11
Sign: BRUISING, Number of times reported: 11
Sign: ELEVATED GAMMA-GLUTAMYL TRANSFERASE (GGT), Number of times reported: 11
Sign: IMMUNE MEDIATED THROMBOCYTOPENIA, Number of times reported: 11
Sign: INCREASED SEIZURE FREQUENCY, Number of times reported: 11
Sign: LEUCOPENIA NOS, Number of times reported: 11
Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 11
Sign: PARALYSIS NOS, Number of times reported: 11
Sign: PARTIAL ANOREXIA, Number of times reported: 11
Sign: RESPIRATORY DISTRESS, Number of times reported: 11
Sign: SPLENIC NEOPLASM NOS, Number of times reported: 11
Sign: UNSTEADY GAIT, Number of times reported: 11

Sign: WHINING, Number of times reported: 11
Sign: DISORIENTED STATE, Number of times reported: 10
Sign: ELEVATED TEMPERATURE, Number of times reported: 10
Sign: HIDING, Number of times reported: 10
Sign: HYPERACTIVITY, Number of times reported: 10
Sign: INTERVERTEBRAL DISC DISEASE, Number of times reported: 10
Sign: MUSCLE WASTING, Number of times reported: 10
Sign: MUSCULOSKELETAL PAIN, Number of times reported: 10
Sign: NECK PAIN - NEUROLOGICAL, Number of times reported: 10
Sign: NEUROLOGICAL DISORDER NOS, Number of times reported: 10
Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 10
Sign: OCULAR DISCHARGE, Number of times reported: 10
Sign: POLYPHAGIA, Number of times reported: 10
Sign: RETCHING, Number of times reported: 10
Sign: SKIN SCAB, Number of times reported: 10
Sign: ABDOMINAL MASS, Number of times reported: 9
Sign: BLINDNESS, Number of times reported: 9
Sign: CIRCULATORY COLLAPSE, Number of times reported: 9
Sign: ELEVATED CHOLESTEROL (TOTAL), Number of times reported: 9
Sign: GRAND MAL SEIZURE, Number of times reported: 9
Sign: HORIZONTAL NYSTAGMUS, Number of times reported: 9
Sign: INJECTION SITE LUMP, Number of times reported: 9
Sign: INVOLUNTARY DEFECATION, Number of times reported: 9
Sign: LIGAMENT RUPTURE, Number of times reported: 9
Sign: LYING DOWN, Number of times reported: 9
Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 9
Sign: NEOPLASIA NOS, Number of times reported: 9
Sign: NEUTROPENIA, Number of times reported: 9
Sign: PARAPARESIS, Number of times reported: 9
Sign: SKIN LESION NOS, Number of times reported: 9
Sign: SLEEP DISTURBANCE NOS, Number of times reported: 9
Sign: SYNCOPE, Number of times reported: 9
Sign: BLOOD IN FAECES NOS, Number of times reported: 8
Sign: BLOOD IN VOMIT, Number of times reported: 8
Sign: COGNITIVE DISORDER NOS, Number of times reported: 8
Sign: COGNITIVE IMPAIRMENT, Number of times reported: 8
Sign: DERMAL CYST(S), Number of times reported: 8
Sign: DERMAL MASS, Number of times reported: 8
Sign: DIFFICULTY GOING UP/DOWN STAIRS, Number of times reported: 8
Sign: DISCOMFORT NOS, Number of times reported: 8
Sign: FOCAL SEIZURE, Number of times reported: 8
Sign: HAIR SHEDDING, Number of times reported: 8
Sign: HEAD DOWN, Number of times reported: 8

Sign: HYPERPROTEINAEMIA, Number of times reported: 8
Sign: HYPERTENSION, Number of times reported: 8
Sign: INCREASED APPETITE, Number of times reported: 8
Sign: INCREASED URINE VOLUME, Number of times reported: 8
Sign: LOCALISED PAIN NOS, Number of times reported: 8
Sign: MOIST DERMATITIS, Number of times reported: 8
Sign: NEUROMUSCULAR DISORDER NOS, Number of times reported: 8
Sign: NON-REGENERATIVE ANAEMIA, Number of times reported: 8
Sign: PROPRIOCEPTION ABNORMALITY, Number of times reported: 8
Sign: QUIET, Number of times reported: 8
Sign: SWOLLEN LIMB, Number of times reported: 8
Sign: ABNORMAL BREATHING, Number of times reported: 7
Sign: ALOPECIA, Number of times reported: 7
Sign: ALOPECIA LOCAL, Number of times reported: 7
Sign: APPETITE LOSS, Number of times reported: 7
Sign: BUMPS ON SKIN, Number of times reported: 7
Sign: DISCOLOURED URINE, Number of times reported: 7
Sign: ELEVATED PROTEIN:CREATININE RATIO, Number of times reported: 7
Sign: ENLARGED LYMPH NODE (LOCALISED), Number of times reported: 7
Sign: HYPERCALCAEMIA, Number of times reported: 7
Sign: HYPERSALIVATION, Number of times reported: 7
Sign: HYPOCHLORAEMIA, Number of times reported: 7
Sign: HYPOKALAEMIA, Number of times reported: 7
Sign: IMMEDIATE PAIN UPON INJECTION, Number of times reported: 7
Sign: NOT URINATING, Number of times reported: 7
Sign: PITTING OEDEMA, Number of times reported: 7
Sign: RENAL DISORDER NOS, Number of times reported: 7
Sign: SPONDYLOSIS, Number of times reported: 7
Sign: STIFFNESS LIMB, Number of times reported: 7
Sign: THROMBOCYTOSIS, Number of times reported: 7
Sign: TORN LIGAMENT, Number of times reported: 7
Sign: WARM FEELING TO THE TOUCH, Number of times reported: 7
Sign: ABNORMAL URINE ODOUR, Number of times reported: 6
Sign: ADIPSIA, Number of times reported: 6
Sign: ADRENAL GLAND DISORDER NOS, Number of times reported: 6
Sign: CARDIAC ENLARGEMENT, Number of times reported: 6
Sign: CHATTERING OF TEETH, Number of times reported: 6
Sign: CYANOSIS, Number of times reported: 6
Sign: DECREASED DRINKING, Number of times reported: 6
Sign: DIABETES MELLITUS, Number of times reported: 6
Sign: DISTENSION OF ABDOMEN, Number of times reported: 6
Sign: EAR INFECTION NOS, Number of times reported: 6
Sign: ENLARGED LIVER, Number of times reported: 6

Sign: EXCESSIVE CHEWING, LICKING AND/OR GROOMING, Number of times reported: 6
Sign: EYE DISORDER NOS, Number of times reported: 6
Sign: GAGGING, Number of times reported: 6
Sign: GENITAL TRACT LICKING, Number of times reported: 6
Sign: GLAZED EYE, Number of times reported: 6
Sign: HAIR LOSS NOS, Number of times reported: 6
Sign: HALITOSIS, Number of times reported: 6
Sign: HYPERKALAEMIA, Number of times reported: 6
Sign: HYPERMETRIA, Number of times reported: 6
Sign: HYPOGLYCAEMIA, Number of times reported: 6
Sign: IMPAIRED VISION, Number of times reported: 6
Sign: INCREASED BORBORYGMUS, Number of times reported: 6
Sign: INCREASED RESPIRATORY RATE, Number of times reported: 6
Sign: INJECTION SITE ALOPECIA, Number of times reported: 6
Sign: JOINT EFFUSION, Number of times reported: 6
Sign: JOINT PAIN, Number of times reported: 6
Sign: LOSS OF BOWEL CONTROL, Number of times reported: 6
Sign: LOSS OF HEARING, Number of times reported: 6
Sign: LUMBAR PAIN, Number of times reported: 6
Sign: MALAISE, Number of times reported: 6
Sign: MUSCLE ATROPHY, Number of times reported: 6
Sign: MYELOPATHY NOS, Number of times reported: 6
Sign: NASAL DISCHARGE, Number of times reported: 6
Sign: PNEUMONIA, Number of times reported: 6
Sign: PULMONARY OEDEMA, Number of times reported: 6
Sign: SKIN SORE, Number of times reported: 6
Sign: SPLENOMEGALY, Number of times reported: 6
Sign: STOMACH UPSET, Number of times reported: 6
Sign: VOMITING BILE, Number of times reported: 6
Sign: WIDE-BASE STANCE, Number of times reported: 6
Sign: ABDOMINAL PAIN, Number of times reported: 5
Sign: ANISOCORIA, Number of times reported: 5
Sign: ARCHED BACK, Number of times reported: 5
Sign: BARKING, Number of times reported: 5
Sign: BLADDER DISTENSION, Number of times reported: 5
Sign: BRADYCARDIA, Number of times reported: 5
Sign: BUMPING INTO WALLS, Number of times reported: 5
Sign: CELLULITIS, Number of times reported: 5
Sign: CONSTIPATION, Number of times reported: 5
Sign: CORNEAL ULCER, Number of times reported: 5
Sign: CYANOTIC MUCOUS MEMBRANES, Number of times reported: 5
Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 5
Sign: DULLNESS, Number of times reported: 5

Sign: ELEVATED HAEMATOCRIT, Number of times reported: 5
Sign: EPISTAXIS, Number of times reported: 5
Sign: EXCESSIVE APPETITE, Number of times reported: 5
Sign: FEBRILE, Number of times reported: 5
Sign: FLUID IN ABDOMEN NOS, Number of times reported: 5
Sign: GENERAL PAIN, Number of times reported: 5
Sign: HEAD BOBBING, Number of times reported: 5
Sign: HYPONATREMIA, Number of times reported: 5
Sign: IDIOPATHIC VESTIBULAR DISEASE, Number of times reported: 5
Sign: INJECTION SITE ABSCESS, Number of times reported: 5
Sign: INJECTION SITE MASS NOS, Number of times reported: 5
Sign: INJECTION SITE REDDENING, Number of times reported: 5
Sign: INJECTION SITE SCAB, Number of times reported: 5
Sign: LARYNGEAL PARALYSIS, Number of times reported: 5
Sign: LISTLESS, Number of times reported: 5
Sign: LOSS OF VISION, Number of times reported: 5
Sign: MENTAL CONFUSION, Number of times reported: 5
Sign: MUCOUS STOOL, Number of times reported: 5
Sign: MUSCLE SHAKING, Number of times reported: 5
Sign: MUSCLE SPASM NOS, Number of times reported: 5
Sign: PARALYSIS, Number of times reported: 5
Sign: PERICARDIAL EFFUSION, Number of times reported: 5
Sign: RASH, Number of times reported: 5
Sign: SHIVERING, Number of times reported: 5
Sign: SLEEPINESS - SYSTEMIC DISORDER, Number of times reported: 5
Sign: SPLEEN NODULES, Number of times reported: 5
Sign: SUDDEN DEATH, Number of times reported: 5
Sign: SWELLING NOS, Number of times reported: 5
Sign: SWOLLEN LYMPH NODE, Number of times reported: 5
Sign: TARRY OR BLACK STOOL, Number of times reported: 5
Sign: TENSE ABDOMEN, Number of times reported: 5
Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 5
Sign: URINATION, Number of times reported: 5
Sign: WOUND, Number of times reported: 5
Sign: ABNORMAL STOOL COLOURATION, Number of times reported: 4
Sign: ACIDIC URINE, Number of times reported: 4
Sign: ACTIVE URINE SEDIMENT, Number of times reported: 4
Sign: ACUTE RENAL FAILURE, Number of times reported: 4
Sign: ARRHYTHMIA, Number of times reported: 4
Sign: ASCITES, Number of times reported: 4
Sign: BALANCE IMPAIRED, Number of times reported: 4
Sign: BITING -AGGRESSION, Number of times reported: 4
Sign: CONJUNCTIVITIS, Number of times reported: 4

Sign: CYSTITIS, Number of times reported: 4
Sign: DECREASED ACTIVITY, Number of times reported: 4
Sign: DECREASED BOWEL MOVEMENTS, Number of times reported: 4
Sign: DIFFICULTY EATING NOS, Number of times reported: 4
Sign: DILATED PUPILS, Number of times reported: 4
Sign: DROOPING EYELID, Number of times reported: 4
Sign: DRY MUCOUS MEMBRANE, Number of times reported: 4
Sign: DYSPHORIA, Number of times reported: 4
Sign: ELEVATED ASPARTATE AMINOTRANSFERASE (AST), Number of times reported: 4
Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 4
Sign: ENLARGED LYMPH NODES (GENERALISED), Number of times reported: 4
Sign: EOSINOPENIA, Number of times reported: 4
Sign: EOSINOPHILIA, Number of times reported: 4
Sign: EPIDERMAL COLLARETTE, Number of times reported: 4
Sign: ERYTHEMATOUS RASH, Number of times reported: 4
Sign: FACIAL PRURITUS, Number of times reported: 4
Sign: FOAMING AT THE MOUTH, Number of times reported: 4
Sign: GALL BLADDER & BILE DUCT DISORDER NOS, Number of times reported: 4
Sign: HAEMORRHAGIC DIARRHOEA, Number of times reported: 4
Sign: HAEMORRHAGIC GASTROENTERITIS, Number of times reported: 4
Sign: HEAD SHAKE - BEHAVIOURAL DISORDER, Number of times reported: 4
Sign: HEPATOMEGALY, Number of times reported: 4
Sign: HIGH BLOOD PRESSURE, Number of times reported: 4
Sign: HIGH TRYPSIN-LIKE IMMUNOREACTIVITY (TLI), Number of times reported: 4
Sign: HYPOCALCAEMIA, Number of times reported: 4
Sign: HYPOTHERMIA, Number of times reported: 4
Sign: INCOORDINATION, Number of times reported: 4
Sign: INCREASED HEART RATE, Number of times reported: 4
Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 4
Sign: INJECTION SITE CRUST, Number of times reported: 4
Sign: INJECTION SITE DERMATITIS, Number of times reported: 4
Sign: INJECTION SITE REACTION NOS, Number of times reported: 4
Sign: INJECTION SITE WARMTH, Number of times reported: 4
Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 4
Sign: LOCALISED ITCHING, Number of times reported: 4
Sign: MIOSIS, Number of times reported: 4
Sign: MONOPARESIS (PARALYSIS OF LIMB), Number of times reported: 4
Sign: MUSCLE TREMOR, Number of times reported: 4
Sign: NASAL CONGESTION, Number of times reported: 4
Sign: OSTEOSARCOMA, Number of times reported: 4
Sign: PARAPLEGIA, Number of times reported: 4
Sign: PETECHIAE NOS, Number of times reported: 4
Sign: PICA NOS, Number of times reported: 4

Sign: QUADRIPARESIS, Number of times reported: 4
Sign: REGENERATIVE ANAEMIA, Number of times reported: 4
Sign: RENAL INSUFFICIENCY, Number of times reported: 4
Sign: ROTATORY NYSTAGMUS, Number of times reported: 4
Sign: SEDATION, Number of times reported: 4
Sign: SENSATION LOSS, Number of times reported: 4
Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 4
Sign: SKIN INFLAMMATION NOS, Number of times reported: 4
Sign: SKIN SLOUGH, Number of times reported: 4
Sign: SNEEZING, Number of times reported: 4
Sign: STRAINING TO DEFECATE, Number of times reported: 4
Sign: UNABLE TO JUMP, Number of times reported: 4
Sign: UNCONSCIOUS, Number of times reported: 4
Sign: UNDERDOSE, Number of times reported: 4
Sign: WHEEZING, Number of times reported: 4
Sign: ABDOMINAL CAVITY HAEMORRHAGE, Number of times reported: 3
Sign: ABDOMINAL DISCOMFORT, Number of times reported: 3
Sign: ABDOMINAL EFFUSION, Number of times reported: 3
Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 3
Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 3
Sign: ABNORMAL SERUM PROTEIN NOS, Number of times reported: 3
Sign: ADDISON'S DISEASE, Number of times reported: 3
Sign: ATTENTION-SEEKING BEHAVIOUR, Number of times reported: 3
Sign: BALANCE PROBLEM, Number of times reported: 3
Sign: BASOPHILIA, Number of times reported: 3
Sign: BILIARY SLUDGE, Number of times reported: 3
Sign: BILIRUBINURIA, Number of times reported: 3
Sign: BONE AND JOINT DISORDER NOS, Number of times reported: 3
Sign: CARDIAC ARREST, Number of times reported: 3
Sign: CERVICAL PAIN, Number of times reported: 3
Sign: CIRCLING - BEHAVIOURAL DISORDER, Number of times reported: 3
Sign: CRACKLES ON AUSCULTATION, Number of times reported: 3
Sign: CRYSTALLURIA, Number of times reported: 3
Sign: CYST RUPTURE NOS, Number of times reported: 3
Sign: DECREASED BODY TEMPERATURE, Number of times reported: 3
Sign: DECREASED CHOLESTEROL (TOTAL), Number of times reported: 3
Sign: DECREASED HAEMOGLOBIN, Number of times reported: 3
Sign: DEPRESSED REFLEXES, Number of times reported: 3
Sign: DERMAL NODULE, Number of times reported: 3
Sign: DESTRUCTIVE BEHAVIOUR, Number of times reported: 3
Sign: DIABETIC KETOACIDOSIS, Number of times reported: 3
Sign: DIFFICULTY IN MICTURITION, Number of times reported: 3
Sign: DULL, Number of times reported: 3

Sign: ELECTROLYTE DISORDER, Number of times reported: 3
Sign: ELEVATED PANCREATIC ENZYMES, Number of times reported: 3
Sign: ELEVATED TRIGLYCERIDE, Number of times reported: 3
Sign: EPISTAXIS (UNILATERAL), Number of times reported: 3
Sign: FAINTING, Number of times reported: 3
Sign: GASTRITIS, Number of times reported: 3
Sign: GENERALISED ITCHING, Number of times reported: 3
Sign: HAEMATEMESIS, Number of times reported: 3
Sign: HAIR COAT DISCOLOURATION, Number of times reported: 3
Sign: HEAD PRESSING, Number of times reported: 3
Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 3
Sign: HEAD TILT - EAR DISORDER, Number of times reported: 3
Sign: HEPATITIS, Number of times reported: 3
Sign: HIGH IONIZED CALCIUM (CA; HYPERCALCEMIA, IONIZED), Number of times reported: 3
Sign: HYPOPROTEINAEMIA, Number of times reported: 3
Sign: INCREASED PACKED CELL VOLUME (PCV), Number of times reported: 3
Sign: INJECTION SITE IRRITATION, Number of times reported: 3
Sign: INJECTION SITE SEROMA, Number of times reported: 3
Sign: ITCHY SKIN, Number of times reported: 3
Sign: JOINT PAIN NOS, Number of times reported: 3
Sign: JOINT SWELLING, Number of times reported: 3
Sign: KETONURIA, Number of times reported: 3
Sign: LACK OF AWARENESS, Number of times reported: 3
Sign: LIMPNESS, Number of times reported: 3
Sign: LIP SMACKING, Number of times reported: 3
Sign: LYMPHADENOPATHY, Number of times reported: 3
Sign: MAST CELL TUMOUR, Number of times reported: 3
Sign: MENTAL FUNCTION DECREASED, Number of times reported: 3
Sign: MUSCLE STIFFNESS, Number of times reported: 3
Sign: NECROPSY PERFORMED, Number of times reported: 3
Sign: NEUROPATHY NOS, Number of times reported: 3
Sign: OEDEMA OF THE EXTREMITIES, Number of times reported: 3
Sign: PADDLING, Number of times reported: 3
Sign: PEELING SKIN, Number of times reported: 3
Sign: PR-HEART, LESION(S), Number of times reported: 3
Sign: PR-SPLEEN, LESION(S), Number of times reported: 3
Sign: PULMONARY METASTASES, Number of times reported: 3
Sign: QUADRIPLEGIA, Number of times reported: 3
Sign: RED EYE, Number of times reported: 3
Sign: REDUCED REFLEXES, Number of times reported: 3
Sign: REGURGITATION, Number of times reported: 3
Sign: ROLLING, Number of times reported: 3
Sign: SHALLOW BREATHING, Number of times reported: 3

Sign: SKIN NECROSIS, Number of times reported: 3
Sign: SKIN SWELLING, Number of times reported: 3
Sign: SPASM, Number of times reported: 3
Sign: STAR-GAZING, Number of times reported: 3
Sign: STRESS LEUKOGRAM, Number of times reported: 3
Sign: STROKE, Number of times reported: 3
Sign: SWOLLEN EYE, Number of times reported: 3
Sign: THIRD EYELID PROLAPSE, Number of times reported: 3
Sign: TIREDNESS, Number of times reported: 3
Sign: UNEXPLAINED DEATH, Number of times reported: 3
Sign: VASCULITIS, Number of times reported: 3
Sign: WEAK PULSE, Number of times reported: 3
Sign: WHITE BLOOD CELL DISORDER NOS, Number of times reported: 3
Sign: ABNORMAL RED BLOOD CELL, Number of times reported: 2
Sign: AGONAL BREATHING, Number of times reported: 2
Sign: ALOPECIA GENERAL, Number of times reported: 2
Sign: ALOPECIA NOS, Number of times reported: 2
Sign: ANAL AND RECTAL DISORDER NOS, Number of times reported: 2
Sign: ANAL SAC DISORDER, Number of times reported: 2
Sign: ANAPHYLACTIC SHOCK, Number of times reported: 2
Sign: ANURIA, Number of times reported: 2
Sign: ARTHRITIS, Number of times reported: 2
Sign: ATOPIC ALLERGY NOS, Number of times reported: 2
Sign: AUTOIMMUNE DISORDER NOS, Number of times reported: 2
Sign: BLEPHAROSPASM, Number of times reported: 2
Sign: CACHEXIA, Number of times reported: 2
Sign: CHRONIC RENAL FAILURE, Number of times reported: 2
Sign: CONGESTIVE HEART FAILURE, Number of times reported: 2
Sign: CORNEAL DISORDER NOS, Number of times reported: 2
Sign: DECREASED HEART RATE, Number of times reported: 2
Sign: DECREASED MEAN CORPUSCULAR VOLUME (MCV), Number of times reported: 2
Sign: DRY EYE, Number of times reported: 2
Sign: ECCHYMOSIS, Number of times reported: 2
Sign: ELEVATED BILE ACIDS, Number of times reported: 2
Sign: ENCEPHALITIS, Number of times reported: 2
Sign: ENOPHTHALMOS, Number of times reported: 2
Sign: EXTENSOR RIGIDITY, Number of times reported: 2
Sign: FACIAL NERVE DISORDER, Number of times reported: 2
Sign: FACIAL PALSY, Number of times reported: 2
Sign: FACIAL PARALYSIS, Number of times reported: 2
Sign: FLAKING SKIN, Number of times reported: 2
Sign: FOCUSING DIFFICULT, Number of times reported: 2
Sign: FOUND DEAD, Number of times reported: 2

Sign: FRACTURE, Number of times reported: 2
Sign: GALL BLADDER MUOCOCELE, Number of times reported: 2
Sign: GASTRIC BLOAT, Number of times reported: 2
Sign: GASTRIC DILATION, Number of times reported: 2
Sign: GASTRIC VOLVULUS, Number of times reported: 2
Sign: GASTROENTERITIS, Number of times reported: 2
Sign: GENERAL HAIR LOSS, Number of times reported: 2
Sign: GLAUCOMA, Number of times reported: 2
Sign: GUM DISORDER NOS, Number of times reported: 2
Sign: HAEMATOCHYZIA, Number of times reported: 2
Sign: HAEMORRHAGE NOS, Number of times reported: 2
Sign: HEART BASE TUMOUR NOS, Number of times reported: 2
Sign: HEMIPARESIS (WEAKNESS L OR R SIDE), Number of times reported: 2
Sign: HEPATIC DISORDER NOS, Number of times reported: 2
Sign: HIGH FREE THYROXINE (FT4), Number of times reported: 2
Sign: HISTIOCYTOMA, Number of times reported: 2
Sign: HORNER'S SYNDROME, Number of times reported: 2
Sign: HYPERALBUMINAEMIA, Number of times reported: 2
Sign: HYPEREXCITATION, Number of times reported: 2
Sign: HYPEREXTENSION, Number of times reported: 2
Sign: HYPERTHERMIA, Number of times reported: 2
Sign: HYPOSENSITIVITY TO PAIN, Number of times reported: 2
Sign: HYPOTENSION, Number of times reported: 2
Sign: HYPOTHYROIDISM, Number of times reported: 2
Sign: IMMUNE-MEDIATED POLYARTHRITIS, Number of times reported: 2
Sign: IMPAIRED VOCALISATION, Number of times reported: 2
Sign: INCREASED BAND NEUTROPHILIA, Number of times reported: 2
Sign: INCREASED COAGULATION TIME, Number of times reported: 2
Sign: INCREASED SKIN SENSITIVITY, Number of times reported: 2
Sign: INJECTION SITE BLEEDING, Number of times reported: 2
Sign: INJECTION SITE ERYTHEMA, Number of times reported: 2
Sign: INJECTION SITE HAIR LOSS, Number of times reported: 2
Sign: INJECTION SITE ITCHING, Number of times reported: 2
Sign: INJECTION SITE MUCOPURULENT DISCHARGE, Number of times reported: 2
Sign: INJECTION SITE SEROSANGUINOUS DISCHARGE, Number of times reported: 2
Sign: INJECTION SITE TENDERNESS, Number of times reported: 2
Sign: INJECTION SITE WEEPING, Number of times reported: 2
Sign: IRREGULAR BREATHING, Number of times reported: 2
Sign: JAW DISORDER, Number of times reported: 2
Sign: LICK GRANULOMA, Number of times reported: 2
Sign: LICKING AT INJECTION SITE, Number of times reported: 2
Sign: LIVER DISORDER NOS, Number of times reported: 2
Sign: LIVER FAILURE, Number of times reported: 2

Sign: LIVER NODULES, Number of times reported: 2
Sign: LIVER TUMOUR, Number of times reported: 2
Sign: LOW BLOOD PRESSURE, Number of times reported: 2
Sign: LUNG TUMOUR, Number of times reported: 2
Sign: LYMPHOCYTOSIS, Number of times reported: 2
Sign: MASS ERUPTION NOS, Number of times reported: 2
Sign: MEDICATION ERROR NOS, Number of times reported: 2
Sign: MEGAOESOPHAGUS, Number of times reported: 2
Sign: MELAENA, Number of times reported: 2
Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 2
Sign: MULTIPLE MYELOMA, Number of times reported: 2
Sign: MYOSITIS, Number of times reported: 2
Sign: NASAL BLEEDING, Number of times reported: 2
Sign: NEUROGENIC KERATOCONJUNCTIVITIS SICCA (KCS), Number of times reported: 2
Sign: NOT SLEEPING, Number of times reported: 2
Sign: OLIGURIA, Number of times reported: 2
Sign: OTITIS NOS, Number of times reported: 2
Sign: PAINFUL DEFECATION, Number of times reported: 2
Sign: PAINFUL URINATION, Number of times reported: 2
Sign: PALPABLE MASS NOS, Number of times reported: 2
Sign: PIGMENTATION DISORDER, Number of times reported: 2
Sign: PLANTIGRADE POSTURE, Number of times reported: 2
Sign: PLATELET DISORDER NOS, Number of times reported: 2
Sign: PODODERMATITIS, Number of times reported: 2
Sign: PREMATURE VENTRICULAR CONTRACTIONS, Number of times reported: 2
Sign: PR-KIDNEY(S), LESION(S), Number of times reported: 2
Sign: PR-LIVER, LESION(S), Number of times reported: 2
Sign: PR-LUNG(S), LESION(S), Number of times reported: 2
Sign: PROLONGED BLEEDING NOS, Number of times reported: 2
Sign: PRURITIC RASH, Number of times reported: 2
Sign: PULMONARY DISORDER NOS, Number of times reported: 2
Sign: PURULENT LESION(S), Number of times reported: 2
Sign: PUSTULES, Number of times reported: 2
Sign: RESPIRATORY ARREST, Number of times reported: 2
Sign: RESPIRATORY TRACT INFECTION NOS, Number of times reported: 2
Sign: RETINAL DEGENERATION, Number of times reported: 2
Sign: SALINE SLIDE AGGLUTINATION TEST, POSITIVE, Number of times reported: 2
Sign: SKIN DISCOLOURATION NOS, Number of times reported: 2
Sign: SKIN IRRITATION, Number of times reported: 2
Sign: SKIN ULCER, Number of times reported: 2
Sign: SLOW REFLEXES, Number of times reported: 2
Sign: SPONDYLOPATHY, Number of times reported: 2
Sign: STATUS EPILEPTICUS, Number of times reported: 2

Sign: STIFF GAIT, Number of times reported: 2
Sign: STIFF KNEE, Number of times reported: 2
Sign: STRIDOR (UPPER RESPIRATORY; FOR LOWER RESPIRATORY SEE ALSO BRONCHIAL RALE), Number of times reported: 2
Sign: SUNKEN EYES, Number of times reported: 2
Sign: SWALLOWING DIFFICULT, Number of times reported: 2
Sign: SWOLLEN EYELID, Number of times reported: 2
Sign: SWOLLEN JOINT, Number of times reported: 2
Sign: SWOLLEN MUZZLE, Number of times reported: 2
Sign: SYSTEMIC DISORDER NOS, Number of times reported: 2
Sign: TEETH GRINDING, Number of times reported: 2
Sign: TENESMUS, Number of times reported: 2
Sign: TENSE MUSCLES, Number of times reported: 2
Sign: THROMBOSIS, Number of times reported: 2
Sign: TONGUE ULCERATION, Number of times reported: 2
Sign: TONIC-CLONIC SEIZURE, Number of times reported: 2
Sign: TRAUMA NOS, Number of times reported: 2
Sign: TREMOR OF LIMB, Number of times reported: 2
Sign: ULCERATIVE DERMATITIS, Number of times reported: 2
Sign: UNSETTLED, Number of times reported: 2
Sign: UNUSUAL STOOL COLOUR, Number of times reported: 2
Sign: UNWELL, Number of times reported: 2
Sign: URINARY TRACT DISORDER NOS, Number of times reported: 2
Sign: URINATION RELATED TO CONVULSION, Number of times reported: 2
Sign: UVEITIS, Number of times reported: 2
Sign: VAGINAL DISCHARGE, Number of times reported: 2
Sign: VERTICAL NYSTAGMUS, Number of times reported: 2
Sign: WEIGHT GAIN, Number of times reported: 2
Sign: ABDOMINAL CAVITY DISORDER NOS, Number of times reported: 1
Sign: ABNORMAL ADRENOCORTICOTROPIC HORMONE (ACTH) STIMULATION TEST, Number of times reported: 1
Sign: ABNORMAL HISTOLOGY NOS, Number of times reported: 1
Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 1
Sign: ABNORMAL POSTURE, Number of times reported: 1
Sign: ABNORMAL POSTURE NOS, Number of times reported: 1
Sign: ABNORMAL VISION, Number of times reported: 1
Sign: ABSCESS NOS, Number of times reported: 1
Sign: ACIDOSIS, Number of times reported: 1
Sign: ADMINISTRATION ERROR NOS, Number of times reported: 1
Sign: AGGLUTINATION TEST, POSITIVE, Number of times reported: 1
Sign: ALKALINE URINE, Number of times reported: 1
Sign: ALLERGIC PRURITUS, Number of times reported: 1
Sign: ALLERGY NOS, Number of times reported: 1
Sign: ANAPHYLACTIC-TYPE REACTION, Number of times reported: 1
Sign: ANAPHYLACTOID REACTION, Number of times reported: 1

Sign: ANTERIOR UVEITIS, Number of times reported: 1
Sign: APNOEA, Number of times reported: 1
Sign: APPETITE DISORDER NOS, Number of times reported: 1
Sign: ATTRACTIVENESS TO MALES, Number of times reported: 1
Sign: BITING - PRURITUS, Number of times reported: 1
Sign: BLADDER INCONTINENCE, Number of times reported: 1
Sign: BLEPHARITIS, Number of times reported: 1
Sign: BLOATED, Number of times reported: 1
Sign: BLOATED STOMACH, Number of times reported: 1
Sign: BLOOD LOSS NOS, Number of times reported: 1
Sign: BLOODSHOT EYE, Number of times reported: 1
Sign: BRAIN DISORDER NOS, Number of times reported: 1
Sign: BREATHLESSNESS, Number of times reported: 1
Sign: BRONCHOPNEUMONIA, Number of times reported: 1
Sign: BRONCHOPULMONARY INFLAMMATION, Number of times reported: 1
Sign: CALCULI, Number of times reported: 1
Sign: CARCINOMA NOS, Number of times reported: 1
Sign: CARDIAC NEOPLASM NOS, Number of times reported: 1
Sign: CARDIOMYOPATHY, Number of times reported: 1
Sign: CARDIORESPIRATORY ARREST, Number of times reported: 1
Sign: CENTRAL VESTIBULAR DISORDER, Number of times reported: 1
Sign: CERVICAL SPONDYLOPATHY, Number of times reported: 1
Sign: CHOLANGIOHEPATITIS, Number of times reported: 1
Sign: CHONDROSARCOMA, Number of times reported: 1
Sign: CHRONIC HEPATITIS, Number of times reported: 1
Sign: CHRONIC PANCREATITIS, Number of times reported: 1
Sign: COAGULOPATHY, Number of times reported: 1
Sign: COGNITIVE AND ATTENTION DISORDERS NOS, Number of times reported: 1
Sign: COLD FEELING OF EXTREMITY, Number of times reported: 1
Sign: COLD FEELING TO THE TOUCH, Number of times reported: 1
Sign: COMEDO/BLACKHEAD, Number of times reported: 1
Sign: CONGESTED MUCOUS MEMBRANE, Number of times reported: 1
Sign: CORNEAL OEDEMA, Number of times reported: 1
Sign: COUGH, PRODUCTIVE, Number of times reported: 1
Sign: CUSHINGS DISEASE - PITUITARY DEPENDENT, Number of times reported: 1
Sign: CUSHINGS DISEASE NOS, Number of times reported: 1
Sign: CYST NOS, Number of times reported: 1
Sign: DECREASED BLOOD UREA NITROGEN (BUN) OR CREATININE, Number of times reported: 1
Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 1
Sign: DECREASED PERCENTAGE OF RETICULOCYTES, Number of times reported: 1
Sign: DECREASED RESPIRATORY RATE, Number of times reported: 1
Sign: DERMAL PLAQUE, Number of times reported: 1
Sign: DETERIORATION OF MUSCLE FUNCTION, Number of times reported: 1

Sign: DIABETES INSIPIDUS, Number of times reported: 1
Sign: DIGESTIVE TRACT STENOSIS AND OBSTRUCTION NOS, Number of times reported: 1
Sign: DISCUS PROLAPSE, Number of times reported: 1
Sign: DISSEMINATED INTRAVASCULAR COAGULATION, Number of times reported: 1
Sign: DISTRESS, Number of times reported: 1
Sign: DOWNER ANIMAL, Number of times reported: 1
Sign: DROWSINESS - SYSTEMIC DISORDER, Number of times reported: 1
Sign: DRY COAT, Number of times reported: 1
Sign: DRY MOUTH, Number of times reported: 1
Sign: DRY NOSE, Number of times reported: 1
Sign: DRY SKIN, Number of times reported: 1
Sign: DYSURIA, Number of times reported: 1
Sign: EAR DISCHARGE, Number of times reported: 1
Sign: EAR PAIN, Number of times reported: 1
Sign: EAR PRURITUS, Number of times reported: 1
Sign: ELEVATED LACTATE, Number of times reported: 1
Sign: ELEVATED MEAN CORPUSCULAR VOLUME (MCV), Number of times reported: 1
Sign: ELEVATED RED CELL DISTRIBUTION WIDTH (RDW), Number of times reported: 1
Sign: EROSION, Number of times reported: 1
Sign: EXCESSIVE EAR WAX, Number of times reported: 1
Sign: EXCITATION, Number of times reported: 1
Sign: EXERCISE INTOLERANCE, Number of times reported: 1
Sign: EXTERNAL EAR DISORDER NOS, Number of times reported: 1
Sign: EYE HAEMORRHAGE, Number of times reported: 1
Sign: EYE IRRITATION, Number of times reported: 1
Sign: EYE REDNESS, Number of times reported: 1
Sign: EYELID ERYTHEMA, Number of times reported: 1
Sign: EYELID LUMP, Number of times reported: 1
Sign: EYELID PTOSIS - NEUROLOGIC, Number of times reported: 1
Sign: EYES ROLLING BACK, Number of times reported: 1
Sign: FACIAL OEDEMA, Number of times reported: 1
Sign: FASCICULATION, Number of times reported: 1
Sign: FASCIITIS, Number of times reported: 1
Sign: FATIGUE, Number of times reported: 1
Sign: FEET SHIFTING, Number of times reported: 1
Sign: FLACCID PARALYSIS, Number of times reported: 1
Sign: FLATULENCE, BLOATING AND DISTENSION, Number of times reported: 1
Sign: FLY BITING BEHAVIOUR, Number of times reported: 1
Sign: FOAM IN THE MOUTH, Number of times reported: 1
Sign: FOLLICULITIS, Number of times reported: 1
Sign: FOOD REFUSAL, Number of times reported: 1
Sign: FOOTPAD DISORDER NOS, Number of times reported: 1
Sign: FURUNCULOSIS, Number of times reported: 1

Sign: GALL BLADDER INFLAMMATION, Number of times reported: 1
Sign: GASTRIC TORSION, Number of times reported: 1
Sign: GASTRIC ULCERATION NOS, Number of times reported: 1
Sign: GASTRO INTESTINAL STROMAL TUMOUR (GIST), Number of times reported: 1
Sign: GINGIVAL ERYTHEMA, Number of times reported: 1
Sign: GLOMERULONEPHRITIS, Number of times reported: 1
Sign: GRANULOMA, Number of times reported: 1
Sign: GROWLING, Number of times reported: 1
Sign: HAEMOCONCENTRATION, Number of times reported: 1
Sign: HARSH LUNG SOUNDS, Number of times reported: 1
Sign: HEART BLOCK 3RD DEGREE, Number of times reported: 1
Sign: HEART FAILURE, Number of times reported: 1
Sign: HEPATIC FAILURE, Number of times reported: 1
Sign: HEPATIC TUMOUR, Number of times reported: 1
Sign: HEPATO-BILIARY DISORDER NOS, Number of times reported: 1
Sign: HEPATOCELLULAR CARCINOMA, Number of times reported: 1
Sign: HEPATOPATHY, Number of times reported: 1
Sign: HICCUP, Number of times reported: 1
Sign: HYDROTHORAX, Number of times reported: 1
Sign: HYPERADRENOCORTICISM, Number of times reported: 1
Sign: HYPERAESTHESIA, Number of times reported: 1
Sign: HYPERNATREMIA, Number of times reported: 1
Sign: HYPERREFLEXIA, Number of times reported: 1
Sign: HYPERSENSITIVITY NOS, Number of times reported: 1
Sign: HYPERSENSITIVITY REACTION, Number of times reported: 1
Sign: HYPERSENSITIVITY TO LIGHT, Number of times reported: 1
Sign: HYPERVENTILATION, Number of times reported: 1
Sign: HYPOADRENOCORTICISM, Number of times reported: 1
Sign: HYPOCORTISOLAEMIA, Number of times reported: 1
Sign: HYPOMAGNESAEMIC CONDITION, Number of times reported: 1
Sign: HYPOPHOSPHATAEMIA, Number of times reported: 1
Sign: ICTERUS, Number of times reported: 1
Sign: IMPAIRED CONSCIOUSNESS, Number of times reported: 1
Sign: IMPAIRED GASTRIC FUNCTION, Number of times reported: 1
Sign: IMPLANT SITE SWELLING, Number of times reported: 1
Sign: INCREASED BOWEL MOVEMENTS (FREQUENCY), Number of times reported: 1
Sign: INCREASED SEXUAL INTEREST, Number of times reported: 1
Sign: INCREASED URINE CONCENTRATION, Number of times reported: 1
Sign: INDIGESTION, Number of times reported: 1
Sign: INFLAMMATORY BOWEL DISORDER, Number of times reported: 1
Sign: INJECTION SITE INFECTION, Number of times reported: 1
Sign: INJECTION SITE INFLAMMATION, Number of times reported: 1
Sign: INJECTION SITE LESION, Number of times reported: 1

Sign: INJECTION SITE SKIN SCALING, Number of times reported: 1
Sign: INTENTION TREMOR, Number of times reported: 1
Sign: INTESTINAL DISORDER NOS, Number of times reported: 1
Sign: INTRACRANIAL BLEEDING, Number of times reported: 1
Sign: IRRITABILITY, Number of times reported: 1
Sign: ITCHY EARS, Number of times reported: 1
Sign: ITCHY RASH, Number of times reported: 1
Sign: JOINT ACHE, Number of times reported: 1
Sign: JOINT LIGAMENT DISORDER NOS, Number of times reported: 1
Sign: JOINT STIFFNESS, Number of times reported: 1
Sign: LACK OF COORDINATION, Number of times reported: 1
Sign: LACK OF EFFICACY (BACTERIA) - ANAPLASMA, Number of times reported: 1
Sign: LESS SOCIAL, Number of times reported: 1
Sign: LIP LICKING, Number of times reported: 1
Sign: LOCALISED OEDEMA (NOT APPLICATION SITE), Number of times reported: 1
Sign: LOCALISED RASH, Number of times reported: 1
Sign: LOCOMOTOR DISTURBANCE, Number of times reported: 1
Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 1
Sign: LOSS OF VOLUNTARY MOVEMENT, Number of times reported: 1
Sign: LOW FREE THYROXINE (FT4), Number of times reported: 1
Sign: LOW PANCREATIC ENZYMES, Number of times reported: 1
Sign: LOW SERUM ALKALINE PHOSPHATASE (SAP), Number of times reported: 1
Sign: LOW SODIUM-POTASSIUM RATIO (NA:K RATIO), Number of times reported: 1
Sign: LOW TEAR FLOW, Number of times reported: 1
Sign: LOW THYROXINE (T4), Number of times reported: 1
Sign: LOW VISION, Number of times reported: 1
Sign: LUMINAL ENTEROPATHY, Number of times reported: 1
Sign: LUXATION/SUBLUXATION, Number of times reported: 1
Sign: LYMPHOSARCOMA, Number of times reported: 1
Sign: MALODOUR, Number of times reported: 1
Sign: MELANOMA, Number of times reported: 1
Sign: MENINGITIS, Number of times reported: 1
Sign: METASTATIC NEOPLASIA, Number of times reported: 1
Sign: MONOCYTOPENIA, Number of times reported: 1
Sign: MOTOR DYSFUNCTION NOS, Number of times reported: 1
Sign: MOTOR NEURONE DISEASE, Number of times reported: 1
Sign: MOUTH PAIN, Number of times reported: 1
Sign: MUCOSA PETECHIAE, Number of times reported: 1
Sign: MYASTHENIA GRAVIS, Number of times reported: 1
Sign: MYDRIASIS, Number of times reported: 1
Sign: MYOGLOBINURIA, Number of times reported: 1
Sign: NASAL ULCERATION, Number of times reported: 1
Sign: NEOPLASM RUPTURE, Number of times reported: 1

Sign: NERVE DAMAGE NOS, Number of times reported: 1
Sign: NERVOUS SYSTEM DISORDER NOS, Number of times reported: 1
Sign: OBSTRUCTIVE AIRWAY COUGH, Number of times reported: 1
Sign: OEDEMA NOS, Number of times reported: 1
Sign: OEDEMATOUS ERYTHEMA, Number of times reported: 1
Sign: OESOPHAGITIS, Number of times reported: 1
Sign: OFF FOOD, Number of times reported: 1
Sign: ORAL MASS, Number of times reported: 1
Sign: ORAL ULCERATION, Number of times reported: 1
Sign: OTHER METABOLIC DISORDER, Number of times reported: 1
Sign: OTITIS INTERNA, Number of times reported: 1
Sign: PANCYTOPENIA, Number of times reported: 1
Sign: PANNICULITIS, Number of times reported: 1
Sign: PAPULAR RASH, Number of times reported: 1
Sign: PARADOXICAL VESTIBULAR SYNDROME, Number of times reported: 1
Sign: PARTIAL ADIPSIA, Number of times reported: 1
Sign: PELVIC LITHIASIS, Number of times reported: 1
Sign: PEMPHIGUS FOLIACEUS, Number of times reported: 1
Sign: PENILE ERECTION, Number of times reported: 1
Sign: PERIPHERAL NEUROPATHY, Number of times reported: 1
Sign: PERIPHERAL VESTIBULAR DISORDER, Number of times reported: 1
Sign: PERITONITIS, Number of times reported: 1
Sign: PETIT MAL EPILEPSY, Number of times reported: 1
Sign: PINNAE DISORDER, Number of times reported: 1
Sign: PLEURAL EFFUSION, Number of times reported: 1
Sign: POLYP, Number of times reported: 1
Sign: POOR COAT CONDITION, Number of times reported: 1
Sign: PR-BONE MARROW, LESION(S), Number of times reported: 1
Sign: PROLIFERATIVE GLOMERULONEPHRITIS, Number of times reported: 1
Sign: PROLONGED CAPILLARY REFILL TIME, Number of times reported: 1
Sign: PROSTATE HYPERPLASIA, Number of times reported: 1
Sign: PROSTATE HYPERTROPHY, Number of times reported: 1
Sign: PR-PROSTATE, LESION(S), Number of times reported: 1
Sign: PULMONARY NEOPLASM, Number of times reported: 1
Sign: RAPID PULSE RATE, Number of times reported: 1
Sign: REDUCED LEVEL OF CONSCIOUSNESS, Number of times reported: 1
Sign: REDUCED RESPONSES, Number of times reported: 1
Sign: RENAL DEGENERATION, Number of times reported: 1
Sign: RESPIRATORY SIGNS, Number of times reported: 1
Sign: RIGIDITY, Number of times reported: 1
Sign: RIGIDITY OF LIMBS, Number of times reported: 1
Sign: RUBBING, Number of times reported: 1
Sign: SALIVARY STAINING, Number of times reported: 1

Sign: SARCOMA NOS, Number of times reported: 1
Sign: SCALY CONDITION NOS, Number of times reported: 1
Sign: SCLERAL HAEMORRHAGE, Number of times reported: 1
Sign: SCOOTING, Number of times reported: 1
Sign: SCRATCHING, Number of times reported: 1
Sign: SEBORRHOEA, Number of times reported: 1
Sign: SEMI-CONSCIOUS, Number of times reported: 1
Sign: SENSORY ABNORMALITY NOS, Number of times reported: 1
Sign: SENSORY LOSS, Number of times reported: 1
Sign: SEROMA, Number of times reported: 1
Sign: SHOCK, Number of times reported: 1
Sign: SICK EUTHYROID SYNDROME, Number of times reported: 1
Sign: SKIN ABSCESS, Number of times reported: 1
Sign: SKIN DISORDERS NOS, Number of times reported: 1
Sign: SKIN HAEMATOMA, Number of times reported: 1
Sign: SKIN HAEMORRHAGE NOS, Number of times reported: 1
Sign: SKIN PETECHIAE, Number of times reported: 1
Sign: SKIN TUMOUR NOS, Number of times reported: 1
Sign: SLEEPINESS - NEUROLOGICAL DISORDER, Number of times reported: 1
Sign: SPLEEN AND RETICULO-ENDOTHELIAL SYSTEM DISORDER NOS, Number of times reported: 1
Sign: SPLEEN HYPERTROPHY, Number of times reported: 1
Sign: SPLEEN RUPTURE, Number of times reported: 1
Sign: SPLEEN TORSION, Number of times reported: 1
Sign: SPLENIC NEOPLASM, Number of times reported: 1
Sign: SQUINTING, Number of times reported: 1
Sign: STEATITIS, Number of times reported: 1
Sign: STOMATITIS, Number of times reported: 1
Sign: SUBDUED, Number of times reported: 1
Sign: SWELLING AROUND EYE, Number of times reported: 1
Sign: SWOLLEN FACE, Number of times reported: 1
Sign: SWOLLEN VULVA, Number of times reported: 1
Sign: SYMPTOM NOS INVOLVING NEUROLOGICAL AND MUSCULAR SKELETAL SOCS, Number of times reported: 1
Sign: SYSTEMIC FUNGAL INFECTION, Number of times reported: 1
Sign: THIRD EYELID PROTRUSION, Number of times reported: 1
Sign: THORACIC PAIN, Number of times reported: 1
Sign: THROMBOEMBOLI, Number of times reported: 1
Sign: THYROID TUMOUR NOS, Number of times reported: 1
Sign: TIC(S), Number of times reported: 1
Sign: TONGUE DISORDER NOS, Number of times reported: 1
Sign: TONGUE PROTRUSION, Number of times reported: 1
Sign: ULCERATION NOS, Number of times reported: 1
Sign: UNKEMPT HAIR COAT, Number of times reported: 1
Sign: UNRELATED DEATH, Number of times reported: 1

Sign: URINARY RETENTION, Number of times reported: 1
Sign: URINARY TRACT NEOPLASM NOS, Number of times reported: 1
Sign: VAGINAL HAEMORRHAGE, Number of times reported: 1
Sign: WBC, URINE, Number of times reported: 1
Sign: YELLOW MUCOUS MEMBRANES, Number of times reported: 1

Species: Dog
Route of Administration: u

Sign: ATAXIA, Number of times reported: 13
Sign: DEATH, Number of times reported: 9
Sign: LETHARGY, Number of times reported: 9
Sign: LIMB WEAKNESS, Number of times reported: 8
Sign: PANTING, Number of times reported: 8
Sign: ANOREXIA, Number of times reported: 7
Sign: DIARRHOEA, Number of times reported: 7
Sign: HIND LIMB PARESIS, Number of times reported: 7
Sign: LACK OF EFFICACY - NOS, Number of times reported: 7
Sign: DEATH BY EUTHANASIA, Number of times reported: 6
Sign: DRINKING A LOT, Number of times reported: 6
Sign: FALLING, Number of times reported: 6
Sign: URINARY INCONTINENCE, Number of times reported: 6
Sign: VOMITING, Number of times reported: 6
Sign: WEIGHT LOSS, Number of times reported: 6
Sign: SEIZURE NOS, Number of times reported: 5
Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 4
Sign: CONFUSION, Number of times reported: 4
Sign: FREQUENT URINATION, Number of times reported: 4
Sign: NOT EATING, Number of times reported: 4
Sign: NOT HIMSELF/HERSELF, Number of times reported: 4
Sign: UNABLE TO RISE, Number of times reported: 4
Sign: UNABLE TO WALK, Number of times reported: 4
Sign: WOBBLINESS, Number of times reported: 4
Sign: ANXIETY, Number of times reported: 3
Sign: ELEVATED LIVER ENZYMES, Number of times reported: 3
Sign: EXCESSIVE THIRST, Number of times reported: 3
Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 3
Sign: INAPPROPRIATE ELIMINATION NOS, Number of times reported: 3
Sign: INAPPROPRIATE URINATION, Number of times reported: 3
Sign: PAIN NOS, Number of times reported: 3
Sign: PALE MUCOUS MEMBRANE, Number of times reported: 3
Sign: PANCREATITIS, Number of times reported: 3
Sign: URINARY TRACT INFECTION, Number of times reported: 3
Sign: WALKING DIFFICULTY, Number of times reported: 3
Sign: ADIPSIA, Number of times reported: 2

Sign: BLOOD IN URINE, Number of times reported: 2
Sign: COGNITIVE DISORDER NOS, Number of times reported: 2
Sign: COUGH, Number of times reported: 2
Sign: DECREASED APPETITE, Number of times reported: 2
Sign: DIFFICULTY STANDING, Number of times reported: 2
Sign: DROOLING, Number of times reported: 2
Sign: DRY SKIN, Number of times reported: 2
Sign: EMESIS (MULTIPLE), Number of times reported: 2
Sign: GASTRITIS, Number of times reported: 2
Sign: HIND LIMB PARALYSIS, Number of times reported: 2
Sign: INCREASED URINE VOLUME, Number of times reported: 2
Sign: LAMENESS, Number of times reported: 2
Sign: LOOSE STOOL, Number of times reported: 2
Sign: MASS NOS, Number of times reported: 2
Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 2
Sign: NEUROLOGICAL DISORDER NOS, Number of times reported: 2
Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 2
Sign: NOT DRINKING, Number of times reported: 2
Sign: PACING, Number of times reported: 2
Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 2
Sign: PROTEINURIA, Number of times reported: 2
Sign: RELUCTANT TO MOVE, Number of times reported: 2
Sign: RESTLESSNESS, Number of times reported: 2
Sign: SHAKING, Number of times reported: 2
Sign: SKIN SORE, Number of times reported: 2
Sign: TIREDNESS, Number of times reported: 2
Sign: TREMOR, Number of times reported: 2
Sign: UNABLE TO STAND, Number of times reported: 2
Sign: UNCOMFORTABLE, Number of times reported: 2
Sign: ABDOMINAL PAIN, Number of times reported: 1
Sign: ABNORMAL BREATHING, Number of times reported: 1
Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 1
Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 1
Sign: ANAEMIA NOS, Number of times reported: 1
Sign: APPETITE LOSS, Number of times reported: 1
Sign: ARTHRITIS, Number of times reported: 1
Sign: ATRIAL FIBRILLATION, Number of times reported: 1
Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 1
Sign: BLOOD IN FAECES NOS, Number of times reported: 1
Sign: BLOOD IN VOMIT, Number of times reported: 1
Sign: BOUNDING PULSE, Number of times reported: 1
Sign: BREATHING DIFFICULTY, Number of times reported: 1
Sign: BRUISING, Number of times reported: 1

Sign: BUMPING INTO WALLS, Number of times reported: 1
Sign: CARDIAC ARREST, Number of times reported: 1
Sign: CENTRAL NERVOUS SYSTEM DISORDER NOS, Number of times reported: 1
Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 1
Sign: CLOUDY EYE, Number of times reported: 1
Sign: CRYING, Number of times reported: 1
Sign: CUTANEOUS HAEMANGIOSARCOMA, Number of times reported: 1
Sign: DECREASED HAEMOGLOBIN, Number of times reported: 1
Sign: DEHYDRATION, Number of times reported: 1
Sign: DIABETES, Number of times reported: 1
Sign: DIFFICULTY TO RISE, Number of times reported: 1
Sign: DISORIENTATION, Number of times reported: 1
Sign: DISORIENTED STATE, Number of times reported: 1
Sign: DYSPHAGIA, Number of times reported: 1
Sign: ELEVATED ALANINE AMINOTRANSFERASE (ALT), Number of times reported: 1
Sign: ELEVATED BLOOD UREA NITROGEN (BUN), Number of times reported: 1
Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 1
Sign: ENLARGED LIVER, Number of times reported: 1
Sign: EXCESSIVE APPETITE, Number of times reported: 1
Sign: FAECAL INCONTINENCE, Number of times reported: 1
Sign: FEVER, Number of times reported: 1
Sign: FLAKING SKIN, Number of times reported: 1
Sign: GAGGING, Number of times reported: 1
Sign: GENERAL ILLNESS, Number of times reported: 1
Sign: GENITAL TRACT LICKING, Number of times reported: 1
Sign: HAEMATURIA, Number of times reported: 1
Sign: HAIR LOSS NOS, Number of times reported: 1
Sign: HAIR MODIFICATION NOS, Number of times reported: 1
Sign: HEAD BOBBING, Number of times reported: 1
Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 1
Sign: HEAD TREMOR, Number of times reported: 1
Sign: HEARING AFFECTED, Number of times reported: 1
Sign: HEART MURMUR, Number of times reported: 1
Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 1
Sign: HYPERACTIVITY, Number of times reported: 1
Sign: IMMEDIATE PAIN UPON INJECTION, Number of times reported: 1
Sign: IMPAIRED VISION, Number of times reported: 1
Sign: INAPPROPRIATE DEFECATION, Number of times reported: 1
Sign: INCREASED APPETITE, Number of times reported: 1
Sign: INCREASED URINE CONCENTRATION, Number of times reported: 1
Sign: INVOLUNTARY MOVEMENT, Number of times reported: 1
Sign: LEUCOCYTOSIS NOS, Number of times reported: 1
Sign: LOSS OF BOWEL CONTROL, Number of times reported: 1

Sign: LOSS OF HEARING, Number of times reported: 1
Sign: MALAISE, Number of times reported: 1
Sign: MUSCLE WASTING, Number of times reported: 1
Sign: MUSCULOSKELETAL PAIN, Number of times reported: 1
Sign: MYASTHENIA GRAVIS, Number of times reported: 1
Sign: OTHER ABNORMAL TEST RESULT NOS, Number of times reported: 1
Sign: POLYDIPSIA, Number of times reported: 1
Sign: POLYURIA, Number of times reported: 1
Sign: PROLONGED BLEEDING NOS, Number of times reported: 1
Sign: RED EYE, Number of times reported: 1
Sign: REGURGITATION, Number of times reported: 1
Sign: RESPIRATORY DEPRESSION, Number of times reported: 1
Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 1
Sign: SKIN TEXTURAL CHANGE, Number of times reported: 1
Sign: SPONDYLOSIS, Number of times reported: 1
Sign: STAGGERING, Number of times reported: 1
Sign: STARING, Number of times reported: 1
Sign: TENSE MUSCLES, Number of times reported: 1
Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 1
Sign: UNUSUAL STOOL COLOUR, Number of times reported: 1
Sign: WEAK PULSE, Number of times reported: 1
Sign: WHINING, Number of times reported: 1

Species: Human

Route of Administration: u

Sign: PUNCTURE WOUND, Number of times reported: 16
Sign: INJECTION SITE PAIN, Number of times reported: 2
Sign: ECCHYMOSIS, Number of times reported: 1
Sign: INJECTION SITE BLEEDING, Number of times reported: 1
Sign: MENSTRUATION IRREGULAR, Number of times reported: 1

Species: Not specified

Route of Administration: M

Sign: UNDERFILLING, CONTAINER, Number of times reported: 7
Sign: COLOR, ABNORMAL, Number of times reported: 3
Sign: CONTAINERS, DAMAGED, Number of times reported: 2
Sign: UNDERFILLING, PACKAGE, Number of times reported: 2
Sign: CLOSURE, MISSING, Number of times reported: 1
Sign: CONTAINERS, ABNORMAL, Number of times reported: 1
Sign: CONTAMINATION, PARTICULATE MATTER, Number of times reported: 1
Sign: SOLUTION, ABNORMAL, Number of times reported: 1
Sign: VIALS, ABNORMAL, Number of times reported: 1