

Docta Rasta - 1:1 - 30mg Dark Chocolate

METRC ID:	1A4000D0003C21D000000126	Class:	Medical
Batch ID:	N/A	Type:	Infused (edible)
Manifest:	7561006	Test:	TM24: Total Yeast & Mold (Culture Plating) TM25: Salmonella / E. coli (STEC) (qPCR)
Submitted:	03/15/2022 @ 14:15	Test ID:	328194
Started:	16-Mar-2022		
Reported:	21-Mar-2022		

MICROBIAL CONTAMINANTS

Contaminant	Result	Specification*	Method	Status
<i>E. coli</i> (STEC)	Absent	< 1 CFU/g	TM-25	PASS
<i>Salmonella</i>	Absent	< 1 CFU/g	TM-25	PASS
Total Yeast and Mold**	None Detected	< 10 ⁴ CFU/g	TM-24	PASS

* CFU/g = Colony Forming Unit per Gram

** Total Yeast and Molds values are recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: 10² = 100 CFU
10³ = 1,000 CFU
10⁴ = 10,000 CFU
10⁵ = 100,000 CFU

NOTES:

Free from visual mold, mildew, and foreign matter
TYM: None Detected

FINAL APPROVAL

	Carly Bader 3/19/2022 12:19:00 PM		Eden Thompson-Wright 3/21/2022 9:29:00 AM	PASS
PREPARED BY / DATE		APPROVED BY / DATE		FINAL STATUS

Testing results are based solely upon the sample submitted to Agricor Laboratories, LLC. Agricor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of Agricor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.01



Certificate #4329.01