

# CERTIFICATE OF ANALYSIS

#### prepared for: BOTANACOR LABORATORIES

403H-103201 1301 S. JASON ST. UNIT K DENVER, CO 80223

#### Docta Rasta - CBG:CBD:THC OIL

METRC ID:	1A4000D0003C21D000000132	Class:	Medical
Batch ID:	N/A	Туре:	Concentrate
Manifest:	7593607	Test:	TM24: Total Yeast & Mold (Culture Plating) TM25: Salmonella / E. coli (STEC) (qPCR)
Submitted:	03/22/2022 @ 10:44	Test ID:	329114
Started:	22-Mar-2022		
Reported:	25-Mar-2022		

## MICROBIAL CONTAMINANTS

Contaminant	Result	Specification*	Method	Status
E. coli (STEC)	Absent	< 1 CFU/g	TM-25	PASS
Salmonella	Absent	< 1 CFU/g	TM-25	PASS
Total Yeast and Mold**	None Detected	< 10^4 CFU/g	TM-24	PASS

<sup>\*</sup> CFU/g = Colony Forming Unit per Gram

10^2 = 100 CFU Examples:

> 10^3 = 1,000 CFU 10^4 = 10.000 CFU 10^5 = 100,000 CFU

NOTES:

Free from visual mold, mildew, and foreign matter

TYM: None Detected

### **FINAL APPROVAL**

Eden Thompson-Wright Eden Thompson 3/25/2022

10:30:00 AM

Branne Maillot

**Brianne Maillot** 3/25/2022 11:28:00 AM

**PASS** 

PREPARED BY / DATE APPROVED BY / DATE

FINAL STATUS

Testing results are based solely upon the sample submitted to Agricor Laboratories, LLC. Agricor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. All decision rulings are in accordance with the MED and results uploaded to METRC. This report may not be reproduced, except in full, without the written approval of Agricor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.01





<sup>\*\*</sup> Total Yeast and Molds values are recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.