

2025 REGULATIONS



FEDERATION INTERNATIONALE DE MOTOCYCLISME (FIM)
11, route Suisse
CH - 1295 MIES
Tel: +41-22-950 950 0
Fax: +41-22-950 950 1
<https://www.fim-moto.com>
motomini@fim.ch

DORNA SPORTS S.L. (DORNA)
C/ Principe de Vergara 183
E - 28002 MADRID
Tel: +34 934 702 877
Fax: +34 934 702 836
miniqp@dorna.com

CONTENTS

1. SPORTING REGULATIONS.....	6
2. TECHNICAL REGULATIONS.....	46
3. DISCIPLINARY CODE.....	81
4. CIRCUIT STANDARDS.....	97
5. MEDICAL CODE.....	98
6. ANTI-DOPING CODE.....	99
7. ENVIRONMENTAL CODE.....	100
8. CODE OF ETHICS.....	101

Year 2025		
Version	Applicable from	Modified Articles
0	18.09.2025	
1	10.11.2025	

Articles amended for the season 2025 are in bold type
Articles amended since 18.09.2025 are in red and bold type

FIM MotoMini WORLD SERIES REGULATIONS

GENERAL UNDERTAKINGS AND CONDITIONS	5
1. SPORTING REGULATIONS.....	6
1.1. INTRODUCTION	6
1.2. EVENTS	6
1.3. THE PADDOCK.....	7
1.4. OFFICIALS	7
1.5. THE CALENDAR	12
1.6. MOTORCYCLES	13
1.7. ELIGIBLE COMPETITORS.....	13
1.8. ENTRIES	14
1.9. STARTING NUMBERS	15
1.10. SCHEDULE & ORGANISATION OF PRACTICES AND RACES	15
1.11. TECHNICAL, MEDICAL AND DOPING CONTROLS	16
1.12. PRACTICE & TESTING	16
1.13. GRID POSITIONS FOR THE VARIOUS RACES	19
1.14. RACES	22
1.15. STANDARD START PROCEDURE	23
1.16. "WET" AND "DRY" RACES.....	29
1.17. BEHAVIOUR DURING PRACTICE AND RACE.....	29
1.18. FLAGS AND LIGHTS.....	31
1.19. FINISH OF A RACE AND RACE RESULTS	35
1.20. INTERRUPTION OF A RACE	37
1.21. RE-STARTING A RACE THAT HAS BEEN INTERRUPTED	38
1.22. SERIES POINTS AND CLASSIFICATION	40
1.23. INSTRUCTIONS AND COMMUNICATIONS TO COMPETITORS	41
1.24. TEAM PERSONNEL IN THE PIT LANE.....	42
1.25. SCHEDULE SUMMARY OF THE FINAL SERIES	43
2. TECHNICAL REGULATIONS	46
2.1. INTRODUCTION	46
2.2. MOTORCYCLE TECHNICAL SPECIFICATIONS	47
2.3. WEIGHT	62
2.4. TYRES, FUEL & LUBRICANTS	63
2.5. NUMBER PLATE AND RACE NUMBERS	66
2.6. SCRUTINEERING	66
2.7. SOUND LEVEL.....	67
2.8. GASOLINE, LUBRICANT AND COOLANTS.....	67
2.9. PROTECTIVE CLOTHING AND HELMETS.....	74
2.10. PROCEDURES FOR TECHNICAL CONTROL.....	77

3. DISCIPLINARY CODE.....	81
3.1. PRINCIPLES	81
3.2. PENALTIES	81
3.3. THE DISCIPLINARY BODIES; present at the event	82
3.4. THE INTERNATIONAL COURT OF APPEAL (CAI); not present at the event..	85
3.5. JUDGES OF FACT	86
3.6. THE FIM AS A PARTY IN THE LEGAL PROCEEDINGS.....	87
3.7. PROTESTS AND APPEALS	87
3.8. PROCEDURE BEFORE ALL THE DISCIPLINARY BODIES	93
3.9. COSTS OF PROCEDURE	95
3.10. RECIPROCITY OF PENALTIES	96
3.11. LAW OF MERCY	96
4. CIRCUIT STANDARDS	97
5. MEDICAL CODE.....	98
6. ANTI-DOPING CODE	99
7. ENVIRONMENTAL CODE.....	100
8. CODE OF ETHICS	101

GENERAL UNDERTAKINGS AND CONDITIONS

These Regulations derogate and supersede all and any other previous regulations in place before the date of publication of these regulations.

Any references to the male gender in these documents are made solely for the purposes of simplicity and refer also to the female gender except when the context requires otherwise

All riders, teams' personnel, officials, organizers and all the persons involved in any capacity whatsoever participating in the FIM MotoMini World Series (hereinafter collectively referred to as the "Series") undertake, on behalf of themselves, their employees, and agents, to observe all the provisions of:

1. SPORTING REGULATIONS
2. TECHNICAL REGULATIONS
3. DISCIPLINARY CODE
4. CIRCUIT STANDARDS
5. MEDICAL CODE
6. ANTIDOPING CODE
7. ENVIRONMENTAL CODE
8. CODE OF ETHICS

as supplemented and amended from time to time (hereinafter collectively referred to as the "Regulations").

All the persons mentioned above may be penalised in accordance with the provisions of the (FIM MotoMini World Series) Regulations.

Whilst these Regulations may be translated into other languages, in case of any dispute regarding interpretation the Official English text will prevail.

It is the responsibility of the team to ensure that all persons concerned with its entry observe all the requirements of the Regulations. The responsibility of the rider, or any other person having charge of an entered machine during any part of the Event with respect to observance of the Regulations is joint and several with that of the team.

All persons concerned in any way with an entered machine or present in any capacity whatsoever in the Paddock, Pits, Pit Lane or Track, must always wear an appropriate pass during the Event.

1. SPORTING REGULATIONS

1.1. INTRODUCTION

1.1.1. A series of motorcycle races counting toward the FIM MotoMini World Series for riders will be organised.

1.1.2. Official documents relating to a meeting must conform to article 100.5 of the FIM Sporting Code.

1.2. EVENTS

1.2.1. A FIM MotoMini World Series “Event” shall be deemed to commence at the scheduled time for Technical and Sporting Checks and finish after all the races at the expiry of the deadline for the lodging of a protest and the time at which technical or sporting verifications have been concluded, whichever is the latest.

The race control must remain operative with all equipment in place until the end of the period provided for the lodging of a protest, and all officials and marshals must remain available at the circuit to the Race Direction and FIM-MotoMini Stewards during that period.

1.2.2. A FIM MotoMini World Series “Event” must be staged on race circuits that have been **approved** by the FIM for the Series.

A FIM MotoMini World Series “Event” must not include any other races except support races approved by the FIM.

1.2.3. Any activity involving 4 wheeled racing vehicular use of the track during the event, including "demonstrations", displays or the suchlike must receive prior approval from FIM and DORNA.

1.2.4. Event Promoters (hereinafter “Promoter”*) will be nominated by the FIM and DORNA.

*“Promoter” in the Sporting Regulations section refers to the Organiser and/or promoter of that individual Event.

1.2.5. The Promoter is responsible for providing the facilities and personnel to ensure the smooth and efficient running of the event.

1.2.6. The Promoter shall obtain insurance for third party liability according to article 110.1.1 of the FIM Sporting Code and conforming with the minimum cover required in the organising country.

1.2.7. At least 30 days prior to the Event, the Organisers of the event must submit the following information to the FIM:

a) Confirmation of the name and address of the Promoters, including email address, telephone for correspondence.

b) The date and place of the Event.

- c) A detailed plan of the circuit, its direction, clockwise or anticlockwise, and length.
- d) The name and address of the company providing the third-party liability insurance cover and the number of the policy.
- e) Name and address of FMNR.
- f) The name of the Clerk of the Course (with FIM Clerk of the Course licence).
- g) The name, address and telephone number of the Chief Medical Officer.
- h) The name, address and telephone number of the hospitals designated for the event.

1.3. THE PADDOCK

- 1.3.1.** The Paddock, pit boxes and all other facilities must be available to teams at least on the day prior to the first practice day and remain available to competitors for at least one day after the event.
- 1.3.2.** Access must be available for teams arriving to set up between the hours of 08:00 and 20:30.
- 1.3.3.** At all times that the Paddock is occupied there must be 24 hours attendance at the gates providing vehicular access to the circuit and paddock.
- 1.3.4.** When the Paddock is occupied, there must be an adequate medical and firefighting service available to all riders, teams, manufacturers, sponsors, service companies, officials, FIM, Dorna, etc.
- 1.3.5.** Full security must be supplied to the Paddock area from at least midnight of the day prior to the first practice day until midnight of the day after the event.

1.4. OFFICIALS

1.4.1. Permanent Officials

All permanent officials shall be appointed for the Series by the FIM and Dorna. The following officials will be appointed to perform supervisory and executive roles. Except in cases of illness or Force Majeure the officials will be expected to be present at each event.

1.4.1.1. MotoMini Race Director

Responsible for ensuring proper observance of the Regulations and efficient running of the practice and races.

The Race Director is also responsible for all communications between the Event Management Committee and the FIM Stewards.

The Race Director has no competence for the application of sanctions.

The Clerk of the Course shall work in permanent consultation with the Race Director.

The Race Director shall have overriding authority in the following matters and the Clerk of the Course may give orders in respect of them only with his/her express agreement:

- a) The control of practice and the race, adherence to the timetable and, if he/she deems it necessary, the making of any proposal to the Race Direction to modify the timetable in accordance with the Sporting Regulations.
- b) The stopping of practice or the race in accordance with the Sporting Regulations if he/she deems it unsafe to continue and ensuring that the correct restart procedure is carried out.
- c) The starting procedure.
- d) The use of medical cars/fast interventions vehicles

1.4.1.2. MotoMini Technical Director

Responsible for ensuring that Technical Regulations are correctly enforced and supervising scrutineering and protests of a technical nature.

The Technical Director has the power to disallow the use of any parts based on safety concerns at his/her sole judgement and discretion.

The Technical Director may from time to time issue and update general design guidelines which are considered as part of the Technical Regulations.

Starter

Responsible for the start procedure.

1.4.2. Individual Event officials

All individual Event Officials shall be appointed for each event by the FMNR/Promoter and shall be approved by the FIM. They are:

1.4.2.1. Clerk of the Course

Responsible for:

- a) Ensuring that the circuit is suitably prepared for and maintained during the Event and that all legal requirements applicable for the running of the event have been complied with.
- b) Ensuring that all officials and services are in place.

The stationing of all track personnel and equipment (i.e., marshals, fire-fighting services, Moto-taxi, recovery and intervention vehicles, flags, etc.) alongside the Circuit no later than 30 minutes prior to the beginning of all practice sessions and warm-ups.

The group of Medical personnel and Track Marshals should be separated by approximately 5 metres in order to clearly identify the different groups.

The Race Director, the Clerk of the Course and the Medical Director will make the final inspection of the Circuit to ensure this regulation is complied with, 30 minutes prior to the beginning of the day's first practice sessions and/or warm up.

During the final inspection lap, the waved flags and other equipment requested by the MotoMini Race Director must be displayed at each marshal post.

- c) Taking decisions to ensure the smooth and efficient running of the event.
- d) Ensuring that the event is run within the Regulations.
- e) Notification of protests to the Race Direction.
- f) Immediate approval and signature with time of provisional results (practices, warm-ups, starting grids and races) and presentation of reports to the Event Management Committee.

1.4.2.2. Chief Medical Officer

Is appointed by the FMNR to ensure compliance with the Medical Code.

1.4.2.3. The FMNR MotoMini Steward

The FMNR MotoMini Steward shall be appointed for each event by the FMNR and approved by the FIM.

1.4.2.4. Secretaries

Responsible for:

- a) During the event effecting communications between the various officials.
- b) Providing secretarial support for the Event Management Committee, the Race Direction and the FIM MotoMini Stewards.

1.4.2.5. Other Officials

Marshals, Technical Scrutineers, Security Personnel, Medical personnel etc., as required for the efficient running of the event.

All communications between the individual Event Officials must be made via the relevant Permanent Officials.

1.4.3. MOTOMINI EVENT MANAGEMENT COMMITTEE

The management of the event will be carried out by the MotoMini Event Management Committee which will comprise the following delegates:

The Race Director - who will chair the meetings
The Chief Medical Officer
The Clerk of the Course
The MotoMini Chief Steward
The FIM Technical Director

At any time, the duties of the members of the Event Management Committee are:

- a) To ensure the smooth and efficient running of the event.
- b) To make recommendations to the Race Direction concerning any matter that is in contradiction to the Organizer's protocols or the Regulations.
- c) To report to the FIM Stewards any infringements of the Regulations.

The Event Management Committee will meet, either in person or electronically, at any time required during the event, either in person or via electronic meeting. Meetings will be held, in principle:

- a) Prior to the first practice session.
- b) At the end of each practice day.
- c) At the end of the event.

The quorum for a meeting of the Event Management Committee is two persons.

All of the members have one vote. Decisions are based on a simple majority. In the case of a tie, then the Race Director will exercise a casting vote.

The Race Director may also invite the participation of Officials or other persons to assist in the Event Management Committee meetings. However, these invited persons will have no right of vote.

The duties of the Event Management Committee are:

- a) To receive reports from the various Officials concerning scrutineering, practice, and races.
- b) To make recommendations to the Promoter to improve the smooth and efficient running of the event.

1.4.4. RACE DIRECTION

The Race Direction shall be appointed for the Championship by the FIM and Dorna.

The officials appointed for the Race Direction may be the same ones as the ones appointed as MotoMini Stewards.

The Race Direction will comprise the following persons:

- The Dorna Representative (who is the Race Director)
- The Chief FIM Steward
- The FIM Steward

The quorum for a meeting of the Race Direction is two persons.

Each member has one vote. Decisions are based on a simple majority.

The MotoMini Race Direction will meet at any time required during the event.

The duties of the Race Direction are:

- a) To take decisions as provided in the Regulations.
- b) To oversee operational matters to ensure the safe, efficient, and timely running of the event according to the FIM MotoMini World Series Regulations.
- c) To make changes in the conduct and/or format of a race and/or a practice session based on safety considerations and provided that such decision is absolutely necessary to resolve a situation not foreseen in the Regulations. In such exceptional cases, such decision may prevail over specific provisions of the Regulations.
- d) Provided that it is absolutely necessary to resolve a situation not foreseen in the Regulations, the Race Direction may issue pre-race instructions or clarifications and in specific cases even create pre-race regulations (e.g., to consider the local conditions at a particular circuit).

However, such actions may only be taken within the limits set out by the Regulations.

1.4.5. THE FIM MotoMini STEWARDS

The FIM MotoMini Stewards shall be appointed for each event by the FIM.

The officials appointed as FIM MotoMini Stewards may be the same ones as the ones appointed for the Race Direction.

There will be a panel of two FIM Stewards (with FIM Sporting Steward license) supervised by the Chairman, who will chair the meetings.

1.4.5.1. The Stewards are responsible for enforcing the Regulations. All Stewards shall be nominated by FIM.

1.4.5.2. If the Chairman is indisposed during the event, then the second FIM Steward will fill the vacancy.

1.4.5.3. Each member has one vote. Decisions are based on a simple majority. In the case of a tie, the Chairman will exercise a casting vote.

1.4.5.4. The FIM Stewards have no executive role in the running of the events except for the imposition of penalties and the adjudication of protests as per Article **1.4.5.6.**

1.4.5.5. The FIM Stewards will meet at any time required during the event.

1.4.5.6. The FIM Stewards are responsible for:

- a) Taking decisions according to the Regulations.
- b) Imposing penalties for any infringement of the Regulations.
- c) Adjudicating on any protest relating to infringements of the Regulations.

1.4.5.7. All decisions of the Race Direction/FIM Stewards must be communicated in writing to all affected parties.

Decisions of the FIM MotoMini Stewards taken during track activities (practices and races) may be communicated on monitors. Such communications on public screens are considered a valid notification.

1.5. THE CALENDAR

1.5.1. The dates and venue of the FIM MotoMini World Series final will be, in principle, published by no later than 6 months before the event.

1.5.2. The date of an event may be rescheduled due to force majeure, in consultation with FIM, Dorna and the Promoter, under the powers of Race Direction detailed in Art. 1.4.4.c)

1.6. MOTORCYCLES

1.6.1. Classes

The only classes allowed are that reserved for:

1) MotoMini 160cc CATEGORY

Ohvale GP-0 160 4Speed motorcycles, with single cylinder engine as specified in the Technical Regulations.

2) MotoMini 190cc CATEGORY

Ohvale GP-2 190 DAYTONA motorcycles, with single cylinder engine as specified in the Technical Regulations.

1.6.2. Means of propulsion

A motorcycle can only be propelled by its own motive power, the muscular effort of its rider and by the natural forces of gravity.

1.6.3. A rider will be allowed to use the motorcycle, during practice or competition provided the same has been assigned and checked in his/her name.

1.7. ELIGIBLE COMPETITORS

1.7.1. Minimum age

Riders must hold a valid "FIM MotoMini World Series licence " issued by an FMN.

Licences for riders are issued only when the minimum age of 10 years old has been attained as below:

MotoMini 160cc: 10 years old
MotoMini 190cc: 12 years old

The limit for the minimum age starts on the date of the rider's birthday.

1.7.2. Maximum age

For MotoMini 160cc, the limit for the maximum age is 14 years old until the day after the FIM MotoMini World Series final.

For MotoMini 190cc, the limit for the maximum age is 16 years old until the day after the FIM MotoMini World Series final.

1.7.3. Riders' selection for the FIM MotoMini World Series

For MotoMini 160cc Category, the first 2 riders of the final classification of each FIM MotoMini National, Regional or Continental Series agreed by FIM and Dorna will compete for the FIM MotoMini Word Series event.

For MotoMini 190cc Category, the first **2** riders of the final classification of each FIM MotoMini National, Regional or Continental Series agreed by FIM and Dorna will compete for the FIM MotoMini Word Series event.

For the details regarding rider's participation in FIM MotoMini National, Regional or Continental Series refer to FIM MotoMini World Series Participant's Guide.

Only riders whose nationality are not already represented by a national team are entitled to be part of a Regional or Continental team. A Regional or Continental team (minimum two countries) is composed of several riders from different nationalities.

The rider will only represent one Nation as per his/her passport.

In case of multiple nationalities, the rider chooses which Nation he/she will represent at the beginning of his/her career when ordering his/her first FIM licence.

In case of loss or change of nationality or force majeure, the rider can request a change in sport nationality to the FIM, only before the start of a season (when he/she orders his/her new FIM licence).

The rider will compete during the whole season under his/her national flag, earning poles, sprint victories, podiums, wins and titles for that nation only.

1.8. ENTRIES

1.8.1. To participate in the FIM MotoMini World Series Final, each rider and his/her parents and/or legal guardian will have to sign a Register and Participation Agreement with Dorna.

1.8.2. The number of riders selected for the event is:

For MotoMini 160cc Category: **44***

For MotoMini 190cc Category: **26***

*Subject to change

1.8.3. A compulsory briefing will be held for all the riders on the day preceding the day scheduled for the first practice session. Failure to attend the briefing in full may result in a penalty. A waiver can be granted to a rider by the Race Direction.

1.8.4. A rider shall be deemed to have taken part in the event when he/she participates in, at least, one practice session.

1.8.5. A rider shall be deemed to have started a race when he/she participates in, at least, the first lap of the race.

1.8.6. Public Pronouncements by Teams and Riders

a) Riders (parents or legal guardian) and Teams must avoid any public declaration or press release which could damage or negatively affect the MotoMini World Championship. Accordingly, it is an obligation for all Riders and/or Teams' personnel and/or representative thereof, to refrain from releasing any public pronouncement which may irresponsibly harm the lawful interests of the MotoMini Members or which may be contrary to the integrity of MotoMini or the sport.

b) Public pronouncements which harm irresponsibly the lawful interest of MotoMini or which are contrary to the integrity of MotoMini or the sport shall include, but not be limited to:

- public statements or comments to the media that irresponsibly attack, disparage, disrepute or damage the MotoMini Members.
- Public comments that members and Riders of the Team know, or should reasonably know, will irresponsibly harm the reputation, image or best interests of the sport and/or any of the MotoMini Members are expressly covered by this regulation.
- It is understood that responsible expressions of legitimate disagreement with the MotoMini Members and/or MotoMini policies are not prohibited.

1.9. STARTING NUMBERS

1.9.1. Each rider accepted for the Series will be allocated a specific starting number which will be valid for the whole Series. Only numbers in between 10 and 99 will be permitted and these numbers will be fixed by the organisation. Number 1 being reserved for the winner of the World Series of the previous year if this rider participates again in the Series.

1.10. SCHEDULE & ORGANISATION OF PRACTICES AND RACES

The provisional event schedule will be as follows:

1.10.1. Provisional time schedule is published on the FIM website, MotoMini website and official electronic notice board (ref. Art. 1.25).

1.10.2. Riders, their legal guardians and teams have to be present at the circuit on the morning prior the day of track activities.

1.10.3. The schedule, including the date of the event, can only be varied as follows:

- Prior to the event by Dorna;
- During the event by the Race Direction.

1.10.4. The schedule may include an allotted time for riders and teams to make track laps by bicycle or on foot, scooters are forbidden. All traffic at this time must be in the circuit direction.

The use of the scooters on track during the entire event is forbidden, including the set-up days prior to the official event start. Exceptions are made for Circuit and Organisation staff who are required to be on track for the purposes of set-up and maintenance of the facilities.

1.11. TECHNICAL, MEDICAL AND DOPING CONTROLS

1.11.1. All rider's equipment and Motorcycles will be checked by the FIM Technical Director/Technical Stewards prior to first participation in practice on safety aspects, according to the published schedule.

Teams may present only one motorcycle per rider for Technical control which will be carried out according to the published schedule prior to the first practice.

Unless a waiver is granted by the Race Direction, teams who do not comply with the schedule for technical or medical controls will not be allowed to take part in the event.

The procedure for Technical Control is described in the Technical Regulations.

1.11.2. The procedure for Medical Control is described in the FIM Medical Code.

1.11.3. Any rider to be tested for doping control must report to the doping control room in the medical centre with sufficient identification within one hour of notification. One parent and/or legal guardian shall accompany the rider.

1.12. PRACTICE & TESTING

1.12.1. Practice & Testing Restrictions

Rider Training and Track Familiarisation is permitted at any time at any circuit under the following conditions:

Such on-track activity is not permitted at the FIM MotoMini World Series Final Circuit within 30 days unless authorised by the MotoMini Race Direction. This includes private testing and participation in organised events at that circuit.

Practice Sessions

MotoMini 160cc Category

The day before the official tests, the selected participants will be divided into 3 distinct groups (A, B and C). Riders of the same nationality will be in different groups, but each group will not contain riders from all nationalities.

These 3 groups of riders will participate in 4 Free Practices Sessions.

At the end of the FP, 3 groups of Riders will be formed to participate in the qualifying sessions (Q).

The Q1 Group will be made up of the **18** riders appearing at the end of the combined results (all riders from all sessions) of the FP (normally the riders appearing between the **44th** and the **27th** position*).

The Q2 Group will be made up of the **14** riders appearing in the middle of the combined results (all riders from all sessions) of the FP (normally the riders appearing between the **26th** and the **13th** position*). Plus, the top 4 riders of Q1.

The Q3 Group will be made up of the **12** riders appearing at the top of the combined results (all riders from all sessions) of the FP (normally the riders appearing between the **12th** and the **1st** position*). Plus, the top 4 riders of Q2.

*Subject to change based on the final number of participants

MotoMini 190cc Category

The day before the official tests, the selected participants will be divided into **2** distinct groups (A, B). Riders of the same nationality will be in different groups, but each group will not contain riders from all nationalities.

These **2** groups of riders will participate in 4 Free Practices Sessions.

At the end of the FP, **2** groups of Riders will be formed to participate in the qualifying sessions (Q).

The Q1 Group will be made up of the **16** riders appearing at the end of the combined results (all riders from all sessions) of the FP (normally the riders appearing between the **26th** and the **11th** position*).

The Q2 Group will be made up of the 10 riders appearing at the top of the combined results (all riders from all sessions) of the FP (normally the riders appearing between the 10th and the 1st position*). Plus, the top 4 riders of Q1.

*Subject to change based on the final number of participants

Practice Sessions

- i) Riders will commence practice from the pit lane when the green light is displayed at the exit of the pit lane.
- ii) The duration of practice will commence from the illumination of the green light. A count-down will be shown on the official timekeeping monitors to indicate the minutes of practice remaining.
- iii) The end of practice will be indicated by the waving of a chequered flag at which time the pit exit will be closed. The end of the practice sessions is determined by the end of the allotted time for the session as shown by official timekeeping.

A rider's time will continue to be recorded until he/she passes the finish line after the allotted time has elapsed. After the chequered flag, riders **should reduce speed and proceed with caution**, completing one pit-in lap prior to entering the pits.

- iv) If practice is interrupted due to an incident or any other reason, then a red flag will be waved at the start line and at all marshal's posts. All riders must return slowly to the pit lane. When practice is restarted, the time remaining will be that shown on the monitors of the official timekeepers at the moment the red flags were waved, unless otherwise adjusted by Race Direction.
- v) After practice has started, it is not permitted for any person to alter the condition of the racing surface of the circuit. This includes track Marshals and other Officials, who cannot clean the track surface without prior instructions and/or authorisation from the Race Director.

1.12.2. Motorcycles

A rider may practice on one motorcycle providing that his/her motorcycle has been scrutineered in his/her name.

1.12.3. Lap time

All laps of the riders will be timed.

Official circuit records will be recognised as the following:

All Time Lap Record – the fastest lap time in history, including all sessions at a race event.

Best Race Lap – the fastest lap time in history recorded during a race.

For both practice and race, the lap time is the subtraction of the time

between two consecutive crossings of the plane of the finish line indicated by the line painted on the track.

In case the rider is not in contact with the machine, the finish time is determined by the first part of the rider or machine to cross the finish line, whichever arrives last.

In all cases, any infractions including but not limited to track limits and advantage gained will be taken into account when determining the validity of the lap. This includes cases where the machine and rider are separated, in which case both machine and rider will be taken into account in determining infractions.

1.12.4. Qualification for the Race

To qualify for the race, a rider must achieve a time during the Qualifying session(s) at least equal to 107% of the qualifying time recorded by the fastest rider.

Any rider who fails to achieve a qualifying time will be permitted to take part in the race provided that in any of the free practice sessions he/she has achieved a time at least equal to 107% of the fastest rider in same session.

Such riders will start the race from the back of the grid, in order of their free practice times.

Exemptions may be granted by The Race Direction.

1.13. GRID POSITIONS FOR THE VARIOUS RACES

1.13.1. The pole position, allocated to the fastest rider, will be determined during the homologation of the circuit.

1.13.2. The Grid will be arranged in the 3-3-3-3 configuration "in echelon".

Each line will be offset.

There will be a distance of 6 metres between each row.

1.13.3. In the event of a tie, riders' second and subsequent best times will be taken into account.

1.13.4. The final grids will be published shortly after the Qualifying Races.

1.13.5. In regard to grid positions and start procedures, "back of the grid" is defined as the grid position immediately after the final rider's qualifying grid position. In the case of multiple back of grid starts, riders will take subsequent positions according to the specific rule being invoked.

Race Direction may change the back of the grid definition where necessary due to circuit conditions.

1.13.6. In the case of a rider starting the race from pit lane, when this is known before the final grid is published (e.g., due to a penalty), the final grid will show the rider in last position and riders qualifying behind that rider will move up to fill the vacant positions. The rider will make the sighting lap and take last place on the grid, then enter pit lane at the end of the warm-up lap, in order to start the race from pit lane.

1.13.7. Establishment of the starting grids for races

A. MotoMini 160cc Category

i) Grid positions will be determined by the fastest lap time recorded by each rider in the three Qualifying (Q) sessions defined in Art 1.15.2.

ii) Based on combined practice times, the **18** « bottom » riders in FP1, FP2, FP3 and FP4 go through to Q1. The 4 fastest riders of Q1 will progress to Q2.

iii) Based on combined practice times, the **14** « middle » riders in FP1, FP2, FP3 and FP4 + the 4 fastest of Q1 will go through to Q2. The 4 fastest riders of Q2 will progress to Q3.

iv) Based on combined practice times, the **12** « top » riders in FP1, FP2, FP3 and FP4 + the 4 fastest of Q2 will go through to Q3.

In the event of one of the FP sessions being cancelled, the combine results of all FP sessions that have been run and timed will be used to determine the entries to Q1, Q2 and Q3.

If no practice sessions have been able to run, this is deemed force majeure and Race Direction will adjust the schedule and procedure as required, considering the prevailing conditions.

v) If a rider does not record a lap time during a Q, he/she will take the last position of his/her group. In the case of more than one rider not recording a Q time, their grid positions will be determined in the order of their combined lap times of FP.

vi) In the case where Q1, Q2, Q3 or all are cancelled, the grid positions will be determined by the combined fastest lap times recorded by the riders of the affected group, in all Free Practices.

In a case of only Q1 being cancelled, then the 27th, 28th, 29th, 30th fastest riders from all Free Practices combined will go through to Q2.

In a case of only Q2 being cancelled, then the 13th, 14th, 15th, 16th fastest riders from all Free Practices combined will go through to Q3.

In a case of only Q3 being cancelled, then the riders concerned will take the first 16 grid positions according to their fastest lap time all Free Practices.

vii) In the case of a Qualifying session being interrupted and unable to be restarted, the following will apply:

If the session has run for at least 50% of the allocated time, the session will be considered to be complete, and the results are valid.

If the session has completed less than 50% of the allocated time, the session will be considered to be cancelled and the results taken according to combined practice times as per clause A vi).

The combined results of the FP1, FP2, FP3 and FP4 sessions, and the results of Q1, Q2 and Q3 will be finalised 5 minutes after the end of the sessions. After this time the results are final and are not subject to protest or appeal and will not be revised for any infringements discovered by or reported to the FIM Stewards after this time.

B. MotoMini 190cc Category

i) Grid positions will be determined by the fastest lap time recorded by each rider in the **two** Qualifying (Q) sessions defined in Art 1.15.2.

ii) Based on combined practice times, the **16** « bottom » riders in FP1, FP2, FP3 and FP4 go through to Q1. The 4 fastest riders of Q1 will progress to Q2.

iii) Based on combined practice times, the **10** « top » riders in FP1, FP2, FP3 and FP4 + the 4 fastest of Q1 will go through to Q2.

In the event of one of the FP sessions being cancelled, the combine results of all FP sessions that have been run and timed will be used to determine the entries to Q1 and Q2.

If no practice sessions have been able to run, this is deemed force majeure and Race Direction will adjust the schedule and procedure as required, considering prevailing conditions.

iv) If a rider does not record a lap time during a Q, he/she will take the last position of his/her group. In the case of more than one rider not recording a Q time, their grid positions will be determined in the order of their combined lap times of FP.

v) In the case where Q1, Q2 or all are cancelled, the grid positions will be determined by the combined fastest lap times recorded by the riders of the affected group, in all Free Practices.

In a case of Q1 being cancelled, the 11th, 12th, 13th, 14th fastest riders from all Free Practices combined will go through to Q2.

In a case of Q2 being cancelled, then the riders concerned will take the first 10 grid positions according to their fastest lap time all Free Practices

vi) In the case of a Qualifying session being interrupted and unable to be restarted, the following will apply:

If the session has run for at least 50% of the allocated time, the session will be considered to be complete, and the results are valid.

If the session has completed less than 50% of the allocated time, the session will be considered to be cancelled and the results taken according to combined practice times as per clause B vi).

The combined results of the FP1, FP2, FP3 FP4 sessions, and the results of Q1, Q2 will be finalised 5 minutes after the end of the sessions. After this time the results are final and are not subject to protest or appeal and will not be revised for any infringements discovered by or reported to the FIM Stewards after this time.

For both categories, at the end of the Qualifying practice, two provisional starting grids will be established:

- The starting grid for Race 1 will be made up of the top 20 riders for MotoMini 160cc based on their fastest lap time in Q2 and top 15 riders for MotoMini 190cc based on their fastest lap time and Q2 and Q1.
- The starting grid for Qualifying Race 1 will be made up of the remaining riders (Q2 + Q1).
- At the end of the Qualifying Race 1, the 2 top riders will be allowed to participate in Race 1 and 2, taking the last places on the grid.
- At the end of the Qualifying Race 2, the winner will be allowed to participate in the Race 1 and 2, taking the last place on the grid.
- The Superfinal race will be composed of the top **23** riders of the championship after Race 2 for MotoMini 160cc and top **18** for MotoMini 190cc.

The starting grid of the Superfinal race will be established according to the order of riders' classification of the Series.

1.14. RACES

- 1.14.1.** The length of races and the number of laps will be published before each event.
- 1.14.2.** The length of a race may only be varied by the Race Direction.
- 1.14.3.** A visible countdown board will be shown at the finish line to indicate the number of remaining laps in the race.
- 1.14.4.** If the Timekeeping rooms are fed by normal power (electricity) supply, they must also be permanently connected to an U.P.S. (Uninterruptible Power System) and to a generator.

1.14.5. Series points will be allocated only to the Races 1, 2 and the Superfinal.

1.15. STANDARD START PROCEDURE

Note that, due to specific circuit or climatic conditions, Race Direction in consultation with the Organisation may alter any start schedules as necessary.

- 1) Only riders who have completed at least one sighting lap will be permitted to start the race from their position published on the final grid. Under no circumstances may they push onto the grid from the pit lane.
- 2) Approximately 10 minutes before the Start of the Race-Pit Lane exit opens for sighting laps. Green lights on at the pit lane exit.
- 3) Approximately 8 minutes before the Start of the Race-Pit Lane exit closes.
Red lights on at the pit lane exit.
- 4) Riders who do not go onto the grid may start the warm up lap from the pit lane under the instructions of a marshal positioned at the pit lane exit. Riders starting the warm up lap from the pit lane must start the race from the back of the grid.
- 5) When riders reach the grid after the sighting lap(s) they must stop at the rear of the grid and turn off the engine. The motorcycle will then be pushed at walking pace by a team member to the grid position. The rider may dismount or remain on the motorcycle to be pushed to the grid position.
Riders on the grid may be attended by up to two persons including one person who may hold an umbrella.
All attendants on the grid must wear a "Grid Pass".
- 6) The Race Director will, at this stage, declare the race as "wet" or "dry" and will indicate this to the riders on the grid and those who may still be in the pit lane by the display of a board. If no board is displayed the race will automatically be "dry".
- 7) Riders on the grid may, at this stage, make adjustments to the machine or change tyres to suit the track conditions.
Tyre warmers may be used on the grid.

All adjustments must be completed by the display of the 3 minutes board. After this board is displayed, riders who still wish to make adjustments must push their machine to the pit lane. Such riders and their machines must be clear of the grid and in the pit lane before the display of the 1-minute board, where they may continue to make adjustments. Such riders will start the warm up lap from the pit lane and will start the race from the back of the grid.
- 8) Refuelling or changing fuel tank on the grid is forbidden.

- 9) 5 Minutes Before the Start of the Warm Up Lap - Display of 5 Minute Board on the grid.
- 10) 3 Minutes Before the Start of the Warm Up Lap - Display of 3 Minute Board on the grid.

At this point, all persons other than one mechanic per rider, the person holding the umbrella for the rider, the television crew of the host broadcaster and essential officials must leave the grid.

No person (except essential officials) is allowed to go on the grid at this point.

- 11) 1 Minute Before the Start of the Warm Up Lap - Display of 1 Minute Board on the grid.

Immediate removal of tyre warmers from machines on the grid.

At this point, all team personnel except the mechanic will leave the grid. The mechanic will, as quickly as possible, assist the rider to start the machine and will then vacate the grid.

- 12) 30 Seconds Before the Start of the Warm Up Lap - Display of 30 Second Board on the grid.

All riders must be in position on the grid with engines running. No further assistance from mechanics is permitted. Any rider who is unable to start his/her machine must remove it to the pit lane, under the control of the grid marshals, where he/she may make further attempts to start it. Such riders may start the warm up lap from the pit lane and will start the race from the back of the grid.

- 13) 2 Minutes Before the Start of the Race - Green flag waved to start warm up lap.

Any rider who stalls their engine on the grid or who has other difficulties must signal by raising an arm. Attempting to restart the motorcycle on the grid is not permitted. Under the supervision or assistance of an official the rider and machine will exit the grid to the pit lane as quickly as possible where mechanics may provide assistance. Such riders may start the warm up lap from the pit lane and will start the race from the back of the grid, provided they exit before the pit lane is closed. If they do not exit before pit lane is closed, they will start the race from pit lane. Team personnel are not permitted to re-enter the grid after it has been cleared, unless instructed to do so by an official.

As soon as the riders have passed the pit lane exit lights, the pit lane exit light will be turned green, and any rider waiting in the pit lane will be permitted to join the warm up lap. Ten seconds later, the light will turn red, closing the pit lane exit.

On returning to the grid the riders must take up their positions with the front wheel of their motorcycle up to and behind the front line and between the side lines defining the grid position and keep their engines running. The front tyre must not be touching the track surface outside of the painted lines.

If two or more riders must start from the back of the grid, they will take up position in the order in which they qualified for the race.

An official will stand at the front of the grid holding a red flag motionless. Any rider delaying the start procedure will be directed to the pit lane and start the race from the pit lane exit (therefore a rider who does not make the race start from the grid at the correct time, must make the start from the pit lane exit).

Any rider who encounters a problem with his/her machine on the warm up lap may return to the pit lane and make repairs.

Any rider who stalls the engine on the grid or who has other difficulties must remain on the motorcycle and raise an arm. It is not permitted to attempt to delay the start by any other means. Attempting to restart the motorcycle on the grid is not permitted. Under the supervision or assistance of an official the rider and machine will exit the grid to the pit lane where mechanics may provide assistance.

As each row of the grid is completed, the officials will lower the panels indicating that their row is complete. Panels will not be lowered when a rider in that row has indicated that he/she has stalled the motorcycle or has other difficulties. When all panels have been lowered, an official at the rear of the grid will wave a green flag.

The Starter will then instruct the official at the front of the grid, displaying the red flag, to walk to the side of the track.

- 14) A red light will be displayed for between 2 and 5 seconds. The red light will go out to start the race

If the red lights' device is fed by normal power (electricity) supply, it must also be connected to a set of **suitable** batteries or to an U.P.S. (Uninterruptable Power System) to provide power to the starting lights' device if the electric line breaks down just at the moment of the start.

Any rider who anticipates the start will be penalised by the FIM MotoMini Stewards. The standard penalty is an 8 second penalty which will be added to his/her final race time. Other penalties may be imposed.

The motorcycle must be stationary at the time the red lights are turned off. Anticipation of the start is defined by the motorcycle moving forward at the time the red lights are turned off.

In the case of a minor movement and subsequent stop whilst the red lights are on, the designated officials will be the sole judge of whether an advantage has been gained.

If a penalty is imposed for taking advantage by anticipating the start, Race Direction must communicate the penalty to the rider as soon as possible.

- 15) If, after the start of the race, a rider stalls their machine, officials will assist to push the machine into the pit lane, where mechanics may provide assistance. Team personnel are not permitted to re-enter the grid after it has been cleared, unless instructed to do so by an official.
- 16) After the riders have passed the exit of the pit road*, the green light at the pit lane exit will be **opened (green light on or red light/flag off)**-to start any riders still in the pit lane. A pit lane race start will be made from a stationary position as indicated by the officials. However, a rider who is delayed (for example due to machine problems or repairs) and arrives after the pit exit is open will not be required to stop at pit exit before joining the race.

When more than one rider is starting from the pit lane, officials will control their start position and order.

*The exit of the pit road is defined as the point where the pit road joins the circuit, or **as otherwise** defined by Race Direction.

- 17) Unless the race is interrupted, after the leading rider has passed the finish line at the end of his/her first lap, no further changes of machines are permitted.

18) Start Delayed

Should there be a problem that might prejudice safety at the start, the Starter will invoke the Start Delayed procedure as follows:

- A red flag is waved from the Starter's rostrum and the red light stays on.
- The "Start Delayed" board is displayed from the Starter's rostrum and a marshal will wave a yellow flag at each row of the starting grid from the signalling platform.
- Riders must stay in their grid position with helmets on, engines may be switched off.
- The machine(s) which caused the Start Delayed procedure will be removed to the pit lane, regardless of what work is needed to restart the machine. If they can be restarted or a spare machine is taken the rider may start the warm up lap from pit lane, and will start the race from the back of the grid.
- After display of the Start Delayed board, a maximum of 2 mechanics per rider are allowed on the grid. Only tyre warmers, stands, starter engines and hand-carried tools are allowed, no generators are allowed on the grid.
- Only essential officials are allowed on the grid, no media, guests, umbrella-holders or other team personnel will be permitted, with the exception of camera crew(s) authorised by the Organisers.

- The start procedure will be re-commenced at the 3 minutes board, which the Starter will order to be displayed as soon as possible (normally as soon as all riders on the grid are attended by their team).
- Following the 1 minute and 30 second boards the riders will complete an additional warm up lap. The race distance will automatically be reduced by one lap, or more if deemed necessary by Race Direction.

19) Rain on Grid

If the pit lane is opened for the Sighting Lap with the track dry but the track becomes wet during or after the sighting lap (i.e., when the riders are on the track or on the grid), the Starter may invoke the following procedure.

(Note: as climatic conditions and their severity can never be accurately forecast, Race Direction in consultation with the Organization may react to specific situations by issuing different instructions.)

- The Rain on Grid Procedure board is displayed. This may be before or after the normal five minutes countdown has started on the grid.
- All bikes will be moved to pit lane where wheel changes and adjustments may be made.
- Approximately 10 minutes after the display of the Rain on Grid Procedure board, the pit lane will open for 5 minutes.
- Riders may make more than one sighting lap, passing through the pit lane.
- At the same time the pit exit is closed, the 3-Min board will be displayed on the grid, starting the 3-1-30sec countdown for the warm up lap.
- Team members must leave the grid as normal, and the standard start procedure applies from that point according to Art. 1.15.10) – 17) inclusive.
- The race distance remains the original distance.

20) Wet Race Start (following all dry practice)

Note that in determining dry or wet sessions, in all classes Q1, Q2 and Q3 (for 160cc) are considered as one session, meaning that all must be wet in order to count a wet session for the class.

In case all practice and warm up sessions have been dry (as declared by the Race Director), and the race start is declared wet before the opening of pit lane for the sighting lap, the following Wet Race Start procedure will apply.

- The declaration of Wet Race Start will be made as early as possible before the opening of the pit lane and communicated to teams.
- The pit lane will open on time and remain open for 5 minutes.
- Riders may make more than one sighting lap, passing through the pit lane.
- Refuelling and adjustments are permitted in pit lane during the sighting laps period.
- At the same time the pit exit is closed, the 3min board will be displayed on the grid, starting the 3-1-30sec countdown for the warm up lap.

- The race distance remains the original distance.

21) Quick Start Procedure

When a race is stopped, riders must return to the pit lane, unless otherwise instructed by officials. If there is to be a restart, the following procedure will apply:

- Upon arrival in the pit lane, repairs and adjustments may be made to the motorcycle. Refuelling is permitted.
- When all riders have entered the pit lane the Race Director will announce the time remaining to the re-opening of the pit lane, which will be a minimum of 5 minutes. The time remaining to the opening of the pit exit will be displayed with countdown boards.
- When the time period has elapsed, the pit lane exit will be opened for SIXTY SECONDS only. Riders will make one lap at unrestricted speed to the starting grid. Any rider delaying the progress of the sighting lap must go into the pit lane. Such riders will have to start the warm up lap from the pit lane and will start the race from the back of the grid.
- Any riders remaining in the pit lane after it has been closed will have to start the warm up lap from the pit exit and start the race from the back of the grid.
- ONE mechanic only, per rider, may go onto the grid (without tools) to primarily indicate to his/her rider his/her position on the grid. In the case that the restarted race involves new grid positions, the mechanic should avail himself of his/her rider's new grid position from the classification displayed on the timing screen or from officials who will be positioned at the entry point to the grid with the revised starting grid information.
- Riders will arrive back on the starting grid and stop in their grid position, with engines running, no adjustments may be made. Any rider requiring repairs or adjustments on the sighting lap must enter the pit lane.
- As soon as all the riders are on the grid, a 30-seconds board will be displayed at the front of the grid. At this point the mechanics must immediately leave the grid by the quickest route. The 30 seconds may be reduced at the discretion of the Starter when the grid is cleared, and it is considered safe.
- After 30 seconds have elapsed and/or the grid is clear, a green flag will be shown to start the warm up lap.
- The riders will make one warm up lap at unrestricted speed. When the last rider has passed the pit exit lights it will be opened for a period of 10 seconds to release any rider waiting. After 10 seconds, the pit lane exit will remain closed until after the start of the race. Any rider not able to leave the pit exit whilst it is open will start the race from the pit exit.
- Upon arrival back at the starting grid the normal start procedure will be followed, with the start signal given in the normal manner. 
- Riders who started the warm up lap from the pit lane must start the race from the back of the grid as directed by officials. In case of two

or more riders, they will take up the last grid positions in order of their grid positions.

- After the start signal has been given and the last rider has passed the end of the pit exit road, the pit exit will be opened, as per Article 1.15.16. Any riders still in the pit lane may then start the race.
- The Quick Start procedure may be invoked by MotoMini Race Direction as necessary in cases other than an interrupted race (for example a delayed start procedure).

1.16. "WET" AND "DRY" RACES

All races will be categorised as either wet or dry. A board may be displayed on the grid to indicate the status of the race. If no board is displayed, the race is automatically dry. The purpose of this classification is to indicate to riders the consequence of varying climatic conditions during a race.

1.16.1. Dry Races – a race classified as dry will be interrupted by the Race Director, if he/she considers that climatic conditions affecting the surface of the track makes it likely that riders will wish to change tyres.

1.16.2. Wet Races – a race classified as wet, usually commenced in varying or wet conditions, will not be interrupted for climatic reasons and riders who wish to change tyres or make adjustments must enter the pits and do so during the actual race.

1.16.3. In all cases where the first race is interrupted for climatic reasons, then the restart will automatically be a "wet" race.

1.17. BEHAVIOUR DURING PRACTICE AND RACE

- 1) Riders must obey the flag signals, the light signals, and the boards which convey instructions. Any infringement to this rule may be penalised according to the provisions of article 1.18 **or the relevant article for Race Direction messages.**
- 2) Riders must ride in a responsible manner which does not cause danger to other competitors or participants **or gain an unfair advantage**, either on the track or in the pit-lane. Any infringement of this rule may be penalised **by the FIM MotoMini Stewards**.
- 3) Riders should use only the track and the pit-lane. However, if a rider accidentally leaves the track, then he/she may re-join it at the place indicated by the officials or at a place which does not provide an advantage to him. **Advantage may be deemed to be gained, including by exceeding track limits and short-cutting as detailed in the Race Direction protocols.**
Any infringement of this rule during the practices or warm up will be penalised by the cancellation of the lap time concerned and during the race, by a penalty decided by the FIM MotoMini Stewards.

A time penalty may be imposed in place of a penalty where necessary. Further penalties may also be imposed.

- 4) Any repairs or adjustments along the racetrack must be made by the rider working alone with no outside assistance, except that rendered by the marshals. The marshals may assist the rider to the extent of helping him to lift the machine and holding it whilst any repairs or adjustments are made. The rider may then be assisted by marshals or others to restart by pushing or to move the machine, on track, trackside or in the service road.
No person other than marshals or riders are permitted on the track side of the first line of protection.
- 5) If the rider intends to retire, then he/she must park his/her motorcycle in a safe area as indicated by the marshals.
- 6) If the rider encounters a problem with the machine which will result in his/her retirement from the practice or the race, then he/she should not attempt to tour at reduced speed to the pits but should pull off the track and park his/her machine in a safe place as indicated by the marshals.
- 7) Riders who are returning slowly to the pits for remedial work should ensure that they travel as far as possible off the racing line.
- 8) Riders may enter the pits during the race, but taking the motorcycle inside the pit box is not permitted.
Refuelling is strictly prohibited after the race start.
Any infringement of this rule will be penalised with a disqualification.
- 9) Riders who stop their engines in the pits may be assisted to re-start their motorcycle by the mechanics.
- 10) Riders are not allowed to transport another person on their machine or to be transported by another rider on his/her machine (exception: Another rider or by another rider after the chequered flag or red flag).
- 11) Riders must not ride their motorcycles in the opposite direction of the circuit, either on the track or in the pit lane, unless doing so under the direction of an Official.
- 12) No signal of any kind may pass between a moving motorcycle and the rider's team, or anyone connected with the motorcycle's team, entrant or rider, except for the signals of the timekeeping transponder, lap trigger, GPS, legible messages on a pit board, or body movements by the rider or team. Onboard TV camera signals are allowed, but only when such signals are for the purposes of and managed by the MotoMini Series Organisers.
- 13) A speed limit of 40 km/h will be enforced in the pit lane at all times during the event. Riders must respect the speed limit from where the sign 40 km/h is placed up to where the sign 40 Km/h **cancelled** is placed.

At some circuits, due to the narrowness of the pit lane, the Safety Officer can set up a lower speed limit.

Any rider found to have exceeded the speed limit will be subject to a penalty, and increased penalties may be imposed for repeated offences. Furthermore, the FIM MotoMini Stewards may apply further or different penalties (for example for excessive high-speed causing danger).

The Officials must communicate the offence to the team of the rider after having received the information from the Official in charge.

- 14) Stopping on the track during practices and races is forbidden.
- 15) During the practice sessions and warm ups, practice starts are permitted;
 - a) when it is safe to do so, at the pit lane exit before joining the track, **except at circuits where this is specifically prohibited as notified by Race Direction**, and
 - b) after passing the chequered flag at the end of practice sessions and warm-ups when it is safe to do so, off the racing line and only in the designated Practice Start Zone(s) and following the procedure, as communicated to teams prior to the first practice session.Any rider found to have infringed this rule will be subject to an instant penalty. Further penalties may be applied.
- 16) If any rider wishes to parade a flag or engage in any celebration after the chequered flag, they must ride to the side of the racing surface in a safe location to collect the flag and/or perform any celebrations and then re-join the circuit when it is safe to do so.
It is forbidden to stop on the Start-Finish straight after the chequered flag for any celebrations of any kind.
- 17) It is not permitted to ride racing motorcycles within the circuit other than in the pit lane, service road or on the track.
- 18) After the chequered flag, riders riding on the track must wear a safety helmet until they stop on the pit lane / parc fermé.
- 19) Pit Lane Exit

If necessary, the pit lane exit road will be defined by the MotoMini Race Direction and marked with painted lines. A **broken** white line (interrupted line) will signify the end of the pit lane road, which is the point where the track starts, and racing may commence. Riders must stay inside the painted lines defining the pit exit road until passing the dotted white line, during all track sessions (practice and race).

Infractions may be penalised with an instant penalty by the FIM MotoMini Stewards, and further penalties may be applied.

1.18. FLAGS AND LIGHTS

Marshals and other officials display flags or lights to provide information and/or convey instructions to the riders.

All flags are presented waved. Flags and lights on track are both official signals.

1.18.1. Flags and Lights Used to Provide Information:

- Green Flag**

The track is clear.

This flag must be waved at each flag marshal post for the first lap of each practice session and of the warm-up **session**, for the sighting lap and for the warm up lap.

This flag must be shown waved at the flag marshal post immediately after the incident that necessitated the use of one or more yellow flags.

This flag may be waved at pit exit, in conjunction with the official signal of the green light, as an extra signal that pit lane exit is open.

- Yellow and Red Striped Flag**

The adhesion on this section of the track could be affected by any reason other than rain, giving unexpected surface conditions. This can include isolated damp patches on a dry track (oil, gravel, grass or other debris).

This flag must be shown waved at the flag marshal post.

- White Flag with diagonal red cross** (stroke width of the cross: between 10 and 13 cm)
- Drops of rain on this section of the track including rain affecting the track surface.

This flag must be waved at the flag marshal post.

- Blue Flag**

Waved at the flag marshal post, this flag indicates to a rider that he/she is about to be overtaken.

During the practice sessions, the rider concerned must avoid disturbing other riders by riding slowly on the racing line and allow the faster rider to pass.

During the race, the rider concerned is about to be lapped. He/she must allow the rider(s) who are lapping him/her to pass at the earliest opportunity and passing within a group of lapped riders is forbidden under the blue flag.

Waved at a marshal post after the pit lane exit, this flag indicates to a rider exiting pit lane that riders are approaching on track. The rider exiting pit lane must do so safely and without disturbing riders on track.

- **Chequered Black / White Flag**

This (these) flag(s) will be waved at the finish line to indicate the finish of race or practice session. The finish of a practice session is determined by the official timekeeping as per Art. 1.12.1, the finish of a race is determined as per Art. 1.19.

- **Chequered Black / White Flag + Blue Flag**

The chequered black/white flag(s) will be waved together with the blue flag at the finish line when a rider(s) precedes closely the leader during the final lap before the finish line (see art. 1.19.1).

- **Green Light**

This light must be switched on at the pit lane exit to signal the start of each practice session and of the warm up, the start of the sighting lap(s) and the start of the warm up lap.

- **Flashing Blue Lights**

Will be switched on at the pit lane exit during practices and races, **1 minute after the green light/flag which opens pit lane, and will be switched off** when the red light/flag is displayed.

1.18.2. Flags Which Convey Information and Instructions:

- **Yellow Flag**

Waved at each row of the starting grid, this flag indicates that the start of the race is delayed. Waved at one row (or more) of the starting grid, this flag indicates that a rider on that row is having difficulties.

A single yellow flag waved at the flag marshal post indicates that there is a danger ahead beside the track.

Two yellow flags waved together at the flag marshal post indicate that there is a hazard wholly or partly blocking the track.

The waving of a single or a double yellow flag does not signify a degree of danger, but only the location of the incident.

The riders must slow down and proceed with caution.

Overtaking is forbidden up until the point where the green flag is waved.

Any infringement of this rule during a practice session will result in the cancellation of the time of the lap during which the infraction occurred.

An infringement of this rule during the race will result in a penalty.

If immediately after having overtaken, the rider realizes that they committed an infraction, they must intentionally let pass the rider(s) they have overtaken. In this case, no penalty will be imposed.

Penalties imposed during a race will be communicated. Boards will be displayed for the rider on the start/finish line, during a maximum of 3 laps. If the rider does not comply after the board has been presented 3 times, they will be penalised by the FMN MotoMini Stewards.

A time penalty may be imposed instead of a penalty where necessary, and further penalties may also be imposed.

During the final inspection lap, this flag must be waved at the exact place where the flag marshal will be positioned during the practices, the warm ups and races.

- **Red Flag and Red Lights**

When the race or practice is being interrupted, the red flag will be waved at each flag marshal post and the red lights around the track will be switched on. Riders must return slowly to the pits.

When the pit-lane exit is closed, the light will be switched on, and the red flag may be used in conjunction with the official red-light signal. Riders are not allowed to exit the pit lane.

The red flag will be shown motionless on the starting grid at the end of the warm up lap.

The red flag may also be used to close the track.

The red lights will be switched on at the start line for between 2 and 5 seconds to start each race.

- **Black Flag**

This flag is used to convey instructions to one rider only and is waved at each flag marshal post together with the rider's number.

The rider must stop at the pits at the end of the current lap and cannot restart, when this flag results from a penalty.

This flag can also be presented to a rider for a reason other than a penalty, e.g., to rectify a non-dangerous technical problem such as a transponder problem, or to indicate to a rider on the warm up lap arriving at pit lane entry after the safety car that he/she must enter pit lane.

- **Black Flag with Orange Disk (\varnothing 40 cm)**

This flag is used to convey instructions to one rider only and is waved at each flag marshal post together with the rider's number. This flag

informs the rider that his/her motorcycle has mechanical problems likely to endanger themselves or others, and that he/she must immediately leave the track. The rider cannot re-join the track unless authorised to do so by an official.

1.18.3. Flag Dimension

The flag dimension should be 80cms in the vertical and 100cms in the horizontal.

The flag dimension will be checked the day preceding the day of the first practice session.

1.18.4. Flag Colour

The Pantones for the colours are as follows:

Orange: Pantone 151C
Black: Pantone Black C
Blue: Pantone 298C
Red: Pantone 186C
Yellow: Pantone Yellow C
Green: Pantone 348C

The flags' colours will be checked the day preceding the day of the first practice session.

1.18.5. Rider' s number board

Black board (70 cm horizontal X 50 cm vertical) which enables the race number of a rider to be attached with a set of numbers in white, whose stroke width is minimum 4 cm and height minimum 30 cm.

This board must be available at each flag marshal post.

1.18.6. Flags Marshals posts

The location will be fixed during the circuit homologation.

1.18.7. Marshals Uniforms

It is strongly recommended the marshals' uniforms to be in white or orange (Ref. Pantone: 151C) and the raincoat to be transparent.

1.19. FINISH OF A RACE AND RACE RESULTS

1.19.1. When the leading rider has completed the designated number of laps for the race, he/she will be shown a chequered flag by an official located at the finish line behind the 1st line of protection. The chequered flag will continue to be displayed to the subsequent riders.

If the chequered flag is displayed at the incorrect time, the following will apply:

In the case of the chequered flag being displayed early (before the designated number of laps have been completed), the classification will be made as each rider crosses the finish line, passing the chequered flag, according to the lap/time procedure.

- If this chequered flag was displayed before a race-result distance is obtained (two-thirds), the race will be restarted according to the provisions of Art. 1.21.
- If this chequered flag was displayed after a race-result distance is obtained (two-thirds) the race will be deemed to be completed.

In the case of the chequered flag being displayed late (after the leading rider has completed the designated number of laps), the race is deemed to have been completed at the end of the lap when the leading rider completed the designated number of laps.

When the chequered flag is shown to the leading rider, no other rider will be permitted to enter the track from the pit lane.

As soon as the chequered flag is shown to the leading rider, the red light will be switched on at the pit lane exit.

If a rider(s) closely precedes the leader during the final lap before the finish line, the official will wave to the rider(s) and to the leader simultaneously the Chequered flag and the Blue flag. That means that the race is finished for the leader while the rider(s) closely preceding the leader has (have) to complete the final lap and take the Chequered flag.

1.19.2. To be counted as a finisher in the race and be included in the results a rider must:

a - Complete 75% of the race distance.

b - Cross the plane of the finish line on the racetrack (not in the pit lane, with the exception of the Art. 1.20.1 d)) within five minutes of the race winner. In case the rider is not in contact with the machine, the finish time is determined by the first part of the rider or machine to cross the finish line, whichever arrives last.

In all cases, any infractions including but limited to track limits and advantage gained will be taken into account when determining the validity of the lap. This includes cases where the machine and rider are separated, in which case both machine and rider will be taken into account in determining infractions.

1.19.3. The results will be based on the order in which the riders cross the line and the number of laps completed.

1.19.4. In case of a photo-finish between two, or more, riders, the decision shall be taken in favour of the competitor whose front wheel leading edge crosses the plane of the finish line first.

In case the rider is not in contact with the machine, the finish time is determined by the first part of the rider or machine to cross the finish line, whichever arrives last.

In case of ties, the riders concerned will be ranked in the order of the best lap time made during the race.

1.19.5. The riders placed in the first three positions in the race will be directed by officials and proceed, as quickly as possible and without stopping at the pit boxes, to the parc fermé area and podium for the awards ceremony. Celebrations on track after the end of the race are permitted.

Participation in the podium ceremony by the first three riders is compulsory.

1.19.6. If the podium is located in or above the pit lane, the Race Direction should use best endeavours to avoid having the pit lane open during the podium ceremony.

1.20. INTERRUPTION OF A RACE

Note that in cases of interrupted or restarted races, the number of laps completed refers to the race leader, and a fraction of laps (2/3, 3/4, 50%) is rounded down to the nearest whole number of laps.

1.20.1. If the Race Director decides to interrupt a race at any point from the start of the warm up lap onwards, then red flags will be displayed at the finish line and at all marshals' posts and red lights will be displayed around the circuit. Riders must immediately slow down and return to the pit lane.

The results will be the results taken at the last point where the leader had completed a full lap without the red flag being displayed, and the classification established as follows:

a) For all the riders who had crossed the finish line on the same lap as the leader before the red flag was shown, a partial classification will be established at the end of this lap.

b) For all the riders who had not crossed the finish line on the same lap as the leader before the red flag was shown, a partial classification will be established at the end of the previous lap.

c) The complete classification will be established by combining both partial classifications as per the lap/time procedure.

d) Riders who have entered pit lane, which then closes due to a red flag, may be classified according to the number of laps completed and the time of crossing the virtual finish line in the pit lane as follows:

If the rider has crossed the virtual finish line in pit lane, this time is used as the finish time.

If the rider has not crossed the virtual finish line in pit lane, the rider's last crossing of the finish line is used.

(in these cases 1.19.2.b requiring the rider to cross the finish line on track does not apply).

At the time the red flag is displayed, riders who are not actively competing in the race will not be classified.

Within 5 minutes after the red flag has been displayed, riders who have not entered the pit lane, crossing the designated pit lane entry timing point together with their motorcycle, will not be classified.

An exemption may be granted in exceptional circumstances (eg. post-race celebration in an interrupted race deemed to have been completed as per Art.1.20.5.

1.20.2. If the results calculated show that less than three laps have been completed by the leader of the race, then the race will be null and void and a completely new race will be run.

If it is found impossible to re-start the race, then it will be declared cancelled and the race will not count for the Cup.

1.20.3. If three laps or more have been completed by the leader of the race, but less than two-thirds of the race distance, rounded down to the nearest whole number of laps, then the race will be restarted according to Art. 1.21.

If it is found impossible to restart the race, then the results will count and half points will be awarded as follows:

- completed less than 50% of original race distance = half points
- completed 50% or more of original race distance = full points

1.20.4. If the results calculated show that two-thirds of the race distance rounded down to the nearest whole number of laps have been completed by the leader of the race, then the race will be deemed to have been completed and full Series points will be awarded.

1.20.5. For the purposes of these regulations "active" and "actively competing" are defined as the rider riding on track, or attempting to repair/restart the machine, or to rejoin the track or return to pit lane, with the machine in a condition fit to rejoin the track. The FIM Stewards will be the sole judge of whether a rider is actively competing including the condition of the machine and no appeal is possible against the FIM Stewards' decision.

1.21. RE-STARTING A RACE THAT HAS BEEN INTERRUPTED

Re-started races will in principle follow the protocols defined in Article 1.21. However, as local track and climatic conditions and circumstances may vary, Race Direction may reschedule re-started races in the race programme as necessary, and will make the final decision on whether, when and how many times to re-start any interrupted race according to circumstances.

Note that in all cases of restarted races, the calculation of race distance required to declare a result (2/3 distance) is based on the number of laps of the current race, not the original Race 1 distance.

- 1.21.1.** If a race has to be re-started, then it will be done as quickly as possible, consistent with track conditions allowing. **After** the riders have returned to the pits the Race Director will announce, **as soon as possible**, a time for the new start procedure to begin which, conditions permitting, should not be later than 10 minutes after the initial display of the red flag.
- 1.21.2.** The results of the first race must be available to teams before the second part of a race can be started.
- 1.21.3.** The start procedure will follow the Quick Start Procedure, Art. 1.15.21, unless otherwise informed by Race Direction.
- 1.21.4.** Conditions for the re-started race will be as follows:
 - i) In the case of situation described in Art. 1.20.2 (less than 3 laps completed) above:
 - a. All riders may start, including riders who may not have completed the sighting or warm up lap for the original start.
 - b. Motorcycles may be repaired. Refuelling is permitted.
 - c. The number of laps will be two-thirds of the original race distance rounded down to the nearest whole number of laps.
 - d. The grid positions will be as for the original race.
 - ii) In the case of situation described in Art. 1.20.3 (3 laps or more and less than two-thirds completed) above:
 - a. Only riders who are classified as finishers in the first race, as per Art. 1.20, may re-start.
 - b. Motorcycles may be repaired. Refuelling is permitted.
 - c. The number of laps of the second race will be the number of laps required to complete two-thirds of the original race distance rounded down to the nearest whole number of laps with a minimum of 5 laps.

d. The grid position will be based on the finishing order of the first race.

Riders who are classified 1 full lap down (having been lapped by the race leader) in the first race will start the restarted race from Pit Lane. Riders who are classified 2 or more full laps down (having been lapped more than once by the race leader) in the first race will not be eligible to restart.

e. The final race classification will be established according to the position and the consolidated number of laps of each rider at the time he/she crossed the finish line at the end of the last part of the race. Provisions of Art. 1.19.2 will apply (except 1.19.2.b for riders in pit lane who may cross the virtual finish line in pit lane).

1.21.5. In the case of Art. 1.20.3 (race interrupted with 3 or more laps completed), any start position penalties applying to a rider in the first race, e.g., a drop of grid position or starting the race from pit lane, will be considered to have been served at the original race start and will not apply to the restarted race.

Any existing penalty applied before the race which has been completed in the first part of the race, will be considered to have been served and will not apply to the restarted race. If such penalty was not completed in the first part of the race it will be carried forward to be served in the restarted race.

In the case of Art. 1.20.2 (race interrupted with less than 3 laps completed) the new start will be a completely new race so therefore existing start position penalties and other penalties applied before the race will apply.

Penalties applied for offences (such as jump start, track limits) during the first race which was interrupted with less than 3 laps completed, will not normally carry forward to the restarted race. However, the FIM MotoMini Stewards may specifically designate a penalty for an offence (for example dangerous or irresponsible riding) in the first race to be served in the restarted race where necessary.

1.21.6. Check Area

At the end of the race, or the final part of a race that has been interrupted, the first three motorcycles plus any other motorcycles specified by the Technical Director, must be removed to a check area pending inspection by the Technical Stewards or potential protests.

Machines will normally be released from the check area 60 minutes after the finish of the race.

1.22. SERIES POINTS AND CLASSIFICATION

1.22.1. Riders will compete for the FIM MotoMini World Series

1.22.2. For Race 1 and Race 2, for both categories, Championship points will be awarded on the following scale:

1st	25 points
2nd	20 points
3rd	16 points
4th	13 points
5th	11 points
6th	10 points
7th	9 points
8th	8 points
9th	7 points
10th	6 points
11th	5 points
12th	4 points
13th	3 points
14th	2 points
15th	1 point

1.22.3. The points allocated for the Superfinal Race will be the double of the table presented above.

1.22.4. In the event of a tie in the number of points, the final positions will be decided on the basis of the number of best results in the races (number of first places, number of second places etc.). In the event that there is still a tie then, the date/time in the Series at which the highest place was achieved will be taken into account with precedence going to the latest result.

1.23. INSTRUCTIONS AND COMMUNICATIONS TO COMPETITORS

1.23.1. Instructions may be given by the Race Director, **the Race Direction, the Permanent Officials, the MotoMini Stewards**, and/or Clerk of the Course to Teams and/or Riders by means of special circulars in accordance with the Regulations. Circulars must be posted on the official **electronic** notice board and/or delivered by electronic means such as email. Posting on the official **electronic** notice board, or delivery by other means will be deemed as proof of delivery.

1.23.2. All classifications and results of practice and the race, as well as all decisions issued by the officials, must be posted on the official **electronic** notice board or otherwise delivered to the teams. Posting on the official **electronic** notice board and/or delivery to the teams by other means will be deemed as proof of delivery and official publication.

1.23.3. Any communication from the **Race Director**, Race Direction, the Permanent Officials, **the FIM MotoMini Stewards** and/or the Clerk of the Course to a team or rider must be communicated in writing or via electronic means including but not limited to email, **electronic notice board** and official Timekeeping monitors. Similarly, any communication

from a team or rider to **Race Director**, the MotoMini Race Direction to the MotoMini Stewards, the Permanent Officials or the Clerk of the Course must also be made in writing including electronic means such as email.

1.24. TEAM PERSONNEL IN THE PIT LANE

For safety reasons, the following rules must be strictly respected.

- 1.24.1.** Team personnel will not be permitted in the pit lane during practices, warm-up and race of another class unless they are making adjustments to their motorcycle.
- 1.24.2.** The maximum number of team personnel per rider in the working area in front of the pits is limited to 2.
- 1.24.3.** The maximum number of team personnel per rider on the signalling platform is limited to 2.
- 1.24.4.** For safety reasons, it is not permitted to start the engine of racing motorcycles inside the pit box (permanent or temporary box or tent) at any time. Engines must be started in the pit lane or other location outside of the pit box or tent.
- 1.24.5.** For safety reasons it is not permitted to have the motorcycle engine running during any wheel change.

1.25. SCHEDULE SUMMARY OF THE FINAL SERIES

Please refer to the latest version of the documents published on <https://www.fim-moto.com/en/documents> and <https://www.fim-MotoMiniworldseries.com/> and Official Electronic Notice Board.

In the event of a number of less than 44/26 riders, the Race Direction will adapt the qualification program.

FIM MotoMini WORLD SERIES

TECHNICAL REGULATIONS



VERSION	DATES	CHANGES
0	11.02.2025	2.1; 2.2.1; 2.2.4.1; 2.2.5.1; 2.2.8.4; 2.2.9.9; 2.2.13.1

Articles amended for the 2025 season are in bold type
Articles amended as from 18.09.2025 are in bold and red type

2. TECHNICAL REGULATIONS

The following technical rules are written for the FIM MotoMini World Series final. Certain provisions are also drafted with the aim of guiding the National, regional or continental federations in the drafting of their own technical rules. The interest and the goal being that the machines have the same technical provisions.

EVERYTHING THAT IS NOT AUTHORISED AND PRESCRIBED IN THIS RULE IS STRICTLY FORBIDDEN

2.1. INTRODUCTION

Motorcycles participating in the FIM MotoMini World Series must comply with the provisions of this regulation. As set out in the Sporting Regulation, this Championship is open to motorcycles produced by the Official Supplier of the FIM MotoMini World Series (Ohvale S.r.l), with the following categories:

- GP-0 160 4Speed
- GP-2 190 DAYTONA

The FIM MotoMini World Series is open to Ohvale GP-0 160 4 Speed motorcycles and GP-2 190 DAYTONA motorcycles manufactured by Ohvale S.r.l. and supplied for the Championship by the Official Supplier.

If requested, the manufacturer (or distributor for him) is required to deliver to FIM or FMN the material and / or documentation relating to approved motorcycles. All the documentation will be treated confidentially by FIM or FMN.

It is allowed to use some parts of the specific kit for the model of motorcycle in use and / or make changes as indicated in the homologation forms deposited by the manufacturer.

Except as explicitly authorized by this regulation and in the homologation forms, all components of the motorcycle must be kept original, therefore as originally produced by the manufacturer.

If not specified, the front, side and rear views of the motorcycles will conform to the appearance of the model as originally produced by the manufacturer.

During scrutineering, the FIM Technical Director/Chief Technical Steward can avail themselves of the support of the Technical Service of the Official Supplier of the FIM MotoMini World Series. The Organizer can avail itself of the Technical Service of the Official Supplier also for scrutineering involving the withdrawal of the engine or one of its components.

N.B. FIM MotoMini World Series Final: the only motorcycles allowed are the units supplied by the Official Supplier with no modifications allowed except those prescribed in these rules.

2.2. MOTORCYCLE TECHNICAL SPECIFICATIONS

2.2.1. Homologated motorcycles

The motorcycles homologated for the **2025 FIM MotoMini World Series** are:

- Category GP-0 160 4Speed:
 - o OHVALE GP-0 160 4Speed (from 2016 on)
 - o OHVALE GP-0 160 EVO 4Speed
- Category GP-2 190 DAYTONA:
 - o OHVALE GP-2 190 DAYTONA

2.2.2. Sealing engines quota

At any time during the event, each rider may have only one motorcycle (frame) verified and punched in his/her name. Punching consists of applying a sticker, or indelible paint to the motorcycle frame, generally near the steering head on the right side of the motorcycle at the discretion of the Scrutineers. The sticker will be applied at the conclusion of the Motorcycle Verification and indicates that the motorcycle has passed technical inspection and is deemed legal for use by the rider for that race.

Punching of a second motorcycle is granted in case of proven technical reasons (e.g., accident, frame breakage, etc.) and must be agreed with the FIM Technical Director/Chief Technical Steward.

During the whole season each regular rider is entitled to use, then have sealed, a maximum of 3 engines. Wild card riders are allowed to have a maximum of 2 engines sealed per event and no more than 3 during the season. An engine is considered used at the moment the motorcycle with that engine crosses the transponder signal reception point at the pit lane exit. **N.B. FIM MotoMini World Series Final: the procedure is described in the internal normative.**

Where required by FIM, the engines must be presented for sealing already provided with the identification seal affixed by the Ohvale Technical Service.

Where requested by FIM, engines submitted for sealing in the FIM MOTOMINI WORLD SERIES must have the screws already drilled to be tied as follows.

The Official Supplier's Technical Service seal and, where required, the FIM seal, shall be applied:

- OHVALE GP-0 160 4 Speed: to the fixing screws of the timing cover.
- OHVALE GP-2 190 DAYTONA: on the left side connecting the cylinder head to a screw to the crankcase

Where required by FIM, engines must be sealed by the FIM Technical Director/Chief Technical Steward or their Staff, as indicated in the following articles.

Each rider has the obligation to seal at least one engine during the technical inspections of the first event to which it participates. Use on the track of an engine without seals or with damaged seals involves the immediate affixing of new seals and is equated with technical irregularity.

Sealing of additional engines can occur during, at the end of the current event or in subsequent events, according to the rider's needs, subject to agreement with the FIM Technical Director/Chief Technical Steward and the Official Supplier's Technical Service.

The engines are sealed in the rider's name, so the exchange of already sealed engines among riders is also prohibited within the same team.

Applying new seals to an engine with missing, removed or damaged seals is likened to sealing of a new engine. Except for the replacement of seals removed during the Technical Inspections, provided the engine to be submitted for substitution seals within the Technical Inspections of the events following the verification.

The use of each engine, therefore of the sealing, beyond the permissible amount is penalized with departure from last position in the grid, in the first race following the sealing request. In case more than one rider show up for sealing of an engine above the maximum allowed number, the starting order is the one with which the riders are showed up for the engine sealing (the last showing up will be in the last position, the last but one showing up before the last one, and so on).

N.B. FIM MotoMini World Series Final: under the agreement of the Motorcycles Official Supplier, some parts could be sealed:

- Carburettor (see Art. 2.2.8.2)
- CDI (see Art. 2.2.12.2)
- Rear shock (see Art. 2.2.4.2)
- Front fork (see Art. 2.2.4.1)
- Other

In any case, the seal cannot be modified or removed, and the sealed parts cannot be replaced.

2.2.3. Chassis / Frame

N.B. FIM MotoMini World Series Final: no changes are allowed.

2.2.3.1. Frame

The frame must be kept original.

Frames from low capacity versions (GP-0 110 and GP-2 160) are allowed to be updated to the permitted version. See 2.2.1.

- **GP-0 110 updated to GP-0 160, only**
- **GP-2 160 updated to GP-2 190, only**

On OHVALE GP-0 160 4Speed is only permitted to fit the chassis anti-vibration plate produced in kit by the manufacturer for the model of motorcycle in use. The painting of the frame is free, but its polishing is forbidden. The use of shells to protect the swing arm or frame is forbidden.

2.2.3.2. Seat post frame

The seat post frame must be kept original. The painting of the seat post frame is free, but its polishing is forbidden.

2.2.3.3. Front fairing frame

The front fairing frame must be kept original. Painting of front fairing frame is free, but polishing is forbidden.

2.2.3.4. Swing arm

Except as authorized in the following articles, the swing arm, swing arm pivot **and** chain tensioner must be kept original.

On OHVALE GP-0 160 4Speed it is allowed replace the original chain tensioner adjusters with the racing ones produced by the manufacturer for the model of motorcycle in use.

All motorcycle must be equipped with a solid protective chain guard (shark fin) fixed to the swing arm produced by the manufacturer of motorcycle.

2.2.3.5. Steering plates

The upper and lower fork bridges and the steering axle must remain as originally produced by the manufacturer on the homologated motorcycle, as well as the steering lock stops device.

The steering stem must remain in its original position.

It is allowed to fix a protector on the upper fork bridge, for the sole purpose of protecting the upper front forks. The design is free, but the final decision of the safety came from the FIM Technical Director / Chief Technical Steward.

2.2.3.6. Handlebars and controls

Except as authorized in the following articles, the handlebars, the handlebar clamps, the manual controls (throttle control, grips, brake and clutch levers and electric controls), and the handlebar terminal must be kept original. The grips can be secured using wire.

Handlebars and manual controls (clutch and brake levers) must stay original. It is allowed to replace the original clutch lever with the optional part produced by the manufacturer for the model of motorcycle in use. They can be repositioned, but a minimum clearance of 30 mm must be maintained between the tank and the handlebars, including any accessories attached to it. **For the FIM MotoMini World Series Final, only the levers available by Ohvale Racing Service are allowed.**

Is forbidden to use handlebars without mounted terminals.

It is forbidden to repair the handlebars by welding.

The control levers on the handlebars (brake and clutch) must always have rounded edges and must have a ball-form ending.

In any position of the steering and the front suspension, the control levers on the handlebars must not touch any component of the motorcycle.

Throttle controls must be self-closing when not held by hand.

It is mandatory to use the brake lever guard device supplied in the specific kit for the model of motorcycle in use, which protects the front brake lever from any involuntary actuations resulting from the contact between two motorcycles.

2.2.3.7. Footrest and Controls

Except as authorized in the following articles, the footrests, and foot control must be kept original.

Footrests and foot controls can be re-positioned only using the setting originally provided by the manufacturer.

Gear shift pedal and his leverage can be replaced to use one of reverse type.

For OHVALE GP-2 190 DAYTONA it is allowed to replace the original gear shift rod with the optional part to be used with the quick shift system produced by the manufacturer for the model of motorcycle in use.

The rear brake lever peg may also be repositioned.

It is forbidden to repair the footrests by welding.

It is forbidden to enter in the track with footrests having the original terminal in plastic material plug in high damaged condition or without a mounted terminal.

It is forbidden to repair the footrest supports by welding.

2.2.3.8. Start lever

The starting lever of the original engine must remain mounted and running and be equipped with a system that prevents accidental opening (example: elastic).

2.2.4. Suspension

2.2.4.1. Front suspension

Except as authorized in the following articles, the fork must be kept original in every component.

N.B. FIM MotoMini World Series Final: the front fork will have a seal. This seal cannot be modified or removed. The use of the sealed part is compulsory.

Position of the fork sleeve respect to the steering plates is free. **Under no circumstances may the top end fork sleeve (excluding the fork cap) be below the upper steering plate.**

The settings of the hydraulic adjusters, the spring coefficient (K), the preload of the main springs and the amount and type of hydraulic oil are free.

N.B. FIM MotoMini World Series Final: the only spring allowed will be the units supplied by the Motorcycle Official Supplier:

	GP-0 160 EVO	GP-2 190
Springs (K)	K 6 – K 7 – K9	K 6 – K 7 – K 8 – K 9

For OHVALE GP-0 160 4Speed **and OHVALE GP-0 160 EVO 4Speed**:

- It is allowed to replace the original forks with the original "+5" forks on motorcycles produced from 2019 onwards
- It is possible to mount the fork spring pre-load system provided by the manufacturer for the motorcycle model in use.
- The front forks from the different models homologated (see also 2.2.1) cannot be exchanged between them.

For OHVALE GP-0 160 EVO 4Speed

- **It is allowed to replace the original front fork with the “Ohracing” front fork originally mounted from model year 2025.**

For OHVALE GP-2 190 DAYTONA:

- It is also allowed to use the fully adjustable front fork kit, as original produced and sold by the manufacturer.
- **It is allowed to replace the original front fork with the “Ohracing” front fork originally mounted from model year 2025.**

A steering damper may be added with the specific kit provided by the official supplier. In any case the steering damper cannot act as a steering lock limiting device.

N.B. FIM MotoMini World Series Final: the steering damper is compulsory to be used.

2.2.4.2. **Rear suspension**

Except as authorized in the following articles, the rear suspension must be kept original in every component.

N.B. FIM MotoMini World Series Final: the rear shock will have a seal. This seal cannot be modified or removed. The use of the sealed part is compulsory.

The adjusting system and attachments of the rear suspension to the frame and swing arm must be kept original.

The wheelbase of the shock absorber, the position of the hydraulic registers, the elastic coefficient (K) and the pre-load of the main spring of the shock absorber are free.

The plastic washers (4 units) cannot be removed or modified.

The mounting position of the rear shock has to be respected, so as sold originally by the Motorcycle Supplier, with the adjustment knob oriented to the top.

N.B. FIM MotoMini World Series Final: the only spring allowed will be the units supplied by the Motorcycle Official Supplier:

	GP-0 160 EVO	GP-2 190
Springs (K)	K 140 – K 160	K 140 – K 160

2.2.5. Brake system

Except as authorized in the following articles, the parts from different model years cannot be exchanged between them.

For OHVALE GP-0 160 EVO 4Speed:

It is allowed to mount all available brake systems sold by the Manufacturer, only if both front and rear brake systems match, except when “Brembo” front brake system is mounted. See table 1.

For OHVALE GP-0 160 4Speed:

It is only allowed to mount the standard brake systems originally mounted. See table 1.

	160 EVO			160
	OPTION A	OPTION B	OPTION C	OPTION A
Front	Formula	J.Juan	Brembo	Formula
Rear	Formula	J.Juan	J.Juan	Formula

Table 1. Permitted brake system combinations

N.B. FIM MotoMini World Series Final: no changes are allowed.

2.2.5.1. Brake discs

The brake discs must remain as originally produced by the manufacturer for the motorcycle.

It is not allowed to add air ducts in order to improve the cooling of the braking system.

For OHVALE GP-0 160 4Speed:

It is allowed to replace the original front disc with the front disc (ø190mm fixed or ø190mm floating) sold and homologated as a kit by the Manufacturer.

For OHVALE GP-2 190:

It is allowed to replace the original front disc with the front disc (ø230mm floating) sold and homologated as kit by the Manufacturer.

2.2.5.2. Brake calipers

Except as authorized in the following article, the front and rear brake calipers, as well as all their fixing points and all anchor pieces, must be kept original.

It is compulsory to fit original brake pads. It is possible to fit brake pads from the specific kit for the motorcycle model in use.

For OHVALE GP-0 160 4Speed (from 2023 on) & OHVALE GP-2 190:

It is allowed to add thermal plates between the brake pads and the caliper pistons only if it's part of the kit sold and homologated by the Manufacturer.

For OHVALE GP-2 190:

It is allowed to mount on all models the 2024 brake system.

2.2.5.3. Master cylinder

Master cylinder (front and rear) and the related pipes must be kept original.

Installation of a protection of the brake pump positioned on the handlebar, is allowed to prevent oil leaks if they break after falling.

For OHVALE GP-2 190:

It is allowed to mount on all models the 2024 brake system.

2.2.6. Wheels

Wheel rims, inner and outer spacers and their spindles must be kept original. All dimensions of the wheel rims should be as indicated below:

- For OHVALE GP-0 160 4Speed
 - Front Wheel 2,50" x 10"
 - Rear Wheel 3,00" x 10"
- For OHVALE GP-2 190 DAYTONA
 - Front Wheel 2,50" x 12"
 - Rear Wheel 3,00" x 12"

N.B. FIM MotoMini World Series Final: no changes are allowed. If sealed, this seal cannot be modified or removed. The use of the sealed part is compulsory.

2.2.7. Tank and fuel system

N.B. FIM MotoMini World Series Final: no changes are allowed.

2.2.7.1. Tank

Plastic tank and tank cap must remain as originally produced by the motorcycle manufacturer.

Fuel tank must be filled with fire retardant material (i.e., fuel cell foam, "Explosafe").

Fuel tank can have heat reflective material attached to its surface.

N.B. FIM MotoMini World Series Final: no changes or heat reflective material are allowed.

2.2.7.2. Fuel line

The fuel circuit, understood as the set of ducts and devices between the tank and the carburettor, must remain as originally produced by the motorcycle manufacturer, except as authorized in the following articles.

Replacement of the fuel cock is not allowed.

The addition of fuel filters is not allowed.

Only the kit quick connectors for fuel pipes, sold and homologated by the Manufacturer, are allowed.

2.2.8. Intake system

2.2.8.1. General

Except as authorized in the following articles, the fuel system must be kept original.

2.2.8.2. Carburettor

The use of pumps or power-jet is forbidden.

N.B. FIM MotoMini World Series Final: the carburettor will have a seal. This seal cannot be modified or removed. The use of the sealed part is compulsory. The carburettor calibration is fixed and cannot be changed.

The spring of the piston valve must be maintained as originally equipped. The carburettor's breather pipes must be installed and work properly.

Is mandatory the use of the carburettor indicated in the following points:

- Category GP-0 160 4Speed DELL'ORTO PHBH 28 BD

For the duration of the event, it is mandatory to use a carburettor calibration (max jet, min jet, model and needle position, needle jet, valve) within the range indicated by the Official Supplier. The next calibration elements can only be replaced with more fuel-rich calibration elements: Jet Needle positions, Main Jet, Idle Jet and Starting Jet only. Only original DELLORTO components are allowed. The use of different calibrations (even for a single element) from those indicated by the Official Supplier is sanctioned as a technical irregularity.

During an event, the Official Supplier can modify the carburetion range as long as it is immediately communicated to the riders within 60 minutes from the beginning of the next session.

BRAND / MODEL	Dell'Orto PHBH28-BD
Float	6,5 g

Needle & Seat Assy	250
Starting Jet	55
Idle Jet	50
Needle Jet	262 T
Main Jet	120
Jet Needle model / Position	X71 / 4th seat from the top
Piston Valve	50

- Category GP-2 190 DAYTONA

DELL'ORTO PHBH 28 BD

For the duration of the event, it is mandatory to use a carburettor calibration (max jet, min jet, model and needle position, needle jet, valve) within the range indicated by the Official Supplier. The next calibration elements can only be replaced with more fuel-rich calibration elements: Jet Needle positions, Main Jet, Idle Jet and Starting Jet only. Only original DELLORTO components are allowed. The use of different calibrations (even for a single element) from those indicated by the Official Supplier is sanctioned as a technical irregularity.

During an event, the Official Supplier can modify the carburetion range as long as it is immediately communicated to the riders within 60 minutes from the beginning of the next session.

BRAND / MODEL	Dell'Orto PHBH28-BD
Float	6,5 g
Needle & Seat Assy	250
Starting Jet	55
Idle Jet	50
Needle Jet	262 T
Main Jet	122
Jet Needle model / Position	X71 / 3rd seat from the top
Piston Valve	50

2.2.8.3. Intake duct

Except as authorized in the following articles, the intake duct must be kept original.

For OHVALE GP-0 160 4Speed it is compulsory to replace the intake duct of GP-0 motorcycle models manufactured from My2016 onwards (GP-160 model) with the one originally mounted on motorcycles manufactured from My2022 onwards (GP-0 160 EVO model).

2.2.8.4. Air filter

The air filter is mandatory and must be as indicated in the points below.

Only the standard metal air filter supplied by the manufacturer may be used.

The use of air filter made from the spongy material is forbidden.

Use of systems to increase the pressure close to the air filter using the dynamic air pressure when the motorcycle is in movement is forbidden.

The optional air filter cover, **sold and homologated as a kit by the Manufacturer**, is allowed.

N.B. FIM MotoMini World Series Final: the air filter cover will be mandatory when decided by Race Direction with the agreement of FIM Technical Director.

2.2.9. Engine

N.B. FIM MotoMini World Series Final: the engine will have a seal. This seal cannot be modified or removed. The use of the sealed part is compulsory.

2.2.9.1. General

Except as expressly permitted in the following articles, the engine must remain completely original.

The only engine allowed are those indicated in the points to follow:

- Category GP-0 160 4Speed:
 - ZONGSHEN W150-G OHVALE SET-UP
- Category GP-2 190 DAYTONA:
 - DAYTONA ANIMA FDX 190 4Speed – OHVALE SET-UP
 - DAYTONA ANIMA FSM 190 4Speed – OHVALE SET-UP

Bore and Stroke must remain original.

It is compulsory to use the right-side engine cover that is part of the specific kit for the model of motorcycle in use supplied by the manufacturer.

See also 2.2.2. Sealing engines quota

2.2.9.2. Engine head

Except as authorized in the articles to follow, any type of machining for the removal of material (including polishing) and application of material (including surface treatment) is prohibited.

Intake and Exhaust ducts must remain original.

For OHVALE GP-2 190:

It is allowed to mount the cylinder head breather, using only the original kit supplied by the Manufacturer.

Valves, valve seats, valve guides, oil seals must be the original. Only normal maintenance provided by the service manual is allowed.

The springs, half-cones and valve spring retainers must remain original. Valve spring shims are not allowed.

It is not allowed to rectify the head plane to restore the surfaces. Only a light cleaning work is allowed, as long as the values described below on volume of the combustion chamber and squish are respected.

The volume of the combustion chamber and the height of the squish must comply with the values indicated in the following table:

Category	Volume (cc)	Squish* (mm)
OHVALE GP-0 160 4 Speed	13.5 +/- 0.4	> 0.60
OHVALE GP-2 190 DAYTONA	14.8 +/- 0.4	> 1.25

*No tolerance is admitted on the minimum height of the squish.

Spark plug is free. None of the parts of the spark plug, beside electrodes, can protrude out the interior of the combustion chamber.

The only heat range admitted are those equivalent to:

- OHVALE GP-0 160 4 Speed :7 and 8 in NGK tables. **N.B. FIM MotoMini World Series Final: only #7 in NGK tables is allowed.**
- OHVALE GP-2 190 DAYTONA: 9 and 10 in NGK tables. **N.B. FIM MotoMini World Series Final: only 9 in NGK tables is allowed.**

2.2.9.3. Valves timing diagram

Any modification of the camshaft is forbidden.

Timing driven sprocket and his fixing screws, must be kept original. Modification or increase of the diameter of the fixing holes are forbidden.

Chain timing and his timing chain tensioner must be kept original.

2.2.9.4. Cylinder

Cylinder must be kept original.

Any surface treatment of the inner wall of the cylinder, is forbidden.

Only the original head and base gaskets, as provided by the manufacturer are allowed.

2.2.9.5. Piston

Any modification to the piston, including polishing and lightening, is forbidden.

Any modification to ring set, pins and their holders is forbidden.

2.2.9.6. Connecting rod

Any modification to the rod, including lightening and polishing, is forbidden.

2.2.9.7. Crankshaft

Engine crankshaft must remain original, any modification included lightening, balancing and polishing is forbidden.

2.2.9.8. Crank case

The engine crankcase and engine crankcase covers must remain original, even with regard to colour and surface finishing. It is only allowed making holes less than Ø12 on the flywheel cover to help the cooling of the internal organs. **N.B. FIM MotoMini World Series Final: these holes are forbidden.**

It is forbidden to repair the crank cases and engine covers by applying material.

2.2.9.9. Fly wheel

Any modification of the fly wheel is forbidden.

For OHVALE GP-0 160 & GP-0 EVO 160:

It is allowed to replace the original fly wheel with the part originally fitted on the GP-2 190 or GP-0 EVO 160 model 2024.

N.B. FIM MotoMini World Series Final: only the originally mounted fly wheel is allowed. This flywheel will have a seal. This seal cannot be modified or removed. The use of the sealed part is compulsory.

2.2.10. Transmission

2.2.10.1. Primary transmission

The gears of the primary drive (on the crankshaft and on the clutch) must be kept original.

2.2.10.2. Clutch

Except as authorised in the following articles, the clutch, including the springs, driven discs and clutch control must be kept original.

For OHVALE GP-2 190 DAYTONA the use of OHVALE slipper clutch kit included in the specific kit for the model of motorcycle in use is allowed.

2.2.10.3. Gearbox

Any change to the gearbox, understood as the assembly consisting of the gear selection system and drive forks, primary and secondary shafts and their gears transmission is forbidden.

Any kind of treatment on the surface for reducing friction (including polishing and superfinishing), is forbidden.

For OHVALE GP-2 190 DAYTONA it is allowed to use the quick shift system produced by the manufacturer for the model of motorcycle in use, only when the rider is using the reverse shift lever.

2.2.10.4. Final transmission

For the final transmission (pinion, chain and rear wheel sprocket) the use of components distributed by Ohvale is mandatory.

N.B. FIM MotoMini World Series Final: the only combinations allowed are:

	GP-0 160 EVO	GP-2 190
Front Sprocket	16 (std) - 17	16 – 17 (std)
Rear Sprocket	34 - 35 (std) - 36	34 - 35 – 36 (std)

2.2.11. Cooling and lubrication system

2.2.11.1. Oil cooler

The oil cooler must remain original.

2.2.11.2. Oil Circuit

Any modification to the oil pump is forbidden.

The oil pipes that connect the engine to the oil cooler must be kept original. The engine breather pipes must be put into a tank with a minimum volume of 250cc.

The oil inlet and discharge plugs, the delivery and return pipes to the oil cooler, the cam head oil pipe and the oil filter cover screws must be perfectly sealed and secured with a binding wire to prevent accidental opening.

2.2.12. Electrical system

2.2.12.1. Wiring and electric controls

The main wiring must be kept original.

It is mandatory to keep the ignition kill switch mounted on the right side of the handlebar.

2.2.12.2. Engine ignition and control

Except as authorized in the following articles, the engine ignition and control system (rotor, stator, CDI and coil) must be kept original.

N.B. FIM MotoMini World Series Final: the CDI will have a seal. This seal cannot be modified or removed. The use of the sealed part is compulsory.

The CDI must be the last homologated version distributed by the manufacturer. All the motorcycles must be equipped with the same CDI version.

At any time of the event, the FIM Technical Director/Chief Technical Steward has the right to request the replacement of any components of the engine ignition and control system mounted on the motorcycle. The refusal to proceed with the replacement is equated with a technical irregularity.

2.2.12.3. Engine control sensors

The use of electronic shift assistance systems (quick-shifter) is:

- On OHVALE GP-0 160 4Speed is forbidden

- On OHVALE GP-2 DAYTONA is allowed by using only the specific kit for the model of motorcycle in use.

No additional controllers or sensors other than those originally fitted to the engine may be added in order to implement engine control strategies. Original engine mounted sensors must be retained.

2.2.12.4. Additional Equipment

With the exception of what is authorized in the following articles, any electrical or electronic components (sensor, CDI, display) that are additional or not originally mounted on the motorcycle, are forbidden.

Use of electronic equipment with IR (infrared) technology, GPS or radio timing recording for on-board lap timing / data recording purposes is allowed. Telemetry is not allowed (remote signal to or from the motorcycle).

It is allowed to mount one or more systems (dashboards, displays, etc.) to display only the parameters indicated in the points below:

- RPM
- Oil temperature
- Lap Time
- Engine Hours
- Speed (by GPS signal)**

Integrated dashboards with electronic tracing function, geolocation and data acquisition, is allowed. The data acquisition must be just limited to the channels listed below:

- RPM
- Oil temperature
- Lap Time
- Engine Hours
- Position and speed (by GPS signal).

All motorcycles must mount the rear safety light included in the specific kit for the model of motorcycle in use. The riders must ensure that the light is switched on whenever Race Director declare wet race or practice.

The presence of cables or electronic components or of not clear origin are not allowed and is considered as a technical irregularity. The FIM Technical Director / Chief Technical Steward has the final decision.

N.B. FIM MotoMini World Series Final: all motorcycles will be equipped with the same data acquisition system. It is compulsory to keep it mounted and running during the whole event.

2.2.13. Fairing/Bodywork

2.2.13.1. General

Except as authorized in the following articles, the fairing, the saddle, the front and rear mudguard and all the superstructures that make up the motorcycle body, must be kept original.

Colour and graphics are free. **N.B. FIM MotoMini World Series Final:** any change and/or adding to the original colours schema is totally forbidden.

The use of carbon fibre components is forbidden.

The only aerodynamic appendices allowed are those sold as original by the Official Manufacturer as a kit, and homologated. Any other appendix, with aerodynamic effect, or not, are forbidden. N.B. FIM MotoMini World Series Final: any change and/or adding to the original appendixes, if present, is totally forbidden.

2.2.13.2. Fairings

Except as authorized in the following articles, the fairing must be kept original.

On OHVALE GP-0 160 4Speed it is allowed to modify the fairing as indicated in the following points:

- a) Replace the original front fairing and / or fairing with those originally fitted on motorcycles produced from 2018 on (GP-0 or GP0 EVO)
- b) Replace the original tail/tank cover with the one originally fitted to GP-0 EVO motorcycles.

The windshield must remain original. The windshield can be coloured and not transparent in order to accommodate the table and the front race number.

The size and shape of the oil cooler holes for all GP-0 models built up to 2017 are free. It is also permitted, as well as recommended to mount protective grilles or wire mesh to protect the oil cooler.

The original fairing brackets can be replaced with quick-release attachments.

The lower fairing must have a perfect seal in order to contain lubricant leaks in the event of engine failure.

The lower fairing must incorporate two holes of 14 mm in the bottom of the front and rear lower area. These holes must remain closed in dry conditions and must be opened only in wet race conditions, as declared by the Race Director.

N.B. FIM MotoMini World Series Final: any change and/or adding to the original fairings is totally forbidden.

2.2.13.3. Mudguards

The distance between the front mudguard and the tyre may be increased.

The front and rear mudguard must be kept original.

On OHVALE GP-0 160 4 Speed it is permissible to replace the original front fender with the original one fitted on motorcycles produced from 2018.

N.B. FIM MotoMini World Series Final: any change and/or adding to the original mudguards is totally forbidden.

2.2.13.4. Seat

Saddle seat can be changed.

N.B. FIM MotoMini World Series Final: any change and/or adding to the original seat is totally forbidden.

2.2.14. Exhaust system

Except as authorized in the article to follow, in all categories the exhaust system must be kept original.

The use of the silencer with the dB killer fitting is highly recommended. In countries where national regulations foresee a noise limit lower than the one allowed in this regulation; it is compulsory to use the silencer with the dB killer fitting. In this case, the use of the original dB killer is compulsory on all motorcycles. **N.B. FIM MotoMini World Series Final: the use of the dB killer is compulsory.**

On OHVALE GP-0 160 4 Speed it is compulsory to update the silencer manufactured between 2016 and 2019 with the silencer originally fitted to motorcycles manufactured from 2020 onwards that are prepared for the fitting of the DB Killer.

2.2.15. Screw, bolts and fixing elements

2.2.15.1. General

Bolts and fairing fixing elements are free but must have the same size as the originals and with a strength class equal to or higher than the original. Fairing fixing elements may be replaced by fast fixing ones.

The use of titanium or aluminium bolts and titanium or carbon fibre and / or kevlar fasteners, if not originally on the motorcycle or part of the specific kit for the model of motorcycle in use is forbidden.

N.B. FIM MotoMini World Series Final: only the originally mounted bolts, fixing elements, fasteners and nuts are allowed.

2.2.15.2. Engine bolts

The original engine bolts can be replaced with another one of equal size and with a strength class equal to or greater than the original.

Where required it is permissible to drill holes for the passage of the binding threads, but any modification tending to a lightening is forbidden.

Resetting the threads with the use of helicoil is allowed.

2.3. WEIGHT

The weight of the motorcycle in running order shall not be less than the value shown below:

- Category GP-0 160 4Speed:

○ OHVALE GP-0 160 4Speed	MY16 on	66.0 Kg
○ OHVALE GP-0 160 EVO 4Speed	MY22 on	67.5 Kg

- Category GP-2 190 DAYTONA:

- OHVALE GP-2 190 DAYTONA 73.0 Kg

2.4. TYRES, FUEL & LUBRICANTS

2.4.1. Tyres

(1) The only tyres admitted to the FIM MotoMini World Series are those indicated here below:

- OHVALE GP-0 160 4Speed

Front tyre: Pirelli Slick Diablo NHSTL SC1 DSBK 100/80 x 10
 Rear tyre: Pirelli Slick Diablo NHSTL SC1 DSBK 120/80 x 10

- OHVALE GP-2 190 DAYTONA

Front tyre: Pirelli Slick Diablo NHSTL SC1 DSBK 100/90 x 12
 Rear tyre: Pirelli Slick Diablo NHSTL SC1 DSBK 120/80 x 12

Each National/Regional/Continental Series must have a sole tyre supplier, and all riders must be racing with the same tyres at all times.

(2) In the event that the qualifying practices or the race, are declared "wet" it is allowed the use of rain tires in the measures indicated below:

- OHVALE GP-0 160 4Speed

Front tyre: Pirelli Diablo Rain NHSTL SCR1 DB Rain 100/80 x 10
 Rear tyre: Pirelli Diablo Rain NHSTL SCR1 DB Rain 120/80 x 10

- OHVALE GP-2 190 DAYTONA

Front tyre: Pirelli Diablo Rain NHSTL SCR1 DB Rain 100/90 x 12
 Rear tyre: Pirelli Diablo Rain NHSTL SCR1 DB Rain 120/80 x 12

(3) Only the tyres supplied on track by the official tyre service are permitted. No external tyres, even if they comply with point (1) or (2), are allowed without the permission of the official tyre service.

(4) From the beginning of the qualifying practice on, it is permitted to use up to a maximum of:

- 2 set of tyres (2 front and 2 rear) for events with a maximum of 2 races

Contingent tyres are recognizable and counted by affixing a punching during technical inspection.

The tyres should be brought to the parc fermé for punching possibly already mounted on the rims. It is forbidden to exchange tyres already punched

between riders. Rain tyres are excluded from the counting, so there is no punching for these.

- (5) The rider or the rider's representative is responsible for checking the presence and conformity of the tyre codes/stickers when punching the tyres and before each entry into the track. Failure to check tyres at the time of punching will not be accepted as valid justification for the use of tyres without punching or with non-compliant punching. The ultimate responsibility for the collection and handling of tyres lies with the rider.
- (6) The tyre conformity check is normally carried out at the track entrance. Failure to stop the motorcycle for the time necessary for the check at the track entrance is considered as non-compliance with the riders' obligations. The technical scrutineers have the faculty to carry out additional controls, in the pits, in the pit lane and in the parc fermé.
- (7) If one or both marks are missing, the irregular tyres will be marked by the FIM Technical Director/Chief Technical Steward. Any tyre controlled unpunched will be sanctioned with a fine. In the event of repeated infraction or more serious cases, an additional penalty may be imposed (such as starting from pit lane on the first race following the infringement, in which the rider takes part).
- (8) In case of exchange of tyres already allocated to riders, even if belonging to the same team, or in any case of use of tyres with different technical specifications from those associated with the rider for the event, the irregular tyres will be marked by the FIM Technical Director/Chief Technical Steward. Any tyre exchange will be sanctioned with a fine and additionally equated to a technical irregularity.
- (9) At the end of the session (practice or race), the rider must present to the FIM Technical Director/Chief Technical Steward a number of new tyres registered in his name equal to the number of tyres that have been marked as irregular, in order for them to be removed from the list of tyres associated with him. The rider will be allowed to continue the event with the tyre(s) marked by the scrutineer (provided that the make, model, size and compound are those indicated by the Exclusive Supplier). Failure to deliver new tyres will be considered as a technical irregularity, in repeated cases or those considered more serious, at the sole discretion of the FIM Technical Director, the additional penalty of starting from the last grid place in the first race following the infringement in which the rider takes part may be applied. In the event of an exclusion from the event, this article will not be applied.
- (10) In case of tampering with one or both punches, the irregular tyres will be marked by the FIM Technical Director/Chief Technical Steward. This infraction will be sanctioned with a fine and in addition will result in exclusion from the event.
- (11) In the event that a tyre already associated with a rider has defects that compromise its safe use, the official tyre service may request the FIM Technical Director to replace the tyre. The final decision on tyre replacement rests with the FIM Technical Director. Any replacement tyre must have the

same characteristics (make, model, compound and size) as the tyre it replaces.

- (12) The punching is placed on the right shoulder of the tyre, it is the responsibility of the rider or their agent on their behalf, to make sure the presence and the conformity of punching before getting on the track.
- (13) It is specified that when mounting the tyre on the wheel rim it is mandatory to respect the direction of travel indicated by the manufacturer.
- (14) The use of tyre warmers is also allowed on the starting grid. Every type of electrical feeding is forbidden.
- (15) **N.B. FIM MotoMini World Series Final: the distribution and use of tyres will be decided by the Tyre Official Supplier, in accordance with Race Direction and FIM Technical Director.**

2.4.2. Fuel

Fuel shall be liquid at ambient pressure and temperature and shall be used as such. The only fuel allowed is the lead-free one.

If the fuel is not purchased from a public station, the fuel used for competition is considered as race fuel and must be in accordance with the FIM Fuels Regulations. Please refer to Appendix FIM Fuels Regulations.

At no time must other fuel than those allowed by the official supplier (if any) or additive on fuel be found in the motorcycle parts.

N.B. FIM MotoMini World Series Final: the Fuel Official Supplier, in accordance with Race Direction, FIM Technical Director and the Motorcycle Official Supplier, will decide the full specifications of the compulsory fuel. The Official Fuel Supplier, in accordance with the FIM Technical Director, could perform random fuel tests (different from the tests described in Art. 2.8.4) during the event. The use of this fuel, without any additive, is compulsory during the whole event.

2.4.3. Lubricant

At no time must other lubricant than from the official supplier (if any) be found in the motorcycle parts.

At no time must other oil than those allowed by the official supplier (if any) or additive on oil be found in the motorcycle parts.

N.B. FIM MotoMini World Series Final: the Oil Official Supplier, in accordance with Race Direction, FIM Technical Director and the Motorcycle Official Supplier, will decide the full specifications of the compulsory oil. The Official Oil Supplier, in accordance with the FIM Technical Director, could perform random oil tests during the event. The use of this oil, without any additive, is compulsory during the whole event.

2.5. NUMBER PLATE AND RACE NUMBERS

2.5.1. The background colours of the tables and race numbers must be those indicated in the following points:

Category	Background	Number / Figure
GP-0 160 4Speed	Black	Red
GP-2 190 DAYTONA	Black	White

2.5.2. Front and side race numbers must have a minimum height of 80 mm.

2.5.3. In case of dispute concerning the legibility of numbers, the decision of the FIM Technical Director / Chief Technical Steward will be the final

2.5.4. **N.B. FIM MotoMini World Series Final: the design and dimensions are exempt of Art. 2.5. The final design will be agreed by the Promoter and the Motorcycle Official Supplier.**

2.6. SCRUTINEERING

The motorcycles may be scrutineered and technical checks (including the required disassembly) or noise/performance and weight measurements may be executed before, during or after a meeting.

The FIM Technical Director may perform random controls during the event.

Violations of the present Technical Regulations and noise levels exceeding the allowed limits shall be sanctioned by loss of result and/or the following penalties (not valid for FIM MotoMini World Series Final):

- For prohibited potentially performance-enhancing modifications of the power unit including intake and exhaust systems = fine up to €250 (incl. VAT) and the rider's suspension for up to two subsequent events. If the offence occurs during the penultimate or last meeting of the season, the suspension may be carried to the next season, no matter in which class the rider shall start in that season.
- Other prohibited modifications = fines up to €150 (incl. VAT) per violation.

Should the officials be unable to determine the compliance/non-compliance of a part with the regulations on the spot, the part or the whole bike will be confiscated for checking and the affected entrant will not be able to make any claims whatsoever. The owner of the motorcycle will be responsible for any costs incurred (disassembly, reassembly).

Non-compliant parts found during Scrutineering will be marked.

For major contraventions to the Technical Regulations, the FIM Stewards may penalise the respective participants by disqualification from one or several races or from the whole FIM MotoMini World Series.

2.6.1. Sanction for Non-Compliance with Fuel Regulations.

Fuel controls may be carried out in accordance with article 2.5.2. of the Technical Regulations. A rider whose fuel does not correspond to the technical requirements will be sanctioned as follows:

1. Exclusion from the whole event in question independent of the moment of the fuel sampling;
2. Fine of 500 €;
3. Payment of all costs connected to the fuel test(s) for his case.

2.7. SOUND LEVEL

In all categories, the maximum permissible sound level is (when the dB killer is fitted):

- OHVALE GP-0 160 4Speed: 95 +2 dB/A at an engine revolution of 5500 rpm.
- OHVALE GP-2 190 DAYTONA: 97 +2 dB/A at an engine revolution of 5500 rpm.

2.8. GASOLINE, LUBRICANT AND COOLANTS

N.B. FIM MotoMini World Series Final: the Fuel Official Supplier, in accordance with Race Direction, FIM Technical Director and the Motorcycle Official Supplier, will decide the full specifications of the compulsory fuel.

Only valid for FIM MotoMini World Series:

All vehicles must be fuelled with:

- unleaded gasoline (from public pump station or race type) OR
- a mixture of unleaded gasolines OR
- a mixture of unleaded gasoline(s) and lubricant in the case of 2-stroke engines.

The unleaded gasoline or the mixture of unleaded gasolines used must comply with the FIM specifications as set out in Art. 2.8.1.

The mixture of unleaded gasoline(s) and lubricant must comply with the FIM specifications as set out in Art. 2.8.2.

Riders/teams must declare to the FIM Technical Director (or the FMNR Chief Technical Steward when there is no FIM Technical Director appointed) the make and type of gasoline to be used during practices and race(s), upon presentation of the rider/team's motorcycle(s) at the initial Technical Verifications. They are also

recommended to provide a certificate issued by the gasoline company which certify that the gasoline has been tested and is in conformity with FIM specifications.

Gasoline companies which supply 'race' gasolines (gasolines other than those obtained at public pump stations) to participating teams/riders must test their gasoline at Intertek Schlieren (Switzerland) against FIM specifications set out in Art.2.8.1 and 2.8.2.

Providing the gasoline is within the FIM specifications, a certificate containing a test report and batch number will be issued to the fuel company.

The gasoline company shall be able to provide a copy of such certificate to their client rider/teams before they take part in a race.

Contact for gasoline analysis: fimfuels@intertek.com

A list of gasolines which are in conformity with FIM specifications will be published by FIM on the FIM website.

Furthermore, in the cases in which only gasoline from the appointed supplier is permitted (for a specific event or the entire World Championship, Prize or Cup), the aforementioned gasoline shall have been previously tested in a FIM appointed laboratory in order to test its conformity with the FIM specifications as set out in Art. 2.8.1 and 2.8.2:

- in case of conformity, a certificate of conformity (including test report and tested batch number) shall be available, and Art. 2.8 apply in case of controls for the riders/teams;
- in case the conformity is not achieved, the FMN of the organizing country, the Organizer/Promoter shall ask the FIM for a waiver in order to enable the use of gasoline not corresponding to FIM specifications. If the waiver is granted, the riders/teams will be responsible for using the gasoline provided without changing its composition. Controls may be carried out by FIM.

2.8.1. FIM specifications for unleaded gasolines or mixtures of unleaded gasolines

The following specifications are set for unleaded gasoline or the mixture of unleaded gasolines:

a) The following properties shall be within the following thresholds (for each property, the relative test methods to be used for the measurement are indicated):

Property	Units	Min.*	Max.*	Test Method
RON		95.0	102.0	EN ISO 5164 or ASTM D2699
MON		85.0	90.0	EN ISO 5163 or ASTM D2700
Oxygen (includes 10% ethanol allowance)	% (m/m)		3.7	EN ISO 228541 or EN 13132 or elemental analysis
Nitrogen	% (m/m)		0.2	ASTM D 46292 or ASTM 5762
Benzene	% (V/V)		1.0	EN ISO 22854 or ASTM D6839 or ASTM D5580

Vapour pressure (DVPE)	kPa		100.0	EN 13016-1 or ASTM D5191
Lead	mg/L		5.0	ICP-OES or AAS
Manganese	mg/L		2.0	ICP-OES or AAS
Density at 15°C	kg/m3	720.0	785.0	EN ISO 12185 or ASTM D4052
Oxidation stability	minutes	360		EN ISO 7536 or ASTM D525
Sulphur	mg/kg		10.0	EN ISO 20846 or ASTM D5453
Distillation:				EN ISO 3405 or ASTM D86
E at 70°C	% (V/V)	20.0	52.0	
E at 100°C	% (V/V)	46.0	72.0	
E at 150°C	% (V/V)	75.0		
Final Boiling Point	°C		210	
Residue	% (V/V)		2.0	
Appearance	Clear, bright and visually free from solid matter and undissolved water			Visual inspection
Olefins	% (V/V)		18.0	EN ISO 22854 or ASTM D6839
Aromatics	% (V/V)		35.0	EN ISO 22854 or ASTM D6839
Total diolefins	% (m/m)		1.0	GC-MS or HPLC
Oxygenates:				EN ISO 228541 or EN 13132
Methanol	% (V/V)		3.0	The only oxygenates permitted are paraffinic mono-alcohols and paraffinic mono-ethers (of 5 or more carbon atoms per molecule) with a final boiling point below 210°C.
Ethanol	% (V/V)		10.0	
Isopropanol	% (V/V)		12.0	
Isobutanol	% (V/V)		15.0	
tert-Butanol	% (V/V)		15.0	
Ethers (C5 or higher)	% (V/V)		22.0	
Others	% (V/V)		15.0	

(1) In cases of dispute EN ISO 22854 will be the reference method.

(2) In cases of dispute ASTM D 4629 will be the reference method.

* All reported min. and max. thresholds do not include the tolerance, which needs to be calculated in accordance with ISO 4259 and taken into account to correct the min. and max. thresholds.

The total of individual hydrocarbon components, present at concentrations of less than 5% (m/m), must constitute at least 30% (m/m) of the gasoline. The test method will be GC-FID (gas chromatography-flame ionisation detector) and/or GC/MS (gas chromatography-mass spectrometry).

The total concentration of naphthene, olefins and aromatics classified by carbon number must not exceed the values given in the following table:

% (m/m)	C4	C5	C6	C7	C8	C9+
Naphthene	0	5	10	10	10	10

Olefins	5	20	20	15	10	10
Aromatics	-	-	1.2	35	35	30

Bicyclic and polycyclic olefins are not permitted. The fuel must contain no substances which are capable of exothermic reaction in absence of external oxygen.

2.8.2. FIM specifications for mixtures of unleaded gasoline(s) and lubricant

The lubricant:

must not change the composition of the gasoline fraction when added to the gasoline; must not contain any nitro-compounds, peroxides or any other engine power boosting additives; must in no way contribute to an improvement in overall performance; during the distillation up to 250°C, must not show a reduction in mass by evaporation of more than 10% (m/m) (test method: simulated distillation GC); must contain a max. content of anti-knock agents (lead, manganese, iron) of 10 mg/kg (test method: ICP-OES).

Moreover, the following specifications are set for the mixture of unleaded gasoline(s) and lubricant:

The following properties shall be within the following thresholds (for each property, the relative test methods to be used for the measurement are indicated):

Property	Unit	Min.	Max.	Test Method
RON			102.0*	EN ISO 5164 or ASTM D2699
MON			90.0*	EN ISO 5163 or ASTM D2700
Density at 15°C	kg/m3	690**	815**	EN ISO 12185 or ASTM D4052

* Reported min. and max. thresholds do not include the tolerance, which needs to be calculated in accordance with ISO 4259 and taken into account to correct the min. and max. thresholds.

** Min. and max. thresholds do include the tolerance.

2.8.3. Air

Only ambient air may be mixed with the gasoline as an oxidant.

2.8.4. Sampling and Testing

The FIM may require gasoline controls, i.e., controls of the unleaded gasoline, mixture of unleaded gasolines or mixture of unleaded gasoline and lubricant, used by riders/teams at events. These controls involve an initial sampling at the event and further testing in the FIM appointed laboratory.

N.B. FIM MotoMini World Series Final: The Official Fuel Supplier, in accordance with the FIM Technical Director, could perform random fuel tests (different from the tests described in Art. 2.8.4) during the event. The use of this fuel, without any additive, is compulsory during the whole event.

2.8.4.1. Sampling

The FIM Technical Director (or the FMNR Chief Technical Steward when there is no FIM Technical Director appointed) is the sole official responsible for the sampling management and supervision.

Riders/teams selected for gasoline controls are directed to proceed with their vehicles to the area that has been designated for this purpose.

The FIM Technical Director/FMNR Chief Technical Steward collects the gasoline from the motorcycle by using only new sample containers and pipettes/hand pumps. The gasoline is transferred through the use of the pipette/hand pump directly from the gasoline tank into three containers, denominated A, B and C. The containers are closed and sealed by the FIM Technical Director/FMNR Chief Technical Steward.

The FIM Technical Director/FMNR Chief Technical Steward fills in (in all its parts) and signs the Gasoline Sample Declaration Form (see 2.10.4.3). The rider or a team representative also signs this Form, after verifying that all the information is correct.

The FIM Technical Director/FMNR Chief Technical Steward prepares an appropriate shipping box containing the collected A, B and C samples and a copy of the respective, signed, Gasoline Sample Declaration Form. The box is then shipped to the FIM appointed laboratory by registered courier.

2.8.4.2. Testing

One or more properties to be checked (following the relevant testing method as per Art. 2.10.1 and 2.10.2) are set by the FIM for each selected rider/team.

Sample A is the first sample to be tested by the FIM appointed laboratory.

Sample B can be used for a second analysis if required by the FIM. The test result of the A or B sample more favourable to the rider/team is taken into account. Costs for the shipping and testing of sample A and B are paid by FIM.

As soon as possible after completing the testing, the FIM appointed laboratory reports the test results directly to the responsible CTI Coordinator.

For negative cases (i.e., conformity of the tested property(ies) with the specification), the riders/teams concerned will be individually informed by the FIM in due course, copying the rider/team's FMN, the FIM Technical Director/FMNR Chief Technical Steward, the competent authority (e.g., Race Direction, International Jury), the CTI Director, the Director and Coordinator(s) of the sporting Commission concerned.

Only for positive cases following testing of sample A or B or A and B (i.e. non-conformity of one or more properties*), the responsible CTI Coordinator notifies by electronic mail* the rider/team concerned (including the testing results) and, 24 hours after, forwards the relevant information to the rider/team's FMN, the FIM Technical Director/FMNR Chief Technical Steward, the competent authority (e.g.

Race Direction, International Jury), the CTI Director, the Director and Coordinator(s) of the sporting Commission concerned.

*Note: The non-conformity of one property (except the Appearance) is sufficient for declaring non-conformity of the gasoline or the mixture.

If the rider/team wishes to request a counter-expertise, he must notify the responsible CTI Coordinator by electronic mail* accordingly, within 72 hours of receipt by the FIM of the delivery status notification pertaining to the notification of the test results to the rider/team.

If a counter-expertise is requested, the sample dedicated to the counter-expertise is sample C and the test shall aim at checking the same property(ies) previously checked on sample A/B. The rider/team can request that sample C be tested at one of the available FIM appointed laboratories. Costs for shipping and testing of sample C are paid by the rider/team concerned.

Upon notification of the sample C results, the responsible CTI Coordinator notifies by electronic mail* the rider/team concerned (including the testing results) and forwards the relevant information to the rider/team's FMN, the FIM Technical Director/FMNR Chief Technical Steward, the competent authority (e.g., Race Direction, International Jury), the CTI Director, the Director and Coordinator(s) of the sporting Commission concerned.

If no counter-expertise is requested within the time limit, the responsible CTI Coordinator forwards the relevant information by electronic mail* the rider/team's FMN, the FIM Technical Director/FMNR Chief Technical Steward), the competent authority (e.g., Race Direction, International Jury), the CTI Director, Director and Coordinator(s) of the sporting Commission concerned.

The competent authority of the event concerned (e.g., Race Direction, International Jury) takes a decision based on the information received. The Coordinator of the sporting Commission concerned notifies the rider/team concerned regarding the decision by electronic mail*.

The non-conformity of:

- A sample (in the cases B sample was not used) or
- B sample (in the cases A sample result was not conclusive) or
- A and B samples or
- A and B and C samples (in the cases B sample was used and a counter-expertise was requested) or
- A and C samples (in the cases B sample was not used and a counter-expertise was requested) automatically results in the disqualification of the rider/team from the entire event.

No disqualification will be applied in case of conformity of sample C.

Furthermore, in any case, other penalties may be applied.

The rider/team has the right to appeal against the decision of competent authority of the event concerned (e.g., Race Direction, International Jury) in accordance with FIM Disciplinary Code applicable to the relevant discipline.

*The receipt of a delivery status notification will be deemed as proof of delivery

2.8.4.3. Fuel Gasoline Sample Declaration Form "A", "B" and "C"

 FIM WORLD CHAMPIONSHIPS, CUPS AND PRIZE EVENTS Gasoline Sample Declaration Form									
Discipline									
IMN (xxx/xx)									
Riders'/Teams' name									
Riders'/Teams' number									
Riders'/Teams' email or phone number									
Team									
Vehicles' make									
Gasolines' make and type									
Gasolines' origin (public station or race supplier)									
Gasoline' samples taken on date (dd/mm/yy)									
Gasoline samples taken at (right before or after):									
SIDECAR FP	QP1 Race 1	QP2 Race 2							
<table border="1"><tr><td></td><td>Vial label n°</td></tr><tr><td>Sample A</td><td></td></tr><tr><td>Sample B</td><td></td></tr><tr><td>Sample C</td><td></td></tr></table>			Vial label n°	Sample A		Sample B		Sample C	
	Vial label n°								
Sample A									
Sample B									
Sample C									
The above listed details refer to gasoline samples taken from the fuel tank of the motorcycle specified.									
Sample A is the first testing sample to be used by the FIM appointed laboratory. Sample B can be used for a second analysis if required by the FIM. Sample C is used if a counter-expertise is required by the rider/team.									

The serial numbers of the vial seals and the accuracy of the listed information have been verified.

Riders'/Teams' responsible name	
Riders'/Teams' responsible signature	
FIM Technical Directors'/FMNR Chief Technical Stewards' name	
FIM Technical Directors'/FMNR Chief Technical Stewards' signature	
Date and time (dd/mm/yy, hh/mm)	

2.8.5. Fuel Storage

Where the fuel is supplied by the Organiser, there shall be an officially designated and controlled fuel storage areas. Outside these areas, fuel may only be stored in metal containers.

A maximum of 60 litres of fuel, stored in a sealable container, is allowed in the competitor's pit.

The officially designated storage and supply area shall be in conformity with the building criteria. Firefighting equipment, protective devices and staff shall conform to the requirements imposed by the local authorities and by-laws.

The organiser shall have fire extinguishers of a size and type approved by the local by-laws, available to each competitor in the pit area.

2.9. PROTECTIVE CLOTHING AND HELMETS

The rider is at all times responsible for ensuring that his own protective clothing and helmets are in good condition (undamaged) and comply with the FIM Technical Regulations. In case one part of his protective clothing and helmets is damaged after a crash, the rider must systematically present this equipment to the FIM Technical Director or to the FMN Technical crew for check.

Riders will have to be equipped with the appropriate complete set of undamaged safety racing equipment:

- All equipment must comply with the following requirements
- Each rider must be wearing the following elements:

- One piece leather suit (2-pieces suits are not allowed)
- Racing boots
- Racing gloves
- Back & chest protectors
- Helmet (must be of the full-face type)

2.9.1 Riders must wear a complete leather suit with additional leather padding or other protection on the principal contact points, knees, elbows, musters, hips that conform to EN1621-1:2012.

The use of sliders (specific parts of the riders' safety equipment, either permanently fixed or removable, intended to make regular contact with the track surface to assist the rider while cornering), is permitted on the knees, elbows or any other parts of the race suit, where it is deemed necessary. They must not be manufactured from or contain any material that when in contact with the track surface may cause visual or other disturbance to other riders.

2.9.2 Linings or undergarments must not be made of a synthetic material which might melt and cause damage to the riders' skin.

2.9.3 Riders must also wear leather gloves and boots, which with the suit provides complete coverage from the neck down.

2.9.4 Leather substitute materials may be used, providing they have been checked by the Chief Technical Steward.

2.9.5 Use of a chest and back protector is compulsory (with or without airbag protection in the suit) and must be clearly marked with the following norms:

- a) The back protector must comply with EN1621-2, CB ("central back") or FB ("full back") Level 1 or 2.
- b) The chest protector must comply with EN1621-3.

Use of a functional airbag system is strongly recommended.

2.9.6 Riders must wear a helmet which is in good condition, provides a good fit and is properly fastened.

2.9.7 Helmets must conform to one of the following recognised international standards:

EUROPE	ECE 22-05 (only "P" type) ECE 22-06 (only "P" type)
FIM	FRHPhe-01 FRHPhe-02
JAPAN	JIS T 8133:2015 (only "Type 2 Full face")

USA	SNELL M 2015 SNELL M 2020 R SNELL M 2020 D SNELL M 2025 R SNELL M 2025 D
-----	---

Examples of labels are reported below:

EUROPE	
FIM	
JAPAN	
USA	



2.9.8 Visors must be made of a shatterproof material.

2.9.9 Disposable "tear-offs" are permitted.

2.9.10 Any question concerning the suitability or condition of the riders clothing and/or helmet shall be decided by the FIM Technical Director/ Chief Technical Steward, who may, if he so wishes, consult with the manufacturers of the product before making a final decision.

2.10. PROCEDURES FOR TECHNICAL CONTROL

The rider is at all times responsible for his/her motorcycle.

The Chief Technical Steward must be in attendance for an event at least 1 hour before the technical verifications are due to begin. He must inform the Clerk of the Course, the Race Director and the Technical Director of his arrival.

He must ensure that all Technical Stewards, appointed for the event, carry out their duties in a proper manner.

He shall appoint the Technical Stewards to individual posts for the race, practices and final control.

The rider, or his mechanic, must be present with the motorcycle for Technical control within the time limits stated in the Time Schedule. The maximum number of persons present at the technical verification will be the rider, plus two others. In addition, the Team Manager will also be allowed.

The FIM Technical Director/Chief Technical Steward must inform the Race Director of the results of the Technical control. The Technical Director/Chief Technical Steward will then draw up a list of accepted motorcycles and submit this list to the Clerk of the Course.

The FIM Technical Director/Chief Technical Steward have the right to inspect any part of the motorcycle at any time of the event.

Any rider failing to report as required below may be disqualified from the event. Race Direction may forbid any team who does not comply with the rules, or any rider who may be a danger to other participants or to spectators, to take part in the practice sessions or in the races.

The Technical Control must be carried out in accordance with the procedure and times fixed in the General Information of the event.

The FIM Technical Director/Chief Technical Steward will refuse any motorcycle that does not have a correctly positioned positive transponder attachment. The transponder must be fixed to the motorcycle as described in Appendix 9.

The rider or the mechanic shall present a clean motorcycle and in conformity to the FIM rules. He shall also present the helmet, gloves, boots and leather.

An overall inspection of the motorcycle must be carried out in conformity with the FIM rules. Accepted motorcycles will be marked with paint or a sticker.

FIM Technical Director/Chief Technical Steward has the final authority in case of a dispute on the conformity of the parts in question and for acceptance thereof.

Before each practice the Chief Technical Steward can confirm that the motorcycle has passed the Technical Control by checking the Technical Control sticker before the motorcycles go on the track.

Only accepted motorcycles may be used in practices and races.

Approximately 30 minutes after the Technical control have been completed, the Technical Director/Chief Technical Steward must submit to the Race Direction a list of accepted motorcycles and riders.

If a motorcycle is involved in an accident, the Technical Director/Chief Technical Steward may check the motorcycle, together with the helmet and clothing of the rider involved, to ensure that no defect of a serious nature has occurred. If a motorcycle was stopped with a Black Flag with Orange Disc, the FIM Technical Director/Chief Technical Steward must check the motorcycle. In both cases, it is the responsibility of the team to present the motorcycle (together with helmet and clothing of the fallen rider) for his re-examination in case they wish to continue. If the helmet is clearly defective, the Chief Technical Steward must retain this helmet. The Promotor can send this helmet, together with the accident and medical report (and pictures and video, if available) to the Federation of the rider. If there are head injuries stated in the medical report, the helmet then must be sent to a neutral institute for examination.

The team can scrutineer only one motorcycle per rider.

If during the official practice sessions, a motorcycle suffers any damages that are difficult to repair in the circuit, the FIM Technical Director could allow a second motorcycle to be presented for a technical inspection. The process of authorizing a

new machine to be used is not possible during a practice session. Once the starting procedure is initiated, it is not possible to verify a second motorcycle, neither in case of detention by red flag. In case of events with two races, once the first race is finished, the FIM Technical Director may allow the request for verification of a second motorcycle.

Once the official practice sessions have started, only the motorcycle that has gone under the technical inspection will be allowed to be inside the box.

The FIM Technical Director may require a team to provide such parts or sample as he may deem necessary.

In the case that a machine fails post-qualifying or post-race technical checks due to damage or technical issues on-track, the following protocol will apply, always at the sole discretion of the Technical Director.

a) Machines under the minimum weight limit due to:

a. Loss of fluid:

- i. If the FIM Technical Director has verified that there is physical evidence of fluid loss due to an incident or mechanical issue on track, he may approve the fluid to be replenished to the levels as declared by the Manufacturer at the start of the season.
- ii. If it is necessary to replace a damaged part to accommodate the fluid (e.g., radiator), this will be permitted only under the supervision of the FIM Technical Director who will confirm that the new part is identical to the damaged part.

b. Loss of material or parts:

- i. If the FIM Technical Director has verified that the machine has lost a part or material due to an incident or mechanical issue on track, he may approve the replacement of the part(s) with the following conditions:
 - ii. The FIM Technical Director must verify that any new parts are identical to the original.
 - iii. If the FIM Technical Director determines that there is insufficient physical evidence to prove that a part or material is missing, then the original part must be found before it can be replaced.
- iv. Missing ballast weights will only be permitted to be replaced if they are found and returned to Technical Control by the circuit officials.

b) Machines exceeding the maximum noise levels:

- i. If the FIM Technical Director is satisfied that there is sufficient physical evidence of damage or loss due to an incident or mechanical issue on track, he may approve the replacement of the missing or damaged exhaust parts, and the machine to be re-tested.

Noise tests

1. Noise tests must be conducted in an open area with a space of at least 10 metres between the motorcycle being tested and walls or other obstacles. There should be a minimum amount of ambient noise in the area.
2. The measuring equipment must be calibrated prior to the test and recalibrated at regular intervals.
3. The measuring equipment should be placed 50 cm from the end of the exhaust pipe and at 45-degree angle to the pipe either to the side or above. The maximum noise level at all times is prescribed in the Technical Rules of each class.

3. DISCIPLINARY CODE

3.1. PRINCIPLES

The obligations incumbent upon the participants, officials and organisers are set out in the Regulations published by the FIM.

Proven violation or non-observance of these obligations will be subject to the penalties laid down in this chapter.

3.2. PENALTIES

The penalties are:

- warnings
- fines
- change of position
- time or distance penalties
- grid penalty
- disqualification
- withdrawal of Championship points
- suspension
- exclusion

3.2.1. Definition and application of penalties

Warnings:

Reminder of the rules

can be made privately or publicly, and can be made without a hearing.

Fines:

financial penalty up to 100'000 €

A fine of up to 1'000 Euros can be imposed without a prior hearing being necessary.

However, the right of appeal remains as set out in Article 3.7.2

Change of position:

the rider must go back the number of positions decided by the MotoMini Race Direction.

Time or distance penalty or suppression of time:

the imposition of time or distance affecting the rider's actual result or suppression of time

Grid penalty:

the imposition of a drop of any number of grid positions or the imposition of starting the race from the pit lane exit at the rider's next race or next event. A grid position penalty may be imposed without a prior hearing being necessary.

However, the right of appeal remains as set out in Article 3.7.2.

Disqualification:	entails automatically, and independently of any other penalty, the invalidation of the results obtained in an event, practice, race or ranking.
	An immediate disqualification from a practice session or a race may also be pronounced by means of a black flag, black flag with orange disc.
Withdrawal of championship points:	the loss of points from the Championship races already run.
Suspension:	entails the loss of all rights granted to FIM licence holders, or prohibition from taking part in certain or any of the activities under FIM control for a specified period of time.
	The application of this penalty may be conditionally deferred for a period of up to a maximum of two years.
	A suspension penalty from one or more official practice sessions (or part thereof) of the event may be imposed without a prior hearing being necessary. However, the right of appeal remains as set out in Article 3.7.2.
Exclusion:	entails the complete loss of all rights of participation in any activity under FIM control.
	This exclusion is adjustable over time.

3.2.2. Plurality of penalties

Any offender may have several penalties pronounced against them according to the circumstances.

3.2.3. Principles applicable to the penalties

The nature and seriousness of the offence, the degree of fault and the conduct of the offender, as well as other relevant circumstances, must be taken into account in order to impose a proportionate sanction.

3.3. THE DISCIPLINARY BODIES; present at the event

The bodies of the FIM, qualified to deal with race decisions, disciplinary matters, are:

- The Race Direction
- The FIM MotoMini Stewards
- The FIM Appeal Stewards

3.3.1. The MotoMini Race Direction

3.3.1.1. Constitution

The Constitution of the Race Direction is in accordance with the requirements laid down in Article 1.6.

3.3.1.2. Authority and Competence

The MotoMini Race Direction has the authority to refer any case involving riders, teams' personnel, officials, promoters/organisers and all the persons involved in any capacity whatsoever in an event or in the Championship, to the FIM MotoMini Stewards for possible disciplinary action for:

- Infringements of the Regulations.
- any voluntary or involuntary action or deed accomplished by a person or a group of persons during a meeting, contrary to the current Regulations or instructions given by an official of the meeting including all protocols, notices and other instructions communicated by Officials in writing or via electronic means.
- any voluntary or involuntary action of Officials and Promoters/Organisers for having been unable to ensure the smooth and efficient running of the event or for serious breaches of the Regulations and Protocols covering the event organisation.

3.3.2. The FIM MotoMini Stewards Panel

3.3.2.1. Constitution

The Constitution of the FIM MotoMini Stewards Panel is in accordance with the requirements laid down in Article 1.7.

3.3.2.2. Authority and Competence

The FIM MotoMini Stewards have the authority to penalise riders, teams' personnel, officials, promoters/organisers and all the persons involved in any capacity whatsoever in an event or in the Championship, without the necessity of a hearing in the case of minor offences, for:

- Infringements of the Regulations.
- any voluntary or involuntary action or deed accomplished by a person or a group of persons during a meeting, contrary to the current Regulations or instructions given by an official of the meeting including all protocols, notices and other instructions communicated by Officials in writing or via electronic means.

- any corrupt or fraudulent act, or any action prejudicial to the interests of the meetings or of the sport, carried out by a person or a group of persons occurring during an event.

- any voluntary or involuntary action of Officials and Promoters/Organisers for having been unable to ensure the smooth and efficient running of the event or for serious breaches of the Regulations and Protocols covering the event organisation.

The FIM MotoMini Stewards are competent to adjudicate upon a protest relating to infringements of the Regulations.

3.3.2.3. Penalties that may be pronounced by the FIM MotoMini Stewards Panel:

- a warning
- a fine
- a change of position
- a time penalty
- a grid penalty
- a disqualification
- a withdrawal of Championship points
- a suspension

Furthermore, the FIM Stewards Panel can refer the case to the FIM Appeal Stewards in order to impose a higher penalty than the FIM Stewards Panel is empowered to do.

3.3.3. The FIM Appeal Stewards

3.3.3.1 Constitution

The FIM Appeal Stewards will consist of:

- one FIM Steward with FIM Sporting Steward Superlicence, who will be the chairman of the FIM Appeal Stewards and exercise a casting vote if necessary. This Steward will be nominated by the FIM and approved by the Permanent Bureau,
- and one FMNR Steward with FIM Sporting Steward Licence, nominated by the FMNR and approved by the FIM.

3.3.3.2 Authority and Competence

The FIM Appeal Stewards will hear any appeals against decisions taken by the FIM MotoMini Stewards.

The FIM Appeal Stewards may confirm or overturn a decision of the FIM MotoMini Stewards, or impose a different penalty according to the penalties described in Art. 3.2.1.

The FIM Appeal Stewards may refer the case to the **International Court of Appeal (CAI)** if it appears impossible to deal with the case for any valid reason.

Such a decision will be justified in writing by the FIM Appeal Stewards.

3.4. THE INTERNATIONAL COURT OF APPEAL (CAI); not present at the event

3.4.1 Constitution of the CAI

All CAI judges are members of the List of the International Judges (LJI), which is headed by a Director. The CAI is supported by an independent Secretariat General.

As soon as possible after the filing of a referral to the CAI, one (1) single judge or a panel of three (3) judges is appointed by the Secretary General of the CAI from the members of the LJI. If there is more than one judge, a president of the panel is appointed by the Secretary General.

Each judge must remain impartial and independent of the parties at the time they accept their appointment and throughout the proceedings. For each case, the judges must sign a declaration of independence and disclose in writing to the Secretary General any facts or circumstances that might call into question their independence or give rise to reasonable doubts as to their impartiality.

In the event that the single judge or the president of the panel has not yet been appointed, their tasks will be carried out by the LJI Director if necessary.

3.4.2 Notification to the parties and recusal

For each case, the Secretary General will notify the parties of an expanded list of potential judges.

The parties have the right to submit a request for recusal of one or several judges on the list, with supporting reasons, within three days of receiving the notification of the list.

If the Secretary General considers that a reasonable objection is made, they must appoint one or more replacements among the other judges on the list.

The final choice of the judge(s) making up the judging panel will not be disclosed to anyone other than the judges themselves before the day of the hearing.

3.4.3 CAI Secretariat General

The Secretariat General of the CAI is represented and directed by a Secretary General. They are an experienced jurist or lawyer whose main professional activity is outside FIM and motorcycling sport.

The Secretary General signs the declaration of independence provided for members of the LJI.

The Secretariat General is responsible for all material and procedural tasks allowing the CAI to carry out the functions assigned to it by this Code.

The Secretary General is in particular responsible for receiving and forwarding to the parties and the judges all documents relating to a case, organising the hearing and the notification of the CAI's decisions. They also maintain the complete collection of all decisions handed down by the CAI.

Unless otherwise instructed, the Secretary General has delegated signing authority from all the judges to sign on their behalf all correspondence exchanged with the parties in connection with cases, with the exception of the decision itself.

The Secretary General attends hearings and deliberations of decisions but may not take part in them.

3.4.4 Competences

The CAI has contentious power.

Any decision taken during a FIM meeting may be appealed, unless such an appeal would prejudice the smooth running of the meeting in progress. The cases in which an appeal would prejudice the smooth running of the meeting in progress are listed here-after at the specific articles concerning the Disciplinary Bodies present at events.

Such appeals may be lodged by a natural or legal person holding a FIM licence who is directly affected by the said decisions.

The CAI will hear any appeals against decisions taken by the FIM Appeal Stewards.

The CAI adjudicates upon request of the FIM MotoMini or the FIM Appeal Stewards.

Depending on the nature and complexity of the case, any disciplinary body referred above may bring the matter at hand to the CAI to handle the case.

The President of the FIM, the Executive Board or the Board of Directors may, within 10 days after an Event, refer to the CAI matters of violation or non-observance of the FIM regulations.

3.4.5 Jurisdictional limits in doping matters

The CAI does not have jurisdiction in matters relating to doping.

3.5. JUDGES OF FACT

Judges of fact are officials in charge of checking certain facts during practices and races and whose observations must be reported immediately for a possible decision.

Statements of fact depend exclusively from a factual observation without any possible adjustment of the sanction which is statutorily and precisely stated. These statements of facts and the resulting decisions are immediate and in certain cases not subject to protest or appeal, as specified in the relevant regulations.

Beyond members of the FIM MotoMini Stewards, one or several judges of fact may be appointed to supervise the jump starts, the passage of the finish line, as to whether or not a rider has exceeded the track limits, or as to any other fact laid down in these Regulations.

3.6. THE FIM AS A PARTY IN THE LEGAL PROCEEDINGS

3.6.1 Function

For all the appeals to the **CAI**, the FIM is entitled to assert its interests or to explain its position by means of a prosecution address.

3.6.2 Appointment

The Executive Board shall appoint in each case, the person who will represent the FIM.

3.6.3 Procedure

The intervention of the FIM is optional and is left to the appreciation of the Executive Board.

As a party, the FIM enjoys the same rights and obligations as the other parties.

The FIM may be present in person at a hearing or may present its claims in writing.

3.6.4 Cases concerning behaviours of an exceptional gravity

In case of a behaviour of an exceptional gravity, the President of the FIM, the FIM Executive Board or the Board of Directors may refer the case to the CAI which will hear such a case according to the procedures and time limits laid down by the Disciplinary Code.

3.7. PROTESTS AND APPEALS

3.7.1. Right to protest

Any natural or legal person, holder of a FIM licence, who considers to be directly prejudiced, during a meeting sanctioned by the FIM, following dangerous, unsporting or fraudulent behaviour, riding or act, which has not been subject to a decision by the disciplinary bodies listed in article 3 has the right to protest against such behaviour, riding or act.

3.7.1.1. Scope of protests

A protest may be lodged against:

- an entry of a Rider, or Team
- an alleged non-compliance of a machine with the regulations,
- a classification established at the end of a practice or a race,
- any alleged error, irregularity or breach of the regulations occurring during an event,
- a presumed wrongdoing behaviour of a competitor, not seen or not sanctioned by the FIM MotoMini Stewards, having occurred during an event.

However, no protest may be lodged against an immediate decision made by any judges of fact in the exercise of their duties, including but not limited to:

- a fine, resulting from a pit lane speeding, pit lane exit, or practice start violation.
- a change of position,
- a time penalty given instead of any penalty not subject to protest,
- a disqualification from the practice sessions or races by means of a black flag or black flag with orange disc,
- a grid penalty for the race of the event,
- a cancellation of the lap time concerned for a rider exceeding the track limits during practices,
- a disqualification from the practice sessions or the race following a positive result to the breath alcohol test carried out at the event.

No protest may be lodged against a decision of whether a rider is actively competing in the case of an interrupted race.

No protest may be lodged against a decision of the Race Direction or FIM MotoMini Stewards Panel or any other judge of fact based on a jump start, a track limit violation or a photo finish.

3.7.1.2. Procedure and time limit for protests

All protests must be submitted in writing to the FIM MotoMini Stewards and signed only by the person or team directly involved.

Each protest must specify:

- the relevant regulations or infringed provisions,
- the concerns of the protesting party,
- against whom the protest is filed (when relevant).

Each protest must refer to a single subject only and the intention to protest must be directly filed to the FIM MotoMini Stewards or via the Race Direction.

- within 30 minutes of the publication of the results in the case of Sporting Regulation protests,

In the case of Technical Regulation protests, for practical reasons, the intention of protest must be notified before the checkered flag of the session or race.

The protest must then be formally filed in writing or withdrawn within 1 hour at the latest after the publication of the results*.

* publication of results includes the official notice/timekeeping board (digital or otherwise) together with time of publication, or the digital distribution of results by the Organiser. The latest communication/publication among those will be the base to determine the protest time deadline.

A protest against the eligibility of a rider, team or a motorcycle to enter a class or event must be made before the start of the official practice.

A protest against a machine on technical control compliance grounds (eg. weight, noise, materials, etc.) may be made after the start of official practice, and must be directly filed to the FIM MotoMini Stewards or via the Race Direction before the chequered flag of the practice session or race concerned.

If the protest was not lodged in accordance with the relevant procedures set up by the regulations and/or the security deposit not paid within the deadline specified in article **3.7.1.2**, the FIM MotoMini Stewards are entitled to declare inadmissible the protest without hearing.

3.7.1.3. Security Deposit for Protests

Protests must be handed to a responsible official (Clerk of the Course, MotoMini Race Director, FIM Steward or Secretary of the Meeting) together with the security deposit of 330 Euros or equivalent

This security deposit may only be returned if the protest is upheld.

In the case of protests referring to the alleged non-compliance of machines with the regulations and requiring the dismantling and re-assembly of clearly defined parts of a machine, an additional deposit may be specified by the Stewards on a proposal from the Organisation. This additional deposit must be paid by the protester within one hour upon notification of the Stewards and before the dismantling has started.

3.7.1.4. Hearing of a protest

After an immediate hearing, the FIM MotoMini Stewards must make a decision on any protest presented. The protest has to be judged according to the provisions of the Regulations.

Decisions of the FIM MotoMini Stewards Panel taken during track activities (practice and races) may be communicated on monitors. Such communications on public screens **and/or on the official electronic notice board** are considered valid notification.

3.7.1.5. Effect of the decision upon a protest

The decision of the FIM Stewards of determination of penalty is immediate.

3.7.2. Right to Appeal

Any natural or legal person, holder of a FIM licence and directly affected by a decision taken during a meeting under the authority of the FIM has the right to lodge an appeal against such a decision.

3.7.2.1¹ Scope of appeal

The rules concerning appeals against FIM disciplinary decisions are:

3.4.2.1¹ To the FIM Appeal Stewards against a decision of the FIM MotoMini Stewards.

No appeal may be lodged against a decision made by any judges of fact in the exercise of their duties, entailing or not:

- a fine for speeding in the pitlane, pit exit line violation, or practice start violation.
- a change of position.
- a time penalty given instead of any penalty not subject to appeal.
- a cancellation of the lap time concerned for a rider exceeding the track limits during practices.
- a disqualification from the practice sessions or races by means of a black flag or black flag with orange disc.
- a disqualification from the practice sessions or the race following a positive result to the breath alcohol test carried out at the event.

- a suspension from one or more official practice sessions (or part thereof) imposed for a session on that same day.
- a grid penalty imposed for the Race on that same day.

No appeal may be lodged against a decision of whether a rider is actively competing in the case of an interrupted race.

No appeal may be lodged against a decision of a judge of fact based on a jump start, a track limit violation or a photo finish.

When no appeal may be lodged the decision of the FIM Stewards is final.

3.7.2.1² To the International Court of Appeal (CAI) against a decision of the FIM Appeal Stewards.

No appeal may be lodged against a decision made by any judges of fact in the exercise of their duties, including but not limited to:

- a fine for speeding in the pit lane, pit exit line violation, or practice start violation.
- a change of position
- a time penalty given instead of any penalty not subject to appeal.
- a cancellation of the lap time concerned for a rider exceeding the track limits during practices
- a disqualification from the practice sessions or races by means of a black flag or black flag with orange disc.
- a disqualification from the practice sessions or the race following a positive result to the breath alcohol test carried out at such event.
- a suspension from one or more practice sessions (or part thereof) of the imposed for a session on that same event.
- a grid penalty imposed for a Race on that same event.

No appeal may be lodged against a decision of whether a rider is actively competing in the case of an interrupted race.

No appeal may be lodged against a decision of a judge of fact based on a jump start, a track limit violation or a photo finish.

3.7.2.2. Time limits for the lodging of an appeal

The time limit for lodging a statement of appeal is:

Against a decision of the FIM MotoMini Stewards- 1 hour

Against a decision of the FIM Appeal Stewards - **5 days**

The time limits shall be taken from the date and time of receipt of the decision by the appellant.

3.7.2.3. Lodging of an appeal

To be admissible before the FIM Appeal Stewards, the notice of appeal must be submitted in writing.

To be admissible, before the CAI, the notice of appeal must be sent within 5 days to the Secretariat General by registered letter with acknowledgement of receipt, e-mail with acknowledgement of receipt to the following e-mail: [\[secretariat.cai@fim.ch\]](mailto:secretariat.cai@fim.ch) or special courier with proof of delivery within the appeal deadline.

The notice of appeal shall be lodged in one of the two official languages of the FIM, the language of drafting determining the language of the case to be used by the other parties. Any document that is expressed in a language other than the language of the case must be accompanied by a translation of professional level into that language.

The correct security deposit for appeal must be paid to the FIM Secretariat **General and to the FIM Appeal Stewards**. (appeal before the **CAI**).

If the appeal was not lodged in accordance with the relevant procedures **and deadlines** set up by the Regulations and/or the security deposit for appeal not paid within the deadline **as** specified in article **3.7.2.4**, the FIM Appeal bodies are entitled to declare inadmissible the appeal without hearing.

The parties may invoke new means, produce new documents or propose new evidence that may contribute to the manifestation of the truth. However, these new elements cannot be accepted if they are intended to modify the initial claim (in the case of an appeal lodged after a protest). The admissibility of these new elements is left to the sole discretion of the competent disciplinary body.

3.7.2.4. Security deposit for appeals

The amount of the security deposit is 660 Euros.

This security deposit may only be returned if the appeal is upheld.

3.7.3. Security deposit payable upon an adjournment

If an adjournment to call further witnesses is ordered upon the request of one of the parties involved, this party must provide an additional financial guarantee within a time limit to be fixed by the disciplinary body. The hearing will not be continued until this guarantee has been paid. In case of no provision of the guarantee within the time limit, the disciplinary body will make a determination on the appeal based on the evidence of the original witness.

3.7.4. Time limits to be observed for appeal hearings

The FIM Appeal Stewards **and the CAI** must be convened to examine an appeal after the brief of appeal is received.

The FIM Appeal Stewards must in all cases announce a decision immediately following the hearing of the appeal.

The **CAI** must in all cases pronounce a decision, **within 6 weeks after the brief of appeal is received.**

3.7.5. Effect of an appeal

Decisions are enforceable as soon as they are notified.

On request of the **one of the parties**, the **CAI** may decide a stay of the provisional execution adjudicated by the FIM Appeal Stewards by injunction or in its decision **in accordance with article 3.7.6 of this Code.**

3.7.6. Provisional measures

A party may apply to the CAI for a stay of execution of the contested decision, as well as for interim measures, by means of a reasoned application addressed to.

In deciding whether to grant the measures requested, the CAI shall take into account the risk of irreparable harm to the applicant, the prospects of success of the application on the merits and the importance of the applicant's interests as compared with those of the defendant.

At the reasoned request of a party, the decision granting or refusing provisional measures may be modified at any time in the event of change in circumstances by the CAI.

3.7.7. Expedited procedure

In justified cases of urgency, the introduction of an expedited procedure may be requested by one of the parties by means of a reasoned application addressed to the CAI or may be decided by the CAI on his own initiative.

3.8. PROCEDURE BEFORE ALL THE DISCIPLINARY BODIES

3.8.1. Right to a hearing

It shall be the unquestionable right of any person or body charged with any offence under the Regulations to defend themselves, either in person or by proxy.

Any party convened before a disciplinary body has the right to be represented by one defence counsel of its own choice and at its own expense. Adequate notice of this intention must be given in order that this may also be notified to all other parties in the case. Failure to do so may result in the disciplinary body upholding an objection to such representation.

If any of the parties duly convened do not appear, judgment can be rendered by default.

The disciplinary bodies may decide that the hearing take place by means of a telephone conference call or through any other means of communication using a telephone or electronic device. Such a method of conducting a hearing shall only take place with the consent of all parties involved.

3.8.2. The hearing

The hearing shall be public unless the disciplinary body itself decides otherwise in exceptional circumstances.

The hearing shall be conducted in one of the official languages of the FIM. Should one of the parties wish to use another language, it shall provide the necessary interpreters at its own costs.

The appellant must be present or duly represented, failing which, the protest will not be admissible, and the costs shall be borne by the appellant.

Once the Judges(s) has opened the proceedings, he/she will invite the parties involved to state their respective cases without the witnesses being present.

After statements of the parties concerned, the disciplinary body shall hear the various witnesses and experts in order to complete the evidence. The parties involved in the case shall have the right to question all witnesses and experts on their evidence.

Any member of the disciplinary body may, at any time during the hearing and with the Judges(s) approval, question any of the parties involved, the witnesses and experts.

3.8.3. Witnesses and Experts

Each party is responsible for the convening and appearance of its own witnesses, as well as their expenses unless decided otherwise by the Court.

The disciplinary body has no authority to oblige the witnesses to swear an oath; therefore, testimony shall be given freely. The witnesses may only testify to the facts they know and shall not be allowed to express an

opinion, unless the disciplinary body should regard them as experts on a particular subject and should ask them to do so.

After having made their statements, the witnesses may not leave the Courtroom and shall not be allowed to speak to any other witness who has still to give evidence.

The Court may summon experts.

3.8.4. Content of the decision

The decisions of the disciplinary bodies are reasoned and shall contain in particular: a. the name(s) of the official(s) making up the disciplinary bodies; b. the date of the decision; c. the names of the parties who took part in the proceedings; d. a statement of the facts; e. the grounds; f. the operative part and g. the signature of the official(s) making up the disciplinary bodies.

3.8.5. Judgement

Decisions of all disciplinary bodies will be reached in camera by a simple majority of votes. All members will have equal voting rights which must be exercised when a decision is required. Abstention is not permitted.

Each member of the disciplinary body binds himself to keep all deliberations secret.

3.8.6. Notification of judgements

The decisions of the FIM MotoMini Stewards or of the FIM Appeal Stewards must be notified directly at the event venue, or failing that, addressed by registered letter with acknowledgement of receipt, by electronic mail **with acknowledgement of receipt or by a publication on the official electronic notice board**.

All judgements of the **CAI** must be notified, in writing, by registered letter with acknowledgement of receipt or by electronic mail **with acknowledgement of receipt** in order to inform all the parties concerned.

A further publication by electronic means will be made.

3.8.7. Publication of judgements

The disciplinary body imposing a penalty or adjudicating a protest, or an appeal must have its findings published and quote the names of all parties concerned. The persons or bodies quoted in these statements have no right of action against the FIM nor against any person having published the statement.

Furthermore, final decisions will be published in the Media Centre, FIM website unless the Court itself decides otherwise.

3.9. COSTS OF PROCEDURE

The costs of a disciplinary decision will be assessed by the FIM **Executive Secretariat** and will be awarded against the losing party, unless the Court decides otherwise.

3.9.1. Payment of fines and costs

If the penalty is definitive, all fines must be paid into the Benevolent Fund before the beginning of the first practice of the second round following the final decision. The costs must be paid to the FIM **Executive Secretariat** within 30 days of notification of the judgement decision according to Article 3.8.6.

The person or body affected by the decision shall be automatically suspended from participation in all FIM activities, until such time as full payment has been received.

3.10. RECIPROCITY OF PENALTIES

As a consequence of the agreement of reciprocity concluded on April 30th, 1848 between the 4 organisations controlling motorised sports internationally, i.e., in addition to the FIM, namely:

- the Fédération Internationale de l'Automobile (FIA)
- the Fédération Aéronautique Internationale (FAI)
- the Union Internationale Motonautique (UIM)

penalties of suspension or exclusion may also be applied to one or another of the sports represented by the above organisations, upon request of the FIM.

3.11. LAW OF MERCY

The FIM Board of Directors, after consultation with the LJI Director or upon his/her proposal, may mitigate or completely forgive the penalty of a person or group of persons after having exhausted all the appeal procedures.

4. CIRCUIT STANDARDS

- The FIM will be in charge of and responsible for the circuit homologation, Compulsory requirements:
 - Must be a permanent miniracing or karting circuit.
 - Minimum length: 700m
 - Minimum width: 7m
 - Must have start lights (races cannot be started with flags).
 - Minimum medical services:
 - Must comply with the minimum requirements of the country's national laws
 - However, as a minimum: 2 medical staff + 1 ambulance
 - Minimum track services:
 - Adequate track services must be provided with sufficient track and flag marshals to be able to cover the whole track
 - All parts of the track must be reachable by the track marshals and no part of the track must be left uncovered.
 - The sufficient amount of flags and fire extinguishers must be available.
 - There must be an electronic timekeeping service.
- Recommended standards:
 - Minimum distance main straight: 100m.
 - Distance between two track adjacent sections 5 meters minimum.

In any case the circuit shall comply with the minimum (safety) standards provided for by the national laws/rules of the country in which the relevant event(s) is(are) taking place.

5. MEDICAL CODE

The regulations will be defined by the “FIM MEDICAL CODE”.

6. ANTI-DOPING CODE

The regulations will be defined by the “FIM ANTI-DOPING CODE”.

7. ENVIRONMENTAL CODE

The regulations will be defined by the “FIM ENVIRONMENTAL CODE”.

8. CODE OF ETHICS

The regulations will be defined by the “FIM CODE OF ETHICS”.

moto
mini
FIM WORLD SERIES

