

I HEREBY CERTIFY THAT THIS RECORD PLAT HAS BEEN FOUND TO COMPLY WITH THE SUBDIVISION ORDINANCE OF JOHNSTON COUNTY, NORTH CAROLINA, AND THAT THIS PLAT HAS BEEN APPROVED FOR RECORDING IN THE REGISTER OF DEEDS OF JOHNSTON COUNTY.

5/19/2025 DATE SUBDIVISION ADMINISTRATOR Signed by: Braston Newton

- THIS SURVEY:
A. CREATES A SUBDIVISION OF LAND WITHIN THE AREA OF A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES PARCELS OF LAND.
B. IS LOCATED IN A PORTION OF A COUNTY OR MUNICIPALITY THAT IS UNREGULATED AS TO AN ORDINANCE THAT REGULATES PARCELS OF LAND.
C. IS ONE OF THE FOLLOWING:
1) IS OF AN EXISTING PARCEL OR PARCELS OF LAND OR ONE OR MORE EXISTING EASEMENTS AND DOES NOT CREATE A NEW STREET OR CHANGE AN EXISTING STREET.
2) IS OF AN EXISTING FEATURE, SUCH AS A BUILDING OR OTHER STRUCTURE, OR NATURAL FEATURE, SUCH AS SUCH AS A WATERCOURSE.
3) IS A CONTROL SURVEY
4) IS OF A PROPOSED EASEMENT FOR A PUBLIC UTILITY AS DEFINED IN G.S. 62-3.
D. IS OF ANOTHER CATEGORY, SUCH AS THE RECOMBINATION OF EXISTING PARCELS, A COURT-ORDERED SURVEY, OR OTHER EXEMPTION OR EXCEPTION TO THE DEFINITION OF SUBDIVISION.
E. THE INFORMATION AVAILABLE TO THE SURVEYOR IS SUCH THAT THE SURVEYOR IS UNABLE TO MAKE A DETERMINATION TO THE BEST OF THE SURVEYOR'S PROFESSIONAL ABILITY AS TO PROVISIONS CONTAINED IN (A) THROUGH (D) ABOVE.

04-25-25 DATE SURVEYOR

SURVEYOR'S DISCLAIMER: NO ATTEMPT WAS MADE TO LOCATE ANY CEMETERIES, WETLANDS, HAZARDOUS MATERIAL SITES, UNDERGROUND UTILITIES OR ANY OTHER FEATURES ABOVE OR BELOW GROUND OTHER THAN THOSE SHOWN.

04-25-25 DATE SURVEYOR

STATE OF NORTH CAROLINA, JOHNSTON COUNTY

I, CURK T. LANE, DO HEREBY CERTIFY THAT THIS PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL SURVEY MADE UNDER MY SUPERVISION (DEED DESCRIPTION RECORDED IN BOOK 5647, PAGE 613, ETC.); THAT THE BOUNDARIES NOT SURVEYED ARE CLEARLY INDICATED AS DRAWN FROM INFORMATION FOUND IN BOOK 5647, PAGE 613; THAT THE RATIO OF PRECISION AS CALCULATED IS 1:10,000±; THAT THE GLOBAL POSITIONING ACCURACY (GPS) OBSERVATIONS WERE PERFORMED TO THE GEOSPATIAL POSITIONING ACCURACY STANDARDS, PART 2: STANDARDS FOR GEODETIC NETWORKS AT THE 1 CM ACCURACY CLASSIFICATION (95% CONFIDENCE) USING RTK NETWORK; THAT THIS PLAT WAS PREPARED IN ACCORDANCE WITH G.S. 47-30 AS AMENDED. WITNESS MY ORIGINAL SIGNATURE AND SEAL THIS 25th DAY OF APRIL, A.D. 2025



CURK T. LANE SURVEYOR L-3990 LICENSE NUMBER

CERTIFICATE OF OWNERSHIP AND DEDICATION

I HEREBY CERTIFY THAT I AM THE OWNER OF THE PROPERTY SHOWN AND DESCRIBED HEREON, WHICH IS LOCATED IN THE SUBDIVISION JURISDICTION OF JOHNSTON COUNTY AND THAT I HEREBY ADOPT THIS SUBDIVISION PLAN WITH MY FREE CONSENT, ESTABLISHED MINIMUM SETBACK LINES, AND DEDICATE ALL STREETS, ALLEYS, PARKS AND OTHER SITES AND EASEMENTS TO PUBLIC OR PRIVATE USE AS NOTED.

5/1/2025 DATE Darryl Evans Dev., LLC OWNER

CERTIFICATE OF APPROVAL BY PUBLIC UTILITIES

THE DIRECTOR OF PUBLIC UTILITIES FOR JOHNSTON COUNTY, NORTH CAROLINA, HEREBY CERTIFIES THAT THIS PLAT MEETS ALL JOHNSTON COUNTY STANDARDS AND REQUIREMENTS FOR PUBLIC UTILITIES REQUIRED BY THE JOHNSTON COUNTY ORDINANCES. UPON RECORDATION OF THIS PLAT, JOHNSTON COUNTY ACCEPTS THE OWNER'S OFFER OF DEDICATION FOR PUBLIC WATER AND/OR SANITARY SEWER PURPOSES, ALL EASEMENTS, COMMON AREAS, AND/OR RIGHTS-OF-WAY SHOWN AND DELINEATED ON THIS PLAT AS DEDICATED FOR PUBLIC UTILITY PURPOSES. NO STRUCTURES OR FENCES SHALL BE PLACED WITHIN THE PUBLIC UTILITY EASEMENTS. ACCESS TO THE DEDICATED AREAS SHALL NOT BE BLOCKED OR OBSTRUCTED BY ANY FENCE OR STRUCTURES, UNLESS PRE-APPROVED ACCESS IS PROVIDED WITH A 12' MINIMUM OPENING GATE. THE COUNTY SHALL HAVE THE RIGHT TO CLEAR AND/OR REMOVE ANY VEGETATION WITHIN THE PUBLIC UTILITY EASEMENTS. FURTHERMORE, THE COUNTY WILL NOT REPLACE ANY LANDSCAPING (OTHER THAN GRASS, WHICH WILL BE REPLACED WITH SEED) WITHIN THE PUBLIC UTILITY EASEMENT AREA DISTURBED FOR MAINTENANCE OF THE UTILITIES.

THIS THE 16th DAY OF May 20, 25 COUNTY OF JOHNSTON BY: Chandra Farmer DIRECTOR OF PUBLIC UTILITIES

Table with columns: CURVE, RADIUS, ARC LENGTH, CHORD LENGTH, CHORD BEARING. Lists curves C1 through C19 with their respective measurements.

ROAD MAINTENANCE STATEMENT OF UNDERSTANDING

I, Darryl Evans Development, LLC AM RESPONSIBLE FOR THE CONSTRUCTION, MAINTENANCE AND REQUIRED ROAD IMPROVEMENTS OF THE SUBDIVISION STREETS ON THIS PLAT UNTIL THE EARLIER OF THE FOLLOWING OCCURS:

APPROVED AND ACCEPTED FOR PERMANENT MAINTENANCE BY THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATION AS PUBLIC ROADS; OR

APPROVED AND TAKEN OVER BY THE HOMEOWNERS ASSOCIATION FOR PRIVATE ROADS PERMANENT MAINTENANCE.

Darryl Evans Development, LLC NAME OF CORPORATION OR OWNER 5/1/2025 DATE Darryl Evans Dev., LLC DEVELOPER/OWNER/OFFICER OF CORPORATION

REVIEW OFFICER'S CERTIFICATE

I, Carolyn Allen REVIEW OFFICER OF JOHNSTON COUNTY, CERTIFY THAT THE MAP OR PLAT TO WHICH THIS CERTIFICATION IS AFFIXED MEETS ALL STATUTORY REQUIREMENTS FOR RECORDING.

5/19/2025 DATE Carolyn Allen REVIEW OFFICER

PROPERTY SHOWN HEREON IS XXXX IS NOT LOCATED IN A FEMA DESIGNATED FLOOD ZONE. FEMA FLOOD HAZARD PANEL NO. 3720165400 K EFFECTIVE DATE: JUNE 20, 2018

04-25-25 DATE SURVEYOR

I, CURK T. LANE, CERTIFY THAT THIS PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL GPS SURVEY MADE UNDER MY SUPERVISION, FOR THE PURPOSE OF HORIZONTAL CONTROL IN ORDER TO TIE THIS SURVEY TO NC GRID; AND THE FOLLOWING INFORMATION WAS USED TO PERFORM THE SURVEY: CLASS OF SURVEY: CLASS AA 0.037 FEET, ELLIPTICAL ERROR AXIS TYPE OF GPS FIELD PROCEDURE: VRS SESSION 2 CONTROL POINTS DATES OF SURVEY: 6-15-24 DATUM/EPOCH: NAD 83(2011)/EPIC 2010.000 PUBLISHED/FIXED-CONTROL USED: NC GNSS CORRS AND RTK GEIOD MODEL: NAVD 88 USING GEIOD 18 COMBINED GRID FACTOR: 0.99988779(AVG) REPORTING UNITS: US FEET

Table with columns: LINE, BEARING, DISTANCE. Lists lines L1 through L43 with their respective bearings and distances.

THE MAXIMUM IMPERVIOUS SURFACE AREA APPROVED FOR EACH OF THE 42 LOTS OF FREEDOM RIDGE IS 7000 SQUARE FEET. AN ADDITIONAL 502814 SQUARE FEET OF BANKED IMPERVIOUS AREA SHALL BE MANAGED BY THE DEVELOPER (OR HIS REPRESENTATIVE) OR HOMEOWNERS ASSOCIATION AS LOT OWNERS DESIRE TO ADD IMPERVIOUS SURFACE AREAS.

LEGEND table listing symbols for various features: I/PF (Iron Pipe Found), CMF (Concrete Monument Found), PKNF (Parker-Kalon Nail Found), RRS (Railroad Spike), CSF (Cotton Spike Found), CSS (Cotton Spike Set), CC (Control Corner), CP (Computed Point), P/P (Power Pole), OPW (Overhead Power Line), R/W (Right of Way), S.F. (Square Feet), AC (Acre), DB (Deed Book), PB (Plat Book), BOM (Book of Maps), LF (Linear Feet), 1SS (Lot Has Offsite Sewer), 1SSL (Offsite Sewer Lot), 1SR (Recombination Lot Above Ground), A/G (Below Ground), B/G (Street Address), 100 (Lines Not Surveyed).

CERTIFICATE OF PRELIMINARY APPROVAL OF WATER SUPPLY AND SEWAGE DISPOSAL SYSTEMS INSTALLED OR PROPOSED FOR INSTALLATION IN THIS SUBDIVISION MEET PUBLIC HEALTH REQUIREMENTS AS DESCRIBED IN APPENDIX II JOHNSTON COUNTY SUBDIVISION REGULATIONS. FINAL APPROVAL FOR INDIVIDUAL LOTS WITHIN THIS SUBDIVISION WILL BE BASED ON DETAILED LOT EVALUATION UPON APPLICATION AND SUBMISSION OF PLANS FOR PROPOSED USE. THIS PRELIMINARY CERTIFICATION IS ADVISORY ONLY AND CONFERS NO GUARANTEE.

5/5/2025 DATE COUNTY HEALTH OFFICER OR AUTHORIZED REP. Signed by: Todd Ramsey

NOTE: EACH LOT SHOWN HEREON MAY REQUIRE THE USE OF SEWAGE PUMPS, LOW PRESSURE PIPE SYSTEMS, FILL SYSTEMS, INNOVATIVE SYSTEMS OR ANY OTHER ALTERNATIVE SYSTEM TYPE AND SITE MODIFICATIONS SPECIFIED IN THE NORTH CAROLINA LAWS AND RULES FOR SEWAGE TREATMENT AND DISPOSAL SYSTEMS, 15A NCAC 18A SECTION. 1900. THE ACTUAL SYSTEM TYPE, DESIGN AND SITE MODIFICATIONS WILL BE DETERMINED AT THE TIME OF PERMITTING.


- NOTES:
1) ALL DISTANCES SHOWN ARE HORIZONTAL GROUND DISTANCES
2) AREAS COMPUTED BY COORDINATE METHOD.
3) PROPERTY SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.
4) NO. 5 REBAR IRON STAKES SET AT ALL LOT CORNERS UNLESS OTHERWISE NOTED
5) ALL INTERIOR LOT LINES SHALL HAVE A 10' DRAINAGE AND UTILITY EASEMENT, 5.0' EACH SIDE OF ALL LOT LINES
6) A 10' DRAINAGE AND UTILITY EASEMENT SHALL LIE INSIDE OF ALL EXTERIOR BOUNDARY LINES
7) A 10' WIDE GRADING, SLOPE, DRAINAGE AND UTILITY EASEMENT IS RESERVED ON THE LOT SIDE OF AND ADJACENT TO ALL STREET RIGHTS-OF-WAY
8) NO HORIZONTAL CONTROL FOUND WITHIN 2000' OF SURVEY
9) GRID TIE BY GPS
10) ZONING: AR (COUNTY)
11) PARENT TRACT DEED DB 5647 PG 613
12) PARCEL NO. 06G06008C

- REFERENCES:
DB 5647 PG 613 PB 94 PG 136
DB 5622 PG 577 PB 71 PG 38
DB 4962 PG 044 PB 72 PG 133
DB 3470 PG 515 PB 90 PG 500
DB 2165 PG 127 PB 94 PG 234
DB 3115 PG 985 PB 94 PG 137
DB 6291 PG 241 PB 102 PG 163
DB 3148 PG 345 PB 95 PG 220
DB 6858 PG 47 PB 103 PG 72

DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS

PROPOSED SUBDIVISION ROAD CONSTRUCTION STANDARDS CERTIFICATION

APPROVED [Signature] DISTRICT ENGINEER APRIL 28, 2025



ONLY NORTH CAROLINA DEPARTMENT OF TRANSPORTATION APPROVED STRUCTURES ARE TO BE CONSTRUCTED ON PUBLIC RIGHT-OF-WAYS

NOTE: SIGHT TRIANGLES TAKE PRECEDENCE OVER ANY SIGN EASEMENT

ALL DRAINAGE EASEMENTS SHALL BE DEDICATED AS PUBLIC AND IT SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNERS TO MAINTAIN THE DRAINAGE EASEMENTS AND ANY DRAINAGE STRUCTURES THERE IN, SO AS TO MAINTAIN THE INTEGRITY OF THE DRAINAGE SYSTEM AND INSURE POSITIVE DRAINAGE.


THE OWNER, DEVELOPER, OR CONTRACTOR SHALL SET THE CENTERLINE OF THE EXISTING ROADWAY DITCH BACK TO A MINIMUM OF 12 FEET FROM THE EXISTING/PROPOSED EDGE OF PAVEMENT ALONG ALL ROAD FRONT LOTS.

ALL LOTS SHALL BE SERVED BY INTERNAL STREET SYSTEMS ONLY.

FREEDOM RIDGE PHASE ONE CLEVELAND TOWNSHIP, JOHNSTON COUNTY NORTH CAROLINA MARCH 21, 2025 SHEET 1 OF 3

OWNER: DARRYL EVANS DEV. 425 INDIAN CAMP RD SMITHFIELD, N.C. 27577

TRUE LINE SURVEYING, P.C.



205 WEST MAIN STREET CLAYTON, N.C. 27520 TELEPHONE: (919) 359-0427 FAX: (919) 359-0428 www.truelinesurveying.com

SURVEYED BY: TLS DRAWN BY: MIKE CHECKED BY: CURK DRAWING NAME: PH1SHT1.DWG SURVEY DATE: 2-15-25 JOB NO. 247.692

Filed in JOHNSTON, NC CRAIG OLIVE, Register of Deeds Filed 05/19/2025 03:14:22 PM PLAT BOOK: 103 PAGE: 277-279 INSTRUMENT # 2025015020 Deputy/Assistant Register of Deeds: ASANTOS

Submitted electronically by "True Line Surveying" in compliance with North Carolina statutes governing recordable documents and the terms of the submitter agreement with the Johnston County Register of Deeds.

PLAT B: 103 P: 278

PORTION OF  
DB 5647 PG 613  
PN 06G06008C  
AREA RESERVED FOR  
FUTURE DEVELOPMENT  
7.343 AC±



N/F  
DARRYL D. EVANS  
DEVELOPMENT LLC  
DB 5647 PG 613  
PN 06G06031V

N/F  
ISMAEL FEMAT  
DB 5622 PG 577  
PN 06G06008H

N/F  
ISMAEL FEMAT  
DB 5622 PG 577  
PN 06G06008H


N/F  
DARRYL D. EVANS  
DEVELOPMENT LLC  
DB 5647 PG 613  
PB 103 PG 71  
PN 06G06030X

N/F  
LYNDA WILLIAMS  
LIFE ESTATE  
DB 4962 PG 44  
PN 15H070100



CONTROL CORNER  
NC GRID COORDINATES  
N 649856.7746  
E 2156364.8689

CONTROL CORNER  
NC GRID COORDINATES  
N 649090.4261  
E 2156105.9450




- LEGEND
- IPF IRON PIPE FOUND
  - IPFS IRON PIPE SET
  - CMF CONCRETE MONUMENT FOUND
  - PKNF PARKER-KALON NAIL FOUND
  - PKNS PARKER-KALON NAIL SET
  - RRS RAILROAD SPIKE
  - CSF COTTON SPIKE FOUND
  - CSS COTTON SPIKE SET
  - CCP CONTROL CORNER
  - CP COMPUTED POINT
  - PP POWER POLE
  - OPW OVERHEAD POWER LINE
  - R/W RIGHT OF WAY
  - SF SQUARE FEET
  - AC ACRE
  - DB DEED BOOK
  - PLB PLAT BOOK
  - BOM BOOK OF MAPS
  - PG PAGE
  - LF LINEAR FEET
  - 1SS LOT HAS OFFSITE SEWER
  - 15SL OFFSITE SEWER LOT
  - 15R RECOMBINATION LOT
  - A/G ABOVE GROUND
  - B/G BELOW GROUND
  - 100 STREET ADDRESS
  - LINES NOT SURVEYED

STATE OF NORTH CAROLINA, JOHNSTON COUNTY

I, CURK T. LANE, DO HEREBY CERTIFY THAT THIS PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL SURVEY MADE UNDER MY SUPERVISION (DEED DESCRIPTION RECORDED IN BOOK 5647, PAGE 613, ETC.); THAT THE BOUNDARIES NOT SURVEYED ARE CLEARLY INDICATED AS DRAWN FROM INFORMATION FOUND IN BOOK 5647, PAGE 613; THAT THE RATIO OF PRECISION AS CALCULATED IS 1:10,000±; THAT THE GLOBAL POSITIONING ACCURACY (GPS) OBSERVATIONS WERE PERFORMED TO THE GEOSPATIAL POSITIONING ACCURACY STANDARDS, PART 2: STANDARDS FOR GEODETIC NETWORKS AT THE 1 CM ACCURACY CLASSIFICATION (95% CONFIDENCE) USING RTK NETWORK; THAT THIS PLAT WAS PREPARED IN ACCORDANCE WITH G.S. 47-30 AS AMENDED. WITNESS MY ORIGINAL SIGNATURE AND SEAL THIS 25th DAY OF APRIL, A.D. 2025



SURVEYOR  
L - 3990  
LICENSE NUMBER




# FREEDOM RIDGE PHASE ONE

CLEVELAND TOWNSHIP, JOHNSTON COUNTY  
NORTH CAROLINA  
MARCH 21, 2025  
SHEET 2 OF 3

OWNER: DARRYL EVANS DEV.  
425 INDIAN CAMP RD  
SMITHFIELD, N.C. 27577


SURVEYED BY:	TL5
DRAWN BY:	MIKE
CHECKED BY:	CURK
DRAWING NAME:	PH1SHT2.DWG
SURVEY DATE:	2-15-25
JOB NO.	247.692

## TRUE LINE SURVEYING, P.C.



205 WEST MAIN STREET  
CLAYTON, N.C. 27520  
TELEPHONE: (919) 359-0427  
FAX: (919) 359-0428  
www.truelinesurveying.com

MATCH TO SHEET 3 OF 3



OWNER: DARRYL EVANS DEV.  
425 INDIAN CAMP RD  
SMITHFIELD, N.C. 27577

SUBDIVISION PLAT  
OF

# FREEDOM RIDGE PHASE ONE

CLEVELAND TOWNSHIP, JOHNSTON COUNTY  
NORTH CAROLINA  
MARCH 21, 2025  
SHEET 3 OF 3

STATE OF NORTH CAROLINA, JOHNSTON COUNTY  
I, CURK T. LANE, DO HEREBY CERTIFY THAT THIS PLAT WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL SURVEY MADE UNDER MY SUPERVISION (DEED DESCRIPTION RECORDED IN BOOK 5647, PAGE 613, ETC.); THAT THE BOUNDARIES NOT SURVEYED ARE CLEARLY INDICATED AS DRAWN FROM INFORMATION FOUND IN BOOK 5647, PAGE 613; THAT THE RATIO OF PRECISION AS CALCULATED IS 1:10,000±; THAT THE GLOBAL POSITIONING ACCURACY (GPS) OBSERVATIONS WERE PERFORMED TO THE GEOSPATIAL POSITIONING ACCURACY STANDARDS, PART 2: STANDARDS FOR GEODETIC NETWORKS AT THE 1 CM ACCURACY CLASSIFICATION (95% CONFIDENCE) USING RTK NETWORK; THAT THIS PLAT WAS PREPARED IN ACCORDANCE WITH G.S. 47-30 AS AMENDED. WITNESS MY ORIGINAL SIGNATURE AND SEAL THIS 25th DAY OF APRIL, A.D. 2025



*[Signature]*  
SURVEYOR

L - 3990  
LICENSE NUMBER


PLAT B - 103 P. 279

N/F  
LYNDA WILLIAMS  
LIFE ESTATE  
DB 4962 PG 44  
PN 15H070100


N/F  
PHILLIP JOHNSON  
DB 4385 PG 140  
PN 15H07010A

N/F  
LYNDA WILLIAMS  
LIFE ESTATE  
DB 4962 PG 44  
PN 15H070100

MATCH TO SHEET 2 OF 3



N/F  
DARRYL D. EVANS  
DEVELOPMENT LLC  
DB 5647 PG 613  
PB 103 PG 71  
PN 06G06030X




LEGEND

○	IPF	IRON PIPE FOUND
○	IPS	IRON PIPE SET
○	CMF	CONCRETE MONUMENT FOUND
○	PKNF	PARKER-KALON NAIL FOUND
○	PKNS	PARKER-KALON NAIL SET
○	RRS	RAILROAD SPIKE
○	CSF	COTTON SPIKE FOUND
○	CSS	COTTON SPIKE SET
○	CC	CONTROL CORNER
○	CP	COMPUTED POINT
○	P/P	POWER POLE
○	OP/W	OVERHEAD POWER LINE
○	R/W	RIGHT OF WAY
○	S.F.	SQUARE FEET
○	AC	ACRE
○	DB	DEED BOOK
○	PB	PLAT BOOK
○	BOM	BOOK OF MAPS
○	PG	PAGE
○	LF	LINEAR FEET
○	15SL	LOT HAS OFFSITE SEWER
○	15R	OFFSITE SEWER LOT
○	A/G	RECOMBINATION LOT
○	B/G	ABOVE GROUND
○	100	BELOW GROUND
○		STREET ADDRESS
○		LINES NOT SURVEYED

SURVEYED BY:	TLS
DRAWN BY:	MIKE
CHECKED BY:	CURK
DRAWING NAME:	PH1SHT3.DWG
SURVEY DATE:	2-15-25
JOB NO.	247.692

## TRUE LINE SURVEYING, P.C.



205 WEST MAIN STREET  
CLAYTON, N.C. 27520  
TELEPHONE: (919) 359-0427  
FAX: (919) 359-0428  
www.truelinesurveying.com