D8 THCO Gummy Sqaure

Matrix: Edible

## Certificate of Analysis

Jan 25, 2022 |

Sample: KN11021003-003

Harvest/Lot ID: 74 Batch#: 927D8OSQ30 Seed to Sale# N/A

Batch Date: N/A

Sample Size Received: 22 gram Total Weight/Volume: N/A

> Retail Product Size: 4.2 gram **Ordered**: 10/15/21

Completed: 01/25/22 Expires: 01/25/23 Sampling Method: SOP Client Method

PASSED

**sampled**: 10/15/21

**PRODUCT IMAGE** 

**SAFETY RESULTS** 





**NOT TESTED** 



Heavy Metals

NOT TESTED



Microbials

NOT TESTED NOT TESTED



Mycotoxins



Solvents

**NOT TESTED** 





Water Activity





Terpenes **NOT TESTED** 

Moisture NOT TESTED NOT TESTED NOT TESTED

**CANNABINOID RESULTS** 




**Total THCO** 0.804%TOTAL THCO/ Gummy :33.768 mg



**Total d8-THC** 0.982%

**Total Cannabinoids** 1.816% **Total Cannabinoids/Gummy** 

:42.462 mg



## **Cannabinoid Profile Test**

Extraction date : Analyzed by Extracted By : 0.2013g Reviewed On -11/11/21 18:06:40 Batch Date: 10/21/21 09:00:30

081321.R04

Tell spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis.). "Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from . This report is a certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LO) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >9% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Lab Director

State License # n/a ISO Accreditation # 17025:2017



01/25/22

Signature Signed On