

YOU CAN NEVER GO WRONG WITH QUIET AND STRONG

## **SELECTING A NEW DOOR**

### WARRANTY

Limited Lifetime on Door, Hardware. 4 Year on Springs. Our Quality Assurance, Your Piece of MInd. (See Warranty Page For Details) www.uniquegaragedoor.com

## STEP 1

### CONSTRUCTION



When choosing a new door, you have three options on the construction of your door. First, there is our standard 2"24 ga non-insulated door, referred to as a Pan Door. Second, is our 2" thick Super Poly Insulated Door which includes a single layer of steel plus a rigid polystyrene core with 1/4" thick Super Poly Back Skin. Strong enough to walk on and is exclusively from Unique. No other company offers it. Your third choice is our 2" thick Insulated Sandwich Steelback. Unique's Steelbacks are strong with a rigid polystyrene insulated core with a steel woodgrain textured back skin.

Unique's Pan Door is strong, our Polyback is stronger and our Steelback is the strongest! Three good reasons to choose Unique.







### STANDARD 2" THICK NON-INSULATED

# GOOD

### PAN DOOR



# YOU CAN NEVER GO WRONG WITH QUIET AND STRONG!

Standard 2", non-insulated, single layer pan door. Our exclusive Raised Shadow Line provides extra strength and prevents oil canning! (Oil Canning is waves and dips that pop and ping on the face of your door) No other manufacturer offers the extra strength in a single layer pan door. Other companies may use 25 or 26 gauge steel for their pan doors, we use ONLY thicker 24



gauge steel on our single layer pan doors. Why you ask? So that you get the strongest and best there is to offer and not a bait and switch to a weaker or thinner builders budget model. When you buy Unique, you can be sure of what you are getting. In addition to using 24 gauge steel, Unique also uses heavy 18 gauge frame stiles for support. Unique uses a 1 MIL thick, heavy paint coat on the inside and out compared to other companies that only use 1/2 MIL or primer on the insides of their doors. Unique prides itself on quality doors that will last, that is why Unique uses hot dipped galvanized steel with two coats of baked on polyester.

## 2" THICK POLY-BOARD, POLY-BACK INSULATED





### DO NOT BUY A SQUEAK! BUY ONLY UNIQUE!

Unique has the strongest quietest and toughest poly back insulated door in the industry! Our patent pending Super Poly Back us a 2" thick 24 ga insulated model that features a Unique 1/4" thick poly back skin that is so strong you can walk on it! Others use thin vinyl plastic that rips and punctures easily. They even turn yellow after a few years and peel off and ripple. We are the only manufacturer to make our super poly back insulated models with full sheets of polystyrene for second to none strength. Full 8 to 18 foot long solid one piece sheets of safe CFC free polystyrene is bonded to the steel with a patent pending urethane



squeak free bonding process which is done right here in our factory! Other door companies manufacture and sub standard distributors use standard all ready made pan doors and pop in thin vinyl skin polystyrene foam. They pop in 4 pieces per section totaling 16 pieces of foam in each double car sized door. This causes the doors to squeak from the insulation moving around because it does not get bonded together with the door. This adds no strength and squeaks! You are paying for a better door and are not getting one! With Unique, you get a real 24 ga patent pending 2" thick factory made insulated model with the strongest poly in the industry. Not a poor imitation made by others. Before you choose a different brand ask how they build there door first.....Because they might be popping in the foam on the way to your home. Loose fitting and a squeak what will last year after year.

### 2" THICK SANDWICH INSULATED STEELBACK

# BEST

### STEELBACK



# WITH AN R-VALUE OF 10... IT MAKES IT THE BEST!

Having a Unique Steelback is like having an insulated block wall that rolls up and down every day. They are stronger, quieter, safer, and also offer more security! Our steelbacks have a three layer construction that includes woodgrain steelback with safe, stable, rigid polystyrene insulation. Rigid polystyrene is not going to bubble, delaminate or



become brittle like some of the higher R-value polyurethane doors being offered by other companies. We only use rock solid polystyrene which is tried and time tested. Our Unique process of special density foam and two layers of steel with our pressure-max bonding say it all! Our steelbacks offer rock solid performance because we only use solid sheets of foam unlike other companies that use multiple pieces to insulate. Our steelback is a stronger, more energy efficient and quiet model.

### **SELECTING A NEW DOOR**



## DOOR DESIGN CHOICE

All Unique Models come with the World's Quietest Hardware, regardless of Model or Type of Construction. Featuring a top of the line and one of a kind Heavy Duty Quiet System. Others charge more for less. Quiet is standard at Unique and will not cost you a penny more. Plus a Lifetime Warranty for peace of mind.

#### **AVAILABLE COLORS**

- WHITE
- ALMOND
- BROWN
- SANDSTONE
- WOOD-LIKE LIGHT FINISH
- WOOD-LIKE DARK FINISH Note: Doors can be painted any color after installation. See Painting Instructions

SEE PAGES 14-17

#### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

- STANDARD NON-INSULATED THICK 24 GA STEEL 2"THICK
- SUPER POLY BACK INSULATED THICK 24GA STEEL 2"THICK
- STEEL BACK INSULATED SANDWICH THICK 24GA/25GA OR 25GA/25GA 2"THICK

\*Short Raised Panel Shown with S-399 Windows

### LONG RAISED PANEL

### **AVAILABLE COLORS**

- · WHITE
- ALMOND
- BROWN
- SANDSTONE
- WOOD-LIKE LIGHT FINISH
- WOOD-LIKE DARK FINISH

Note: Doors can be painted any color after installation. See Painting Instructions.

#### WINDOW CHOICES

SEE PAGES 14-17

#### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

- STANDARD NON-INSULATED
   THICK 24 GA STEEL
   2"THICK
- SUPER POLY BACK INSULATED
   THICK 24GA STEEL
   2"THICK
- STEEL BACK INSULATED SANDWICH THICK 24GA/25GA OR 25GA/25GA 2"THICK

\*Long Raised Panel Shown with L-397 Windows

## LEXINGTON RAISED PANEL

#### **AVAILABLE COLORS**

- · WHITE
- · ALMOND
- · BROWN
- SANDSTONE
- WOOD-LIKE LIGHT FINISH
- WOOD-LIKE DARK FINISH

Note: Doors can be painted any color after installation. See Painting Instructions.

#### WINDOW CHOICES

SEE PAGES 14-17

#### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

- STANDARD NON-INSULATED THICK 24 GA STEEL 2"THICK
- SUPER POLY BACK INSULATED
   THICK 24GA STEEL
   2"THICK
- STEEL BACK INSULATED SANDWICH THICK 24GA/25GA 2"THICK

\*Lexington Raised Panel Shown with L-799 Windows

### CARRIAGE HOUSE SHORT PANEL

#### **AVAILABLE COLORS**

- · WHITE
- ALMOND
- BROWN
- SANDSTONE
- · WOOD-LIKE LIGHT FINISH
- WOOD-LIKE DARK FINISH

Note: Doors can be painted any color after installation. See Painting Instructions.

#### WINDOW CHOICES

SEE PAGES 14-17

#### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

- STANDARD NON-INSULATED
   THICK 24 GA STEEL
   2"THICK
- SUPER POLY BACK INSULATED
   THICK 24GA STEEL
   2"THICK
- STEEL BACK INSULATED SANDWICH
  THICK 24GA/25GA
  OR 25GA/25GA
  2"THICK
- \*Carriage House Short Panel Shown with L-599 Windows with Black Frames and Inserts

### CARRIAGE HOUSE LONG PANEL

### **AVAILABLE COLORS**

- · WHITE
- · ALMOND
- BROWN
- SANDSTONE
- WOOD-LIKE LIGHT FINISH
- WOOD-LIKE DARK FINISH

Note: Doors can be painted any color after installation. See Painting Instructions.

#### WINDOW CHOICES

SEE PAGES 14-17

#### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

- STANDARD NON-INSULATED THICK 24 GA STEEL 2"THICK
- SUPER POLY BACK INSULATED
   THICK 24GA STEEL
   2"THICK
- STEEL BACK INSULATED SANDWICH THICK 24GA/25GA 2"THICK

\*Carriage House Long Panel Shown with WR-109-LC

### FLUSH WOODGRAIN TEXTURE

#### **AVAILABLE COLORS**

- · WHITE
- ALMOND
- BROWN
- SANDSTONE
- WOOD-LIKE LIGHT FINISH
- WOOD-LIKE DARK FINISH

Note: Doors can be painted any color after installation. See Painting Instructions.

\*Woodgrain Texture Finish Standard

#### **WINDOW CHOICES**

SEE PAGES 14-17

#### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

- SUPER POLY BACK INSULATED
   THICK 24GA STEEL
   2"THICK
- STEEL BACK INSULATED SANDWICH THICK 24GA/25GA OR 25GA/25GA 2"THICK
  - ALL FLUSH FEATURE THICK 24GA/25GA 2"THICK

\*Flush Woodgrain Texture Shown with L-100 Windows

## MODERN SMOOTH FLUSH

#### **AVAILABLE COLORS**

- · WHITE
- ALMOND
- · BROWN
- SANDSTONE
- WOOD-LIKE LIGHT FINISH
- WOOD-LIKE DARK FINISH Note: Doors can be painted any color after installation. See Painting Ir structions.

\*Smooth Finish
NO Woodgrain for that
Custom Modern look and feel

#### **WINDOW CHOICES**

SEE PAGE 14-17 - SHORT OR LONG

#### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

•ALL FLUSH SMOOTH FEATURE THICK 24GA/25GA 2"THICK

STEEL BACK INSULATED SANDWICH

\*Modern Smooth Flush Sandstone Color Shown with L-100 Windows

### BRUSHED ALUMINUM MODERN SMOOTH

#### **AVAILABLE FINISH**

 22GA SMOOTH FLUSH BRUSHED ALUMINUM CLEAR ANODIZED FINISH

#### CONSTRUCTION


• STEEL BACK INSULATED SANDWICH THICK 25GA 2"THICK STEELBACK

#### WINDOW CHOICES

 Polished Aluminum Frames in Short or Long Panel sizes give that custom look.



\*Brushed Aluminum Modern Smooth Shown with Long Panel Window Options



A one of a kind look and feel.

Smooth- No texture sets this door apart from all the others.

Clear Anodized finish keeps it looking new year after year.

Low Maintenance - Just wipe it down with a quality stainless steel type cleaner to keep that new shiny look.

UNIQUE'S Aluminum Modern View Doors are more proportional to most residential homes. Compare them to other manufacturers and you will see. Others use bigger box size aluminum rail frame design. This type of design was mainly used on gas stations and automobile repair garages years ago.

They were a heavy commercial type design.

### MODERN VIEW BRUSHED ALUMINUM

#### **ALUMINUM FRAMES**

 FEATURES A HEAVY DUTY ALUMINUM GLASS FRAME SYSTEM

#### WINDOW CHOICES

SHORT OR LONG SIZE

### **GLASS CHOICES**

SEE PAGE 15



#### CONSTRUCTION

STEEL BACK INSULATED SANDWICH THICK 25GA 2"THICK

#### **AVAILABLE FINISH**

BRUSHED ALUMINUM 22GA
 WITH CLEAR ANODIZED FINISH

### **AVAILABLE IN**

SMOOTH FINISH 18" OR 21" SECTION HEIGHTS \*Aluminum Modern View Shown with White Laminated Glass

## MODERN VIEW STEEL

#### **AVAILABLE COLORS**

- · WHITE
- · ALMOND
- BROWN
- SANDSTONE
- · WOOD-LIKE LIGHT FINISH
- · WOOD-LIKE DARK FINISH

Note: Doors can be painted any color after installation. See Painting Instructions.

#### **AVAILABLE IN**

SMOOTH FINISH OR WOOD GRAIN TEXTURE





#### CONSTRUCTION

- STEEL BACK INSULATED SANDWICH THICK 24GA/25GA 2"THICK
- AVAILABLE IN STANDARD WOOD GRAIN TEXTURE
   OR OPTIONAL SMOOTH FINISH

#### **WINDOW CHOICES**

SHORT OR LONG SIZE

#### **GLASS CHOICES**

SEE PAGE 15

#### **AVAILABLE IN**

- LIGHT FINISH DARK FINISH

LIGHT FINISH



DARK FINISH



#### CONSTRUCTION

- STANDARD NON-INSULATED THICK 24 GA STEEL 2"THICK
- SUPER POLY BACK INSULATED THICK 24GA STEEL 2"THICK
- STEEL BACK INSULATED SANDWICH THICK 24GA/25GA 2"THICK

CARRIAGE HOUSE DOOR shown with Dark Finish

and Smooth Option, Optional Windows, Optional Hinges and Handles give that finishing touch!

### **WOOD-LIKE CUSTOM** STEEL-SERIES

**OUR AUTHENTIC SERIES IS HERE NOW!** WHEN YOU COMPARE OURS TO THE COMPETITION YOU WILL UNDERSTAND WHAT WE ARE TALKING ABOUT. ONLY UNIQUE BRINGS YOU THE AUTHENTIC LOOK OF REAL WOOD IN A SECOND TO NONE FINISH. PLUS, WE DO WHAT OTHERS DO NOT! WE OFFER IT IN OPTIONAL SMOOTH FINISH.

THE LOOK OF TOMORROW TODAY!

#### WINDOW CHOICES

SEE PAGE 14-17

#### **GLASS CHOICES**

SEE PAGE 15

**Limited Lifetime Warranty** 24 GA Steel 3 Coat Baked on Finish Includes Clear Coat Protection



WOODGRAIN TEXTURE

#### **AVAILABLE IN**

- CARRIAGE HOUSE
  - SHORT PANEL
  - LONG PANEL
- LEXINGTON PANEL




SHORT PANEL SHOWN WITH LIGHT SMOOTH



CARRIAGE HOUSE SHOWN WITH DARK SMOOTH



LONG PANEL
SHOWN WITH DARK SMOOTH



Carriage House Door shown with Light Finish, Textured, Optional WR109-LC Windows



LEXINGTON PANEL
SHOWN IN DARK TEXTURE
\*Lexington Not Available in Smooth

### 3 COAT BAKED ON FINISH PROCESS

DARK FINISH features a clear coat protective coating to prevent fading.

## STEP 3

### WINDOW SELECTION




### **OPTIONAL WINDOWS**

### SHORT PANEL WINDOW DESIGNS


Available in White • Almond • Brown • Sandstone • Wood-like Light Finish • Dark Finish • Black (Special Order) • Patent and Patent Pending Designs











### **LONG PANEL WINDOW DESIGNS**

Available in White • Almond • Brown • Sandstone • Wood-like Light Finish • Dark Finish • Black (Special Order) \* Patent and Patent Pending Designs















### **OPTIONAL CARRIAGE HOUSE WINDOWS**



### **OPTIONAL GLASS CHOICES**








\*OBSCURE







\*DELTA FROST




\*1/4" WHITE LAMINATED

White Laminated looks almost the same from the outside as Frosted Sandblasted. 1/4" White Laminated is stronger, more safe and more secure, plus costs the same and does not show fingerprints like the Sandblasted Frost Glass. Safety tempered is available for an additional charge upon request.

IF NOT SPECIFIED, ALL DOORS COME WITH CLEAR GLASS (NOT SHOWN).
All are Real Glass except Dark Acrylic.

### **CARRIAGE HOUSE OPTIONAL HARDWARE**



REAL CAST IRON
Authentic Indent
Texture, Stainless
Steel Black Screws
for no rust spots.

HINGES • HANDLES • KNOCKERS



MAGNA BOND Magnetic Hardware

CLAVOS • HINGES • HANDLES



**OPTIONAL MAIL SLOTS** 

SILVER • BRASS

### **ELEGANT IRON SERIES**



### WR-109-LC "THE ORLEANS"







ELEGANT IRON WINDOWS

### **WR-105-LC "THE BLACK SMITH"**

PATENT PENDING **ELEGANT IRON WINDOWS** 





SHOWN WITH DELTA FROST GLASS, CHOOSE FROM CLEAR GLASS, TINTED ACRYLIC, OBSCURE GLASS, WHITE LAMINATED AND FROST GLASS OPTIONS


Features: Powder Coated

Black Aluminum

Lifetime

Window Frame System with Weatherseal







SHORT PANEL SHOWN WITH WR-109-S WINDOWS • "The Orleans"

WR-109-SP











#### WR-109-L Design

Shown on a Unique Long Panel Brown Door. Delta Frost Glass Shown. Choose from any of the above Glass Options



### **BLACK FRAMES AND INSERTS**

**ACCENT WITH BLACK FRAMES...** 



BF-100-L with White Laminated Glass Shown


> \*Short Panel, Long Panel Black Inserts are Available on Special Order

### **POWDER COATED BLACK** LIFETIME ALUMINUM FRAMES

Provide accent to raise curb appeal like no other! Tie it all in with hinges and handles plus insert design, or just accent with Black Frames. You can't lose!









Add Almond Insert to Black Frame


Try adding Black Frames and White Inserts!





REAL CAST IRON Authentic Indent Texture, Stainless Steel Black Screws for no rust spots.







### CARRIAGE HOUSE BLACK INSERTS GIVE YOUR DOOR THAT CUSTOM LOOK


LC-399-B





LC-397-B













### **ALL DOORS INCLUDE UPGRADED HARDWARE**





Standard NO Extra Charge Heavy Duty 14GA Steel Quiet Hinges. Sealed Ball Bearing, NO Maintenance Coated Shaft, Super Quiet Rollers.

We want to show you not tell you. When you are finished reading this, please visit our YouTube Page. This way you can hear the difference. It is night and day how much smoother our system is. While others prefer to tell you, we prefer to show you why we are the World's Quietest Garage Door.



Visit our website at www.uniquegaragedoor.com to view our youtube videos



**High Quality Fasteners** which include flat head track bolts and hardened tek screws






**OTHERS** 

Unique Wide Body Hinge 14 GA. steel with large barrel is bigger and stronger. Plastic hinges do not offer the same strength as steel.

**Upgraded Unique** Hinges. Others have gaps that create noise. Unique has NO protruding sharp edges like others shown.





#### OTHERS

THIN 18 GA **BUILDERS TYPE HINGE** WITH GAPS THAT MAKE NOISE.

PLASTIC ROLLER AND UNCOATED STEEL SHAFT THAT MAKE IT NOISY.

#### OTHERS

UPGRADED HINGE WITH GAPS CAUSE NOISE. **UNSEALED BALL** BEARINGS. THAT MAKE IT NOISY.

NO BEARING. HARD UNCOATED STEEL SHAFT

#### OTHERS

SKINNY PLASTIC HINGE LACKS THE STRENGTH OF STEEL. UNCOATED SHAFT MAKE IT NOISY.

14 GA STEEL HINGES WITH NO GAP, NO SLOPPY **DESIGN. PLUS SUPER QUIET** SEALED NO MAINTENANCE BALL BEARING ROLLERS. COATED STEEL SHAFT FOR SUPER QUIET PERFORMANCE.

### WHY BUY UNIQUE?



### vs. Others


WORLDS QUIETEST - WORLDS STRONGEST

MADE HERE

PANELS

LOCATIONS

MADE IN CALIFORNIA MADE IN U.S.A. Factory Fresh 103 Less Handling, Less Damage





The thickest steel, most dent resistant 24 ga Heavy Duty Steel Pan Doors (non insulated model) with exclusive raised shadow line for extra strength. No oil canning on face of door. Unique only makes 24 ga Heavy Duty Pan Doors, No Light Duty 26/25 ga Pan Doors. Plus no chance of a beit and switch, someone telling you it's 24 ga and selling you a 26/25 gathinner model.



Patented Super Strut comes standard for all double car garages. Gives top section extra strength. One of a kind 2.5" tall Unique Design features a ribbed design for extra strength.



World's Quietest Garage Doors come with patent pending 14 ga "The Real Deal" Quite Heavy Hinges plus patent pending Super Quiet Rollers with one of a kind coated steel shafts to insure no metal to metal contact.



All Unique Models come standard with the World's Quietest Hardware. Regardless of being the lowest cost Pan Non Insulated Model or highest cost Premium Steel Back Insulated Model No up-charges, just the Best in the Industry Standard!



Made Back East/Mid West or import overseas. Bounced around for hundreds or thousands of miles. Transferred and reloaded, prone to damage.



May take weeks for replacements to be shipped from Back East/ Mid West. Could be months from overseas.



Thinner steel has oil canning that pings and pops. Very easy for Dealer to bait and switch you without you even knowing. They say it's 24 ga. but slip you a 26 or 25 ga Pan Door. Most never know, until the sections bend or springs need replacing.



Standard, shorter 2" design has no reinforcing ribs for extra strength. Shorter design height does not provide as much strength as Unique's Super



Potato chip thin 18 ga hinges or theap plastic hinges that can break easy. Sloppy with gaps give side to side sloppy movement. Steel roller shafts that make metal to metal contact to create more noise, even on their so called upgraded



Others try to upgrade you for an extra cost or inflate the price and tell you it's Free with their Special Sale. What you get are cheap plastic so called quiet hinges that break easy or heavy duty sloppy and noise making upgraded hinges.



### vs. Others

THE MOST WINDOW DESIGNS

More window insert design choices than any other Garage Door Manufacturer, Over 39 different choices - The Mosti



Super Poly Back Insulated 1/4" thick back skin is so strong you can walk on it! Made with full sheets of foam. More strength, no squeak. Solid bonded construction. This type of design adds strength to the door plus 24 ga construction makes it super strong.



Steel Back Insulated Models are the strongest in the industry. 24 ga and 25 ga front skin and 25 ga back skin make these the thickest steel back doors in the industry. More dent resistant. Like a rolling steel wall to keep out the elements.



Insulated Models with optional windows feature standard SuperTrim<sup>™</sup> Aluminum Powder Coated Window Frames. Stronger, non-yellowing, NO twist! NO cracking! Lifetime Design! Upgraded Models, Upgraded Lifetime Parts.




Smooth, no woodgrain texture. Premium Models available in Flush Design plus Carriage House Design. A modern upgraded custom look found only here.



Wood-like steel doors have an authentic real wood look. Dark finish color features a clear coat protection that is not found on other manufacturer's standard wood look type models. Longer lasting, real looking finish for year after year, enduring beauty.



Most offer the standard 10 Designs. Not very much selection to choose from. Hard to match your house design with limited selection.



Thin pieces of paper-thin viny! backed foam, are inserted in a pan (non-insulated) door section. Not bonded, they move around, squeak and give no extra strength to the door. On top of that, it's so easy to poke a hole through the paper thin viny! backing. In a year, it turns yellow because it has no UV protection. Heat and light turn it yellow.



28, 27, 26 ga thin steel back sandwich doors are the standard offered by most Garage Door Manufacturers. Thinner steel dents very easy and does not provide as much strength.



Cheap plastic frames from others can turn yellow, crack and split. Others can not be painted dark colors, even different lighter colors, especially if they get a lot of sun. Some paint chemicals cause plastic frames to twist and distort. Insulated doors should have a stronger frame.



Others do not offer a rigid smooth option like Unique.



No clear coat offering, Most do not look very authentic. A 2-coat process, not 3, looks more like paint than wood.

### THE REASON IS UNIQUE MAKES THE **WORLD'S QUIETEST GARAGE DOOR**

### WWW.UNIQUEGARAGEDOOR.COM

# MAKE AN APPOINTMENT WITH YOUR DEALER TO VISIT ONE OF OUR CONVENIENTLY LOCATED SHOWROOMS!

BUENA PARK CALIFORNIA

CARSON CALIFORNIA

CHATSWORTH CALIFORNIA

RIVERSIDE
CALIFORNIA
(SHOWROOM COMING
SOON TO THIS LOCATION
DISTRIBUTION CENTER ONLY)



SAN DIEGO CALIFORNIA

LAS VEGAS NEVADA

TEMPE ARIZONA

NOTE: UNIQUE
DOES NOT STAFF
OUR SHOWROOMS.
PLEASE MAKE AN
APPOINTMENT
WITH YOUR DEALER
TO VISIT AND ASSIST
YOU WITH YOUR
PURCHASE.

