

sensitive skin in adhd

✓ Finished thinking

Individuals with ADHD commonly experience heightened sensory sensitivity, including tactile hypersensitivity affecting the skin. A 2025 meta-analysis of 30 studies encompassing 5,374 participants found that patients with ADHD demonstrated significantly more severe sensory sensitivity compared to controls (standardized mean difference = 1.17), along with sensory avoiding, low sensory registration, and sensory seeking behaviors. [American Acad...](#)

The relationship between ADHD and tactile sensitivity has been confirmed through both self-report and objective measures. Adults with ADHD show lower tolerable thresholds for electrical nerve stimulation, greater reduction in cortical somatosensory evoked potential amplitudes during tactile stimuli, and these findings correlate directly with ADHD symptom severity, particularly inattention. [BMC Psychiatry](#) Children with ADHD demonstrate altered tactile processing on specific tasks, with impaired performance related to cortical mechanisms and adaptation. [Neurophysiology](#)

This sensory sensitivity appears across the lifespan. Adolescents with ADHD consistently display higher scores across all sensory profile components including touch sensitivity compared to typically developing peers. [Research in De...](#) Studies in the general population reveal that ADHD traits positively correlate with sensory processing difficulties across all modalities, suggesting that sensory difficulties may be part of the ADHD phenotype.

[Comprehensive...](#) + 1

Clinical implications: Despite this robust evidence, current ADHD clinical guidelines do not specifically mention the need to assess sensory processing. [American Acad...](#) However, tactile sensitivity and sensory overload impact the functioning and quality of life of many people with ADHD, and clinicians should consider this when evaluating and treating patients. [BMC Psychiatry](#) The sensory difficulties correlate with both internalizing and externalizing behavioral problems as well as functional impairments. [Attention Disor...](#)

Additionally, there is a bidirectional association between ADHD and atopic dermatitis (eczema), with patients having 30–50% greater odds of developing the other condition, particularly

pronounced in those with severe atopic dermatitis, sleep disturbances, and multiple allergic conditions. [British Journal ...](#) + 2

Would you like me to explore specific management strategies for addressing sensory sensitivities in patients with ADHD?

References

1. Sensory Processing in Individuals With Attention-Deficit/Hyperactivity Disorder Compared With Control Populations: A Systematic Review and Meta-Analysis.
[Journal of the American Academy of Child and Adolescent Psychiatry](#). 2025. Jurek L, Duchier A, Gauld C, et al. [New](#)
2. Altered Somatosensory Processing in Adult Attention Deficit Hyperactivity Disorder.
[BMC Psychiatry](#). 2024. Frost-Karlsson M, Capusan AJ, Olausson H, Boehme R.
3. Altered Tactile Sensitivity in Children With Attention-Deficit Hyperactivity Disorder.
[Journal of Neurophysiology](#). 2017. Puts NAJ, Harris AD, Mikkelsen M, et al.
4. Atypical Sensory Processing in Adolescents With Attention Deficit Hyperactivity Disorder: A Comparative Study.
[Research in Developmental Disabilities](#). 2024. Fabio RA, Orsino C, Lecciso F, Levante A, Suriano R.
5. The Relationship Between ADHD Traits and Sensory Sensitivity in the General Population.
[Comprehensive Psychiatry](#). 2018. Panagiotidi M, Overton PG, Stafford T.
6. The Relationship Between Sensory Processing Sensitivity and Attention Deficit Hyperactivity Disorder Traits: A Spectrum Approach.
[Psychiatry Research](#). 2020. Panagiotidi M, Overton PG, Stafford T.
7. Sensory Processing in Children and Adolescents With Attention Deficit Hyperactivity Disorder.
[Journal of Attention Disorders](#). 2023. Rani I, Agarwal V, Arya A, Mahour P.
8. Association Between Atopic Dermatitis and Attention Deficit Hyperactivity Disorder in U.S. Children and Adults.
[The British Journal of Dermatology](#). 2016. Strom MA, Fishbein AB, Paller AS, Silverberg JI.
9. Bidirectional Association Between Atopic Dermatitis and Attention Deficit Hyperactivity Disorder: A Systematic Review and Meta-Analysis.
[Annals of Medicine](#). 2025. Wang HF, Liu S, Cao Y, Li QS. [New](#)
10. Association of Atopic Diseases and Attention-Deficit/Hyperactivity Disorder: A Systematic Review and Meta-Analyses.
[Neuroscience and Biobehavioral Reviews](#). 2017. Schans JV, Çiçek R, de Vries TW, Hak E, Hoekstra PJ.

Follow-Up Questions

Which age groups with attention deficit hyperactivity disorder most commonly report sensitive skin?



What additional comorbidities increase the likelihood of sensitive skin in attention deficit hyperactivity disorder?



Are there any medications for attention deficit hyperactivity disorder that worsen sensitive skin?

