

TABLE OF CONTENTS

APPLICATION GUIDE	
MAKE	PAGE
ACURA	1
AMERICAN MOTORS	2
AUDI	3
BMW	7
BUICK	13
CADILLAC	16
CHEVROLET	19
CHEVROLET LIGHT TRUCK	26
CHRYSLER	34
DAEWOO	38
DAIHATSU	38
DODGE	38
DODGE LIGHT TRUCK	43
EAGLE	47
FIAT	47
FORD	48
FORD LIGHT TRUCK	52
GEO	59
GMC LIGHT TRUCK	60
HONDA	66
HUMMER (AM GENERAL)	69
HYUNDAI	69
INFINITI	72
ISUZU	74
JAGUAR	75
JEEP	77
KIA	80
LAND ROVER	82
LEXUS	83
LINCOLN	87
MAZDA	89
MERCEDES-BENZ	92
MERCURY	101
MERKUR	105
MINI	105
NISSAN	107
OLDSMOBILE	110
PEUGEOT	113
PLYMOUTH	113
PONTIAC	115
PORSCHE	119
RENAULT	120
SAAB	121
SATURN	121
SCION	123
SMART	123
STERLING	123
SUBARU	123
SUZUKI	125
TOYOTA	126
VOLKSWAGEN	132
VOLVO	135
YUGO	139

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CL		
03-01	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
99-97	All Eng. - 26.00 Oz. R-134a; 8.45 Oz. PAG-46	59007
ILX		
19-16	4 Cyl. 2.4 Eng. - 15.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 19.20 Oz. R-1234yf; 4.00 Oz. PAG Oil	59234
15	4 Cyl. 2.0 Eng. - 14.40 Oz. R-134a; 2.50 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 14.40 Oz. R-134a; 2.50 Oz. PAG-46	59007
14	4 Cyl. 1.5 Eng.; HYBRID - 14.40 Oz. R-134a; 4.30 Oz. PAG Oil	59889
	4 Cyl. 2.0 Eng. - 14.40 Oz. R-134a; 2.50 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 14.40 Oz. R-134a; 2.50 Oz. PAG-46	59007
13	4 Cyl. 1.5 Eng.; HYBRID - 15.00 Oz. R-134a; 8.10 Oz. Hybrid Oil	59889
	4 Cyl. 2.0 Eng. - 14.10-15.90 Oz. R-134a; 6.90 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 14.10-15.90 Oz. R-134a; 6.90 Oz. PAG-46	59007
INTEGRA		
01-94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93-89	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 33.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
LEGEND		
95-94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
92-91	All Eng. - 27.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 30.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 33.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
MDX		
19	6 Cyl. 3.0 Eng.; HYBRID - See Under Hood Decal	59889
18-17	6 Cyl. 3.0 Eng.; HYBRID - See Under Hood Decal	59889
	6 Cyl. 3.5 Eng. - 4.50 Oz. PAG-46; 22.40 Oz. R-134a	59007
16-15	6 Cyl. 3.5 Eng. - 4.50 Oz. PAG-46; 22.40 Oz. R-134a	59007
14	6 Cyl. 3.5 Eng. - 23.00 Oz. R-134a; 4.23 - 4.63 Oz. PAG-46	59007
13	6 Cyl. 3.7 Eng. - 23.00 Oz. R-134a; 4.23-4.63 Oz. PAG-46	59007
12-10	6 Cyl. 3.7 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 7.60 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng.; w/ Rear AC - 22.00 Oz. R-134a; 8.60 Oz. PAG-46	59007
09-07	All Eng.; w/o Rear AC - 22.00 Oz. R-134a; 7.60 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 22.00 Oz. R-134a; 8.60 Oz. PAG-46	59007
06-02	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	59007
01	All Eng. - 27.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
NSX		
05-97	All Eng. - 30.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
96-93	All Eng. - 30.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
92-91	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
RDX		
18	6 Cyl. 3.5 Eng. - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59007
17-13	6 Cyl. 3.5 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
12-09	4 Cyl. 2.3 Eng.; w/o Rear AC - 15.90 Oz. R-134a; 6.50 Oz. PAG-46	59007
	4 Cyl. 2.3 Eng.; w/ Rear AC - 17.60 Oz. R-134a; 6.50 Oz. PAG-46	59007
08-07	All Eng.; w/o Rear AC - 15.90 Oz. R-134a; 6.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 17.60 Oz. R-134a; 6.50 Oz. PAG-46	59007
RL		
12-10	6 Cyl. 3.7 Eng. - 15.80-17.60 Oz. R-134a; 8.00-8.50 Oz. PAG-46	59007
09-06	All Eng. - 7.00 Oz. PAG-46; 17.50 Oz. R-134a	59007
05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
04	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
03-02	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
01-96	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
RSX		
06	All Eng. - 17.60-19.40 Oz. R-134a; 7.40-8.10 Oz. PAG-46	59007
05-02	All Eng. - 18.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
SLX		
99-98	All Eng. - w/ Denso Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-150	59003
97-96	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

ACURA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TL		
14	6 Cyl. 3.5 Eng. - 19.20 Oz. R-134a; 2.30 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 19.20 Oz. R-134a; 2.30 Oz. PAG-46	59007
13	6 Cyl. 3.5 Eng. - 20.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 20.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
12-10	6 Cyl. 3.5 Eng. - 17.60-19.40 Oz. R-134a; 5.81 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 17.60-19.40 Oz. R-134a; 6.15 Oz. PAG-46	59007
09	All Eng. - 17.60-19.40 Oz. R-134a; 6.15 Oz. PAG-46	59007
08-04	All Eng. - 7.00 Oz. PAG-46; 17.60-19.40 Oz. R-134a	59007
03-99	All Eng. - 21.00-23.00 Oz. R-134a; 8.80-9.40 Oz. PAG-46	59007
98-95	All Eng. - 26.50 Oz. R-134a; 5.33 Oz. PAG-46	59007
TSX		
14	4 Cyl. 2.4 Eng. - 17.60 Oz. R-134a; 2.60 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 2.60 Oz. PAG-46	59007
13	4 Cyl. 2.4 Eng. - 17.60 Oz. R-134a; 2.60 Oz. PAG-46	59007
12-11	4 Cyl. 2.4 Eng. - 15.90-17.60 Oz. R-134a; 6.42-6.83 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 15.90-17.60 Oz. R-134a; 6.11 Oz. PAG-46	59007
10	4 Cyl. 2.4 Eng. - 15.90-17.60 Oz. R-134a; 6.42-6.83 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 15.90-17.60 Oz. R-134a; 6.42-6.83 Oz. PAG-46	59007
09	All Eng. - 15.80-17.60 Oz. R-134a; 6.50-6.90 Oz. PAG-46	59007
08	4 Cyl. 2.4 Eng. - 17.60-19.40 Oz. R-134a; 8.11 Oz. PAG-46	59007
07-04	All Eng. - 17.60-19.40 Oz. R-134a; 8.11 Oz. PAG-46	59007
VIGOR		
94-92	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
ZDX		
13-12	6 Cyl. 3.7 Eng. - 19.00 Oz. R-134a; 3.45 Oz. PAG-46	59007
11	6 Cyl. 3.7 Eng. - 17.00 Oz. R-134a; 5.40 Oz. PAG-46	59007
10	6 Cyl. 3.7 Eng. - 17.00 Oz. R-134a; 3.40-6.00 Oz. PAG-46	59007

ALFA ROMEO

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
GIULIA		
18	4 Cyl. 2.0 Eng. - R-1234yf or R-134a Depending On The Market	59234
	6 Cyl. 2.9 Eng. - R-1234yf or R-134a Depending On The Market	59234
STELVIO		
18	4 Cyl. 2.0 Eng. - R-1234yf or R-134a Depending On The Market	59234
	6 Cyl. 2.9 Eng. - R-1234yf or R-134a Depending On The Market	59234

AMERICAN MOTORS

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
AMX		
80	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CONCORD		
83	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-80	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
EAGLE		
88-85	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-81	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
EAGLE (Cont'd)		
82-81	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SPIRIT		
83	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-80	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

AUDI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
100 SERIES		
94	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
93	All Eng. - 26.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
92-89	All Eng. - 38.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
200 SERIES		
91-89	All Eng. - 38.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
5000 SERIES		
88-87	5 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	5 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-84	5 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80 SERIES		
92-88	All Eng. - 37.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
90 SERIES		
95-93	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
91-88	All Eng. - 37.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
A3 SERIES		
19	4 Cyl. 2.0 Eng. - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	4 Cyl. 2.4 Eng. - 18.56 Oz. R-1234yf; PAG Oil	59234
18	4 Cyl. 2.0 Eng. - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	4 Cyl. 2.0 Eng. - 18.56 Oz. R-1234yf; PAG Oil	59234
17	4 Cyl. 1.4 Eng. - w/ Denso or Delphi Compressor; 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso or Delphi Compressor; 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
16-15	4 Cyl. 1.8 Eng. - w/ Denso or Delphi Compressor; 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso or Delphi Compressor; 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
13-10	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	4 Cyl. 2.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07-06	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.71 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.72 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 18.00 Oz. R-134a; 3.71 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 18.00 Oz. R-134a; 4.72 Oz. PAG-46	59007
A4 SERIES		
19-18	4 Cyl. 2.0 Eng. - 18.56 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
17	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
16-14	4 Cyl. 2.0 Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
13	4 Cyl. 2.0 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
12	4 Cyl. 1.8 Eng. - See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng. - 22.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
11-10	4 Cyl. 2.0 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
09	4 Cyl. 2.0 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 3.2 Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
A4 SERIES (Cont'd)		
08-06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05	All Eng. - 20.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
04	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
03-02	All Eng. - 9.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
01-00	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
99-96	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
A5 SERIES		
19-18	4 Cyl. 2.0 Eng. - 18.56 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
17	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
16-15	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
14	4 Cyl. 2.0 Eng. - 19.20 Oz. R-134a; 5.00 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 22.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46	59007
12-11	4 Cyl. 2.0 Eng. - See Under Hood Decal PAG-46	59007
10	4 Cyl. 2.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
09-08	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
A6 SERIES		
19	4 Cyl. 2.0 Eng.; HYBRID - 18.56 Oz. R-1234yf; PAG Oil	59889
	6 Cyl. 3.0 Eng.; HYBRID - 18.56 Oz. R-1234yf; PAG Oil	59889
18	4 Cyl. 2.0 Eng. - 18.56 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 2.0 Eng. - 20.16 Oz. R-134a; 3.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 18.56 Oz. R-1234yf; PAG Oil	59234
	6 Cyl. 3.0 Eng. - 20.16 Oz. R-134a; 3.70 Oz. PAG-46	59007
17-16	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
15	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; 4.4 Oz. PAG-46	59007
14	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.4 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; 4.4 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 3.70-4.30 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - 22.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; Single Evaporator - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; Dual Evaporator - 33.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
10	6 Cyl. 3.0 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 18.40 Oz. R-134a; 4.40 Oz. PAG-46	59007
09	6 Cyl. 2.8 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
08	6 Cyl. 3.2 Eng. - 19.00 Oz. R-134a; 4.38 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
07-06	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
05	All Eng. - 24.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
04-03	All Eng. - 30.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
02-01	All Eng. - 24.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
00-98	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
97-96	All Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
95	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
A7 SERIES		
19-18	6 Cyl. 3.0 Eng.; HYBRID - 18.56 Oz. R-1234yf; PAG Oil	59889
17-14	6 Cyl. 3.0 Eng. - 4.70 Oz. PAG-46; 20.16 Oz. R-134a	59007
13-12	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 3.70-4.30 Oz. PAG-46	59007
A8 SERIES		
19	6 Cyl. 3.0 Eng. - 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil	59234
	8 Cyl. 4.0 Eng. - 26.40 Oz. R-134a; 4.10 Oz. PAG-46	59007
18	6 Cyl. 3.0 Eng. - 26.40 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng. - 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil	59234

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
A8 SERIES (Cont'd)		
17-13	6 Cyl. 3.0 Eng.; Single Evaporator - 28.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Dual Evaporator - 34.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng.; Single Evaporator - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng.; Dual Evaporator - 33.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
12	12 Cyl. 6.3 Eng.; Single Evaporator - 28.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46	59007
	12 Cyl. 6.3 Eng.; Dual Evaporator - 33.00 Oz. R-134a; 4.10-4.70 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; Single Evaporator - 27.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; Dual Evaporator - 33.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
11-10	8 Cyl. 4.2 Eng.; Single Evaporator - 27.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; Dual Evaporator - 33.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
09-08	12 Cyl. 6.0 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
07	12 Cyl. 6.0 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 21.00 Oz. R-134a; 5.06 Oz. PAG-46	59007
06	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
05	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
04	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
03-00	All Eng. - 25.00 Oz. R-134a; 8.50 Oz. PAG-46; w/o Restrictor	59007
	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46; w/ Yellow Restrictor	59007
99-97	All Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
ALLROAD QUATTRO		
16-14	4 Cyl. 2.0 Eng. - 19.20 Oz. R-134a; 5.00 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 22.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46	59007
05	All Eng. - 23.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
04-03	All Eng. - 30.00 Oz. R-134a; 9.25 Oz. PAG-46	59007
02-01	All Eng. - 24.50 Oz. R-134a; 9.25 Oz. PAG-46	59007
CABRIOLET		
98-94	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
COUPE QUATTRO		
91-90	All Eng. - 37.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
Q SERIES		
19	4 Cyl. 2.0 Eng. - 18.08 Oz. R-1234yf; PAG Oil	59234
	6 Cyl. 3.0 Eng.; HYBRID; Front - 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil	59889
	6 Cyl. 3.0 Eng.; HYBRID; Front & Rear - See Under Hood Decal	59889
18	4 Cyl. 2.0 Eng.; Front - See Under Hood Decal	59234
	6 Cyl. 3.0 Eng.; Front - See Under Hood Decal	59234
	6 Cyl. 3.0 Eng.; Front & Rear - See Under Hood Decal	59234
17	4 Cyl. 2.0 Eng. Q5 - 21.12 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.12 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng.; Front - See Under Hood Decal	59234
	6 Cyl. 3.0 Eng.; Front & Rear - See Under Hood Decal	59234
16	4 Cyl. 2.0 Eng.; Excl. Hybrid - 21.12 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.12 Oz. R-134a; See Under Hood Decal PAG-46	59007
15	4 Cyl. 2.0 Eng.; Excl. Hybrid - 21.12 Oz. R-134a; 4.60 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Gas; Front - 21.12 Oz. R-134a; 4.60 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Gas; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
14	4 Cyl. 2.0 Eng. - 21.12 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Gas; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Gas; Front - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	59007
	8 Cyl. 4.1 Eng. - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	59007
13	4 Cyl. 2.0 Eng. - 21.12 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Gas; Front - 21.00 Oz. R-134a; 4.70-5.30 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Gas; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	8 Cyl. 4.1 Eng. - 21.00 Oz. R-134a; 4.70 - 5.30 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - 21.12 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Gas; Front AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
Q SERIES (Cont'd)		
12	6 Cyl. 3.0 Eng.; Gas; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
11	6 Cyl. 3.2 Eng. - 21.12 Oz. R-134a; 5.00 Oz. PAG-46	59007
	8 Cyl. 4.1 Eng. - 21.00 Oz. R-134a; 4.70 - 5.30 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 21.12 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
10	6 Cyl. 3.0 Eng.; Diesel; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 21.12 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng.; Diesel; Front AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
09	6 Cyl. 3.0 Eng.; Diesel; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - See Under Hood Decal PAG-46	59007
	8 Cyl. 4.2 Eng.; Front - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; Front & Rear - 36.80 Oz. R-134a; 4.70 Oz. PAG-46	59007
08	6 Cyl. 3.6 Eng. - w/ Denso Compressor; 19.20 Oz. R-134a; 5.00 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 19.20 Oz. R-134a; 5.00 Oz. PAG-46	59007
07	6 Cyl. 3.6 Eng.; w/ Rear AC - 37.00 Oz. R-134a; 8.28 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; w/o Rear AC - 19.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; w/ Rear AC - 37.00 Oz. R-134a; 8.28 Oz. PAG-46	59007
R8		
18-17	10 Cyl. 5.2 Eng. - 28.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	10 Cyl. 5.2 Eng. - See Under Hood Decal	59234
15	10 Cyl. 5.2 Eng. - 23.20 Oz. R-134a; 6.70 Oz. PAG-46	59007
14	10 Cyl. 5.2 Eng. - 23.20 Oz. R-134a; 6.70 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 6.70 Oz. PAG-46; 23.20 Oz. R-134a	59007
12-10	10 Cyl. 5.2 Eng. - 22.00 Oz. R-134a; 4.80-5.40 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 22.00 Oz. R-134a; 4.80-5.40 Oz. PAG-46	59007
09-08	8 Cyl. 4.2 Eng. - See Under Hood Decal PAG-46	59007
RS4		
08	8 Cyl. 4.2 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a; 22.88 Oz. R-134a; 4.30 Oz. PAG-46	59007
07	All Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
RS6		
04-03	8 Cyl. 4.2 Eng. - 19.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
S SERIES		
14	6 Cyl. 3.0 Eng. - 19.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng. - 5.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
13	6 Cyl. 3.0 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
12	6 Cyl. 3.0 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
11-10	10 Cyl. 5.2 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
09	10 Cyl. 5.2 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 22.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
08	10 Cyl. 5.2 Eng. - 22.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 22.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
07	10 Cyl. 5.2 Eng. - 17.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 17.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
06-05	8 Cyl. 4.2 Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
04	All Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
03-01	All Eng. - 25.00 Oz. R-134a; 6.07 Oz. PAG-46	59007
00	6 Cyl. 2.7 Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
96-94	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
93	All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
	All Eng. - w/ R-12	59000 ⁷⁰
92	All Eng. - 38.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TT SERIES		
16-15	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
14	4 Cyl. 1.8 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	5 Cyl. 2.5 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
13	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46; 3.40-4.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
12	4 Cyl. 1.8 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 2.70 - 3.30 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Sanden Compressor; 18.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 2.70-3.30 Oz. PAG-46	59007
11	4 Cyl. 1.8 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 2.70 - 3.30 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
10	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
08	6 Cyl. 3.2 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
06-02	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01-00	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
V8 QUATTRO		
94-93	All Eng. - 30.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
92-90	All Eng. - 39.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
128 SERIES		
13-12	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng. - 21.87 Oz. R-134a; 6.08 Oz. PAG-46	59007
10	6 Cyl. 3.0 Eng. - 20.81 Oz. R-134a; 6.08 Oz. PAG-46	59007
09	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 6.30 Oz. PAG-46	59007
08	6 Cyl. 3.0 Eng. - 20.81 Oz. R-134a; 6.08 Oz. PAG-46	59007
135 SERIES		
14	6 Cyl. 3.0 Eng. - 20.81 Oz. R-134a; 6.34 Oz. PAG-46	59007
13	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
12-11	6 Cyl. 3.0 Eng. - 21.87 Oz. R-134a; 6.34 Oz. PAG-46	59007
10-08	6 Cyl. 3.0 Eng. - 20.81 Oz. R-134a; 6.34 Oz. PAG-46	59007
228 SERIES		
16-14	4 Cyl. 2.0 Eng. 228I - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
318 SERIES		
99-93	All Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
92-91	All Eng. - 10.00 Oz. Mineral Oil; 42.50 Oz. R-12	59000 ⁷⁰
	All Eng. - w/ Behr System; 42.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
85-84	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
320 SERIES		
16-14	4 Cyl. 2.0 Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
13	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	59007
05-01	6 Cyl. 2.2 Eng. - 26.10+/-0.88 Oz. R-134a; 5.41 Oz. PAG-46	59007
83-80	4 Cyl. 1.8 Eng. - 45.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
323 SERIES		
00	All Eng. - 29.50 Oz. R-134a; 5.50 Oz. PAG-100	59002
99-98	All Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
325 SERIES		
06-01	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	59007
95-94	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
93	All Eng. - 36.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
92-91	All Eng. - 10.00 Oz. Mineral Oil; 42.00 Oz. R-12	59000 ⁷⁰
	All Eng. - w/ Behr System; 42.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 10.00 Oz. Mineral Oil; 34.50 Oz. R-12	59000 ⁷⁰
	All Eng. - w/ Behr System; 34.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
85	6 Cyl. 2.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
328 SERIES		
17	4 Cyl. 2.0 Eng. - See Under Hood Decal	59007
16-14	4 Cyl. 2.0 Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
13-12	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	59007
11-07	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
00-96	All Eng. - 36.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
330 SERIES		
18	All Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
06	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 5.10-5.70 Oz. PAG-46	59007
05-01	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 5.10-5.70 Oz. PAG-100	59002
335 SERIES		
16	6 Cyl. 3.0 Eng. - See Under Hood Decal	59007
15-14	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
13	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
12	6 Cyl. 3.0 Eng. - 21.87 Oz. R-134a; 6.34 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
10-07	6 Cyl. 3.0 Eng. - 20.81 Oz. R-134a; 6.34 Oz. PAG-46	59007
525 SERIES		
07	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
06-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
03-01	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
95-94	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
93	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
	6 Cyl. 2.5 Eng. - w/ R-12	59000 ⁷⁰
92-89	All Eng. - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
	All Eng. - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
528 SERIES		
16-14	4 Cyl. 2.0 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
13-12	4 Cyl. 2.0 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
11	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 28.00 Oz. R-134a; 5.40 - 6.80 Oz. PAG-46	59007
10	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
09-08	6 Cyl. 3.0 Eng. - 29.00 Oz. R-134a; 6.30 Oz. PAG-46	59007
00-98	All Eng. - 26.40 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	All Eng. - w/ Denso Compressor; 26.40 Oz. R-134a; 4.90-5.90 Oz. PAG-46	59007
97	All Eng. - 43.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	All Eng. - w/ Denso Compressor; 4.90-5.90 Oz. PAG-46; 43.00 Oz. R-134a	59007
82	6 Cyl. 2.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81-79	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
530 SERIES		
07	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 6.00 Oz. PAG-100	59007
06-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
03	6 Cyl. 3.0 Eng. - 27.00 Oz. R-134a; 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46; 6.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 5.50 Oz. PAG-100; w/ Denso Compressor	59007
02	6 Cyl. 3.0 Eng. - 26.40 Oz. R-134a; 27.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46; 7.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
530 SERIES (Cont'd)		
02	6 Cyl. 3.0 Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100; w/ Denso Compressor	59007
01	6 Cyl. 3.0 Eng. - 27.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - w/ Denso Compressor; 27.00 Oz. R-134a; 4.90-5.90 Oz. PAG-46	59007
95-94	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
533 SERIES		
84-83	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
535 SERIES		
17	6 Cyl. 3.0 Eng. - See Under Hood Decal	59007
16-14	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
13	6 Cyl. 3.0 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 6.00 Oz. PAG-46; 29.92 Oz. R-134a	59007
12	6 Cyl. 3.0 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng. - 5.40-6.80 Oz. PAG-46; 25.00 Oz. R-134a	59007
	8 Cyl. 4.4 Eng. - 25.00 Oz. R-134a; 5.40 - 6.80 Oz. PAG-46	59007
10	6 Cyl. 3.0 Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
09-08	6 Cyl. 3.0 Eng. - 25.00 Oz. R-134a; 6.30 Oz. PAG-46	59007
93	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
92-89	All Eng. - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
	All Eng. - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
540 SERIES		
03-01	All Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
00-99	All Eng. - 44.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
98-97	All Eng. - 43.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
95-94	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
545 SERIES		
05-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
550 SERIES		
16	8 Cyl. 4.4 Eng. - See Under Hood Decal	59007
15-14	8 Cyl. 4.4 Eng. - 6.00 Oz. PAG-46; 29.92 Oz. R-134a	59007
13-12	8 Cyl. 4.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
11	8 Cyl. 4.4 Eng. - 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
10	8 Cyl. 4.4 Eng. - 28.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng. - 28.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
09-08	8 Cyl. 4.8 Eng. - 29.00 Oz. R-134a; 6.30 Oz. PAG-46	59007
07-06	8 Cyl. 4.8 Eng. - 27.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng. - w/ Denso Compressor; 27.00 Oz. R-134a; 4.90-5.90 Oz. PAG-46	59007
633 SERIES		
82-78	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
635 SERIES		
89	All Eng.; w/o Rear AC - 39.00 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 63.50 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
640 SERIES		
16-14	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
13-12	6 Cyl. 3.0 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
645 SERIES		
05-04	8 Cyl. 4.4 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
650 SERIES		
16-14	8 Cyl. 4.4 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
12	8 Cyl. 4.4 Eng. - 28.48 Oz. R-134a; 6.34 Oz. PAG-46	59007
11-06	8 Cyl. 4.8 Eng. - 28.48 Oz. R-134a; 6.34 Oz. PAG-46	59007
733 SERIES		
84-78	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
735 SERIES		
92	All Eng.; w/o Rear AC To 3/92 - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/ Rear AC To 3/92 - 10.00 Oz. Mineral Oil; 73.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/o Rear AC 4/92-12/92 - 55.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC 4/92-12/92 - 60.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
	All Eng.; w/o Rear AC To 3/92 - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
735 SERIES (Cont'd)		
92	All Eng.; w/ Rear AC To 3/92 - w/ Behr System; 6.75 Oz. Mineral Oil; 73.00 Oz. R-12	59000 ⁷⁰
	6 Cyl. 3.5 Eng. - w/ R-12	59000 ⁷⁰
91-89	All Eng.; w/o Rear AC - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/ Rear AC - 10.00 Oz. Mineral Oil; 73.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/ Rear AC - w/ Behr System; 6.75 Oz. Mineral Oil; 73.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/o Rear AC - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
88-85	6 Cyl. 3.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
740 SERIES		
17	4 Cyl. 2.0 Eng. - See Under Hood Decal	59007
	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
16-14	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
13	12 Cyl. 6.0 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 6.00 Oz. PAG-46; 29.92 Oz. R-134a	59007
	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-100	59002
00-99	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
98-95	All Eng. - 42.50 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng. - w/ Denso Compressor; 42.50 Oz. R-134a; 5.50 Oz. PAG-46	59007
94-93	All Eng.; w/o Rear AC - 55.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 60.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
745 SERIES		
05-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
03-02	8 Cyl. 4.4 Eng. - 28.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
750 SERIES		
15-14	8 Cyl. 4.4 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
13-12	8 Cyl. 4.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
11-10	All Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
09	8 Cyl. 4.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.8 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.8 Eng.; w/ Rear AC - 41.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-06	8 Cyl. 4.8 Eng.; w/o Rear AC - 28.00 Oz. R-134a; 6.34 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng.; w/ Rear AC - 37.87 Oz. R-134a; 8.46 Oz. PAG-46	59007
01	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-100	59002
00-99	All Eng. - 43.00 Oz. R-134a; 6.50 Oz. PAG-100	59002
98-95	All Eng.; w/o Rear AC - 42.50 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
	All Eng.; w/o Rear AC - w/ Denso Compressor; 42.50 Oz. R-134a; 5.50 Oz. PAG-46	59007
94-93	All Eng.; w/o Rear AC - 55.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 60.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
	All Eng.; w/o Rear AC - w/ Denso Compressor; 5.50 Oz. PAG-46; 55.00 Oz. R-134a	59007
91-89	All Eng.; w/o Rear AC - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/ Rear AC - 10.00 Oz. Mineral Oil; 73.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/o Rear AC - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/ Rear AC - w/ Behr System; 6.75 Oz. Mineral Oil; 73.00 Oz. R-12	59000 ⁷⁰
760 SERIES		
15-14	12 Cyl. 6.0 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
13-10	12 Cyl. 6.0 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-07	12 Cyl. 6.0 Eng.; w/o Rear AC - 29.00 Oz. R-134a; 6.35 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
06-04	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
840 SERIES		
97-94	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng. - w/ Denso Compressor; 5.50 Oz. PAG-46; 55.00 Oz. R-134a	59007
850 SERIES		
97-93	All Eng. - 55.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng. - w/ Denso Compressor; 5.50 Oz. PAG-46; 55.00 Oz. R-134a	59007
92-91	All Eng. - 10.00 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
	All Eng. - w/ Behr System; 6.75 Oz. Mineral Oil; 68.00 Oz. R-12	59000 ⁷⁰
ACTIVEHYBRID 3		
15-14	6 Cyl. 3.0 Eng. - 26.08 Oz. R-134a; 5.20 Oz. PAG-46	59007
ACTIVEHYBRID 5		
16-14	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 29.92 Oz. R-134a	59007
12	6 Cyl. 3.0 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
L SERIES		
87-86	6 Cyl. 3.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
M SERIES		
17	6 Cyl. 3.0 Eng. - See Under Hood Decal	59007
	8 Cyl. 4.4 Eng. - See Under Hood Decal	59007
16-14	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 6.00 Oz. PAG-46; 30.08 Oz. R-134a	59007
13	8 Cyl. 4.0 Eng. - 21.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
12	8 Cyl. 4.0 Eng. - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
11	10 Cyl. 5.0 Eng. - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng. - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
10	10 Cyl. 5.0 Eng. - 28.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng. - 21.00 Oz. R-134a; 4.07-5.40 Oz. PAG-46	59007
09-08	10 Cyl. 5.0 Eng. - 29.00 Oz. R-134a; 6.34 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng. - 29.00 Oz. R-134a; 6.34 Oz. PAG-46	59007
07	10 Cyl. 5.0 Eng. - 28.57 Oz. R-134a; 6.34 Oz. PAG-46	59007
06	10 Cyl. 5.0 Eng. - 28.00 Oz. R-134a; 6.34 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 26.10 Oz. R-134a; 5.40+/-0.30 Oz. PAG-46	59007
05-04	6 Cyl. 3.2 Eng. - 26.00 Oz. R-134a; 5.10-5.70 Oz. PAG-46	59007
03-02	6 Cyl. 3.2 Eng. - 26.00 Oz. R-134a; 5.10-5.70 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 43.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - w/ Denso Compressor; 4.90-5.90 Oz. PAG-46; 43.00 Oz. R-134a	59007
01	6 Cyl. 3.2 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - w/ Denso Compressor; 4.90-5.90 Oz. PAG-46; 43.00 Oz. R-134a	59007
00	8 Cyl. 5.0 Eng. - 33.51 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 43.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - w/ Denso Compressor; 31.74 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
99-95	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 36.00 Oz. R-134a; 5.00 Oz. PAG-100; Round Tube Condenser	59002
93	All Eng. - 51.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	All Eng. - 51.14 Oz. R-12; 5.41 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 53.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
92	All Eng. - 53.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
91	4 Cyl. - 10.00 Oz. Mineral Oil; 31.00 Oz. R-12	59000 ⁷⁰
	4 Cyl. - w/ Behr System; 31.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. - 53.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 10.00 Oz. Mineral Oil; 31.00 Oz. R-12	59000 ⁷⁰
	All Eng. - w/ Behr System; 31.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
X SERIES		
17	8 Cyl. 4.4 Eng. - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59007
16	4 Cyl. 2.0 Eng. - 24.64 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 24.00 Oz. R-134a; See Under Hood Decal	59007
	8 Cyl. 4.4 Eng. - 24.64 Oz. R-134a; See Under Hood Decal PAG-46	59007
15	4 Cyl. 2.0 Eng. - See Under Hood Decal	59007
	6 Cyl. 3.0 Eng. - 24.64 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 24.64 Oz. R-134a; See Under Hood Decal PAG-46	59007
14	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 24.64 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	59007
12	6 Cyl. 3.0 Eng. - 18.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 25.00 Oz. R-134a; 4.40-5.10 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 5.40-6.80 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 25.00 Oz. R-134a; 4.90-5.60 Oz. PAG-46	59007
10	6 Cyl. 2.5 Eng. - 25.00 Oz. R-134a; 4.90 - 5.60 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 25.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
09	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 6.30 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 25.00 Oz. R-134a; 5.30 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
X SERIES (Cont'd)		
08	6 Cyl. 2.5 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 6.30 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 24.70 Oz. R-134a; 5.30 Oz. PAG-46	59007
07	6 Cyl. 2.5 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.8 Eng. - 25.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
06	6 Cyl. 2.5 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.8 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
05-04	All Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
03-02	6 Cyl. 3.0 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.4 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
01	X5 - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
00	8 Cyl. 4.4 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
Z SERIES		
16-14	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 16.00 Oz. R-134a; 5.40-6.00 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.46 Oz. R-134a; See Under Hood Decal PAG-46	59007
11-10	6 Cyl. 2.5 Eng. - 20.46 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.46 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 26.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
07-06	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
05	6 Cyl. 2.5 Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
04	6 Cyl. 2.5 Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 5.29 +/- 0.35 Oz. PAG-46	59007
03	8 Cyl. 5.0 Eng. - 25.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
02	6 Cyl. 2.5 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 2.5 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	6 Cyl. 3.2 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 25.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
01	6 Cyl. 2.5 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 2.5 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	6 Cyl. 3.2 Eng. - 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	6 Cyl. 3.2 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
00	Z8 - 26.00 Oz. R-134a;	59007
	Z3 - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	Z3 - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
99	Z3 - 29.00 Oz. R-134a; 6.00 Oz. PAG-100; Flat Tube Condenser	59002
	Z3 - 36.00 Oz. R-134a; 6.00 Oz. PAG-100; Round Tube Condenser	59002
98	4 Cyl. 1.9 Eng. - 29.10 Oz. R-134a; 5.29 Oz. PAG-46	59007
	4 Cyl. 1.9 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	6 Cyl. 2.8 Eng. - 29.10 Oz. R-134a; 5.29 Oz. PAG-46	59007
	6 Cyl. 2.8 Eng. - w/ Denso Compressor; 29.10 Oz. R-134a; 4.23 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
97	4 Cyl. 1.9 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	4 Cyl. 1.9 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
	6 Cyl. 2.8 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 2.8 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007
96	4 Cyl. 1.9 Eng. - 36.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	4 Cyl. 1.9 Eng. - w/ Denso Compressor; 3.30-4.70 Oz. PAG-46; 36.00 Oz. R-134a	59007

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ALLURE		
10	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 20.16 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 20.16 Oz. R-134a	59007
09	6 Cyl. 3.8 Eng. - 5.00 Oz. PAG-46; 21.60-19.20 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 5.00 Oz. PAG-46; 21.60-19.20.00 Oz. R-134a	59007
08	6 Cyl. 3.8 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
07-06	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
05	6 Cyl. 3.6 Eng. - 35.00 Oz. R-134a; 6.60 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 35.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
APOLLO		
73	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CASCADA		
18-16	4 Cyl. 1.6 Eng. - 4.50 Oz. PAG-46; 22.08 Oz. R-134a	59007
CENTURY SEDAN / COUPE		
05	All Eng. - 38.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
04-03	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
02-97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91-85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ELECTRA SEDAN / COUPE		
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-70	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-67	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66-64	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
63	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ENCLAVE		
17-14	6 Cyl. 3.6 Eng. - 40.00 Oz. R-134a; 7.80 Oz. PAG-46	59007
13	6 Cyl. 3.6 Eng. - See Under Hood Decal; 7.80 Oz. PAG-46	59007
12-10	6 Cyl. 3.6 Eng. - 36.80 Oz. R-134a; 6.50 Oz. PAG-46	59007
09-08	All Eng. - 36.80 Oz. R-134a; 6.50 Oz. PAG-46	59007
ENCORE		
16-14	4 Cyl. 1.4 Eng. - 20.06 Oz. R-134a; 3.80 Oz. PAG-46	59007
ESTATE WAGON-CENTURY,ELECTRA,LESABRE,REGAL,ROADMAS		
14	4 Cyl. 2.0 Eng. - 36.80 Oz. R-134a; 6.50 Oz. PAG-46	59007
96-94	8 Cyl. 5.7 Eng. - w/ Denso Compressor	59007
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor	59003
93	8 Cyl. 5.7 Eng.	59000 ⁷⁰
92	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
91-90	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
89	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-86	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

BUICK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ESTATE WAGON-CENTURY, ELECTRA, LESABRE, REGAL, ROADMAS (Cont'd)		
85	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-70	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LACROSSE		
17	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
16-13	4 Cyl. 2.4 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
12-11	4 Cyl. 2.4 Eng. - 3.70 Oz. PAG-46; 21.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
10	4 Cyl. 2.4 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
09-06	All Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
05	All Eng. - 36.96 Oz. R-134a; 6.50 Oz. PAG-46	59007
LESABRE SEDAN / COUPE		
05	All Eng. - 38.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
04-03	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
02-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 53.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-70	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
64-63	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LUCERNE		
11	6 Cyl. 3.9 Eng. - 23.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 23.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
10	6 Cyl. 3.9 Eng. - 21.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 21.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
09-06	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
PARK AVENUE		
05	All Eng. - 38.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
04-00	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
99-97	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-92	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
RAINIER		
07-04	All Eng.; w/o Rear AC - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 8.00 Oz. PAG-46; 42.40 Oz. R-134a	59007
REATA		
91-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
REGAL SEDAN / COUPE		
17-14	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 20.80 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 20.80-24.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
12-11	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 21.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
REGAL SEDAN / COUPE (Cont'd)		
04-97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-85	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
74-73	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
RENDEZVOUS		
07-02	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
RIVIERA		
99-97	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
96-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-89	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
71-70	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-67	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66-65	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ROADMASTER		
96-94	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-91	All Eng. - 50.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
SKYHAWK		
89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-85	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SKYLARK		
98-95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
92	All Eng. - 42.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87-86	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SOMERSET		
87-85	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TERRAZA		
07	All Eng.; w/ Rear AC - 31.66 Oz. R-134a; 7.77 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
06	All Eng.; w/ Rear AC - 31.66 Oz. R-134a; 7.77 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 7.10 Oz. PAG-46; 22.88 Oz. R-134a	59007
05	All Eng.; w/ Rear AC - 35.60 Oz. R-134a; 7.77 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 7.10 Oz. PAG-46; 26.88 Oz. R-134a	59007
VERANO		
17-14	4 Cyl. 2.0 Eng. - 22.88 Oz. R-134a; 4.20 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 22.88 Oz. R-134a; 4.20 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 4.23 Oz. PAG-46; 22.73 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 4.23 Oz. PAG-46; 22.73 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

BUICK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	VERANO (Cont'd)	
12	4 Cyl. 2.4 Eng. - 3.70 Oz. PAG-46; 20.80-24.00 Oz. R-134a	59007

CADILLAC

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	ALLANTE	
93-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	ATS	
17	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
16-14	4 Cyl. 2.0 Eng. - 4.10 Oz. PAG-46; 19.20 Oz. R-134a	59007
	4 Cyl. 2.5 Eng. - 4.10 Oz. PAG-46; 19.20 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
	CALAIS	
73-70	8 Cyl. 7.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 8.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	8 Cyl. 7.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-65	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	CATERA	
01-99	All Eng. - 41.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
98-97	All Eng. - 41.50 Oz. R-134a; 9.00 Oz. PAG-150	59003
	CIMARRON	
88-86	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84-83	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	CT6	
18-16	4 Cyl. 2.0 Eng. - 20.80 Oz. R-1234yf; PAG Oil; w/ CJ2 Compressor	59234
	4 Cyl. 2.0 Eng. - 38.40 Oz. R-1234yf; PAG Oil; w/ C24 Compressor	59234
	4 Cyl. 2.0 Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ C24 Compressor	59007
	6 Cyl. 3.0 Eng. - 20.80 Oz. R-1234yf; PAG Oil; w/ CJ2 Compressor	59234
	6 Cyl. 3.0 Eng. - 38.40 Oz. R-1234yf; PAG Oil; w/ C24 Compressor	59234
	6 Cyl. 3.0 Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ C24 Compressor	59007
	6 Cyl. 3.6 Eng. - 20.80 Oz. R-1234yf; PAG Oil; w/ CJ2 Compressor	59234
	6 Cyl. 3.6 Eng. - 38.40 Oz. R-1234yf; PAG Oil; w/ C24 Compressor	59234
	6 Cyl. 3.6 Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-46; w/ C24 Compressor	59007
	CTS	
18-15	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. CTS-V - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	59007
14	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. CTS-V - 3.70 Oz. PAG-46; 19.02 Oz. R-134a	59007
13	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
12	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. - 18.20 Oz. R-134a; 3.72 Oz. PAG-46	59007
11-10	6 Cyl. 3.0 Eng. - 18.20 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 18.20 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 18.20 Oz. R-134a; 3.72 Oz. PAG-46	59007
09-08	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
07-03	All Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
	DEVILLE	
05-02	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
01-00	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
DEVILLE (Cont'd)		
99-98	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97-94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-85	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
73-68	8 Cyl. 7.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-64	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
63	8 Cyl. 6.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
DTS		
11	8 Cyl. 4.6 Eng. - 22.88 Oz. R-134a; 4.75 Oz. PAG-46	59007
10-06	All Eng. - 22.88 Oz. R-134a; 4.75 Oz. PAG-46	59007
ELDORADO		
02-98	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97-94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-91	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
84	8 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-70	8 Cyl. 8.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	8 Cyl. 7.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-65	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ESCALADE		
18	8 Cyl. 6.2 Eng. - 28.8 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234
17	8 Cyl. 6.2 Eng. - 29.92 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234
16-15	8 Cyl. 6.2 Eng. - 29.92 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234
	8 Cyl. 6.2 Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front & Rear AC	59007
14	8 Cyl. 6.2 Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG-46; w/ Front AC	59007
	8 Cyl. 6.2 Eng. - 40.00 Oz. R-134a; 11.00 Oz. PAG-46; w/ Front & Rear AC	59007
13	8 Cyl. 6.2 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
12	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
11	8 Cyl. 6.0 Eng.; Gas/Electric; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59889
	8 Cyl. 6.2 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
10	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
09	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
08	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
07	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
06-03	Excl. ESV & EXT; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
	EsV; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	ExT - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
02	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 42.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
00-99	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	59003

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CADILLAC

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
FLEETWOOD / BROUGHAM		
96-94	All Eng.; RWD - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; RWD - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng.; RWD - 50.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	Fleetwood; FWD - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Brougham - 49.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-87	Fleetwood; FWD - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Brougham - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
86	Fleetwood; FWD - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Brougham - 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
85	Brougham - 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
73-70	8 Cyl. 7.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 8.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	8 Cyl. 7.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-65	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SEVILLE		
04-01	All Eng. - w/ Mitsubishi Compressor; 35.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
00-99	All Eng. - w/ Mitsubishi Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
98	All Eng. - w/ Mitsubishi Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97-94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-91	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	8 Cyl. 4.5 Eng. - w/ OE Harrison Compressor	59000 ⁷⁰
87-86	8 Cyl. 4.1 Eng. - w/ OE Harrison Compressor	59000 ⁷⁰
85	8 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	8 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SRX		
16-14	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 25.76 Oz. R-134a	59007
12	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	59007
11	6 Cyl. 2.8 Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	59007
10	6 Cyl. 2.8 Eng. - 3.70 Oz. PAG-46; 25.60 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 25.75 Oz. R-134a	59007
09	6 Cyl. 3.6 Eng.; w/o Rear AC - 20.16 Oz. R-134a; 6.09 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 28.16 Oz. R-134a; 7.44 Oz. PAG-46	59007
08-04	All Eng.; w/o Rear AC - 20.16 Oz. R-134a; 6.09 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 28.16 Oz. R-134a; 7.44 Oz. PAG-46	59007
STS		
11	6 Cyl. 3.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
10	6 Cyl. 3.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
09-08	6 Cyl. 3.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.4 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
07	All Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
06	6 Cyl. 3.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.4 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
05	6 Cyl. 3.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 4.73 Oz. PAG-46; 22.00 Oz. R-134a	59007
XLR		
09-06	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
05-04	All Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
XT5		
18-17	6 Cyl. 3.6 Eng. - 24.64 Oz. R-1234yf; 4.02 Oz. PAG Oil	59234
XTS		
17	6 Cyl. 3.6 Eng. - 20.80 Oz. R-1234yf; PAG Oil; w/ KRV Compressor	59234
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46; w/o KRV Compressor	59007

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
AVEO		
11	4 Cyl. 1.6 Eng. - 18.00+/-1 Oz. R-134a; 6.80 Oz. PAG-46	59007
10-09	4 Cyl. 1.6 Eng. - 18.00+/-1 Oz. R-134a; 6.80 Oz. PAG-150	59003
08	All Eng. - 18.00+/-1 Oz. R-134a; 6.80 Oz. PAG-46	59007
07	All Eng. - 21.00+/-1 Oz. R-134a; 7.40 Oz. PAG-46	59007
06	All Eng. - 23.68 Oz. R-134a; 7.40 Oz. PAG-46	59007
05	All Eng. - 24.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ OE Harrison Compressor V5	59003
04	All Eng. - 24.00 Oz. R-134a; 8.00 Oz. PAG-150; w/ OE Harrison Compressor V5	59003
	All Eng. - w/ Mitsubishi Compressor; 35.00 Oz. R-134a; 8.75 Oz. PAG-46	59007
BERETTA		
96-94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
93	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
92	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
91	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87	4 Cyl. 2.0 Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - 26.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
CAMARO		
18-17	4 Cyl. 2.0 Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	59234
	6 Cyl. 3.6 Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	59234
	8 Cyl. 6.2 Eng. - 17.60 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	59234
16	4 Cyl. 2.0 Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	59234
	6 Cyl. 3.6 Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	59234
	8 Cyl. 6.2 Eng. - 19.20 Oz. R-1234yf; 4.10 Oz. PAG	59234
	8 Cyl. 6.2 Eng. - 4.10 Oz. PAG-46; 19.20 Oz. R-134a	59007
15-14	6 Cyl. 3.6 Eng. - 4.10 Oz. PAG-46; 19.04 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. - 4.10 Oz. PAG-46; 19.04 Oz. R-134a	59007
	8 Cyl. 7.0 Eng. - 4.10 Oz. PAG-46; 19.04 Oz. R-134a	59007
13	6 Cyl. 3.6 Eng. - 18.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 18.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
12	6 Cyl. 3.6 Eng. - 16.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 16.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
11	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
10	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
02-98	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97	6 Cyl. 3.8 Eng. - w/ Denso Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - w/ OE Harrison Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	8 Cyl. 5.7 Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96	6 Cyl. 3.8 Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	8 Cyl. 5.7 Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
92-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	6 Cyl. 2.8 Eng. - 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-85	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-71	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant	
CAMARO (Cont'd)			
72-71	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
70	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
69	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
68	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
67	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	CAPRICE		
	14	6 Cyl. 3.6 Eng. - 4.70 Oz. PAG-46; 16.96 Oz. R-134a	59007
		8 Cyl. 6.0 Eng. - 4.70 Oz. PAG-46; 16.96 Oz. R-134a	59007
13-12	6 Cyl. 3.6 Eng. - 3.30-4.70 Oz. PAG-46; 17.00 Oz. R-134a	59007	
	8 Cyl. 6.0 Eng. - 3.30-4.70 Oz. PAG-46; 17.00 Oz. R-134a	59007	
11	8 Cyl. 6.0 Eng. - 20.00 Oz. R-134a; 3.30-4.70 Oz. PAG-46	59007	
96-95	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
94	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
93-91	All Eng. - 50.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
90-89	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
88-85	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
72-71	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
70	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
69	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
68	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CAPRICE (Cont'd)		
68	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CAVALIER		
05-03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
02	4 Cyl. 2.2 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
01-95	4 Cyl. 2.4 Eng. - 21.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	4 Cyl. 2.2 Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-86	6 Cyl. 3.1 Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
84-83	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CELEBRITY		
90-85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CHEVELLE		
73-71	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
70	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
65	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CHEVELLE (Cont'd)		
65	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CHEVY II		
67	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66-64	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
63-62	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CITATION		
85-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CLASSIC		
05-04	4 Cyl. 2.2 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
COBALT		
10-09	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
	4 Cyl. 2.2 Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
08-07	All Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 4.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
06	All Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
05	4 Cyl. 2.0 Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
	4 Cyl. 2.2 Eng. - 5.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
CORSICA		
96-94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
93	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - 42.00 Oz. R-134; 8.00 Oz. PAG-150	59003
92	6 Cyl. 3.1 Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	6 Cyl. 3.1 Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
91	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87	4 Cyl. 2.0 Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
CORVETTE		
18-17	8 Cyl. 6.2 Eng. - 18.56 Oz. R-1234yf; PAG Oil	59234
	8 Cyl. 6.2 Eng. - 19.20 Oz. R-134a; 4.30 Oz. PAG-46	59007
16-14	8 Cyl. 6.2 Eng. - 19.20 Oz. R-134a; 4.30 Oz. PAG-46	59007
13	8 Cyl. 6.2 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
	8 Cyl. 7.0 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
12	8 Cyl. 6.2 Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
	8 Cyl. 7.0 Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
11	8 Cyl. 6.2 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
	8 Cyl. 7.0 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
10-06	All Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
05	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
04-02	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
01-00	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
99-97	All Eng. - 26.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
96-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
93-90	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
89-88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
84-69	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68-66	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
65	8 Cyl. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CRUZE		
18-17	4 Cyl. 1.4 Eng. - 16.96 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 1.4 Eng. - 18.40 Oz. R-134a; 2.03 Oz. PAG-46	59007
	4 Cyl. 1.6 Eng.; Diesel - 16.96 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 1.6 Eng.; Diesel - 18.40 Oz. R-134a; 2.03 Oz. PAG-46	59007
16	4 Cyl. 1.4 Eng. - 22.40 Oz. R-134a; 4.30 Oz. PAG-46	59007
15-14	4 Cyl. 1.4 Eng. - 22.40 Oz. R-134a; 4.30 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CRUZE (Cont'd)		
15-14	4 Cyl. 1.8 Eng. - 22.40 Oz. R-134a; 4.30 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 22.40 Oz. R-134a; 4.30 Oz. PAG-46	59007
13-11	4 Cyl. 1.4 Eng. - 4.23 Oz. PAG-46; 22.08 Oz. R-134a	59007
	4 Cyl. 1.8 Eng. - 4.23 Oz. PAG-46; 22.08 Oz. R-134a	59007
10	4 Cyl. 1.8 Eng. - 4.23 Oz. PAG-46; 22.08 Oz. R-134a	59007
EL CAMINO		
87-85	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-66	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
65	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
IMPALA		
18	4 Cyl. 2.5 Eng. - PAG-46; 20.80 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 20.80 Oz. R-1234yf; PAG Oil	59234
17-15	4 Cyl. 2.5 Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
14	4 Cyl. 2.4 Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
13-12	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
11	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.9 Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	59007
10	6 Cyl. 3.9 Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	59007
09	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	59007
	6 Cyl. 3.9 Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	59007
08	6 Cyl. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	59007
	6 Cyl. 3.9 Eng. - 5.00 Oz. PAG-46; 20.40 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
07-06	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.9 Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
05-04	All Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
03-00	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
85	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84-83	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-80	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
IMPALA (Cont'd)		
82-80	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79-77	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76-74	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-66	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
IMPALA SS		
14	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
13-12	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
11	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.9 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
09	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
96-94	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
LUMINA		
01-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - 36.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
92-90	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
LUMINA APV		
96	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
95-94	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	59003
93	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 42.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	6 Cyl. 3.1 Eng. - w/ R-12; w/ OE Harrison Compressor	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - w/ R-12; w/ OE Harrison Compressor	59000 ⁷⁰
92	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 67.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
MALIBU / MALIBU MAXX		
18-16	4 Cyl. 1.5 Eng. Malibu - 21.12 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 1.8 Eng. Malibu; Electric/Gas - 21.12 Oz. R-1234yf; PAG Oil	59889
	4 Cyl. 2.0 Eng. Malibu - 21.12 Oz. R-1234yf; PAG Oil	59234
15	4 Cyl. 2.0 Eng. Malibu - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. Malibu - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
14	4 Cyl. 2.0 Eng. Malibu - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. Malibu - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. Malibu - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
12	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
11	4 Cyl. 2.4 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
MALIBU / MALIBU MAXX (Cont'd)		
10	4 Cyl. 2.4 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
09-04	All Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
03-02	All Eng. - 22.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
01-97	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
73	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
METRO		
01	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
00	3 Cyl. 1.0 Eng. - 19.00 Oz. R-134a; 3.40 Oz. PAG-100	59002
	4 Cyl. 1.3 Eng. - 19.00 Oz. R-134a; 3.40 Oz. PAG-100	59002
99-98	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-100	59002
92	4 Cyl. 1.3 Eng. - 18.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MONTE CARLO		
07-06	All Eng. - 5.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
05-04	All Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
03-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
88	6 Cyl. 4.3 Eng. - 60.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - 60.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 56.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
73-70	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
NOVA		
88-87	All Eng. - 26.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
73-67	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66-64	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
63-62	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PRIZM		
02-98	All Eng. - 26.50 Oz. R-134a; 8.00 Oz. PAG-150	59003
SONIC		
18-14	4 Cyl. 1.4 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
13-12	4 Cyl. 1.4 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
SPRINT		
88-85	3 Cyl. 1.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VECTRA		
08-04	All Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
03	All Eng. - 22.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
VENTURE		
05-01	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
00-97	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
VOLT		
13-11	4 Cyl. 1.4 Eng.; HYBRID - 34.00 Oz. R-134a; 6.10 Oz. Hybrid Oil	59889

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ASTRO		
05-94	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
93-92	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003 ⁷⁰
91-90	All Eng.; w/ Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/o Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng.; w/ Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/o Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
88-85	All Eng.; w/ Rear AC - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/o Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
AVALANCHE		
13	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
12	8 Cyl. 5.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; Front & Rear - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
11-10	8 Cyl. 5.3 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
09	8 Cyl. 5.3 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
08	8 Cyl. 5.3 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
07	8 Cyl. 6.0 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
06-05	All Eng.; w/o Rear AC - 24.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
04-03	8 Cyl. 5.3 Eng.; w/o Rear AC - 26.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 8.1 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
02	8 Cyl. 8.1 Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
02	8 Cyl. 5.3 Eng.; w/o Rear AC - 26.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 8.1 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
02	8 Cyl. 5.3 Eng.; w/o Rear AC - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 8.1 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
02	8 Cyl. 5.3 Eng.; w/o Rear AC - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 8.1 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
CAPTIVA / CAPTIVA SPORT		
14	4 Cyl. 2.4 Eng. Captiva Sport - 21.92 Oz. R-134a; 5.30 Oz. PAG-46	59007
13	6 Cyl. 3.0 Eng. Captiva Sport - 21.92 Oz. R-134a; 5.30 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 22.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
12	6 Cyl. 3.0 Eng. Captiva Sport - 22.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
11	6 Cyl. 3.0 Eng. - 22.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. Captiva Sport - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
CHEYENNE		
13	8 Cyl. 5.3 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
12	8 Cyl. 5.3 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
10	8 Cyl. 5.3 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
09	8 Cyl. 5.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
08-07	8 Cyl. 5.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
COLORADO		
18-16	4 Cyl. 2.5 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
	4 Cyl. 2.8 Eng.; Diesel - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
COLORADO (Cont'd)		
15	4 Cyl. 2.5 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
13	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
12	4 Cyl. 2.9 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	5 Cyl. 3.7 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
11	4 Cyl. 2.9 Eng. - 4.00 Oz. PAG-46; 21.20 Oz. R-134a	59007
	5 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 21.20 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
10-09	4 Cyl. 2.9 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	5 Cyl. 3.7 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
08	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
07	All Eng. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
06	All Eng. - 25.50 Oz. R-134a; 4.00 Oz. PAG-46	59007
05-04	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
EQUINOX		
18	4 Cyl. 1.5 Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	59234
	4 Cyl. 1.5 Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	59007
	4 Cyl. 1.6 Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	59234
	4 Cyl. 1.6 Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	59234
	4 Cyl. 2.0 Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	59007
17-14	4 Cyl. 2.4 Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
13	4 Cyl. 2.4 Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
12	4 Cyl. 2.4 Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
11-10	4 Cyl. 2.4 Eng. - 4.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 4.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
09	6 Cyl. 3.4 Eng. - 20.80 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 20.80 Oz. R-134a; 4.40 Oz. PAG-46	59007
08-06	All Eng. - 20.80 Oz. R-134a; 4.40 Oz. PAG-46	59007
05	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
FULLSIZE PICKUP		
18-17	6 Cyl. 4.3 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	6 Cyl. 4.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 5.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 6.0 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 6.2 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.6 Eng.; Diesel - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 6.6 Eng.; Diesel - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
16-15	6 Cyl. 4.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
14	6 Cyl. 4.3 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 6.6 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
13	6 Cyl. 4.3 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 4.8 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
	8 Cyl. 6.6 Eng. - 7.10 Oz. PAG-46; 24.69 Oz. R-134a	59007
12	6 Cyl. 4.3 Eng.; Front & Rear - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	6 Cyl. 4.3 Eng.; Front AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007

Continued on Next Page

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
FULLSIZE PICKUP (Cont'd)		
12	8 Cyl. 5.3 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
11	8 Cyl. 6.6 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	6 Cyl. 4.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	6 Cyl. 4.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 4.8 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
10	8 Cyl. 6.2 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.6 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.6 Eng. - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	6 Cyl. 4.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	6 Cyl. 4.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 4.8 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
09	8 Cyl. 6.0 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.6 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	6 Cyl. 4.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	6 Cyl. 4.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 4.8 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
08	8 Cyl. 6.0 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.6 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	6 Cyl. 4.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	6 Cyl. 4.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 8.1 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 8.1 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
07	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 28.20 Oz. R-134a	59007
06	6 Cyl. 4.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 43.20 Oz. R-134a	59007
	6 Cyl. 4.3 Eng.; w/o Rear AC - 26.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; Flex Fuel; w/o Rear AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 43.20 Oz. R-134a	59007
04-03	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
02-00	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
99-96	Std Cab / Ext Cab - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	Crew Cab - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	Std Cab / Ext Cab - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	Crew Cab - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003

Continued on Next Page

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
FULLSIZE PICKUP (Cont'd)		
95-94	Std Cab / Ext Cab - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	Crew Cab - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	Std Cab / Ext Cab - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Std Cab / Ext Cab - 40.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	Crew Cab - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Crew Cab - 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
92	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91-90	C,K - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	R,V - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
89-88	C,K - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	R,V - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
86-85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	59000 ⁷⁰
	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-66	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
65	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
G SERIES FULLSIZE VAN / EXPRESS		
13	8 Cyl. 4.8 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.44 Oz. R-134a	59007
	8 Cyl. 4.8 Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 32.10 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.09 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 32.10 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.44 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 32.10 Oz. R-134a	59007
	8 Cyl. 6.6 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.44 Oz. R-134a	59007
	8 Cyl. 6.6 Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 32.10 Oz. R-134a	59007
12	6 Cyl. 4.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
	6 Cyl. 4.3 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
	8 Cyl. 4.8 Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.6 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant	
G SERIES FULLSIZE VAN / EXPRESS (Cont'd)			
12	8 Cyl. 6.6 Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
11-10	6 Cyl. 4.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007	
	6 Cyl. 4.3 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	8 Cyl. 4.8 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007	
	8 Cyl. 4.8 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007	
	8 Cyl. 5.3 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007	
	8 Cyl. 6.0 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	8 Cyl. 6.6 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007	
	8 Cyl. 6.6 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	09-07	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
		All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
06	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.00 Oz. R-134a	59007	
	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
05-03	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007	
	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
02	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-150	59003	
01	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	All Eng.; w/ Rear AC - 72.00 Oz. R-134a; 11.00 Oz. PAG-150	59003	
00	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 72.00 Oz. R-134a	59007	
	All Eng.; w/o Rear AC - w/ Denso Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
99-97	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	59003	
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	59007	
	All Eng.; w/o Rear AC - w/ Denso Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
96	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	59003	
	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	59007	
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
95-94	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	59003	
	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 68.00 Oz. R-134a	59007	
	All Eng.; w/o Rear AC - w/ Denso Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
93	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 68.00 Oz. R-134a	59003	
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 68.00 Oz. R-134a	59003	
92	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰	
91-89	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.3 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.3 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng.; w/o Rear AC - 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	59000 ⁷⁰	
	8 Cyl. 6.2 Eng.; w/ Rear AC - 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	59000 ⁷⁰	
	8 Cyl. 6.2 Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 72.00 Oz. R-12	59000 ⁷⁰	
	8 Cyl. 6.2 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	59000 ⁷⁰	
	8 Cyl. 7.4 Eng.; w/o Rear AC - 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	59000 ⁷⁰	
	8 Cyl. 7.4 Eng.; w/ Rear AC - 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	59000 ⁷⁰	
	8 Cyl. 7.4 Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 64.00 Oz. R-12	59000 ⁷⁰	
	8 Cyl. 7.4 Eng.; w/o Rear AC - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
8 Cyl. 7.4 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	59000 ⁷⁰		
8 Cyl. 7.4 Eng.; w/ Rear AC - 64.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰		
88	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰	
87-85	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰	
84-83	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
G SERIES FULLSIZE VAN / EXPRESS (Cont'd)		
84-83	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-81	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80-77	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76-75	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
74	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
71	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
HHR		
11	4 Cyl. - 14.40 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 14.40 Oz. R-134a; 4.00 Oz. PAG-46	59007
10-07	All Eng. - 14.40 Oz. R-134a; 4.00 Oz. PAG-46	59007
	All Eng. - 14.40 Oz. R-134a; 5.00 Oz. PAG-46	59007
06	All Eng. - 14.10 Oz. R-134a; 4.00 Oz. PAG-46	59007
	All Eng. - 14.10 Oz. R-134a; 5.00 Oz. PAG-46	59007
P SERIES VAN		
99-94	6 Cyl. 4.3 Eng. - w/ Denso Compressor	59007
	6 Cyl. 4.3 Eng. - w/ OE Harrison Compressor	59003
	8 Cyl. 5.7 Eng. - w/ Denso Compressor	59007
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor	59003
	8 Cyl. 6.5 Eng. - w/ Denso Compressor	59007
	8 Cyl. 6.5 Eng. - w/ OE Harrison Compressor	59003
	8 Cyl. 7.4 Eng. - w/ Denso Compressor	59007
	8 Cyl. 7.4 Eng. - w/ OE Harrison Compressor	59003
93	6 Cyl. 4.3 Eng. - See Under Hood Decal PAG-150	59003
	8 Cyl. 5.7 Eng. - w/ R-12	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - w/ R-134a	59003
	8 Cyl. 6.2 Eng. - See Under Hood Decal PAG-150	59003
	8 Cyl. 7.4 Eng. - See Under Hood Decal PAG-150	59003
92	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
91-90	4 Cyl. 3.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant	
P SERIES VAN (Cont'd)			
91-90	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
89	4 Cyl. 3.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
88-85	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
79	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng.	59000 ⁷⁰	
	6 Cyl. 4.8 Eng.	59000 ⁷⁰	
	8 Cyl. 5.7 Eng.	59000 ⁷⁰	
	8 Cyl. 7.4 Eng.	59000 ⁷⁰	
S10 BLAZER			
05-01	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
00-99	All Eng. - w/ Denso Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-46	59007	
	All Eng. - w/ OE Harrison Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-150	59003	
98-96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
94	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
93	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
88	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
87-85	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
84	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	83	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
S10 PICKUP			
04-99	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 9.00 Oz. PAG-46	59007	
	All Eng. - w/ Denso Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	All Eng. - w/ OE Harrison Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 9.00 Oz. PAG-150	59003	
98-96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
95-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003	
93-90	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
89	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
88	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
87-85	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰	
84	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
83-82	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
SSR			
06	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007	
05-04	All Eng. - 19.00 Oz. R-134a; 8.00 Oz. PAG-46	59007	
SUBURBAN / FULLSIZE BLAZER / TAHOE			
18	8 Cyl. 6.2 Eng. - 28.8 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234	
17	8 Cyl. 5.3 Eng. - 29.92 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234	
	8 Cyl. 6.2 Eng. - 29.92 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234	
16-15	8 Cyl. 5.3 Eng. - 29.92 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234	
	8 Cyl. 5.3 Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front & Rear AC	59007	

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SUBURBAN / FULLSIZE BLAZER / TAHOE (Cont'd)		
14	8 Cyl. 5.3 Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG-46; w/ Front AC	59007
	8 Cyl. 5.3 Eng. - 40.00 Oz. R-134a; 11.00 Oz. PAG-46; w/ Front & Rear AC	59007
12	8 Cyl. 5.3 Eng. Suburban; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. TAHOE; w/o Rear AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. Suburban; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. TAHOE; w/o Rear AC - 26.00 Oz. R-134a; 7.10 Oz. PAG-46	59007
11-10	8 Cyl. 4.8 Eng. TAHOE; HYBRID; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
09	8 Cyl. 4.8 Eng. TAHOE; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 4.8 Eng. TAHOE; Excl. Hybrid; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; Excl. Hybrid; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; Excl. Hybrid; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. TAHOE; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. TAHOE; Excl. Hybrid; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
08	Suburban; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	TAHOE; Excl. Hybrid; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
	All Eng.; Gas/Electric - See Under Hood Decal; Hybrid Oil	59889
07	Suburban; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	TAHOE; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
	TAHOE; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
06-03	TAHOE; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
	Suburban; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
02	TAHOE; w/ Rear AC - 11.00 Oz. PAG-46; 42.00 Oz. R-134a	59007
	Suburban; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
01	Suburban; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	TAHOE; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
00-96	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	59003
95-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
93	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng.; w/o Rear AC - 44.80 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
91-90	All Eng.; w/o Rear AC - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 84.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng.; w/o Rear AC - 52.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 84.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
87-84	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-71	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
70	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHEVROLET LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SUBURBAN / FULLSIZE BLAZER / TAHOE (Cont'd)		
69	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TRACKER		
04-99	All Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
98-94	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-100	59002
93-89	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
TRAILBLAZER		
09	All Eng. - 30.40 Oz. R-134a; 6.00 Oz. PAG-46; w/o Thermal Switch	59007
	All Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46; w/ Thermal Switch	59007
08-05	All Eng.; w/o Rear AC - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
04-02	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
TRAVERSE		
13	6 Cyl. 3.6 Eng. - 39.68 Oz. R-134a; 7.80 Oz. PAG-46	59007
12-09	6 Cyl. 3.6 Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
UPLANDER		
08-07	All Eng.; w/ Rear AC - 31.68 Oz. R-134a; 7.77 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 7.10 Oz. PAG-46; 22.88 Oz. R-134a	59007
06-05	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 7.75 Oz. PAG-46	59007

CHRYSLER

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
200 SERIES		
17-15	4 Cyl. 2.4 Eng. - 18.80 Oz. R-1234yf; 4.60 Oz. PAG-46	59234
	6 Cyl. 3.6 Eng. - 18.80 Oz. R-1234yf; 4.60 Oz. PAG-46	59234
14-11	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
300 SERIES		
18-15	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
14	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
13	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
12	6 Cyl. 3.6 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
11	6 Cyl. 3.6 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
10-09	6 Cyl. 2.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.1 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08-05	All Eng. - 26.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
04-99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
ASPEN		
09-07	8 Cyl.; w/o Rear AC - 30.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	8 Cyl.; w/ Rear AC - 40.00 Oz. R-134a; 7.40 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CIRRUS		
10	4 Cyl. 2.4 Eng. - 40.00 Oz. R-134a; 7.40 Oz. PAG-46; w/ Rear AC	59007
00	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
97-95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
CONCORDE		
04-99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
98-97	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
93	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.5 Eng. - w/ R-12	59000 ⁷⁰
CONQUEST		
89	All Eng. - 29.00 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CORDOBA		
83-81	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CROSSFIRE		
08-07	6 Cyl. 3.2 Eng. - 30.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
06-04	All Eng. - 30.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
DYNASTY		
93	6 Cyl. 3.3 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
92-91	4 Cyl. 2.5 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
90	4 Cyl. 2.5 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
89-88	4 Cyl. 2.5 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 38.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
E CLASS		
84	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
EXECUTIVE		
85-84	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
FIFTH AVENUE		
93-91	6 Cyl. 3.3 Eng. - 41.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - 41.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90	6 Cyl. 3.3 Eng. - 41.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
89-88	All Eng. - 41.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
87-85	All Eng. - 42.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
83	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
IMPERIAL		
93	6 Cyl. 3.8 Eng. - 32.00 Oz. R-12 ;See Under Hood Decal; Mineral Oil	59000 ⁷⁰
92	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
91	6 Cyl. 3.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
90	6 Cyl. 3.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-81	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LASER		
86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LEBARON		
95	All Eng. - 24.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHRYSLER

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
LEBARON (Cont'd)		
93	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 32.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90-86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 37.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
84-82	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81-80	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LHS		
01-99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
97	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
NEW YORKER		
96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
93	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 34.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
87-86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-83	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-81	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80-79	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
NEWPORT		
81-80	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PACIFICA		
08-07	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
06-04	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
PROWLER		
02	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01	6 Cyl. 3.5 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 21.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
PT CRUISER		
10-09	4 Cyl. 2.4 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08	All Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
07-02	All Eng. - 6.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
01	All Eng. - 5.50 Oz. PAG-46; 25.00 Oz. R-134a	59007
SEBRING		
10-09	4 Cyl. 2.4 Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
08	Sedan - 16.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
	Convertible - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
07	Convertible - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
	Sedan - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
06	Sedan - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
	Convertible - See Under Hood Decal; 5.00 Oz. PAG-46	59007
05-04	Sedan / Coupe - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	59007
03	Sedan / Coupe - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	59007
	6 Cyl. 2.7 Eng. - See Under Hood Decal; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal; 5.00 Oz. PAG-46	59007
02-01	Convertible - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SEBRING (Cont'd)		
02-01	Sedan / Coupe - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	59007
00	Convertible - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
99-97	Convertible - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	4 Cyl. Sedan / Coupe - 24.00 Oz. R-134a; w/ Denso Compressor; 4.00 Oz. PAG-46	59007
	6 Cyl. Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
96	Convertible - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	4 Cyl. Sedan / Coupe - 24.00 Oz. R-134a; w/ Denso Compressor; 4.00 Oz. PAG-46	59007
	6 Cyl. Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
95	4 Cyl. Sedan / Coupe - 24.00 Oz. R-134a; w/ Denso Compressor; 4.00 Oz. PAG-46	59007
	6 Cyl. Sedan / Coupe - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
TC MASERATI		
91	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
90	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
89	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TOWN & COUNTRY		
13-12	All Eng. - 28.96 Oz. R-134a; 4.05 Oz. PAG-46	59007
	All Eng. - 40.48 Oz. R-134a; 5.07 Oz. PAG-46	59007
11	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 40.50 Oz. R-134a	59007
10-08	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 27.80 Oz. R-134a	59007
07-06	All Eng.; w/o Rear AC - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 38.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
05	All Eng.; w/o Rear AC - See Under Hood Decal R-134a; 6.10 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - See Under Hood Decal R-134a; 7.80 Oz. PAG-46	59007
04	All Eng.; w/o Rear AC - See Under Hood Decal R-134a; 6.10 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - See Under Hood Decal R-134a; 10.10 Oz. PAG-46	59007
03	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ Single or Dual Zone	59007
	All Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ Single or Dual Zone	59007
	All Eng.; w/ Rear AC - 43.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ 3 Zone	59007
02	All Eng.; w/ Rear AC - See Under Hood Decal R-134a; 7.40 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - See Under Hood Decal R-134a; 5.00 Oz. PAG-46	59007
01-00	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
99-96	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
95-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
93	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - w/ R-12	59000 ⁷⁰
92	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
91-90	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
88-86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-84	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VOYAGER / GRAND VOYAGER		
03	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ Single or Dual Zone	59007
	All Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ Single or Dual Zone	59007
	All Eng.; w/ Rear AC - 43.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ 3 Zone	59007
02	All Eng.; w/ Rear AC - See Under Hood Decal R-134a; 7.40 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - See Under Hood Decal R-134a; 5.00 Oz. PAG-46	59007
01-00	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

CHRYSLER

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
VOYAGER / GRAND VOYAGER (Cont'd)		
97	6 Cyl. 3.3 Eng.; w/ Rear AC - 46.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
96	6 Cyl. 3.3 Eng. - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng.; w/ Rear AC - 52.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng.; w/ Rear AC - 52.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
95	6 Cyl. 3.3 Eng.; w/o Rear AC - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng.; w/ Rear AC - 52.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng.; w/o Rear AC - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng.; w/ Rear AC - 52.00 Oz. R-134a; 7.40 Oz. PAG-46	59007

DAEWOO

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
LANOS		
02-99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
LEGANZA		
02-99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
NUBIRA		
02-99	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	59002

DAIHATSU

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CHARADE		
92-89	All Eng. - 23.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
ROCKY		
92-90	All Eng. - 26.50 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰

DODGE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
400		
83-82	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
600		
88-86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-83	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ARIES		
89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
88-87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	All Eng. - 37.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
84-81	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ASPEN		
80	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
AVENGER		
14-11	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
10-09	6 Cyl. 3.6 Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
08	6 Cyl. 2.7 Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
00	All Eng. - 3.40 Oz. PAG-46; 16.00 Oz. R-134a	59007
99-95	All Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
	4 Cyl. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. - 26.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
CALIBER		
12-11	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	59007
10	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 20.00 Oz. R-134a	59007
	4 Cyl. 1.8 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
08-07	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 20.00 Oz. R-134a	59007
	All Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
CHALLENGER		
20	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
19	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
18	8 Cyl. 6.4 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
17	8 Cyl. 6.2 Eng. - See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
16	8 Cyl. 6.2 Eng. - See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

DODGE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CHALLENGER (Cont'd)		
16	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - See Under Hood Decal	59234
15	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - See Under Hood Decal	59234
14	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
13	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
12	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
11	8 Cyl. 6.4 Eng. - 23.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 23.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 23.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
10-09	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08	8 Cyl. 6.1 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.1 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
83-81	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CHARGER		
20-18	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
17-16	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
15	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
14	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234
	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 6.4 Eng. - 24.96 Oz. R-1234yf; See Under Hood Decal	59234

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CHARGER (Cont'd)		
13	6 Cyl. 3.6 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
12	8 Cyl. 6.4 Eng. - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	59007
11	8 Cyl. 6.4 Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	59007
10-09	8 Cyl. 5.7 Eng. - 24.96 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08-07	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
06	8 Cyl. 6.1 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
87	All Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
86-85	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	59007 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
COLT		
94-93	4 Cyl. 1.5 Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
92	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
91	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
90-89	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-85	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CONQUEST		
86-85	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
DART		
16-15	4 Cyl. 1.4 Eng. - 19.04 Oz. R-1234yf; 6.00 Oz. PAG-46	59234
	4 Cyl. 1.4 Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 19.04 Oz. R-1234yf; 6.00 Oz. PAG-46	59234
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 19.04 Oz. R-1234yf; 6.00 Oz. PAG-46	59234
14	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	4 Cyl. 1.4 Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
13	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	4 Cyl. 1.4 Eng. - 20.00 Oz. R-134a; 5.90 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 5.90 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 5.90 Oz. PAG-46	59007
DAYTONA		
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
88-86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-84	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
DIPLOMAT		
89-84	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-80	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
DYNASTY		
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
90-89	All Eng. - 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

DODGE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
DYNASTY (Cont'd)		
90-89	All Eng. - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
INTREPID		
04-99	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
98-96	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
95-94	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
93	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.5 Eng. - w/ R-12	59000 ⁷⁰
LANCER		
89-86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MAGNUM		
08-06	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
05	6 Cyl. 2.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 26.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
MIRADA		
83-81	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MONACO		
92-90	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
NEON		
05-02	All Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
01-00	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
99	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
98-97	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a	59007
96-95	All Eng. - 29.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
OMNI		
90-89	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 34.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
86-84	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-81	4 Cyl. 1.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80-78	4 Cyl. 1.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SHADOW		
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90-87	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
SPIRIT		
95	All Eng. - 24.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
STEALTH		
96	All Eng. - 30.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
95-94	All Eng. - 28.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
93	All Eng. - 29.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 18.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
STRATUS		
06-05	All Eng. - See Under Hood Decal; 5.00 Oz. PAG-46	59007
04-02	All Eng. - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	59007
01-99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
97-95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	VIPER	
17-14	10 Cyl. 8.4 Eng. - 17.60 Oz. R-134a; 6.00 Oz. PAG-46	59007
10-09	10 Cyl. 8.4 Eng. - 16.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08-03	All Eng. - 6.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
02-94	All Eng. - 30.00 Oz. R-134a; 4.75 Oz. PAG-46	59007

DODGE LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	CARAVAN / GRAND CARAVAN	
18-14	6 Cyl. 3.6 Eng. - 28.96 Oz. R-134a; 4.00 Oz. PAG-46; w/ Front AC	59007
	6 Cyl. 3.6 Eng. - 40.48 Oz. R-134a; 5.00 Oz. PAG-46; w/ Front & Rear AC	59007
13	6 Cyl. 3.6 Eng.; w/o Rear AC - 29.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 40.48 Oz. R-134a; 5.07 Oz. PAG-46	59007
12	6 Cyl. 3.6 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 40.48 Oz. R-134a; 5.07 Oz. PAG-46	59007
11	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 40.50 Oz. R-134a	59007
10-08	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 27.80 Oz. R-134a	59007
07-06	All Eng.; w/o Rear AC - 24.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 38.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
05	All Eng.; w/o Rear AC - See Under Hood Decal R-134a; 6.10 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - See Under Hood Decal R-134a; 7.80 Oz. PAG-46	59007
04	All Eng.; w/ Rear AC - See Under Hood Decal R-134a; 10.10 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - See Under Hood Decal R-134a; 6.10 Oz. PAG-46	59007
03	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 5.00 Oz. PAG-46; w/ Single or Dual Zone	59007
	All Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ Single or Dual Zone	59007
	All Eng.; w/o Rear AC - 43.00 Oz. R-134a; 6.40 Oz. PAG-46; w/ 3 Zone	59007
02	All Eng.; w/o Rear AC - See Under Hood Decal R-134a; 5.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - See Under Hood Decal R-134a; 7.40 Oz. PAG-46	59007
01-00	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
99-96	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
95-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
93	All Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 50.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - w/ R-12	59000 ⁷⁰
92	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
91-90	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
89	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
88	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
85-84	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

DODGE LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
DAKOTA		
11	6 Cyl. 3.7 Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
10-09	All Eng. - 20.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
08	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
07-01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
00	All Eng. - 32.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
99-98	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
97-94	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	59002
93-92	All Eng. - 40.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
91-87	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
DURANGO		
14	6 Cyl. 3.6 Eng. - 22.08 Oz. R-134a; 4.00 Oz. PAG-46; w/ Front AC	59007
	6 Cyl. 3.6 Eng. - 32.48 Oz. R-134a; 5.00 Oz. PAG-46; w/ Front & Rear AC	59007
	6 Cyl. 5.7 Eng. - 32.48 Oz. R-134a; 5.00 Oz. PAG-46; w/ Front & Rear AC	59007
	8 Cyl. 5.7 Eng. - 22.08 Oz. R-134a; 4.00 Oz. PAG-46; w/ Front AC	59007
13	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
12	6 Cyl. 3.6 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 32.48 Oz. R-134a	59007
	8 Cyl. 5.7 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 5.7 Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 32.48 Oz. R-134a	59007
11	6 Cyl. 3.6 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 31.68 Oz. R-134a	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 32.48 Oz. R-134a	59007
	8 Cyl. 5.7 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 5.7 Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 32.48 Oz. R-134a	59007
09	6 Cyl. 3.7 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng.; w/ Rear AC - 41.00 Oz. R-134a; 6.90 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng.; w/ Rear AC - 41.00 Oz. R-134a; 6.09 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Rear AC - 45.00 Oz. R-134a; 6.25 Oz. PAG-46	59007
08	6 Cyl. 3.7 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng.; w/ Rear AC - 41.00 Oz. R-134a; 6.09 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng.; w/ Rear AC - 41.00 Oz. R-134a; 6.09 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
07	All Eng.; w/o Rear AC - 30.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 40.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
06-05	All Eng.; w/o Rear AC - w/ R-134a; 5.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ R-134a; 7.50 Oz. PAG-46	59007
04	All Eng.; w/ Rear AC - w/ R-134a; 10.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - w/ R-134a; 7.00 Oz. PAG-46	59007
03-01	All Eng.; w/ Rear AC - w/ R-134a; 10.00 Oz. PAG-100	59002
	All Eng.; w/o Rear AC - w/ R-134a; 7.00 Oz. PAG-100	59002
00	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 5.50 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
99-98	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 5.50 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
JOURNEY		
18-16	4 Cyl. 2.4 Eng. - 20.00 Oz. R-1234yf; 3.40 Oz. PAG; Single Zone Climate Control System	59234
	4 Cyl. 2.4 Eng. - 31.20 Oz. R-1234yf; 3.40 Oz. PAG; Dual Zone Climate Control System	59234
	4 Cyl. 3.6 Eng. - 20.00 Oz. R-1234yf; 3.40 Oz. PAG; Single Zone Climate Control System	59234
	4 Cyl. 3.6 Eng. - 31.20 Oz. R-1234yf; 3.40 Oz. PAG; Dual Zone Climate Control System	59234
15	4 Cyl. 3.6 Eng. - 22.08 Oz. R-134a; 3.40 Oz. PAG-100; Single Zone Climate Control System	59002
	4 Cyl. 3.6 Eng. - 32.00 Oz. R-134a; 3.40 Oz. PAG-100; Dual Zone Climate Control System	59002
14	4 Cyl. 2.4 Eng. - 32.00 Oz. R-134a; 3.40 Oz. PAG-100; Dual Zone Climate Control System	59002
	6 Cyl. 3.6 Eng. - 22.08 Oz. R-134a; 3.40 Oz. PAG-100; Single Zone Climate Control System	59002
13-11	4 Cyl. 2.4 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 3.40 Oz. PAG-100	59002
	4 Cyl. 2.4 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 3.40 Oz. PAG-100	59002
	6 Cyl. 3.6 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 3.40 Oz. PAG-100	59002
	6 Cyl. 3.6 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 3.40 Oz. PAG-100	59002

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

DODGE LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant	
JOURNEY (Cont'd)			
10-09	4 Cyl. 2.4 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 3.40 Oz. PAG-100	59002	
	4 Cyl. 2.4 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 3.40 Oz. PAG-100	59002	
	6 Cyl. 3.5 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 3.40 Oz. PAG-100	59002	
	6 Cyl. 3.5 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 3.40 Oz. PAG-100	59002	
NITRO			
11	6 Cyl. 3.7 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007	
	6 Cyl. 4.0 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007	
10-07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007	
PICKUP - FULLSIZE / RAMCHARGER			
17-15	6 Cyl. 3.0 Eng. Ram Pickup; Diesel - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234	
	6 Cyl. 3.0 Eng. Ram Pickup; Diesel - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	59007	
	6 Cyl. 3.6 Eng. Ram Pickup - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234	
	6 Cyl. 3.6 Eng. Ram Pickup - 20.00 Oz. R-134a; 6.00 Oz. PAG Oil	59007	
	8 Cyl. 5.7 Eng. Ram Pickup - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234	
	8 Cyl. 5.7 Eng. Ram Pickup - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	59007	
	8 Cyl. 6.4 Eng. Ram Pickup - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234	
	8 Cyl. 6.4 Eng. Ram Pickup - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	59007	
	8 Cyl. 6.7 Eng. Ram Pickup; Diesel - 22.08 Oz. R-134a; 6.00 Oz. PAG Oil	59007	
	14	6 Cyl. 3.0 Eng. Ram Pickup; Diesel - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234
		6 Cyl. 3.0 Eng. Ram Pickup; Diesel - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	59007
		6 Cyl. 3.6 Eng. Ram Pickup - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234
		6 Cyl. 3.6 Eng. Ram Pickup - 20.00 Oz. R-134a; 6.00 Oz. PAG Oil	59007
		8 Cyl. 5.7 Eng. Ram Pickup - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234
		8 Cyl. 5.7 Eng. Ram Pickup - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil	59007
		8 Cyl. 6.4 Eng. Ram Pickup - 18.08 Oz. R-1234yf; 6.00 Oz. PAG Oil	59234
8 Cyl. 6.4 Eng. Ram Pickup - 19.04 Oz. R-134a; 6.00 Oz. PAG Oil		59007	
13	8 Cyl. 6.7 Eng. Ram Pickup - 22.08 Oz. R-134a; 6.00 Oz. PAG Oil	59007	
	6 Cyl. 3.6 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 6.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	8 Cyl. 4.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	8 Cyl. 5.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	12	6 Cyl. 3.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
		6 Cyl. 6.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
		8 Cyl. 4.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
8 Cyl. 5.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a		59007	
11	6 Cyl. 3.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 6.7 Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007	
	8 Cyl. 4.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	8 Cyl. 5.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
10-09	6 Cyl. 3.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 5.9 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 6.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	8 Cyl. 4.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
08-07	8 Cyl. 5.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 3.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 5.9 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 6.7 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007	
06	8 Cyl. 4.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	8 Cyl. 5.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	10 Cyl. 8.3 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007	
	6 Cyl. 3.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
05-04	6 Cyl. 5.9 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007	
	8 Cyl. 4.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	8 Cyl. 5.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	10 Cyl. 8.3 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
03	6 Cyl. 3.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	6 Cyl. 5.9 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	59002	
	8 Cyl. 4.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
	8 Cyl. 5.7 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007	
02-00	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	59007	
99-98	All Eng. - 32.00 Oz. R-134a; 6.25 Oz. PAG-100	59002	
97-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	59002	
	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	59002	

Continued on Next Page

DODGE LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
PICKUP - FULLSIZE / RAMCHARGER (Cont'd)		
93	All Eng. - 44.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
92-88	All Eng. - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
87-85	All Eng. - 42.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
84-81	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PICKUP - MINI		
93-90	All Eng. - 30.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PROMASTER SERIES		
17-15	4 Cyl. 2.4 Eng. ProMaster City - 14.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. ProMaster; Diesel - 6.00 Oz. PAG-46; 23.04 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. ProMaster - 6.00 Oz. PAG-46; 23.04 Oz. R-134a	59007
14	6 Cyl. 3.6 Eng. ProMaster - 6.00 Oz. PAG-46; 23.04 Oz. R-134a	59007
RAIDER		
89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng.	59000 ⁷⁰
	6 Cyl. 3.0 Eng.	59000 ⁷⁰
88-87	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
RAMPAGE		
84-82	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SPRINTER		
09	6 Cyl. 3.0 Eng.; w/o Rear AC - 28.16 Oz. R-134a; 6.40 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 32.48 Oz. R-134a	59007
08	6 Cyl. 3.0 Eng.; w/o Rear AC - 28.16 Oz. R-134a; 6.40 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 32.48 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 28.16 Oz. R-134a; 6.40 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 32.48 Oz. R-134a	59007
07	All Eng.; w/o Rear AC - 28.16 Oz. R-134a; 6.40 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
06-03	5 Cyl. 2.7 Eng. - See Under Hood Decal R-134a; 13.90 Oz. PAG-46	59007
VAN - FULLSIZE		
03-98	All Eng.; w/ Rear AC - 10.00 Oz. PAG-46; 46.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
97-94	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 9.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
93-91	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
89	All Eng.; w/o Rear AC - 49.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 9.00 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
88	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 65.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 64.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Front & Rear AC - 64.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84-81	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

⁷⁰ When retrofitting to R134a PAG Oil must be used.

DODGE MEDIUM DUTY TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
DODGE MEDIUM DUTY TRUCK		
14	8 Cyl. 6.4 Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	8 Cyl. 6.7 Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
13-10	6 Cyl. 6.7 Eng. - 26.00 Oz. R-134a; 6.00 Oz. PAG-46	59007

EAGLE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
MEDALLION		
89	All Eng. - 29.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
PREMIER		
92-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SUMMIT		
96-95	4 Cyl. 1.5 Eng. Coupe - 27.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 1.5 Eng. Sedan - 27.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 27.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 27.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
94	4 Cyl. 1.5 Eng. - 27.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 27.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 27.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
93	4 Cyl. 1.5 Eng. - 28.00 Oz. R-12; 5.60 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - 28.00 Oz. R-12; 5.60 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.4 Eng. - 28.00 Oz. R-12; 5.60 Oz. Mineral Oil	59000 ⁷⁰
92	4 Cyl. 1.5 Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.4 Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	59000 ⁷⁰
91	4 Cyl. 1.5 Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	59000 ⁷⁰
90-89	4 Cyl. 1.5 Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - 36.00 Oz. R-12; 5.70 Oz. Mineral Oil	59000 ⁷⁰
TALON		
98-95	All Eng. - 25.50 Oz. R-134a; 6.50 Oz. PAG-100	59002
94-90	All Eng. - 33.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
VISION		
97-96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
94	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 28.00 Oz. R-134a; 4.80 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 28.00 Oz. R-134a; 4.80 Oz. PAG-46	59007
93	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007

FIAT

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
124		
18-17	4 Cyl. 1.4 Eng. Spider - 14.40 Oz. R-1234yf; See Under Hood Decal PAG Oil	59234
500		
18	4 Cyl. 1.4 Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	59007
17	All Eng.; Electric - 16.96 Oz. R-134a; PAG Oil	59889
	4 Cyl. 1.4 Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	59007
	4 Cyl. 1.4 Eng. - 16.00 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 2.4 Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	59007
16	All Eng.; Electric - 16.96 Oz. R-134a; 1.70 Oz. PAG Oil	59889

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FIAT

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
500 (Cont'd)		
16	4 Cyl. 1.4 Eng. - 16.00 Oz. R-1234yf; 1.70 Oz. PAG Oil	59234
	4 Cyl. 2.4 Eng. - 1.70 Oz. PAG-46; 16.00 Oz. R-134a	59007
15	All Eng.; Electric - 16.96 Oz. R-134a; PAG Oil	59889
	4 Cyl. 1.4 Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	59007
	4 Cyl. 1.4 Eng. - 16.00 Oz. R-1234yf; 1.70 Oz. PAG Oil	59234
14	All Eng.; Electric - 20.00 Oz. R-1234yf; PAG Oil	59889
	4 Cyl. 1.4 Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	59007
	4 Cyl. 1.4 Eng. - 16.00 Oz. R-1234yf; 1.70 Oz. PAG Oil	59234
13-12	4 Cyl. 1.4 Eng. - 17.00 Oz. R-134a; 3.80 Oz. PAG-46	59007
11	4 Cyl. 1.4 Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	59007
STRADA		
11	4 Cyl. 1.8 Eng. - 1.70 Oz. PAG-46; 16.96 Oz. R-134a	59007

FORD

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ASPIRE		
97	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
96-94	All Eng. - 6.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
C-MAX		
18-14	4 Cyl. 2.0 Eng. - 26.08 Oz. R-134a; 5.20 Oz. PAG-46	59007
CONTOUR		
00-95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
COUNTRY SQUIRE		
91-88	8 Cyl. 5.0 Eng. - w/ Denso Compressor; 54.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87	8 Cyl. 5.0 Eng. - 10.00 Oz. Mineral; 54.00 Oz. R-12	59000 ⁷⁰
CROWN VICTORIA		
11-09	8 Cyl. 4.6 Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
08-06	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05-97	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	59007
96-95	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
94	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
93	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - 38.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
92	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
91-89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88	All Eng. - 52.00 Oz. R-12; 13.00 Oz. Mineral	59000 ⁷⁰
87	All Eng. To 9/86 - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng. From 9/86 - 52.00 Oz. R-12; 13.00 Oz. Mineral	59000 ⁷⁰
EDGE		
14	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 16.96 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 16.96 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 20.32 Oz. R-134a	59007
13	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
11	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
10-09	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
08	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
07	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
ESCORT		
02-98	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
97	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ESCORT (Cont'd)		
93	All Eng. - 34.08 Oz. R-12; 7.75 Oz. Mineral	59000 ⁷⁰
92-91	All Eng. - 33.92 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
90-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
87	All Eng. - 41.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
86	All Eng. - 36.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
85	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84-81	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
EXP		
88-86	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-82	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
FAIRMONT		
82-80	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79-78	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
FESTIVA		
93-88	All Eng. - 25.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
FIESTA		
14	3 Cyl. 1.0 Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 1.6 Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
13-10	4 Cyl. 1.6 Eng. - 3.40 Oz. PAG-46; 19.00 Oz. R-134a	59007
FIVE HUNDRED		
07-05	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
FOCUS		
14	All Eng. - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
13	All Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	All Eng. - 21.12 Oz. R-134a; 4.00 Oz. PAG Oil	59889
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
12-09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
08	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
07-00	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
FUSION		
14	4 Cyl. 1.5 Eng. - 4.90 Oz. PAG-46; 19.68 Oz. R-134a	59007
	4 Cyl. 1.6 Eng. - 4.90 Oz. PAG-46; 19.68 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 4.90 Oz. PAG-46; 19.68 Oz. R-134a	59007
	4 Cyl. 2.5 Eng. - 4.90 Oz. PAG-46; 19.68 Oz. R-134a	59007
13	4 Cyl. 1.6 Eng. - 20.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng.; Gas/Electric - 20.00 Oz. R-134a; 4.90 Oz. Hybrid Oil	59889
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 24.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
12-11	4 Cyl. 2.5 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
10	4 Cyl. 2.5 Eng.; Gas/Electric - 22.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	59889
	4 Cyl. 2.5 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
09	4 Cyl. 2.3 Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
08-06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
GRANADA		
82	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79-78	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
77-76	6 Cyl. 3.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FORD

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
GRANADA (Cont'd)		
75	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LTD		
86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
85	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LTD II		
79	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-77	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MAVERICK		
77-71	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MUSTANG		
18	4 Cyl. 2.3 Eng. - 19.20 Oz. R-1234yf; 4.00 Oz. PAG Oil	59234
	4 Cyl. 2.3 Eng. - 3.40 Oz. PAG-46; See Under Hood Decal	59007
	8 Cyl. 5.0 Eng. - 19.20 Oz. R-1234yf; 4.00 Oz. PAG Oil	59234
	8 Cyl. 5.2 Eng. - 24.00 Oz. R-1234yf; 4.00 Oz. PAG Oil	59234
17-15	4 Cyl. 2.3 Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.2 Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
14	6 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 21.12 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 4.00 Oz. PAG-46; 21.12 Oz. R-134a	59007
	8 Cyl. 5.8 Eng. - 4.00 Oz. PAG-46; 21.12 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
13	8 Cyl. 5.0 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.8 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
12-11	8 Cyl. 5.4 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
10	6 Cyl. 4.0 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
09	8 Cyl. 4.6 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng. - 31.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
08-07	All Eng. - 8.50 Oz. PAG-46; 34.00 Oz. R-134a	59007
06-05	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
04-97	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
96-94	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
93-89	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-86	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-83	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-72	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
71	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PINTO		
73	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PROBE		
97	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
96-94	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93	All Eng. - 28.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SPECIAL SERVICE POLICE SEDAN		
17-14	4 Cyl. 2.0 Eng. - 25.92 Oz. R-134a; 5.20 Oz. PAG-46	59007
TAURUS		
18	4 Cyl. 2.0 Eng. - 25.92 Oz. R-134a; 5.24 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 22.88 Oz. R-134a; 5.24 Oz. PAG-46	59007
17-15	4 Cyl. 2.0 Eng. - 25.92 Oz. R-134a; 5.24 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 26.08 Oz. R-134a; 5.24 Oz. PAG-46	59007
14	4 Cyl. 2.0 Eng. - 25.92 Oz. R-134a; 5.24 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 26.08 Oz. R-134a; 5.24 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 7.00 Oz. PAG-46; 26.08 Oz. R-134a	59007
13	4 Cyl. 2.0 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
12-11	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
10	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
09	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
08	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
07-96	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
95	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
94	Excl. SHO - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
	SHO - 8.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
93	Excl. SHO - 32.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	SHO - 32.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-134a	59007
92	Excl. SHO - 41.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	SHO - 41.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-134a	59007
91	4 Cyl. 2.5 Eng. - 41.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. Excl. SHO - 41.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. SHO - 41.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
90	4 Cyl. 2.5 Eng. - 41.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. SHO - 41.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. Excl. SHO - 41.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
89	4 Cyl. 2.5 Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. Excl. SHO - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. SHO - 44.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88	4 Cyl. 2.5 Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
87	4 Cyl. 2.5 Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
86	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
TEMPO		
94	4 Cyl. 2.3 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
93-92	4 Cyl. 2.3 Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
91-89	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
88-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
86	All Eng. - 36.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
85	All Eng. - 41.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
84	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
THUNDERBIRD		
05	8 Cyl. 3.9 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
04-02	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
97-95	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
94	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
93-89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
88	4 Cyl. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
	8 Cyl. - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FORD

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
THUNDERBIRD (Cont'd)		
87	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
86	All Eng. To 1/86 - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng. From 1/86 - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
85-83	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-77	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76-75	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
74	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-72	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TORINO		
76-75	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
74-72	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
71	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ZX2		
03-01	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 6.60 Oz. PAG-46	59007
00-98	4 Cyl. 2.0 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007

FORD LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
AEROSTAR		
97	All Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
96-94	All Eng.; w/ Rear AC - 10.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
93	All Eng.; w/o Rear AC - 46.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC - 64.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
92-89	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
88	All Eng.; w/o Rear AC - 10.00 Oz. Mineral; 56.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/ Rear AC - 10.00 Oz. Mineral; 60.00 Oz. R-12	59000 ⁷⁰
87	All Eng.; w/o Rear AC - 13.00 Oz. Mineral; 56.00 Oz. R-12	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral; 60.00 Oz. R-12	59000 ⁷⁰
86	All Eng.; w/o Rear AC To 9/22/86 - 56.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC From 9/22/86 - 56.00 Oz. R-12; 13.00 Oz. Mineral	59000 ⁷⁰
86	All Eng.; w/o Rear AC To 9/22/86 - 60.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC From 9/22/86 - 60.00 Oz. R-12; 13.00 Oz. Mineral	59000 ⁷⁰
86	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
BRONCO		
96	All Eng. - 8.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
95	All Eng. - 11.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93-91	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
90-89	All Eng. - 52.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
BRONCO (Cont'd)		
88-80	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79-78	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
77-76	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
BRONCO II		
90	All Eng. - 32.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
89-88	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
87	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
86	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
85	All Eng. - 48.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
84	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
E SERIES FULLSIZE VAN		
18-17	10 Cyl. 6.8 Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	59007
16	10 Cyl. 6.8 Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng. - 30.40 Oz. R-134a; 8.00 Oz. PAG-46	59007
13-11	10 Cyl. 6.8 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	8 Cyl. 5.4 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
10	All Eng.; Diesel; w/ Rear AC - 11.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; Gas; w/ Rear AC - 16.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; Gas; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; Gas; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
09	All Eng.; Gas; w/ Rear AC - 11.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; Gas; w/ Rear AC - 16.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; Gas; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; Gas; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
08	All Eng.; Diesel; w/ Rear AC - 11.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; Diesel; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	All Eng.; Gas; w/ Rear AC - 16.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; Gas; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; Diesel; w/o Rear AC - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
07	All Eng.; Diesel; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	All Eng.; Gas; w/ Rear AC - 14.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; Gas; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; Diesel; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
06-02	All Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
01-97	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
96-95	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
94	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
93-92	All Eng.; w/o Rear AC - 55.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
91-89	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
88-85	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 13.00 Oz. Mineral	59000 ⁷⁰
84-83	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-80	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FORD LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
E SERIES FULLSIZE VAN (Cont'd)		
82-80	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-76	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
75	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
E SERIES MEDIUM DUTY VAN		
10-09	All Eng. - See Under Hood Decal PAG-46	59007
08	All Eng. - See Under Hood Decal	59007
07	10 Cyl. 6.8 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
06	8 Cyl. 5.4 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	8 Cyl. 5.4 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	8 Cyl. 5.4 Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
05	10 Cyl. 6.8 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
04	8 Cyl. 6.0 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
03	8 Cyl. 5.4 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	8 Cyl. 5.4 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 60.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 64.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
02	8 Cyl. 5.4 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng.; w/o Rear AC - 64.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/ Rear AC - 64.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 46.00 Oz. R-134a	59007
8 Cyl. 5.4 Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 44.00 Oz. R-134a	59007	
ECOSPORT		
18	4 Cyl. 1.0 Eng. - 26.40 Oz. R-1234yf; 4.10 Oz. PAG	59889
	4 Cyl. 2.0 Eng. - 15.20 Oz. R-1234yf; 4.10 Oz. PAG-46	59889
ESCAPE		
14	4 Cyl. 1.6 Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
13	4 Cyl. 2.5 Eng. - 4.50 Oz. PAG-46; 27.20 Oz. R-134a	59007
	4 Cyl. 1.6 Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - w/ Tow Package; 27.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	2.5 Eng.; Gas/Electric - 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	59889
	4 Cyl.; Excl. Electric/Gas - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
11-10	All Eng.; Excl. Electric/Gas - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	4 Cyl. 2.5 Eng.; Gas/Electric - 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	59889
09	All Eng.; HYBRID - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng.; Excl. Hybrid - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
08	All Eng.; Gas/Electric - 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	59889

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FORD LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ESCAPE (Cont'd)		
08	All Eng.; Excl. Hybrid - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
07	4 Cyl. 2.3 Eng.; Excl. Hybrid - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
06-05	4 Cyl. 2.3 Eng.; Excl. Hybrid - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	4 Cyl. 2.3 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
04-01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
EXCURSION		
05-01	All Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
00	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
EXPEDITION		
18	6 Cyl. 3.5 Eng. - 36.96 Oz. R-1234yf; 6.10 Oz. PAG Oil	59234
17-15	6 Cyl. 3.5 Eng. - 7.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
14-11	8 Cyl. 5.4 Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
10	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
09	All Eng.; w/ Rear AC - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
08	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
07	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
06	All Eng.; w/ Rear AC - 14.00 Oz. PAG-46; 58.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
05-03	All Eng.; w/ Rear AC - 14.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
02-98	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 62.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
97	All Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 62.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
EXPLORER / SPORT / SPORT TRAC		
18	4 Cyl. 2.3 Eng. - 44.96 Oz. R-134a; 7.30 Oz. PAG-46	59007
17-16	4 Cyl. 2.3 Eng. - 44.96 Oz. R-134a; 8.80 Oz. PAG-46	59007
13-12	4 Cyl. 2.0 Eng. - 47.00 Oz. R-134a; 8.80 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 47.00 Oz. R-134a; 8.80 Oz. PAG-46	59007
11	6 Cyl. 3.5 Eng. - 47.00 Oz. R-134a; 8.80 Oz. PAG-46	59007
10	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 9.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
09	All Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
08-06	All Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 47.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
05-02	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
01-98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
97	All Eng. - 9.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
96-95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
94	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
F SERIES FULLSIZE PICKUP		
18	6 Cyl. 2.7 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 28.96 Oz. R-1234yf; 2.70 Oz. PAG Oil	59234
	6 Cyl. 3.3 Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 28.96 Oz. R-1234yf; 3.40 Oz. PAG Oil	59234
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 28.96 Oz. R-1234yf; 2.70 Oz. PAG Oil	59234
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 28.96 Oz. R-1234yf; 2.70 Oz. PAG Oil	59234
17	10 Cyl. 6.8 Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-134a	59007
	6 Cyl. 2.7 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 27.20 Oz. R-134a; 3.50 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FORD LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
F SERIES FULLSIZE PICKUP (Cont'd)		
17	8 Cyl. 6.7 Eng.; Diesel - 27.20 Oz. R-134a; 3.50 Oz. PAG-46	59007
16	10 Cyl. 6.8 Eng. - 28.96 Oz. R-134a; 4.20 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 2.70 Oz. PAG-46	59007
	8 Cyl. 6.7 Eng.; Diesel - 27.20 Oz. R-134a; 3.50 Oz. PAG-46	59007
15	10 Cyl. 6.8 Eng. - 28.96 Oz. R-134a; 4.20 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 4.10 Oz. PAG-46; 28.96 Oz. R-134a	59007
	8 Cyl. 6.7 Eng.; Diesel - 4.10 Oz. PAG-46; 26.08 Oz. R-134a	59007
14	10 Cyl. 6.8 Eng. - 28.96 Oz. R-134a; 4.20 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.7 Eng.; Diesel - 4.10 Oz. PAG-46; 26.08 Oz. R-134a	59007
13	10 Cyl. 6.8 Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.7 Eng. - 3.40 Oz. PAG-46; 26.00 Oz. R-134a	59007
12	10 Cyl. 6.8 Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.7 Eng. - 3.40 Oz. PAG-46; 26.00 Oz. R-134a	59007
11	10 Cyl. 6.8 Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	8 Cyl. 6.7 Eng. - 3.40 Oz. PAG-46; 26.00 Oz. R-134a	59007
10-09	Lightduty - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	Superduty - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
08	Superduty - 26.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	Lightduty - 8.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
07-06	Lightduty - 8.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
	Superduty - 9.00 Oz. PAG-46; 45.00 Oz. R-134a	59007
05-98	Superduty - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	Lightduty - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
97-96	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
95	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 44.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
92-91	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
90-86	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
85	All Eng. - 48.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
84	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
F SERIES FULLSIZE PICKUP (Cont'd)		
82	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79-77	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
75	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
74-73	6 Cyl. 4.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-70	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
F SERIES MEDIUM DUTY PICKUP		
15-14	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	10 Cyl. 6.8 Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	59007
12	8 Cyl. 6.7 Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	59007
	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	10 Cyl. 6.8 Eng. - 4.10 Oz. PAG-46; 27.20 Oz. R-134a	59007
11	8 Cyl. 6.7 Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	59007
	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	10 Cyl. 6.8 Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	59007
10	8 Cyl. 6.7 Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	59007
	10 Cyl. 6.8 Eng. - 3.40 Oz. PAG-46; 26.08 Oz. R-134a	59007
09	8 Cyl. 6.4 Eng. - 9.00 Oz. PAG-46; 27.20 Oz. R-134a	59007
	All Eng. - 44.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	All Eng. - See Under Hood Decal PAG-46	59007
	10 Cyl. 6.8 Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
07	8 Cyl. 6.0 Eng. - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
06	8 Cyl. 6.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. - See Under Hood Decal PAG-46	59007
05	10 Cyl. 6.8 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. - See Under Hood Decal PAG-46	59007
04	10 Cyl. 6.8 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
03	8 Cyl. 6.0 Eng.; w/ Rear AC - 68.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 14.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FORD LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
F SERIES MEDIUM DUTY PICKUP (Cont'd)		
03	8 Cyl. 6.0 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
02	10 Cyl. 6.8 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
01-00	10 Cyl. 6.8 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	10 Cyl. 6.8 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
99	10 Cyl. 6.8 Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	8 Cyl. 7.3 Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
97	8 Cyl. 7.3 Eng. - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 7.5 Eng. - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
96	8 Cyl. 7.3 Eng. - 11.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
95	8 Cyl. 7.3 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
	8 Cyl. 7.5 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
94	8 Cyl. 7.3 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	8 Cyl. 7.5 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	8 Cyl. 7.3 Eng. - 44.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - 44.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
92-90	8 Cyl. 7.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
FLEX		
13-11	6 Cyl. 3.5 Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
10	All Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
09	6 Cyl. 3.5 Eng. - 11.00 Oz. PAG-46; 36.00 Oz. R-134a	59007
FREESTAR		
07-04	All Eng.; w/ Rear AC - 13.00 Oz. PAG-46; 53.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
FREESTYLE		
07-05	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
LOBO		
13	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
12	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 29.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
11	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 24.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
10	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
08-06	All Eng. - 8.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
05-01	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
POLICE INTERCEPTOR UTILITY		
17-16	6 Cyl. 3.7 Eng. - 26.08 Oz. R-134a; 5.20 Oz. PAG-46; w/ Front AC	59007
	6 Cyl. 3.7 Eng. - 38.08 Oz. R-134a; 7.90 Oz. PAG-46; w/ Front & Rear AC	59007
RANGER		
10	4 Cyl. 2.3 Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
09	4 Cyl. 2.3 Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
	6 Cyl. 4.0 Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
08-06	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
05-98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
97-95	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
94	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
92-91	4 Cyl. 2.3 Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 2.9 Eng. - 32.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 4.0 Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
90	All Eng. - 32.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
89-88	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
87	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

FORD LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
RANGER (Cont'd)		
86-85	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
84-83	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TAURUS X		
09-08	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
TRANSIT CONNECT		
12	All Eng.; Electric - 29.00 Oz. R-134a;	59889
	4 Cyl. 2.0 Eng. - 29.06 Oz. R-134a; 6.09 Oz. PAG-46	59007
11	4 Cyl. 2.0 Eng. - 29.00 Oz. R-134a; 6.09 Oz. PAG-46	59007
10	4 Cyl. 2.0 Eng. - 29.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
WINDSTAR		
03-01	All Eng.; w/o Rear AC - 10.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
00-99	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
98	All Eng.; w/o Rear AC - 10.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.00 Oz. R-134a	59007
97	All Eng.; w/o Rear AC - 10.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 14.00 Oz. PAG-46	59007
96-95	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 44.00 Oz. R-134a	59007

FREIGHTLINER

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SPRINTER		
14	6 Cyl. 3.0 Eng. - See Under Hood Decal	59007
13-10	6 Cyl. 3.0 Eng. - 35.00 Oz. R-134a; 6.40 Oz. PAG-46	59007

GEO

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
METRO		
97	All Eng. - 21.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
96-95	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
	3 Cyl. 1.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 1.3 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
93-90	All Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral Oil	59000 ⁷⁰
89	3 Cyl. 1.0 Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral Oil	59000 ⁷⁰
PRIZM		
97	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
96-95	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
94	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-46	59007
93	All Eng. - 24.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 27.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. - 18.00 Oz. R-12; 3.00 Oz. Mineral Oil	59000 ⁷⁰
89	4 Cyl. 1.6 Eng. - 24.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
SPECTRUM		
89	All Eng. - 29.00 Oz. R-12; 3.50 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

GEO

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	STORM	
93-92	All Eng. - 21.00 Oz. R-12; 5.25 Oz. Mineral Oil	59000 ⁷⁰
91-90	All Eng. - 24.00 Oz. R-12; 5.25 Oz. Mineral Oil	59000 ⁷⁰

GMC LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	ACADIA	
16-14	6 Cyl. 3.6 Eng. - 40.00 Oz. R-134a; 7.80 Oz. PAG-46	59007
12-08	6 Cyl. 3.6 Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
07	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	CABALLERO	
87-85	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	CANYON	
18-16	4 Cyl. 2.5 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
	4 Cyl. 2.8 Eng.; Diesel - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
15	4 Cyl. 2.5 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 28.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
12-09	4 Cyl. 2.9 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	5 Cyl. 3.7 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
08	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
07-06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	59007
05-04	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	ENVOY	
09	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
08	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 42.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
07-06	All Eng.; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
05	All Eng.; w/o Rear AC - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
04-02	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	FULLSIZE PICKUP	
18-17	6 Cyl. 4.3 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	6 Cyl. 4.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 5.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 6.0 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 6.2 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.6 Eng.; Diesel - 16.00 Oz. R-1234yf; 6.10 Oz. PAG-46	59234
	8 Cyl. 6.6 Eng.; Diesel - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
16-15	6 Cyl. 4.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 22.40 Oz. R-134a; 6.10 Oz. PAG-46	59007
12-09	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
08	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
07	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 8.1 Eng.; w/o Rear AC - w/ Denso Compressor; 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
FULLSIZE PICKUP (Cont'd)		
06-03	All Eng. - w/ Denso Compressor; 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
02-00	All Eng. - w/ Denso Compressor; 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
99-96	Std Cab / Ext Cab - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	Crew Cab - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	Std Cab / Ext Cab - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	Crew Cab - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	Std Cab / Ext Cab - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	Crew Cab - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	Std Cab / Ext Cab - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Std Cab / Ext Cab - 40.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	Crew Cab - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Crew Cab - 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
92-90	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 48.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
86-85	All Eng. - 10.00 Oz. Mineral Oil; 44.00 Oz. R-12	59000 ⁷⁰
	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
65	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

GMC LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
G SERIES FULLSIZE VAN / SAVANA		
12	6 Cyl. 4.3 Eng. - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 4.8 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
	8 Cyl. 4.8 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.6 Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
11	8 Cyl. 6.6 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
10	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
09	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 32.00 Oz. R-134a	59007
08-06	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 56.00 Oz. R-134a	59007
05	All Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 28.80 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
04-03	All Eng.; w/o Rear AC - 8.00 Oz. PAG-46; 28.80 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
02	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
01	All Eng.; w/o Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 72.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
00	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 72.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 72.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
99-97	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 78.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 78.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 68.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 68.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 48.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng.; w/ Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/o Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng.; w/ Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/o Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
91-89	6 Cyl. 4.3 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.3 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng.; w/ Rear AC - 72.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng.; w/o Rear AC - 10.00 Oz. Mineral Oil; 56.00 Oz. R-12	59000 ⁷⁰
	8 Cyl. 6.2 Eng.; w/ Rear AC - 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	59000 ⁷⁰
	8 Cyl. 6.2 Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 72.00 Oz. R-12	59000 ⁷⁰
	8 Cyl. 6.2 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	59000 ⁷⁰
	8 Cyl. 7.4 Eng.; w/o Rear AC - 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	59000 ⁷⁰
	8 Cyl. 7.4 Eng.; w/ Rear AC - 11.00 Oz. Mineral Oil; 72.00 Oz. R-12; w/ HR6/DA6 Compressor	59000 ⁷⁰
	8 Cyl. 7.4 Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 64.00 Oz. R-12	59000 ⁷⁰
	8 Cyl. 7.4 Eng.; w/o Rear AC - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ HR6/DA6 Compressor	59000 ⁷⁰
	8 Cyl. 7.4 Eng.; w/ Rear AC - 64.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng.; w/o Rear AC - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
G SERIES FULLSIZE VAN / SAVANA (Cont'd)		
87-86	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 72.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
85	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84-83	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-81	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-77	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76-75	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
74	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
71-70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
P SERIES VAN		
99-94	6 Cyl. 4.3 Eng. - w/ Denso Compressor	59007
	6 Cyl. 4.3 Eng. - w/ OE Harrison Compressor	59003
	8 Cyl. 5.7 Eng. - w/ Denso Compressor	59007
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor	59003
	8 Cyl. 6.5 Eng. - w/ Denso Compressor	59007
	8 Cyl. 6.5 Eng. - w/ OE Harrison Compressor	59003
	8 Cyl. 7.4 Eng. - w/ Denso Compressor	59007
	8 Cyl. 7.4 Eng. - w/ OE Harrison Compressor	59003
93	6 Cyl. 4.3 Eng. - See Under Hood Decal PAG-150	59003
	8 Cyl. 5.7 Eng. - w/ R-12	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - w/ R-134a	59003
	8 Cyl. 6.2 Eng. - See Under Hood Decal PAG-150	59003
	8 Cyl. 7.4 Eng. - See Under Hood Decal PAG-150	59003
S15 JIMMY		
05-02	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	6 Cyl. 4.3 Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
01	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

GMC LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
S15 JIMMY (Cont'd)		
01	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
00-99	All Eng. - w/ Denso Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-150	59003
98-96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
94	All Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
S15 PICKUP		
04-99	All Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
98-96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87-86	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-82	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SAFARI		
05-94	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-92	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
91-90	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 48.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SUBURBAN / FULLSIZE JIMMY / YUKON		
18-17	8 Cyl. 5.3 Eng. - 28.8 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234
	8 Cyl. 6.2 Eng. - 28.8 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234
16-15	8 Cyl. 5.3 Eng. - 29.92 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234
	8 Cyl. 5.3 Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front & Rear AC	59007
	8 Cyl. 6.2 Eng. - 29.92 Oz. R-1234yf; PAG Oil; w/ Front & Rear AC	59234
	8 Cyl. 6.2 Eng. - 32.48 Oz. R-134a; 6.60 Oz. PAG-46; w/ Front & Rear AC	59007
14	8 Cyl. 5.3 Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG-46; w/ Front AC	59007
	8 Cyl. 5.3 Eng. - 40.00 Oz. R-134a; 11.00 Oz. PAG-46; w/ Front & Rear AC	59007
	8 Cyl. 6.2 Eng. - 25.60 Oz. R-134a; 7.10 Oz. PAG-46; w/ Front AC	59007
	8 Cyl. 6.2 Eng. - 40.00 Oz. R-134a; 11.00 Oz. PAG-46; w/ Front & Rear AC	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SUBURBAN / FULLSIZE JIMMY / YUKON (Cont'd)		
12	6.0 Eng.; Gas/Electric - 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	59889
	8 Cyl. 5.3 Eng. Yukon; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
11	8 Cyl. 5.3 Eng. Yukon; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. Yukon DENALI XL; AWD; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. Yukon DENALI; AWD; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. Yukon; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. Yukon; Gas/Electric - 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	59889
	8 Cyl. 6.2 Eng. Yukon DENALI; AWD; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
10	8 Cyl. 5.3 Eng. Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. Yukon; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. Yukon XL; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. Yukon; HYBRID - 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	59889
09	8 Cyl. 6.2 Eng. Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 4.8 Eng. Yukon; Excl. Hybrid; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. Yukon; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. Yukon; Excl. Hybrid; w/o Rear AC - 25.60 Oz. R-134a; 7.10 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. Yukon XL; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. Yukon; HYBRID - 40.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	59889
08	8 Cyl. 6.2 Eng. Yukon XL; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	Yukon XL; Excl. Hybrid; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
07	Yukon; Excl. Hybrid; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
	6.0 Eng.; Electric/Gas - See Under Hood Decal; Hybrid Oil	59889
	8 Cyl. 6.0 Eng.; Excl. Hybrid; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
06	Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
	Yukon; w/ Rear AC - 40.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
05	Yukon; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
	Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
04-03	6 Cyl. 4.3 Eng. Jimmy (Canada) - 8.00 Oz. PAG-46; 28.80 Oz. R-134a	59007
	Yukon; w/ Rear AC - 11.00 Oz. PAG-46; 43.00 Oz. R-134a	59007
	Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
02	All Eng.; w/o Rear AC - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
	6 Cyl. 4.3 Eng. Jimmy (Canada) - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	Yukon; w/ Rear AC - 11.00 Oz. PAG-46; 42.00 Oz. R-134a	59007
01	Yukon XL; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	Yukon; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
00-96	Yukon; w/ Rear AC - 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 64.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
95-94	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 64.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 64.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
93	All Eng.; w/o Rear AC - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 68.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng.; w/o Rear AC - 44.80 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91-90	All Eng.; w/o Rear AC - 84.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 84.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng.; w/ Rear AC - 60.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. Suburban; w/o Rear AC - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. Suburban; w/ Rear AC - 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

GMC LIGHT TRUCK

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant	
SUBURBAN / FULLSIZE JIMMY / YUKON (Cont'd)			
88	8 Cyl. 6.2 Eng. Suburban; Diesel - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng.; Diesel - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
87	8 Cyl. 6.2 Eng. Suburban; Diesel; w/ Rear AC - 6.00 Oz. Mineral Oil; 86.40 Oz. R-12	59000 ⁷⁰	
	8 Cyl. 7.4 Eng. Suburban - 54.40 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. Suburban; w/o Rear AC - 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. Suburban; w/ Rear AC - 88.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. Suburban; w/o Rear AC - 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. Suburban; w/ Rear AC - 88.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng. Suburban; w/o Rear AC - 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng. Suburban; w/ Rear AC - 88.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 7.4 Eng.; w/o Rear AC - 11.00 Oz. Mineral Oil; 52.00 Oz. R-12	59000 ⁷⁰	
	8 Cyl. 7.4 Eng.; w/ Rear AC - 11.00 Oz. Mineral Oil; 84.00 Oz. R-12	59000 ⁷⁰	
86-85	8 Cyl. 7.4 Eng. Suburban; w/o Rear AC - 52.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
84	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
72-71	8 Cyl. 6.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 7.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	6 Cyl. 4.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
18	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰	
	TERRAIN		
	4 Cyl. 1.5 Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	59234	
	4 Cyl. 1.5 Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	59007	
	4 Cyl. 1.6 Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	59234	
4 Cyl. 1.6 Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	59007		
17-14	4 Cyl. 2.0 Eng. - 14.56 Oz. R-1234yf; 5.01 Oz. PAG Oil	59234	
	4 Cyl. 2.0 Eng. - 17.60 Oz. R-134a; 5.01 Oz. PAG-46	59007	
12-10	4 Cyl. 2.4 Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	59007	
	6 Cyl. 3.6 Eng. - 5.00 Oz. PAG-46; 22.88 Oz. R-134a	59007	
12-10	4 Cyl. 2.4 Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	59007	
	6 Cyl. 3.0 Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	59007	

HONDA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ACCORD		
18	4 Cyl. 1.5 Eng. - 14.40 Oz. R-134a; PAG Oil	59007
	4 Cyl. 2.0 Eng.; Gas	59007
17	4 Cyl. 2.0 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
16	4 Cyl. 2.4 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
15-14	4 Cyl. 2.0 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.80 Oz. R-134a; 2.30 Oz. PAG-46	59007
13	4 Cyl. 2.4 Eng. - 17.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 17.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
12	4 Cyl. 2.4 Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
11	4 Cyl. 2.4 Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ACCORD (Cont'd)		
10	4 Cyl. 2.4 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
09-08	All Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
07-05	All Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
	All Eng.; Electric/Gas - See Under Hood Decal; Hybrid Oil	59889
04-03	All Eng. - 19.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
02-98	All Eng. - 23.00 Oz. R-134a; 8.45 Oz. PAG-46	59007
97-94	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
93	All Eng. - 30.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
92-90	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 30.00 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
88-87	All Eng. - 26.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
86-85	All Eng. - 26.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84-79	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CIVIC		
17-16	4 Cyl. 1.5 Eng. - 15.04 Oz. R-1234yf; 2.50 Oz. PAG Oil	59234
	4 Cyl. 2.0 Eng. - 15.04 Oz. R-1234yf; 2.50 Oz. PAG Oil	59234
15-14	4 Cyl. 1.5 Eng. - 15.04 Oz. R-134a; 2.50 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 15.04 Oz. R-134a; 2.50 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 15.04 Oz. R-134a; 2.50 Oz. PAG-46	59007
13-12	4 Cyl. 1.5 Eng.; HYBRID - 15.00 Oz. R-134a; 8.10 Oz. Hybrid Oil	59889
	4 Cyl. 1.8 Eng. - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 4.00 Oz. PAG-46; 15.00 Oz. R-134a	59007
11	4 Cyl. 1.3 Eng.; HYBRID - 16.00 Oz. R-134a; 4.00 Oz. Hybrid Oil	59889
	4 Cyl. 1.8 Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
10	4 Cyl. 1.3 Eng.; HYBRID - 16.00 Oz. R-134a; 8.11-8.45 Oz. Hybrid Oil	59889
	4 Cyl. 1.8 Eng. - 5.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 5.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
09-06	All Eng.; Excl. Hybrid - 5.50 Oz. PAG-46; 15.00 Oz. R-134a	59007
	All Eng.; Electric/Gas - See Under Hood Decal; Hybrid Oil	59889
05-02	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01-96	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
95-94	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93	All Eng. - 22.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 23.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - w/ Matsushita Compressor; 33.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. - 31.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 31.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 24.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - w/ Matsushita Compressor; 34.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 25.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 30.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 20.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CIVIC DEL SOL		
97-94	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
93	All Eng. - 23.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
CROSSTOUR		
15-14	4 Cyl. 2.4 Eng. - 15.04 Oz. R-134a; 2.40 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 15.04 Oz. R-134a; 2.40 Oz. PAG-46	59007
13-12	4 Cyl. 2.4 Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; 2.37-2.77 Oz. PAG-46	59007
CR-V		
18-17	4 Cyl. 1.5 Eng. - 16.00 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 2.4 Eng. - 16.80 Oz. R-1234yf; PAG Oil	59234
16-14	4 Cyl. 2.4 Eng. - 15.04 Oz. R-134a; 2.70 Oz. PAG-46	59007
11	4 Cyl. 2.4 Eng. - 4.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
10	4 Cyl. 2.4 Eng. - 17.00 Oz. R-134a; 6.42-6.76 Oz. PAG-46	59007
09	4 Cyl. 2.4 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
04	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 4.33-5.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

HONDA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CR-V (Cont'd)		
03-02	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
01-97	All Eng. - 4.50 Oz. PAG-46; 25.00 Oz. R-134a	59007
CRX		
14	4 Cyl. 1.5 Eng. - 4.50 Oz. PAG-46; 25.00 Oz. R-134a	59007
91-90	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
89-88	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - w/ Matsushita Compressor; 32.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 30.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 20.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CR-Z		
16-14	4 Cyl. 1.5 Eng. - 16.64 Oz. R-134a; 2.70 Oz. PAG-46	59007
13-12	4 Cyl. 1.5 Eng.; HYBRID - 18.00 Oz. R-134a; 2.70 Oz. Hybrid Oil	59889
11	4 Cyl. 1.5 Eng. - 18.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
ELEMENT		
11	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
10	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 8.11-8.45 Oz. PAG-46	59007
09	4 Cyl. 2.4 Eng. - 17.60-19.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-03	All Eng. - 18.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
FIT		
18-15	4 Cyl. 1.5 Eng. - 14.40 Oz. R-134a; 4.80 Oz. PAG-46	59007
13-12	4 Cyl. 1.5 Eng. - 15.00 Oz. R-134a; 2.71-3.04 Oz. PAG-46	59007
11	4 Cyl. 1.5 Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	59007
10-07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
INSIGHT		
14	4 Cyl. 1.3 Eng. - 16.64 Oz. R-134a; 5.80 Oz. PAG-46	59007
13-12	4 Cyl. 1.3 Eng.; HYBRID - 18.00 Oz. R-134a; 2.71-3.04 Hybrid Oil	59889
11	4 Cyl. 1.3 Eng.; HYBRID - 18.00 Oz. R-134a; 4.00 Oz. Hybrid Oil	59889
10	4 Cyl. 1.3 Eng.; HYBRID - 17.00 Oz. R-134a; 5.41-5.74 Oz. Hybrid Oil	59889
06-00	All Eng. - 19.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
ODYSSEY		
18	6 Cyl. 3.5 Eng. - 20.96 Oz. R-1234yf; PAG Oil	59234
17-14	6 Cyl. 3.5 Eng. - PAG-46; 25.96 Oz. R-134a	59007
13-12	6 Cyl. 3.5 Eng. - 27.00 Oz. R-134a; 4.23-4.63 Oz. PAG-46	59007
11	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 24.70-26.50 Oz. R-134a	59007
10	6 Cyl. 3.5 Eng. - 24.70-26.50 Oz. R-134a; 7.60-8.01 Oz. PAG-46	59007
09	6 Cyl. 3.5 Eng. - 24.70-26.50 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-07	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
06-99	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
98-95	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
PASSPORT		
02-94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
PILOT		
18-16	6 Cyl. 3.5 Eng. - 24.80 Oz. R-1234yf; 1.40 Oz. PAG Oil	59234
15-14	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 22.40 Oz. R-134a	59007
13-12	6 Cyl. 3.5 Eng. - 23.00 Oz. R-134a; 4.23-4.63 Oz. PAG-46	59007
11	6 Cyl. 3.5 Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
10	6 Cyl. 3.5 Eng. - 21.10-2.90 Oz. R-134a; 8.62 Oz. PAG-46	59007
09	6 Cyl. 3.5 Eng. - 21.20-22.90 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-03	All Eng. - 9.00 Oz. PAG-46; 24.70-26.50 Oz. R-134a	59007
PRELUDE		
01-97	All Eng. - 4.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
96-95	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
94	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.2 Eng. - w/ R-12	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - w/ R-12	59000 ⁷⁰
92	All Eng. - 26.50 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. - 32.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
PRELUDE (Cont'd)		
89-88	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 25.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
RIDGELINE		
18-17	6 Cyl. 3.5 Eng. - 21.60 Oz. R-1234yf; PAG Oil	59234
14	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	59007
13-11	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
10	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 7.60-8.01 Oz. PAG-46	59007
09	6 Cyl. 3.5 Eng. - 20.30-22.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
07-06	All Eng. - 23.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
S2000		
09	4 Cyl. 2.2 Eng. - 14.10-15.90 Oz. R-134a; 6.90 Oz. PAG-46	59007
08	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
07-06	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
05-00	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
WAGOVAN		
89-86	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

HUMMER (AM GENERAL)

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
H2		
08-06	All Eng. - 25.50 Oz. R-134a; 7.00 Oz. PAG-46	59007
05-03	All Eng. - 25.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
H3		
09	5 Cyl. 3.7 Eng. - See Under Hood Decal PAG-46	59007
08-06	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007

HYUNDAI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ACCENT		
17-14	4 Cyl. 1.6 Eng. - 4.50 Oz. PAG-46; 14.72 Oz. R-134a	59007
12	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
11-08	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
07-06	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	59007
05-02	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
01-96	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
95	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
AZERA		
17-14	6 Cyl. 3.3 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
12	6 Cyl. 3.3 Eng. - 18.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
11	6 Cyl. 3.3 Eng. - 18.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 18.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
10-08	6 Cyl. 3.3 Eng. - 17.60+/-0.88 Oz. R-134a; 5.70+/-0.33 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 17.60+/-0.88 Oz. R-134a; 5.70+/-0.33 Oz. PAG-46	59007
07	6 Cyl. 3.3 Eng. - 17.60+/-0.88 Oz. R-134a; 5.70+/-0.33 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 18.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
06	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	59007
ELANTRA		
17	4 Cyl. 1.4 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 1.6 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
16-14	4 Cyl. 1.8 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

HYUNDAI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ELANTRA (Cont'd)		
16-14	4 Cyl. 2.0 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
13	4 Cyl. 1.8 Eng. - 18.50 Oz. R-134a; 3.52-4.20 Oz. PAG-46	59007
12-11	4 Cyl. 1.8 Eng. - 18.50 Oz. R-134a; 3.52-4.20 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.50 Oz. R-134a; 3.52-4.20 Oz. PAG-46	59007
10-08	4 Cyl. 2.0 Eng. - 17.60+/-0.88 Oz. R-134a; 5.07+/-0.33 Oz. PAG-46	59007
07	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	59007
06-01	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
00-96	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
95-94	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93-92	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
ENTOURAGE		
08	6 Cyl. 3.8 Eng. - 7.10 Oz. PAG-46; 34.00 Oz. R-134a	59007
07	All Eng. - 4.50 Oz. PAG-46; 18.50 Oz. R-134a	59007
EQUUS		
16-14	8 Cyl. 5.0 Eng. - 22.88 Oz. PAG-46; 4.40 Oz. PAG-46	59007
13-12	8 Cyl. 5.0 Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
11	8 Cyl. 4.6 Eng. - 23.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
EXCEL		
94	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
93	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 33.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
89-88	All Eng. - 35.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
GENESIS		
16-15	6 Cyl. 3.8 Eng. - 22.88 Oz. R-134a; 4.30 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 22.88 Oz. R-134a; 4.30 Oz. PAG-46	59007
14	6 Cyl. 3.8 Eng. - 22.88 Oz. R-134a; 4.30 Oz. PAG-46	59007
13	6 Cyl. 3.8 Eng. - 20.10+/-0.88 Oz. R-134a; 5.07 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 22.90+/-0.88 Oz. R-134a; 4.05 Oz. PAG-46	59007
12	6 Cyl. 3.8 Eng. - 24.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 24.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 24.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	59007
11	6 Cyl. 3.8 Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
10-09	6 Cyl. 3.8 Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
GENESIS COUPE		
16-15	6 Cyl. 3.8 Eng. - 20.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
14	6 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 20.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
13-11	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.60-5.60 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 20.00 Oz. R-134a; 4.60-5.60 Oz. PAG-46	59007
10	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.56-5.78 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 20.00 Oz. R-134a; 3.80 Oz. PAG-46	59007
SANTA FE		
18-17	4 Cyl. 2.0 Eng. SPORT - 4.23 Oz. PAG-46; 21.60 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. SPORT - 4.23 Oz. PAG-46; 21.60 Oz. R-134a	59007
16-14	4 Cyl. 2.0 Eng. SPORT - 21.60 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. SPORT - 21.60 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 21.60 Oz. R-134a; 4.40 Oz. PAG-46	59007
12	4 Cyl. 2.4 Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 23.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
11	4 Cyl. 2.4 Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
10	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
09	6 Cyl. 2.7 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng.; w/ Rear AC - 30.00 Oz. R-134a; 6.62-7.43 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 22.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng.; w/ Rear AC - 30.00 Oz. R-134a; 6.62-7.43 Oz. PAG-46	59007
08	6 Cyl. 2.7 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 5.07+/-0.33 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 7.10+/-0.33 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SANTA FE (Cont'd)		
08	6 Cyl. 3.3 Eng.; w/o Rear AC - 22.00 Oz. R-134a; 5.07+/-0.33 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 7.10+/-0.33 Oz. PAG-46	59007
07	All Eng.; w/o Rear AC - 5.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 7.50 Oz. PAG-46; 30.50 Oz. R-134a	59007
06-01	All Eng. - 5.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
SCOUPE		
95-94	All Eng. - 5.50 Oz. PAG-46; 25.00 Oz. R-134a	59007
93	All Eng. - 30.00 Oz. R-12; 3.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 33.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
SONATA		
18	4 Cyl. 1.6 Eng. - 16.80 Oz. R-1234yf; 3.00 Oz. PAG Oil	59234
	4 Cyl. 2.0 Eng. - 16.80 Oz. R-1234yf; 3.00 Oz. PAG Oil	59234
	4 Cyl. 2.4 Eng. - 16.80 Oz. R-1234yf; 3.00 Oz. PAG Oil	59234
17	4 Cyl. 1.6 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng.; Gas/Electric - 18.40 Oz. R-134a; PAG Oil	59889
	4 Cyl. 2.0 Eng.; Excl. Hybrid - 18.40 Oz. R-134a; PAG Oil	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 3.00 Oz. PAG Oil	59007
16	4 Cyl. 1.6 Eng. - 3.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.0 Eng.; Gas/Electric - 18.40 Oz. R-134a; PAG Oil	59889
	4 Cyl. 2.0 Eng.; Excl. Hybrid - 3.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 3.00 Oz. PAG-46	59007
15	4 Cyl. 1.6 Eng. - 3.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 3.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
	4 Cyl. 2.4 Eng.; Gas/Electric - 19.36 Oz. R-134a; 3.00 Oz. PAG Oil	59889
	4 Cyl. 2.4 Eng.; Gas - 3.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
14	4 Cyl. 2.0 Eng. - 19.36 Oz. R-134a; 5.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng.; Excl. Hybrid - 19.36 Oz. R-134a; 5.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng.; Gas/Electric - 19.36 Oz. R-134a; 5.40 Oz. PAG Oil	59889
13	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng.; Gas/Electric - 19.00 Oz. R-134a; 4.73-5.41 Oz. Hybrid Oil	59889
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
11	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng.; Gas/Electric - 19.00 Oz. R-134a; 4.73-5.41 Oz. Hybrid Oil	59889
	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
10-09	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
08	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
07	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 3.3 Eng. - 19.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
05	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 21.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 21.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
04-01	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
00-99	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
98-96	All Eng. - 27.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
95	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
94-89	All Eng. - 33.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
TIBURON		
08	4 Cyl. 2.0 Eng. - 18.00+/-0.88 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 18.00+/-0.88 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
07	All Eng. - 21.00 Oz. R-134a; 4.73-5.41 Oz. PAG-46	59007
06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
05-01	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
00-99	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
98	4 Cyl. 2.0 Eng. - 25.00 Oz. R-134a; 5.74-6.42 Oz. PAG-46	59007
97	4 Cyl. 1.8 Eng. - 25.00 Oz. R-134a; 5.74-6.42 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 25.00 Oz. R-134a; 5.74-6.42 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

HYUNDAI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TUCSON		
17-16	All Eng.; Hydrogen/Electric - 20.00 Oz. R-134a; 4.50 Oz. PAG-46	59889
	4 Cyl. 1.6 Eng. - 20.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
15-14	4 Cyl. 2.0 Eng. - 4.50 Oz. PAG-46; 17.76 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 4.50 Oz. PAG-46; 17.76 Oz. R-134a	59007
13-12	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 3.72-4.40 Oz. PAG-46	59007
11	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.71-4.39 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.71-4.39 Oz. PAG-46	59007
10	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.71-4.39 Oz. PAG-46	59007
09	6 Cyl. - 17.89+/-0.88 Oz. R-134a; 6.76-7.27 Oz. PAG-46	59007
08	4 Cyl. 2.0 Eng. - 17.98+/-0.88 Oz. R-134a; 4.05-4.56 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 17.98+/-0.88 Oz. R-134a; 6.76-7.27 Oz. PAG-46	59007
07	All Eng. - 18.00 Oz. R-134a; 4.00-4.56 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 18.00 Oz. R-134a; 6.76-7.27 Oz. PAG-46	59007
06-05	All Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
VELOSTER		
17-14	4 Cyl. 1.6 Eng.; Naturally Aspirated - 14.88 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 1.6 Eng.; Turbocharged - 14.88 Oz. R-134a; 4.40 Oz. PAG-46	59007
13	4 Cyl. 1.6 Eng.; Naturally Aspirated - 15.69 Oz. R-134a; 3.71-4.39 Oz. PAG-46	59007
12	4 Cyl. 1.6 Eng.; Naturally Aspirated - 16.00 Oz. R-134a; 3.71-4.39 Oz. PAG-46	59007
VERA CRUZ		
12	6 Cyl. 3.8 Eng. - 4.70-5.40 Oz. PAG-46; 15.00 Oz. R-134a	59007
11	6 Cyl. 3.8 Eng. - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng.; w/ Rear AC - 31.74+/-0.88 Oz. R-134a; 7.10+/-0.34 Oz. PAG-46	59007
10-09	6 Cyl. 3.8 Eng.; w/o Rear AC - 24.69+/-0.88 Oz. R-134a; 5.07+/-0.34 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng.; w/ Rear AC - 31.74+/-0.88 Oz. R-134a; 7.10+/-0.34 Oz. PAG-46	59007
08	6 Cyl. 3.8 Eng.; w/o Rear AC - 24.64+/-0.05 Oz. R-134a; 5.07+/-0.10 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng.; w/ Rear AC - 31.68+/-0.05 Oz. R-134a; 7.10+/-0.10 Oz. PAG-46	59007
07	All Eng.; w/o Rear AC - 5.50 Oz. PAG-46; 25.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 8.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
XG300		
01	6 Cyl. 3.0 Eng. - 24.00 Oz. R-134a; 4.70-5.41 Oz. PAG-46	59007
XG350		
05-02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007

INFINITI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
EX35		
12-11	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
10-08	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
FX35		
12-11	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
10-09	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
08-03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
FX45		
08-03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
FX50		
13-09	8 Cyl. 5.0 Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
G20		
02-99	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
96-94	All Eng. - 28.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93-91	All Eng. - 29.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
G25		
12-11	6 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
08-03	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 G35	59007
12-11 10-09 08	6 Cyl. 3.7 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46 6 Cyl. 3.7 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46 All Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46 G37	59007 59007 59007
01-98 97-96	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a All Eng. - 8.50 Oz. PAG-46; 25.00 Oz. R-134a I30	59007 59007
04-02	All Eng. - 18.00 Oz. R-134a; 6.00 Oz. PAG-46 I35	59007
97-94 93	All Eng. - 28.00 Oz. R-134a; 8.50 Oz. PAG-46 All Eng. - 8.50 Oz. PAG-46; 26.50 Oz. R-134a J30	59007 59007
92-90	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral Oil M30	59000 ⁷⁰
13-12 10-09 08-06	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46 6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46 All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 M35	59007 59007 59007
13-11	6 Cyl. 3.7 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46 M37	59007
10-09 08-03	8 Cyl. 4.5 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46 All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46 M45	59007 59007
13-11	8 Cyl. 5.6 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46 M56	59007
15	6 Cyl. 3.7 Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46 Q40	59007
06-02 01	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-46 00-97 96 95-94 93 92-90	59007 59007 59007 59007 59007 59000 ⁷⁰ 59000 ⁷⁰
17-16 15-14	4 Cyl. 2.0 Eng. - 17.60 Oz. R-134a; PAG Oil 6 Cyl. 3.0 Eng. - 17.60 Oz. R-134a; PAG Oil 6 Cyl. 3.5 Eng.; HYBRID - 17.60 Oz. R-134a; PAG Oil 6 Cyl. 3.5 Eng.; HYBRID - 17.60 Oz. R-134a; 5.10 Oz. PAG Oil 6 Cyl. 3.7 Eng. - 17.60 Oz. R-134a; 3.00 Oz. PAG-46 Q50	59007 59007 59007 59889 59007
18-17	4 Cyl. 2.0 Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46 6 Cyl. 3.0 Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46 Q60	59007 59007
18 17-14	8 Cyl. 5.6 Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46 6 Cyl. 3.5 Eng.; HYBRID - 19.36 Oz. R-134a; 5.10 Oz. PAG Oil 6 Cyl. 3.7 Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46 8 Cyl. 5.6 Eng. - 19.36 Oz. R-134a; 5.10 Oz. PAG-46 Q70	59007 59889 59007 59007
03-02 01-97	All Eng. - 16.00 Oz. R-134a; 6.00 Oz. PAG-100 All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100 QX4	59002 59002
13-11 10-09 08-04	8 Cyl. 5.6 Eng. - 7.10 Oz. PAG-46; 34.00 Oz. R-134a 8 Cyl. 5.6 Eng. - 38.00 Oz. R-134a; 9.80 Oz. PAG-46 All Eng. - 40.00 Oz. R-134a; 10.00 Oz. PAG-100 QX56	59007 59007 59002
18-14	4 Cyl. 2.5 Eng.; HYBRID - 19.36 Oz. R-134a; 7.80 Oz. PAG Oil 6 Cyl. 3.5 Eng. - 19.36 Oz. R-134a; 7.80 Oz. PAG-46 QX60	59889 59007
18-14	8 Cyl. 5.6 Eng. - 7.00 Oz. PAG-46; 37.12 Oz. R-134a QX80	59007

⁷⁰ When retrofitting to R134a PAG Oil must be used.

INTERNATIONAL

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	PICKUP	
12	6 Cyl. 7.6 Eng. - 40.00 Oz. R-134a; 10.00 Oz. PAG-100	59002

ISUZU

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	AMIGO	
00-99	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
98	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93-91	All Eng. - 30.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	ASCENDER	
08-06	All Eng.; w/ Rear AC - 42.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 7.50 Oz. PAG-46; 30.50 Oz. R-134a	59007
05-03	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	AXIOM	
04-02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	HOMBRE	
00-99	All Eng. - w/ Denso Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 30.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
98-97	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
	I-MARK	
89	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
88-86	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	IMPULSE	
92	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87-85	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	OASIS	
99-96	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	PICKUP	
08-06	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-46	59007
95-94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93	All Eng. - 26.50 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
92-89	All Eng. - 30.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87-86	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	RODEO	
04-02	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01-94	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
93	All Eng. - 26.50 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 35.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	RODEO SPORT	
03	4 Cyl. 2.2 Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
	6 Cyl. 3.2 Eng. - 25.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
02-01	4 Cyl. 2.2 Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
	6 Cyl. 3.2 Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	59002

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
STYLUS		
93-92	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
TROOPER		
02	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
00-98	All Eng. - w/ Denso Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 21.00 Oz. R-134a; 5.00 Oz. PAG-150	59003
97-94	All Eng. - 5.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
93-92	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 33.50 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 34.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
87	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VEHICROSS		
01	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
00-99	All Eng. - w/ Denso Compressor; 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 23.00 Oz. R-134a; 5.00 Oz. PAG-150	59003

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
E-PACE		
18	All Eng. - See Under Hood Decal	59234
F-PACE		
18	All Eng. - See Under Hood Decal	59234
17	4 Cyl. 2.0 Eng.; Diesel - 19.20 Oz. R-1234yf; 2.70 Oz. PAG Oil	59234
	6 Cyl. 3.0 Eng. - 19.20 Oz. R-1234yf; 2.70 Oz. PAG Oil	59234
F-TYPE		
18	All Eng. - See Under Hood Decal	59234
17	6 Cyl. 3.0 Eng. - 24.64 Oz. R-1234yf; 4.02 Oz. PAG Oil	59234
	8 Cyl. 5.0 Eng. - 24.64 Oz. R-1234yf; 4.02 Oz. PAG Oil	59234
16-14	6 Cyl. 3.0 Eng. - 2.70 Oz. PAG-46; 28.16 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 2.70 Oz. PAG-46; 28.16 Oz. R-134a	59007
S-TYPE		
08-03	All Eng. - 26.50 Oz. R-134a; 7.00 Oz. PAG-100	59002
02-00	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
SUPER V8		
09	8 Cyl. 4.2 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08	8 Cyl. 4.2 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
07-05	8 Cyl. 4.2 Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	59007
VANDEN PLAS		
09-08	8 Cyl. 4.2 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
07-04	8 Cyl. 4.2 Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	59007
03-01	8 Cyl. 4.0 Eng. - 24.00 Oz. R-134a; 5.44-6.76 Oz. PAG-46	59007
00-98	All Eng. - 24.00 Oz. R-134a; 5.44-6.76 Oz. PAG-46	59007
97-95	6 Cyl. 4.0 Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	59007
94	6 Cyl. 4.0 Eng. - 40.00 Oz. R-134a; 4.06-5.07 PAG-100	59002
93	6 Cyl. 4.0 Eng. - 40.00 Oz. R-134a; 4.06-5.07 PAG-100	59000 ⁷⁰
92-90	6 Cyl. 4.0 Eng. - 4.60 Oz. Mineral Oil; 56.00 Oz. R-12	59000 ⁷⁰
	6 Cyl. 4.0 Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
XF		
17	4 Cyl. 2.0 Eng.; Diesel - 19.20 Oz. R-1234yf; PAG Oil	59889
	6 Cyl. 3.0 Eng. - 19.20 Oz. R-1234yf; PAG Oil	59889
16	6 Cyl. 3.0 Eng. - 28.16 Oz. R-134a; PAG Oil	59007
15-14	4 Cyl. 2.0 Eng. - 28.16 Oz. R-134a; PAG Oil	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

JAGUAR

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
XF (Cont'd)		
15-14	6 Cyl. 3.0 Eng. - 28.16 Oz. R-134a; PAG Oil	59007
	8 Cyl. 5.0 Eng. - 28.16 Oz. R-134a; PAG Oil	59007
13	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
12	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 27.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
11	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	59007
10	8 Cyl. 4.2 Eng. - 3.70 Oz. PAG-46; 27.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 27.00 Oz. R-134a	59007
09	8 Cyl. 4.2 Eng. - 27.00 Oz. R-134a; 4.60 Oz. PAG-46	59007
XFR		
15-14	8 Cyl. 5.0 Eng. - PAG-46; 28.16 Oz. R-134a	59007
13	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
12	8 Cyl. 5.0 Eng. - 27.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
11	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	59007
10	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 27.00 Oz. R-134a	59007
XJ		
17-16	6 Cyl. 5.0 Eng. - 24.64 Oz. R-1234yf; PAG Oil	59234
	8 Cyl. 3 Eng. - 24.64 Oz. R-1234yf; PAG Oil	59234
15	8 Cyl. 3 Eng. - 2.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
14	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
13	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
12	8 Cyl. 5.0 Eng. - 25.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
11	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
XJ12		
96-95	All Eng. - 38.50 Oz. R-134a; 8.00 Oz. PAG-100	59002
94	All Eng. - 44.00 Oz. R-134a; 6.50 Oz. PAG-100	59002
XJ6		
97-95	All Eng. - 38.50 Oz. R-134a; 7.50 Oz. PAG-100	59002
94	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
93	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
	6 Cyl. 4.0 Eng. - w/ R-12	59000 ⁷⁰
92-89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
88	6 Cyl. 3.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87	6 Cyl. 3.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-84	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
XJ8		
09-08	8 Cyl. 4.2 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
07	8 Cyl. 4.2 Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	59007
06	All Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	59007
05-04	8 Cyl. 4.2 Eng. - 28.00 Oz. R-134a; 6.07 Oz. PAG-46	59007
03	8 Cyl. 4.0 Eng. - 24.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
02	All Eng. - 24.00 Oz. R-134a; 5.41-6.576 Oz. PAG-46	59007
01	All Eng. - 24.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
00-98	All Eng. - 6.75 Oz. PAG-46; 26.50 Oz. R-134a	59007
XJR		
17	8 Cyl. 3 Eng. - 28.16 Oz. R-134a; PAG Oil	59007
	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 28.16 Oz. R-134a	59007
16-14	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 28.16 Oz. R-134a	59007
09-08	8 Cyl. 4.2 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.40 Oz. PAG-46	59007
07-06	All Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
05-04	8 Cyl. 4.2 Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
03	8 Cyl. 4.0 Eng. - 22.93-24.70 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
02-98	All Eng. - 22.93-24.70 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
97-95	6 Cyl. 4.0 Eng. - 37.04-40.56 Oz. R-134a; 6.08-6.76 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
XJRS		
93	All Eng. - 40.00 Oz. R-134a; 5.00 Oz. PAG-150	59003
XJS		
96	All Eng. - 39.68-41.28 Oz. R-134a; 4.06-5.07 Oz. PAG-100	59002
95	All Eng. - 39.67-41.28 Oz. R-134a; 4.06-5.07 Oz. PAG-100	59002
94	All Eng. - 39.68-41.28 Oz. R-134a; 4.06-5.07 Oz. PAG-100	59002
93	All Eng. - 40.00 Oz. R-134a; 6.50 Oz. PAG-100	59002
92-90	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral Oil; w/ Delco Compressor	59000 ⁷⁰
	All Eng. - 56.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
88-84	12 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
XK		
15	8 Cyl. 5.0 Eng. - 2.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
14	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
13	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	59007
12-10	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
09-08	8 Cyl. 4.2 Eng. - 26.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
07	8 Cyl. 4.2 Eng. - 24.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
XK8		
06	All Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
05-03	8 Cyl. 4.2 Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
02	All Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
01-98	All Eng. - 23.00 Oz. R-134a; 5.14-6.76 Oz. PAG-46	59007
97	All Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
XKR		
15-14	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
13-10	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
09	8 Cyl. 4.2 Eng. - 26.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
08	8 Cyl. 4.2 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
07	8 Cyl. 4.2 Eng. - 25.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
06	All Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
05-04	8 Cyl. 4.2 Eng. - 23.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
03	8 Cyl. 4.2 Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
02-01	All Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
00	8 Cyl. 4.0 Eng. - 23.00 Oz. R-134a; 5.41-6.76 Oz. PAG-46	59007
XKRS		
14	8 Cyl. 5.0 Eng. - 3.70 Oz. PAG-46; 24.64 Oz. R-134a	59007
X-TYPE		
08	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
07	6 Cyl. 3.0 Eng. - See Under Hood Decal R-134a; 5.00 Oz. PAG-46	59007
06	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
05-02	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007

JEEP

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CHEROKEE		
18-14	4 Cyl. 2.4 Eng. - 18.08 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 2.4 Eng. - PAG-46; 19.04 Oz. R-134a	59007
	6 Cyl. 3.2 Eng. - 18.08 Oz. R-1234yf; PAG Oil	59234
	6 Cyl. 3.2 Eng. - PAG-46; 19.04 Oz. R-134a	59007
01-00	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
99-97	All Eng. - 20.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
96-95	All Eng. - 32.00 Oz. R-134a; 7.75 Oz. PAG-100	59002
94	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - w/ R-134a	59002
	6 Cyl. 4.0 Eng. - w/ R-134a	59002
93-90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CHEROKEE (Cont'd)		
85	4 Cyl. 2.1 Eng. - 36.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - 36.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - 36.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CJ SERIES		
86-85	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84-82	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
COMANCHE		
92-90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.5 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.0 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
87	4 Cyl. 2.1 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
86	6 Cyl. 4.0 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.1 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
COMMANDER		
10	6 Cyl. 3.7 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng.; w/ Rear AC - 7.50 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 4.7 Eng. - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
09	8 Cyl. 5.7 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Rear AC - 7.50 Oz. PAG-46; 34.00 Oz. R-134a	59007
	6 Cyl. 3.7 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
08-06	8 Cyl. 4.7 Eng.; w/ Rear AC - 7.50 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.7 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Rear AC - 7.50 Oz. PAG-46; 34.00 Oz. R-134a	59007
COMPASS		
17-14	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	59007
13-11	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	59007
10-09	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
08-07	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
GRAND CHEROKEE		
18	6 Cyl. 3.0 Eng.; Diesel - 20.00 Oz. R-1234yf; PAG Oil	59234
	6 Cyl. 3.0 Eng.; Diesel - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 20.00 Oz. R-1234yf; PAG Oil	59234
	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 20.00 Oz. R-1234yf; PAG Oil	59234
	8 Cyl. 5.7 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. - 20.00 Oz. R-1234yf; PAG Oil	59234
	8 Cyl. 6.2 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 6.4 Eng. - 20.00 Oz. R-1234yf; PAG Oil	59234
	8 Cyl. 6.4 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
17-15	6 Cyl. 3.0 Eng.; Diesel - 20.00 Oz. R-1234yf; PAG Oil	59234
	6 Cyl. 3.0 Eng.; Diesel - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 20.00 Oz. R-1234yf; PAG Oil	59234
	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 20.00 Oz. R-1234yf; PAG Oil	59234
	8 Cyl. 5.7 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
14	8 Cyl. 6.4 Eng. - 20.00 Oz. R-1234yf; PAG Oil	59234
	8 Cyl. 6.4 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
GRAND CHEROKEE (Cont'd)		
14	8 Cyl. 5.7 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
	8 Cyl. 6.4 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
13-12	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 6.4 Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
11	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
10	6 Cyl. 3.0 Eng. - 4.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 6.1 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
09	6 Cyl. 3.0 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 6.1 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
08-05	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
04-02	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
01	All Eng. - 24.00 Oz. R-134a; 5.75 Oz. PAG-100	59002
00	All Eng. - 24.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
99-98	All Eng. - 26.00 Oz. R-134a; 7.50 Oz. PAG-100	59002
97-96	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-100	59002
95	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-100	59007
94-93	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-100	59002
GRAND WAGONEER		
93	All Eng. - 28.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
88-87	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-84	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LIBERTY		
12-11	6 Cyl. 3.7 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
10-08	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
07	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
06	All Eng. - 8.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
05	All Eng. - See Under Hood Decal PAG-100	59002
04-02	All Eng. - 26.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
PATRIOT		
18-14	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 20.96 Oz. R-134a	59007
13-12	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	59007
11	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 21.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
10-09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
08-07	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
RENEGADE		
18-15	4 Cyl. 1.4 Eng. - 16.00 Oz. R-1234yf; 4.40 Oz. PAG-46	59234
	4 Cyl. 2.4 Eng. - 16.00 Oz. R-1234yf; 4.40 Oz. PAG-46	59234
WAGONEER		
90	All Eng. - 38.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	6 Cyl. 4.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-84	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83	6 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
WRANGLER		
17-16	6 Cyl. 3.6 Eng. - 4.00 Oz. PAG-46; 22.08 Oz. R-134a	59007
15-14	6 Cyl. 3.6 Eng. - 5.00 Oz. PAG-46; 18.08 Oz. R-134a	59007
13-12	6 Cyl. 3.6 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
WRANGLER (Cont'd)		
11	6 Cyl. 3.8 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
10-07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06-05	4 Cyl. 2.4 Eng. - See Under Hood Decal; 6.10 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - See Under Hood Decal; 6.10 Oz. PAG-46	59007
04-01	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
00	All Eng. - 20.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
99-97	All Eng. - 20.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
95-94	All Eng. - 32.00 Oz. R-134a; 4.50 Oz. PAG-100	59002
93-90	All Eng. - 32.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.5 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.2 Eng. - 32.00 Oz. R-12; 6.00-6.50 Oz. Mineral Oil	59000 ⁷⁰

KIA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
AMANTI		
09	6 Cyl. 3.8 Eng. - 23.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
08-04	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
BORREGO		
11	6 Cyl. 3.8 Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
09	All Eng. - See Under Hood Decal PAG-46	59007
CADENZA		
18-17	6 Cyl. 3.3 Eng. - 19.20 Oz. R-1234yf; 3.70 Oz. PAG Oil	59234
16-14	6 Cyl. 3.3 Eng. - 3.70 Oz. PAG-46; 19.20 Oz. R-134a	59007
FORTE		
18-17	4 Cyl. 1.6 Eng. FORTE5 - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. FORTE5 - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
16-14	4 Cyl. 1.6 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 1.8 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 18.40 Oz. R-134a	59007
13	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
11	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007
10	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
K900		
18-15	6 Cyl. 3.8 Eng. - 4.00 Oz. PAG-46; 23.20 Oz. R-134a	59007
	8 Cyl. 5.0 Eng. - 4.00 Oz. PAG-46; 23.20 Oz. R-134a	59007
MAGENTIS		
10	4 Cyl. 2.4 Eng. - 17.60 Oz. R-134a; 4.30 Oz. PAG-46	59007
NIRO		
18-17	4 Cyl. 1.6 Eng.; Gas/Electric - 17.60 Oz. R-1234yf or R-134a; PAG Oil	59889
OPTIMA		
18	4 Cyl. 1.6 Eng. - 19.36 Oz. R-1234yf; 4.40 Oz. PAG Oil	59234
	4 Cyl. 2.0 Eng. - 19.36 Oz. R-1234yf; 4.40 Oz. PAG Oil	59234
	4 Cyl. 2.4 Eng. - 19.36 Oz. R-1234yf; 4.40 Oz. PAG Oil	59234
17	4 Cyl. 1.6 Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	59007
	4 Cyl. 2.0 Eng.; Gas/Electric - 19.36 Oz. R-134a; 3.70 Oz. PAG Oil	59889
	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	59007
16	4 Cyl. 1.6 Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	59007
	4 Cyl. 2.4 Eng.; Gas/Electric - 19.36 Oz. R-1234yf; 4.40 Oz. PAG Oil	59889
	4 Cyl. 2.4 Eng. - 3.70 Oz. PAG-46; 22.88 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
OPTIMA (Cont'd)		
15	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 19.36 Oz. R-134a	59007
	4 Cyl. 2.4 Eng.; Gas/Electric - 19.36 Oz. R-134a; 3.70 Oz. PAG Oil	59889
14	4 Cyl. 2.4 Eng. - 3.70 Oz. PAG-46; 19.36 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 19.36 Oz. R-134a	59007
	4 Cyl. 2.4 Eng.; Gas/Electric - 19.36 Oz. R-134a; 4.50 Oz. PAG Oil	59889
	4 Cyl. 2.4 Eng. - 3.70 Oz. PAG-46; 19.36 Oz. R-134a	59007
13-11	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007
10-09	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 18.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
08-07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06	All Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
05-01	All Eng. - 5.00 Oz. PAG-46; 22.00-24.00 Oz. R-134a	59007
RIO / RIO5		
18-14	4 Cyl. 1.6 Eng. - 14.88 Oz. R-134a; PAG Oil	59007
13-12	4 Cyl. 1.6 Eng. - 16.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
11	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
10-09	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
08-07	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
05	All Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
04-01	All Eng. - 5.00 Oz. PAG-46; 22.00-24.00 Oz. R-134a	59007
RONDO		
14	4 Cyl. 2.0 Eng. - 5.00 Oz. PAG-46; 22.00 - 24.00 Oz. R-134a	59007
12-11	4 Cyl. 2.4 Eng. - 15.88+/-0.88 R-134a; 4.05+/-0.34 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 15.88+/-0.88 R-134a; 4.05+/-0.34 Oz. PAG-46	59007
10-08	4 Cyl. 2.4 Eng. - 4.10 Oz. PAG-46; 16.00 Oz. R-134a	59007
	6 Cyl. 2.7 Eng. - 4.10 Oz. PAG-46; 16.00 Oz. R-134a	59007
07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
SEDONA		
18-15	6 Cyl. 3.3 Eng. - 31.68 Oz. R-134a; 7.40 Oz. PAG-46	59007
14	6 Cyl. 3.5 Eng. - 31.68 Oz. R-134a; 7.40 Oz. PAG-46	59007
12-11	6 Cyl. 3.5 Eng. - 32.00 Oz. R-134a; 4.10-7.40 Oz. PAG-46	59007
10-08	6 Cyl. 3.8 Eng. - 32.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
07-06	All Eng. - 32.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
05-02	All Eng. - 7.00 Oz. PAG-46; 34.40-36.10 Oz. R-134a	59007
SEPHIA		
01-98	All Eng. - 6.75 Oz. PAG-46; 26.50 Oz. R-134a	59007
97-94	All Eng. - 24.00 Oz. R-134a	59007
SORENTO		
13	4 Cyl. 2.4 Eng.; w/o Rear AC - 21.10+/-0.88 Oz. R-134a; 5.07 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng.; w/ Rear AC - 7.10 Oz. PAG-46; 26.40+/-0.88 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 26.00 Oz. R-134a; 6.70-7.40 Oz. PAG-46	59007
12-11	4 Cyl. 2.4 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng.; w/ Rear AC - 26.00 Oz. R-134a; 6.70-7.40 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 26.00 Oz. R-134a; 6.70-7.40 Oz. PAG-46	59007
09-08	6 Cyl. 3.3 Eng. - 21.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 21.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
07	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
06-03	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
SOUL		
18-15	SOUL EV; Electric - 6.00 Oz. PAG-46; 19.36 Oz. R-134a	59889
	4 Cyl. 1.6 Eng. - 4.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
14	4 Cyl. 1.6 Eng. - 4.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
13	4 Cyl. 1.6 Eng. - 19.40+/-0.88 Oz. R-134a; 3.38+/-0.16-33 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007
12	4 Cyl. 1.6 Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007
11	4 Cyl. 1.6 Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SOUL (Cont'd)		
11	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.00-3.70 Oz. PAG-46	59007
10	4 Cyl. 1.6 Eng. - 3.40 Oz. PAG-46; 20.00 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 20.00 Oz. R-134a	59007
SPECTRA / SPECTRA5		
09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
08	All Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
07	All Eng. - 18.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
06-04	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
03-02	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01-00	All Eng. - 25.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
SPORTAGE		
18-17	4 Cyl. 2.0 Eng. - 20.00 Oz. R-1234yf; 4.40 Oz. PAG Oil	59234
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-1234yf; 4.40 Oz. PAG Oil	59234
16	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
15-14	4 Cyl. 2.0 Eng. - 17.60 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 17.60 Oz. R-134a; 4.40 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
12	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
11	4 Cyl. 2.0 Eng. - 17.90+/-0.88 Oz. R-134a; 4.05+/-0.33 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.70-4.40 Oz. PAG-46	59007
10	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10-4.60 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 18.00 Oz. R-134a; 6.80-7.30 Oz. PAG-46	59007
09-06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.30 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
02	4 Cyl. 2.0 Eng. - 25.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
01-95	All Eng. - 25.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
STINGER		
18	4 Cyl. 2.0 Eng. - 20.48 Oz. R-1234yf; 3.50 Oz. PAG Oil	59234
	6 Cyl. 3.3 Eng. - 20.48 Oz. R-1234yf; 3.50 Oz. PAG Oil	59234

LAND ROVER

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
DEFENDER SERIES		
97	All Eng. - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
95	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
94-93	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
DISCOVERY		
17-16	4 Cyl. 2.0 Eng. Discovery Sport - 22.40 Oz. R-1234yf; 3.70 Oz. PAG Oil	59234
15	4 Cyl. 2.0 Eng. Discovery Sport - 22.40 Oz. R-1234yf; 5.20 Oz. PAG Oil	59234
04-00	All Eng.; w/o Rear AC - 25.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
99-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 41.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
FREELANDER		
05-03	6 Cyl. 2.5 Eng. - 15.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
02	All Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
LR2		
15-14	4 Cyl. 2.0 Eng. - 30.40 Oz. R-134a; 5.30 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 26.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
12-11	6 Cyl. 3.2 Eng. - 3.70 Oz. PAG-46; 26.00 Oz. R-134a	59007
10-08	6 Cyl. 3.2 Eng. - 26.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
LR3		
09	8 Cyl. 4.4 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 4.40 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
LR3 (Cont'd)		
08	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
07	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
06-05	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
LR4		
16-15	6 Cyl. 3.0 Eng. - 22.40 Oz. R-1234yf; See Under Hood Decal PAG Oil	59234
13-12	8 Cyl. 5.0 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng.; w/ Rear AC - 33.00 Oz. R-134a; 5.40 Oz. PAG-46	59007
11-10	8 Cyl. 5.0 Eng.; w/o Rear AC - 3.70 Oz. PAG-46; 23.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 5.40 Oz. PAG-46	59007
RANGE ROVER		
15-14	6 Cyl. 3.0 Eng. Range Rover Sport - 28.00 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	8 Cyl. 5.0 Eng. Range Rover Sport - 28.00 Oz. R-134a; See Under Hood Decal PAG Oil	59007
13	8 Cyl. 5.0 Eng.; w/o Rear AC - 25.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
12	8 Cyl. 5.0 Eng.; w/o Rear AC - 26.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
11	8 Cyl. 5.0 Eng.; w/o Rear AC - 3.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
	8 Cyl. 5.0 Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
10	8 Cyl. 5.0 Eng.; w/ Rear AC - 31.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
09	8 Cyl. 4.2 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng.; w/ Rear AC - 31.00 Oz. R-134a; 5.70 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/o Rear AC - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/ Rear AC - 31.00 Oz. R-134a; 5.70 Oz. PAG-46	59007
08-06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
05-02	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
01-00	All Eng. - 6.00 Oz. PAG-46; 49.00 Oz. R-134a	59007
99	All Eng. - 6.00 Oz. PAG-46; 41.00 Oz. R-134a	59007
98-97	All Eng. - 5.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
96	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46; Old Body Style	59007
	All Eng. - 44.00 Oz. R-134a; 5.00 Oz. PAG-46; New Body Style	59007
95	All Eng. - 32.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
94	8 Cyl. 3.9 Eng. - 42.00 Oz. R-134a; 5.06 Oz. PAG-46	59007
	8 Cyl. 4.2 Eng. - 42.00 Oz. R-134a; 5.06 Oz. PAG-46	59007
RANGE ROVER EVOQUE		
17	4 Cyl. 2.0 Eng. - 22.40 Oz. R-1234yf; See Under Hood Decal PAG Oil	59234
16	4 Cyl. 2.0 Eng. - 22.40 Oz. R-1234yf; 3.70 Oz. PAG Oil	59234
15-14	4 Cyl. 2.0 Eng. - 22.40 Oz. R-1234yf; 5.30 Oz. PAG Oil	59234
13-12	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 5.07 Oz. PAG-46	59007

LEXUS

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CT200		
17	4 Cyl. 1.8 Eng.; Gas/Electric - 16.64 Oz. R-134a; See Under Hood Decal PAG Oil	59889
15-11	4 Cyl. 1.8 Eng. - 16.60 Oz. R-134a; 4.40-4.90 Oz. Hybrid Oil; See under hood decal	59889
ES250		
91-90	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
ES300		
18-17	4 Cyl. 2.5 Eng. ES300h; Gas/Electric - 17.60 Oz. R-134a; See Under Hood Decal PAG Oil	59889
16-14	4 Cyl. 2.5 Eng. ES300h; Gas/Electric - 17.60 Oz. R-134a; 4.50 Oz. PAG Oil	59889
13	All Eng. - 16.60-18.60 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
03-02	All Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
01-98	All Eng. - 7.00 Oz. PAG-46; 26.50-30.00 Oz. R-134a	59007
97-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

LEXUS

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
92	All Eng. - 35.00 Oz. R-12; 7.00 Oz. Mineral Oil ES300 (Cont'd)	59000 ⁷⁰
	ES330	
06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
05-04	All Eng. - 19.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	ES350	
18-17	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
16	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 3.90 Oz. PAG-46	59007
15	6 Cyl. 3.5 Eng. - 16.60-18.70 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 3.90 Oz. PAG-46	59007
14	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 3.90 Oz. PAG-46	59007
13-10	6 Cyl. 3.5 Eng. - 16.60-18.70 Oz. R-134a; See Under Hood Decal PAG-46	59007
09	6 Cyl. 3.5 Eng. - 16.60-18.70 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	59007
08-07	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	GS200	
17	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	GS300	
06	All Eng. - 5.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
05-02	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
01-98	All Eng. - 7.00 Oz. PAG-46; 21.00-23.0 Oz. R-134a	59007
97-93	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	GS350	
16-15	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
14-13	6 Cyl. 3.5 Eng. - 17.67+/-1.76 Oz. R-134a; See Under Hood Decal PAG-46	59007
11	6 Cyl. 3.5 Eng. - 15.87+/-1.76 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	59007
10	6 Cyl. 3.5 Eng. - 15.87+/-1.76 Oz. R-134a; See Under Hood Decal PAG-46	59007
09	6 Cyl. 3.5 Eng. - 15.87+/-1.76 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	59007
08-07	6 Cyl. 3.5 Eng. - 4.50 Oz. PAG-46; 15.87+/-1.76 Oz. R-134a	59007
	GS400	
00-98	All Eng. - 7.00 Oz. PAG-46; 21.00-23.0 Oz. R-134a	59007
	GS430	
07-06	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05-01	All Eng. - 7.00 Oz. PAG-46; 21.00-23.0 Oz. R-134a	59007
	GS450	
18-16	6 Cyl. 3.5 Eng. GS450h; Gas/Electric - 16.00 Oz. R-134a; PAG Oil	59889
15	6 Cyl. 3.5 Eng. GS450h; Gas/Electric - 15.90-19.40 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
14	6 Cyl. 3.5 Eng. GS450h; Gas/Electric - 15.90-19.40 Oz. R-134a; 4.50 Oz. Hybrid Oil	59889
13-07	6 Cyl. 3.5 Eng.; Gas/Electric - 15.87+/-1.76 Oz. R-134a; 4.10+/-0.51 Oz. Hybrid Oil	59889
	GS460	
11	8 Cyl. 4.6 Eng. - 19.00 Oz. R-134a; 4.10-5.10 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; 1UR-FSE - 19.39+/-1.76 Oz. R-134a; 4.60+/-0.51 Oz. PAG-46	59007
10-08	8 Cyl. 4.6 Eng.; 1UR-FSE - 19.39+/-1.76 Oz. R-134a; See Under Hood Decal PAG-46	59007
	GX460	
15-14	8 Cyl. 4.6 Eng.; w/o Rear Cooler - 19.30 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear Cooler - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	8 Cyl. 4.6 Eng.; w/o Rear AC - 19.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/o Cool Box - 29.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Cool Box - 30.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
12-10	8 Cyl. 4.6 Eng.; w/o Rear AC - 19.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/o Cool Box - 29.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Cool Box - 30.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
	GX470	
09	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.7 Eng.; w/ Rear AC - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
08-07	All Eng.; w/ Rear AC - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
06-03	All Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 22.40-24.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 4.50 Oz. PAG-46; 28.10-28.90 Oz. R-134a	59007
	HS250	
12-10	4 Cyl. 2.4 Eng.; HYBRID - 17.00 Oz. R-134a; 3.50 Oz. Hybrid Oil	59889
	IS F	
14	8 Cyl. 5.0 Eng. - 14.10-17.63 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.0 Eng. - 16.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
13	8 Cyl. 5.0 Eng. - 18.00 Oz. R-134a; 5.10 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
IS F (Cont'd)		
12-08	8 Cyl. 5.0 Eng. - 14.10-17.63 Oz. R-134a; See Under Hood Decal PAG-46	59007
IS200		
17-16	8 Cyl. 2.0 Eng. IS200t; Gas/Electric - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
IS250		
15-14	6 Cyl. 2.5 Eng. - 15.20 Oz. R-134a; 3.90 Oz. PAG-46	59007
13	6 Cyl. 2.5 Eng. - 15.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
12	6 Cyl. 2.5 Eng. - 15.00 Oz. R-134a; 4.60-5.10 Oz. PAG-46	59007
11-10	6 Cyl. 2.5 Eng. - 15.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
09	6 Cyl. 2.5 Eng. - 15.17+/-1.06 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-06	6 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
IS300		
17-16	6 Cyl. 3.5 Eng. - 15.20 Oz. R-134a; PAG Oil	59007
05-03	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
02-01	All Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
IS350		
17-16	6 Cyl. 3.5 Eng. - 15.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
15-14	6 Cyl. 3.5 Eng. - 15.20 Oz. R-134a; 3.90 Oz. PAG-46	59007
13-10	6 Cyl. 3.5 Eng. - 15.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
09-06	6 Cyl. 3.5 Eng. - 15.17+/-1.06 Oz. R-134a; See Under Hood Decal PAG-46	59007
LC500		
18	8 Cyl. 5.0 Eng.; Gas/Electric - See Under Hood Decal	59889
LS400		
00-98	All Eng. - 22.90-26.50 Oz. R-134a; 7.75 Oz. PAG-46	59007
97-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
93	All Eng. - 33.50 Oz. R-134a; 5.25 Oz. PAG-46	59007
	8 Cyl. 4.0 Eng. - 3.10-5.20 Oz. PAG-46; 33.60 Oz. R-134a	59000 ⁷⁰
92-90	All Eng. - 37.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
LS430		
06-03	All Eng.; w/o Rear AC - 4.50 Oz. PAG-46; 22.00-24.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 4.50 Oz. PAG-46; 30.00-33.50 Oz. R-134a	59007
02-01	All Eng.; w/o Rear AC - PAG-46; 22.00-24.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - PAG-46; 30.00-33.50 Oz. R-134a	59007
LS460		
15-14	8 Cyl. 4.6 Eng.; w/ Rear Cooler - 24.70 Oz. R-134a; 5.30 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/o Rear Cooler - 24.70 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	8 Cyl. 4.6 Eng.; w/o Rear AC - 23.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 28.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
12	8 Cyl. 4.6 Eng.; w/o Rear AC - 23.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 28.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
11-10	8 Cyl. 4.6 Eng.; w/o Rear AC - 23.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 28.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
09	8 Cyl. 4.6 Eng.; w/o Rear AC - 23.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	8 Cyl. 4.6 Eng.; w/o Rear AC	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07	8 Cyl. 4.6 Eng.; w/o Rear Cooler - 21.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng. - 26.00 Oz. R-134a; 4.60 Oz. PAG-46	59007
LS600		
16	8 Cyl. 5.0 Eng. LS600h; Gas/Electric - See Under Hood Decal	59889
15-14	8 Cyl. 5.0 Eng.; HYBRID - 28.60-30.70 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
	8 Cyl. 5.0 Eng. LS600h; Gas/Electric - 29.60 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	8 Cyl. 5.0 Eng.; HYBRID - 17.64 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
13	8 Cyl. 5.0 Eng.; HYBRID - 28.40 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
12-10	8 Cyl. 5.0 Eng.; HYBRID - 31.70 Oz. R-134a; See Under Hood Decal	59889
09	8 Cyl. 5.0 Eng.; HYBRID; w/o Rear AC - 22.20 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
08	8 Cyl. 5.0 Eng.; HYBRID; w/ Rear AC - 26.50 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
LX450		
97-96	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
LX470		
07	8 Cyl. 4.7 Eng. - 31.70+/-1.18. R-134a; See Under Hood Decal PAG-46	59007
06-98	All Eng. - 35.30-38.80 Oz. R-134a; 7.75 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

LEXUS

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	LX570	
15-14	8 Cyl. 5.7 Eng.; w/o Cool Box - 32.50+/-1.10 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Cool Box - 34.20+/-1.10 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	8 Cyl. 5.7 Eng.; w/o Cool Box - 34.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Cool Box - 35.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
11-09	8 Cyl. 5.7 Eng.; w/o Cool Box - 32.50+/-1.10 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Cool Box - 34.20+/-1.10 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	8 Cyl. 5.7 Eng.; Standard Air - 32.50+/-1.10 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.7 Eng.; w/o Cool Box - 34.20+/-1.10 Oz. R-134a; See Under Hood Decal PAG-46	59007
	NX200	
17	4 Cyl. 2.0 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	NX300	
17-16	4 Cyl. 2.5 Eng. NX300h; Gas/Electric - 18.40 Oz. R-134a; PAG Oil	59889
15	4 Cyl. 2.5 Eng. NX300h; Gas/Electric - 4.50 Oz. PAG-46; 18.40 Oz. R-134a	59889
	RC300	
18	4 Cyl. 2.0 Eng. - 16.00 Oz. R-134a; PAG Oil	59007
17-16	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; PAG Oil	59007
	RX300	
03	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 6.91 Oz. PAG-46	59007
02	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.80 Oz. PAG-46	59007
01-99	All Eng. - 21.00 Oz. R-134a; 4.80 Oz. PAG-46	59007
	RX330	
06-04	All Eng. - 4.00 Oz. PAG-46; 22.00-24.00 Oz. R-134a	59007
	RX350	
17-16	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
15-14	6 Cyl. 3.5 Eng. - 15.90-19.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 3.90 Oz. PAG-46	59007
13-10	6 Cyl. 3.5 Eng. - 15.90-19.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
09	6 Cyl. 3.5 Eng. - 19.40-22.90 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-07	All Eng. - 19.40-22.90 Oz. R-134a; See Under Hood Decal PAG-46	59007
	RX400	
08-06	6 Cyl. 3.3 Eng.; HYBRID - 19.40-22.90 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
	RX450	
18	6 Cyl. 3.5 Eng. RX450h; Gas/Electric - 21.12 Oz. R-134a; See Under Hood Decal PAG-46	59889
15	6 Cyl. 3.5 Eng. - 19.40-22.90 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
14	6 Cyl. 3.5 Eng. - 19.40-22.80 Oz. R-134a; 4.10-4.60 Oz. Hybrid Oil	59889
	6 Cyl. 3.5 Eng. RX450h; Gas/Electric - 21.12 Oz. R-134a; 4.60 Oz. PAG-46	59889
13	6 Cyl. 3.5 Eng.; HYBRID - 23.00 Oz. R-134a; See Under Hood Decal; Hybrid Oil	59889
12	6 Cyl. 3.5 Eng.; HYBRID - 21.00 Oz. R-134a; 4.10-4.60 Oz. Hybrid Oil	59889
11-10	6 Cyl. 3.5 Eng.; HYBRID - 21.00 Oz. R-134a; 3.53 Oz. Hybrid Oil	59889
	SC300	
00-97	All Eng. - 7.00 Oz. PAG-46; 32.00-34.0 Oz. R-134a	59007
96	All Eng. - 7.00 Oz. PAG-46; 31.80-35.30 Oz. R-134a	59007
95-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 35.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
	SC400	
00-96	All Eng. - 33.50 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 30.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
93	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 35.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
	SC430	
10	8 Cyl. 4.3 Eng. - 4.00 Oz. PAG-46; 15.20 Oz. R-134a	59007
09	8 Cyl. 4.3 Eng. - 4.00 Oz. PAG-46; 21.16 Oz. R-134a	59007
08	8 Cyl. 4.3 Eng. - 4.50 Oz. PAG-46; 21.16 Oz. R-134a	59007
07	8 Cyl. 4.3 Eng. - 21.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
06-02	All Eng. - 21.00 Oz. R-134a; 4.10 Oz. PAG-46	59007

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
AVIATOR		
05-03	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
BLACKWOOD		
02	All Eng. - 9.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
CONTINENTAL		
17	6 Cyl. 2.7 Eng. - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.7 Eng. - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
02-98	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
97-95	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
94	All Eng. - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng.; w/ Rear AC - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/o Rear AC - 40.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
92	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
91-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87-86	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	6 Cyl. 2.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-77	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76-74	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LS		
06-00	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
MARK LIGHT TRUCK		
08-06	All Eng. - 8.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
MARK SERIES		
98-95	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
94	All Eng. - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng.; w/ Rear AC - 10.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
	All Eng. - w/ R-12	59000 ⁷⁰
92-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88	All Eng. - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
87-86	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	6 Cyl. 2.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84-81	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-77	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76-72	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MKC		
18-17	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.3 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
16-15	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 2.3 Eng. - 24.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
MKS		
16-15	6 Cyl. 3.5 Eng. - 26.08 Oz. R-134a; 5.40 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 22.88 Oz. R-134a; 5.40 Oz. PAG-46	59007
14	6 Cyl. 3.5 Eng. - 7.00 Oz. PAG-46; 25.92 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 7.00 Oz. PAG-46; 22.88 Oz. R-134a	59007
13-11	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
10-09	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

LINCOLN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
MKT		
18	6 Cyl. 3.5 Eng. - 39.20 Oz. R-134a; 7.95 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 36.96 Oz. R-134a; 8.90 Oz. PAG-46	59007
17	4 Cyl. 2.0 Eng. - 39.20 Oz. R-134a; 7.95 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 39.20 Oz. R-134a; 7.95 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 36.96 Oz. R-134a; 8.90 Oz. PAG-46	59007
16	4 Cyl. 2.0 Eng. - 38.88 Oz. R-134a; 7.95 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 38.88 Oz. R-134a; 7.95 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 36.96 Oz. R-134a; 8.90 Oz. PAG-46	59007
15-14	4 Cyl. 2.0 Eng. - 38.88 Oz. R-134a; 9.50 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 38.88 Oz. R-134a; 9.50 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 36.96 Oz. R-134a; 9.50 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 39.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
12-10	6 Cyl. 3.5 Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
MKX		
18-16	6 Cyl. 2.7 Eng. - 4.00 Oz. PAG-46; 20.32 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 20.32 Oz. R-134a	59007
15-14	6 Cyl. 3.7 Eng. - 4.00 Oz. PAG-46; 20.32 Oz. R-134a	59007
13-11	6 Cyl. 3.7 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
10-07	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
MKZ		
18-17	4 Cyl. 2.0 Eng. - 22.40 Oz. R-134a; See Under Hood Decal PAG Oil	59007
16	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG Oil	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
15	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	4 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
14	6 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
13	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 24.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
12	4 Cyl. 2.5 Eng.; HYBRID - 22.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	59889
	6 Cyl. 3.5 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
11	4 Cyl. 2.5 Eng.; HYBRID - 22.00 Oz. R-134a; 6.00 Oz. Hybrid Oil	59889
	6 Cyl. 3.5 Eng. - 6.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
10-07	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
NAVIGATOR		
17-16	6 Cyl. 3.5 Eng. Select, Reserve - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. L-Reserve, L-Select - 7.00 Oz. PAG-46; 44.00 Oz. R-134a	59007
15	6 Cyl. 3.5 Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
14-12	8 Cyl. 5.4 Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
11	8 Cyl. 5.4 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
10-09	L - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
08	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
07	All Eng.; w/o Rear AC - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
06	All Eng.; w/ Rear AC - 14.00 Oz. PAG-46; 58.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
05-03	All Eng.; w/ Rear AC - 14.00 Oz. PAG-46; 54.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
02-98	All Eng.; w/ Rear AC - 14.00 Oz. PAG-46; 62.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
TOWN CAR		
11-09	8 Cyl. 4.6 Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
08-06	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05-03	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
02-98	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	59007
97	All Eng. - 7.50 Oz. PAG-46; 34.00 Oz. R-134a	59007
96-95	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
94	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 40.00 Oz. R-134a; 8.00 Oz. PAG-46	59007

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TOWN CAR (Cont'd)		
93	All Eng.; w/ Rear AC - 36.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
92-91	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
90-89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
87-86	All Eng. - 48.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
85	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
84-82	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ZEPHYR		
06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007

MAZDA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
323		
94-93	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
92-89	All Eng. - 27.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 30.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
626		
02-98	All Eng. - 26.50 Oz. R-134a; 8.00 Oz. PAG-100	59002
97-94	All Eng. - 25.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
93-89	All Eng. - 26.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 37.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - w/ R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
84-79	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
808		
77-74	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
929		
95-94	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-100	59002
93-92	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 35.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
COSMO		
78-76	2 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CX-3		
18-16	4 Cyl. 2.0 Eng. - 15.68 Oz. R-134a; See Under Hood Decal PAG-46	59007
CX-5		
17	4 Cyl. 2.5 Eng. - 17.60 Oz. R-134a; 3.30 Oz. PAG-46	59007
16-14	4 Cyl. 2.0 Eng. - 17.60 Oz. R-134a; 3.30 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 17.60 Oz. R-134a; 3.30 Oz. PAG-46	59007
CX-7		
12-10	4 Cyl. 2.3 Eng. - 15.70-17.40 Oz. R-134a; 4.06 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 15.70-17.40 Oz. R-134a; 4.06 Oz. PAG-46	59007
09-07	4 Cyl. 2.3 Eng. - 17.70 Oz. R-134a; 4.06 Oz. PAG-46	59007
CX-9		
18-16	4 Cyl. 2.5 Eng. - See Under Hood Decal	59007
15-14	6 Cyl. 3.7 Eng. - 24.16 Oz. R-134a; 5.40 Oz. PAG-46	59007
12-09	6 Cyl. 3.7 Eng. - 5.50 Oz. PAG-46; 23.00-25.00 Oz. R-134a	59007
08	6 Cyl. 3.7 Eng. - 23.00-25.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
07	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
GLC		
85-81	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80-79	4 Cyl. 1.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-77	4 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MAZDA 2		
14	4 Cyl. 1.5 Eng. - 16.48 Oz. R-134a; 5.75 Oz. PAG-100	59002
13-11	4 Cyl. 1.5 Eng. - 15.70-17.40 Oz. R-134a; 3.72 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

MAZDA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
MAZDA 3		
18-17	4 Cyl. 2.0 Eng. - 16.96 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	4 Cyl. 2.5 Eng. - 16.96 Oz. R-134a; See Under Hood Decal PAG Oil	59007
13-11	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.3 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
10	4 Cyl. 2.0 Eng. - 17.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	4 Cyl. 2.3 Eng. - 17.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 17.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
	4 Cyl. 2.3 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
08-04	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
MAZDA 5		
15-14	4 Cyl. 2.5 Eng. - 17.60 Oz. R-134a; 4.00 Oz. PAG-46	59007
13-12	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
10	4 Cyl. 2.3 Eng. - 18.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
09	4 Cyl. 2.3 Eng. - 18.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
08	All Eng. - 18.00 Oz. R-134a; 5.08 Oz. PAG-46	59007
07-06	All Eng. - 18.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
MAZDA 6		
17-14	4 Cyl. 2.5 Eng. - 4.00 Oz. PAG-46; 17.60-19.40 Oz. R-134a	59007
13	4 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 19.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
12-11	4 Cyl. 2.5 Eng. - 4.10 Oz. PAG-46; 17.60-19.40 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 4.10 Oz. PAG-46; 17.60-19.40 Oz. R-134a	59007
10-09	4 Cyl. 2.5 Eng. - 17.60-19.40 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.7 Eng. - 17.60-19.40 Oz. R-134a; 4.06 Oz. PAG-46	59007
08-05	All Eng. - 16.80 Oz. R-134a; 5.07 Oz. PAG-46	59007
04-03	All Eng. - 17.60 Oz. R-134a; 5.07 Oz. PAG-46	59007
MIATA		
17-14	4 Cyl. 2.0 Eng. MX-5 Miata - 15.84 Oz. R-134a; 4.40 Oz. PAG-46	59007
13-10	4 Cyl. 2.0 Eng. - 16.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 16.00 Oz. R-134a; 4.39 Oz. PAG-46	59007
08-06	All Eng. - 16.00 Oz. R-134a; 4.39 Oz. PAG-46	59007
05	All Eng. - 14.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
04	All Eng. - 14.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
03-01	All Eng. - 14.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
00-99	All Eng. - 20.00 Oz. R-134a; 8.75 Oz. PAG-100	59002
97-94	All Eng. - 21.00 Oz. R-134a; 8.75 Oz. PAG-100	59002
93	All Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
92-90	All Eng. - 29.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
MILLENNIA		
02-95	All Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
MPV		
06-03	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
02-00	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
98-97	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
96-95	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.75 Oz. PAG-46	59007
94	All Eng.; w/o Rear AC - 8.75 Oz. PAG-46; 37.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 8.75 Oz. PAG-46; 44.00 Oz. R-134a	59007
93-91	All Eng.; w/o Rear AC - 43.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 49.50 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng.; w/o Rear AC - 42.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 49.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
89	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MX-3		
95-94	All Eng. - 26.50 Oz. R-134a; 6.25 Oz. PAG-100	59002
93-92	All Eng. - 28.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
MX-5		
13-10	4 Cyl. 2.0 Eng. - 16.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
08-06	All Eng. - 16.00 Oz. R-134a; 4.39 Oz. PAG-46	59007
MX-6		
97	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
96-94	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-100	59002
93-89	All Eng. - 26.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 37.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
NAVAJO		
94	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 10.00 Oz. PAG-100	59002
	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
93-91	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
PICKUP		
08-06	All Eng. - 9.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
05-97	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
96-94	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
93-92	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
91-90	B2200 - 26.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	B2600 - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
89-87	B2200 - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	B2600 - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86	B2000 - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84-82	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81-79	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
77-76	2 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PROTEGE		
03-02	4 Cyl. 1.6 Eng. - See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
01	4 Cyl. 1.6 Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
00-99	4 Cyl. 1.6 Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
98-95	4 Cyl. 1.5 Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 21.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
94	4 Cyl. 1.8 Eng. - 28.00 Oz. R-12; 3.88-4.56 Oz. Mineral Oil	59000 ⁷⁰
93-90	4 Cyl. 1.8 Eng. - 28.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PROTEGE5		
03	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 5.07 Oz. PAG-46	59007
02	All Eng. - 5.00 Oz. PAG-46; 18.50 Oz. R-134a	59007
RX-2		
74-72	2 Cyl. 1.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
RX-3		
78-72	2 Cyl. 1.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
RX-4		
78-74	2 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
RX-7		
95-94	All Eng. - 19.00 Oz. R-134a; 5.75 Oz. PAG-100	59002
93	All Eng. - 22.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 29.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - w/ Denso Compressor; 29.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	2 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82-79	2 Cyl. 1.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
RX-8		
11-09	2 Cyl. 1.3 Eng. - 15.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-04	All Eng. - 7.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
TRIBUTE		
11	4 Cyl. 2.5 Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
10	4 Cyl. 2.5 Eng.; Electric/Gas - 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil	59889
	6 Cyl. 3.0 Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
09	4 Cyl. 2.5 Eng.; Electric/Gas - 38.00 Oz. R-134a; 5.00 Oz. Hybrid Oil	59889

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

MAZDA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TRIBUTE (Cont'd)		
09	6 Cyl. 3.0 Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
08	All Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
06-01	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007

MERCEDES-BENZ

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
190 SERIES		
93-90	190E - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
89	190D - 35.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
	190E - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	5 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	5 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
220 SERIES		
73-68	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
230 SERIES		
78-74	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68-65	6 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
240 SERIES		
83-76	4 Cyl. 2.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
260 SERIES		
89-87	6 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
280 SERIES		
81-77	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
300 SERIES		
18	300 - See Under Hood Decal	59007
93	300CE - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
	300D - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
	300E - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
	300SD; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	300SD; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	300SD; w/o Rear AC - w/ R-12	59000 ⁷⁰
	300CE - w/ R-12	59000 ⁷⁰
	300SL - w/ R-12	59000 ⁷⁰
	300TE - w/ R-12	59000 ⁷⁰
	300E - w/ R-12	59000 ⁷⁰
	300D - w/ R-12	59000 ⁷⁰
	300SE - w/ R-12	59000 ⁷⁰
	300SE - w/ R-134a	59007
	300TE - w/ R-134a	59007
	300SL - w/ R-134a	59007
92	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SD; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	300D - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SD; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	300TE - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	300SL - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-134a	59007
91	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300D - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
300 SERIES (Cont'd)		
91	300SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SE - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300TE - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	300SL - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
90	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SE - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SL - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	300D - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	300TE - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
89	300E - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300CE - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SE - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	300TE - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-86	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-77	5 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
350 SERIES		
91	All Eng. - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
90	350SDL - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
380 SERIES		
85-81	8 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
400 SERIES		
93	400E - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
	400SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	400SEL; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007 ⁷⁰
92	400E; w/o Rear AC - 39.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	400SE; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	400E; w/ Rear AC - 44.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	400SE; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
420 SERIES		
91-89	420SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
88-86	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
450 SERIES		
80-73	8 Cyl. 4.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
500 SERIES		
93	500E - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
	500SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	500SEC; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	500SEC; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	500SEL; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	500SL - w/ R-134a	59007
92	500E; w/o Rear AC - 39.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	500SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	500E; w/ Rear AC - 44.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	500SEL; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	500SL - w/ R-12	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal PAG-46	59007
91-84	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
560 SERIES		
91-90	560SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	560SEC - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
89	560SEL - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	560SEC - 46.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	560SL - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-86	8 Cyl. 5.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
600 SERIES		
93	600SL; w/o Rear AC - 33.50 Oz. R-134a; 5.00 Oz. PAG-46	59007
	600SEC; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	600SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	600SEC; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	600SEL; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

MERCEDES-BENZ

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
600 SERIES (Cont'd)		
92	600SEL; w/o Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	600SEL; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
B CLASS		
16	B250e; Electric - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59889
	4 Cyl. 2.0 Eng. B250 - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
B200		
11	4 Cyl. 2.0 Eng. - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59889
C CLASS		
17	4 Cyl. 2.0 Eng. C300 - 20.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng. C350e; Gas/Electric - 24.00 Oz. R-134a; 4.20 Oz. PAG-46	59889
	6 Cyl. 3.0 Eng. C43 AMG - 20.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.0 Eng. C63 AMG - 20.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.0 Eng. C63 S AMG - 20.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
16	4 Cyl. 2.0 Eng. C300 - 2.80 Oz. PAG-46; 20.80 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. C350e; Gas/Electric - 24.00 Oz. R-134a; 4.20 Oz. PAG	59889
	6 Cyl. 3.0 Eng. C450 AMG - 21.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.0 Eng. C63 AMG - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
	8 Cyl. 4.0 Eng. C63 S AMG - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
14	4 Cyl. 1.8 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
13	4 Cyl. 1.8 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
12	4 Cyl. 1.8 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 2.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
11	6 Cyl. 2.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
10	6 Cyl. 2.5 Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
09	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
08	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 27.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07	6 Cyl. 2.5 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
06	6 Cyl. 2.5 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
05	4 Cyl. 1.8 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 2.6 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
04	4 Cyl. 1.8 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 2.6 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 30.00 Oz. R-134a; 5.20 Oz. PAG-46	59007
03-01	All Eng. - 4.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
00-94	All Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CL CLASS		
14	12 Cyl. 5.5 Eng. - 29.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng. - 3.70 Oz. PAG-46; 37.60 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 3.70 Oz. PAG-46; 37.60 Oz. R-134a	59007
13	8 Cyl. 5.5 Eng. - 4.00 Oz. PAG-46; 37.60 Oz. R-134a	59007
	12 Cyl. 5.5 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
12	8 Cyl. 4.6 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
11	12 Cyl. 6.0 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
10	12 Cyl. 5.5 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	59007
09-08	8 Cyl. 6.3 Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng. - 27.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	12 Cyl. 6.0 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
07	8 Cyl. 5.5 Eng. - 27.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.3 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
06	8 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	12 Cyl. 6.0 Eng. - 33.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
05-01	8 Cyl. 5.0 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 26.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 33.50 Oz. R-134a; 4.00 Oz. PAG-46	59007
00-98	All Eng.; w/o Rear AC - 39.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 7.00 Oz. PAG-46; 41.50 Oz. R-134a	59007
CLA CLASS		
17-16	4 Cyl. 2.0 Eng. CLA250 - 23.52 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng. CLA45 AMG - 23.52 Oz. R-134a; See Under Hood Decal PAG-46	59007
CLK CLASS		
09-08	6 Cyl. 3.5 Eng. - 27.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
07	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
06	6 Cyl. 3.5 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.0 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
05	6 Cyl. 3.2 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.0 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. - 26.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
04-01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
00-98	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
CLS CLASS		
17-16	6 Cyl. 3.0 Eng. CLS400 - 21.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng. CLS550 - 21.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. CLS63 AMG - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
14	8 Cyl. 4.6 Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
13	8 Cyl. 4.6 Eng. - See Under Hood Decal PAG-46	59007
	8 Cyl. 4.7 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
12	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
11-10	8 Cyl. 5.5 Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	59007

Continued on Next Page

MERCEDES-BENZ

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CLS CLASS (Cont'd)		
11-10	8 Cyl. 6.3 Eng. - 34.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
09-07	8 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
06	8 Cyl. 5.0 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
E CLASS		
17	4 Cyl. 2.0 Eng. E300 - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. E400 - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. E43 AMG - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng. E550 - 21.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
16	4 Cyl. 2.1 Eng. E250; Diesel - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. E400 - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. E350 - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. E550 - 4.00 Oz. PAG-46; 21.60 Oz. R-134a	59007
14	6 Cyl. 3.5 Eng. - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	59007
13	4 Cyl. 1.8 Eng. - 4.00 Oz. PAG-46; 22.40 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
12	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
10	6 Cyl. 3.0 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
09	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
08	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
06	6 Cyl. 3.2 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.0 Eng. - 34.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
05-01	All Eng. - 35.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
00-96	All Eng. - 33.50 Oz. R-134a; 8.50 Oz. PAG-46	59007
95-94	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
G CLASS		
17	8 Cyl. 4.0 Eng. G550 - 36.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. G63 AMG - 36.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.0 Eng. G65 AMG - 36.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
16	8 Cyl. 4.0 Eng. G550 - 36.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. G63 AMG - 4.70 Oz. PAG-46; 36.80 Oz. R-134a	59007
	8 Cyl. 6.0 Eng. G65 AMG - 36.80 Oz. R-134a; See Under Hood Decal PAG-46	59007
14	8 Cyl. 5.5 Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-46	59007
13	12 Cyl. 6.0 Eng. - 36.80 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. From 1/1/13 - 31.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. To 12/31/13 - 35.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
12	8 Cyl. 5.5 Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	59007

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
G CLASS (Cont'd)		
11	8 Cyl. 5.4 Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
10	8 Cyl. 5.4 Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 35.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
09	8 Cyl. 5.5 Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
08	8 Cyl. 5.0 Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 37.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
07	8 Cyl. 5.0 Eng. - 37.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. - 37.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
06-03	8 Cyl. 5.0 Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
02	8 Cyl. 5.0 Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
GL CLASS		
17-16	4 Cyl. 2.0 Eng. GLA250 - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng. GLA45 AMG - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
15	4 Cyl. 2.0 Eng. GLA45 AMG - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
14	6 Cyl. 3.0 Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
13	8 Cyl. 4.6 Eng.; w/ Rear AC - 46.00 Oz. R-134a; 5.40 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng. - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 37.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
12	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
10-08	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
07	6 Cyl. 3.0 Eng. - 43.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 4.6 Eng. - 43.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
GLC CLASS		
17-16	4 Cyl. 2.0 Eng. GLC300 - 22.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
GLE CLASS		
17	6 Cyl. 3.5 Eng. GLE350 - 37.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
16	4 Cyl. 2.1 Eng. GLE300d; Diesel - 37.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.0 Eng. GLE400 - 37.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. GLE450 AMG - 37.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. GLE350 - 37.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. GLE63 AMG - 37.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. GLE63 S AMG - 37.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
GLK CLASS		
14	6 Cyl. 3.5 Eng. - 43.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
13-10	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
Metris		
17-16	4 Cyl. 2.0 Eng. - 21.28 Oz. R-134a; See Under Hood Decal PAG-46	59007
ML CLASS		
14	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
13-12	6 Cyl. 3.0 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 46.00 Oz. R-134a; 5.40 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng. - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 46.00 Oz. R-134a; 5.40 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007

Continued on Next Page

MERCEDES-BENZ

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ML CLASS (Cont'd)		
11	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
10	8 Cyl. 5.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 6.3 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 6.3 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 6.3 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
09-08	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
07	8 Cyl. 6.3 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
06	8 Cyl. 6.3 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
05-01	8 Cyl. 5.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
00-98	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
	All Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
R CLASS		
13	6 Cyl. 3.0 Eng. - 27.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
12	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
11-08	6 Cyl. 3.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 34.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 43.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
07	6 Cyl. 3.0 Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng. - 43.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
06	6 Cyl. 3.5 Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	59007
S CLASS		
17-16	6 Cyl. 3.0 Eng. S550e; Gas/Electric - 25.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.0 Eng. S600 - 4.00 Oz. PAG-46; 23.36 Oz. R-134a	59007
14	12 Cyl. 5.5 Eng. - 34.00 Oz. R-134a; 5.91 Oz. PAG-46	59007
13	12 Cyl. 5.5 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng.; w/ Rear AC - w/ Armored Body	59007
	12 Cyl. 6.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng.; w/ Rear AC - w/ Armored Body	59007
	6 Cyl. 3.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - w/ Armored Body	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU17C - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - w/ Armored Body	59007
	8 Cyl. 6.2 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12	12 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a
12 Cyl. 5.5 Eng.; w/o Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46		59007
12 Cyl. 6.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a		59007
12 Cyl. 6.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46		59007

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
S CLASS (Cont'd)		
12	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - w/ Armored Body	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/ Rear AC - w/ Armored Body	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU17C - 33.00 Oz. R-134a; 4.74 Oz. PAG-46	59007
11	8 Cyl. 6.2 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 5.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng.; w/ Rear AC - w/ Armored Body	59007
	12 Cyl. 6.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
10	6 Cyl. 3.5 Eng.; w/ Rear AC - w/ Armored Body	59007
	8 Cyl. 4.6 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 5.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - w/ Armored Body	59007
	8 Cyl. 4.6 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
09	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 6.2 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 6.3 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 6.3 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/ Rear AC - w/ Armored Body	59007
	12 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 5.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
08	12 Cyl. 6.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 4.6 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 6.3 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
07	8 Cyl. 4.6 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/o Rear AC - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
06	8 Cyl. 6.3 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 5.5 Eng. - 3.72-5.41 Oz. PAG-46; 41.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng. - 3.72-5.41 Oz. PAG-46; 41.00 Oz. R-134a	59007
	8 Cyl. 5.5 Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
05	12 Cyl. 5.5 Eng. - 37.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng. - 3.72-5.41 Oz. PAG-46; 37.00 Oz. R-134a	59007
	6 Cyl. 3.7 Eng. - 37.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
	8 Cyl. 4.3 Eng. - 37.00 Oz. R-134a; 5.41 Oz. PAG-46	59007
04-01	8 Cyl. 5.0 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
00-94	All Eng.; w/o Rear AC - 33.50 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 6.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 33.50 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 6.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 39.00 Oz. R-134a; 8.00 Oz. PAG-46	59007

Continued on Next Page

MERCEDES-BENZ

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	S CLASS (Cont'd)	
00-94	All Eng.; w/ Rear AC - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	SL CLASS	
17-16	8 Cyl. 4.6 Eng. SL550 - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. SL63 AMG - 22.08 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.0 Eng. SL65 AMG - 22.08 Oz. R-134a; See Under Hood Decal PAG-46	59007
14	12 Cyl. 6.0 Eng. - 8.50 Oz. PAG-46; 41.50 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 22.08 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng. - 20.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	12 Cyl. 6.0 Eng. - 3.72 Oz. PAG-46; 38.00 Oz. R-134a	59007
	12 Cyl. 6.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 3.72 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng.; w/ Rear AC - w/ Armored Body	59007
	8 Cyl. 4.6 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 4.7 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
12	12 Cyl. 5.5 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU17C - 33.00 Oz. R-134a; 4.74 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/ 7SEU17C - 33.00 Oz. R-134a; 4.74 Oz. PAG-46	59007
11	12 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU17C - 33.00 Oz. R-134a; 4.74 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/ 7SEU17C - 33.00 Oz. R-134a; 4.74 Oz. PAG-46	59007
10	12 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
09	12 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng.; w/ 7SEU17C - 33.00 Oz. R-134a; 4.74 Oz. PAG-46	59007
	8 Cyl. 6.3 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
08	12 Cyl. 5.5 Eng. - 33.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	12 Cyl. 6.0 Eng.; w/ 7SEU16C - 33.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng.; w/ 7SEU17C - 33.00 Oz. R-134a; 4.74 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 3.72 Oz. PAG-46; 33.00 Oz. R-134a	59007
07	12 Cyl. 5.5 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
06	12 Cyl. 5.5 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	12 Cyl. 6.0 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	8 Cyl. 5.0 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 32.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
05-01	All Eng. - 29.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
00-94	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	SLK CLASS	
14	4 Cyl. 1.8 Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	59007
	8 Cyl. 5.5 Eng. - 4.00 Oz. PAG-46; 20.80 Oz. R-134a	59007
13	4 Cyl. 1.8 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 20.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
12	4 Cyl. 1.8 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 23.20 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng.; OE:w/o Code 809 - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; OE:w/ Code 809 - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 23.20 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 5.4 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
10	6 Cyl. 3.0 Eng.; OE:w/o Code 809 - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; OE:w/ Code 809 - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 23.20 Oz. R-134a; 4.00 Oz. PAG-46	59007

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SLK CLASS (Cont'd)		
10	8 Cyl. 5.4 Eng. - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
09-08	6 Cyl. 3.0 Eng.; OE:w/o Code 809 - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; OE:w/ Code 809 - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; OE:w/o Code 809 - 19.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; OE:w/ Code 809 - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
07	8 Cyl. 5.5 Eng. - 23.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
06	8 Cyl. 5.5 Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 24.00 Oz. R-134a; 4.05 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
05	8 Cyl. 5.5 Eng. - 24.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 24.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
	8 Cyl. 5.5 Eng. - 24.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
04-01	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
00-98	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
SLS CLASS		
13	8 Cyl. 6.2 Eng. - 28.16 Oz. R-134a; See Under Hood Decal PAG-46	59007
	8 Cyl. 6.3 Eng. - See Under Hood Decal PAG-46	59007
12	8 Cyl. 6.3 Eng. - See Under Hood Decal PAG-46	59007
11	8 Cyl. 6.2 Eng. - See Under Hood Decal	59007
SPRINTER		
17-16	4 Cyl. 2.1 Eng. Sprinter 2500; Diesel - See Under Hood Decal	59007
	4 Cyl. 2.1 Eng. Sprinter 3500; Diesel - See Under Hood Decal	59007
	6 Cyl. 3.0 Eng. Sprinter 2500; Diesel - See Under Hood Decal	59007
	6 Cyl. 3.0 Eng. Sprinter 3500; Diesel - See Under Hood Decal	59007
15	4 Cyl. 2.1 Eng. Sprinter 2500; Diesel - See Under Hood Decal	59007
	4 Cyl. 2.1 Eng. Sprinter 3500; Diesel - See Under Hood Decal	59007
14	4 Cyl. 2.1 Eng.; Diesel - See Under Hood Decal	59007
	6 Cyl. 3.0 Eng.; Diesel - 35.00 Oz. R-134a; 6.40 Oz. PAG-46	59007
13-10	6 Cyl. 3.0 Eng.; Code HH9 - 28.00 Oz. R-134a; 6.40 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; Code H08 - 35.00 Oz. R-134a; 6.40 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Option Code HH7 - 42.00 Oz. R-134a; 6.40 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Option Code HK4 - 5.40 Oz. PAG-46; 63.00 Oz. R-134a	59007

MERCURY

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CAPRI		
94	All Eng. - 10.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
93-91	All Eng. - 25.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
86-83	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
COLONY PARK		
91-85	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
COMET		
77-71	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
COUGAR		
02-00	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
99	All Eng. - 26.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
97-95	All Eng. - 36.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
94	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
93-89	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
88-87	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
86	All Eng. To 1/86 - 40.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng. From 1/86 - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
85-83	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

MERCURY

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
COUGAR (Cont'd)		
85-83	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78-77	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
76-74	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-71	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
70	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
GRAND MARQUIS		
11-09	8 Cyl. 4.6 Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
08-06	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05-97	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	59007
96-95	All Eng. - 7.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
94	All Eng. - 7.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
93	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	8 Cyl. 4.6 Eng. - 36.00 Oz. R-134a; 7.00 Oz. Mineral	59007
92	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
91-89	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88	All Eng. - 52.00 Oz. R-12; 13.00 Oz. Mineral	59000 ⁷⁰
87	All Eng. To 9/86 - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	All Eng. From 9/86 - 52.00 Oz. R-12; 13.00 Oz. Mineral	59000 ⁷⁰
86	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
85	All Eng. - 52.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
84-83	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
81	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80-79	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
78	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
77-75	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LN7		
83-82	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LYNX		
87-86	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-81	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
04-03	MARAUDER All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	59007
11	MARINER 4 Cyl. 2.5 Eng.; Electric/Gas - 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil 4 Cyl. 2.5 Eng.; Excl. Hybrid - 5.00 Oz. PAG-46; 25.00 Oz. R-134a 6 Cyl. 3.0 Eng. - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59889 59007 59007
10	All Eng.; Excl. Hybrid - 5.00 Oz. PAG-46; 25.00 Oz. R-134a 4 Cyl. 2.5 Eng.; Electric/Gas - 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil 4 Cyl. 2.5 Eng.; Excl. Hybrid - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59007 59889 59007
09-08	All Eng.; Electric/Gas - 32.00 Oz. R-134a; 4.40 Oz. Hybrid Oil All Eng.; Excl. Hybrid - 5.00 Oz. PAG-46; 25.00 Oz. R-134a	59889 59007
07-06	4 Cyl. 2.3 Eng.; Excl. Hybrid - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007 59007
05	4 Cyl. 2.3 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46 6 Cyl. 3.0 Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007 59007
84-83	MARQUIS 6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰
81	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰ 59000 ⁷⁰
80-79	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰
78	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰ 59000 ⁷⁰
77-75	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰
11-10	MILAN 4 Cyl. 2.5 Eng.; Electric/Gas - 22.00 Oz. R-134a; 4.40 Oz. Hybrid Oil 6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59889 59007
09	4 Cyl. 2.3 Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46 6 Cyl. 3.0 Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007 59007
08-06	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
80	MONARCH 6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰ 59000 ⁷⁰
79-78	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰
75	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰
07-05	MONTEGO All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.00 Oz. PAG-46 All Eng.; w/ Rear AC - 9.00 Oz. PAG-46; 38.00 Oz. R-134a	59007 59007
76-75	8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰
74	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰ 59000 ⁷⁰
73-71	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil 8 Cyl. 5.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰ 59000 ⁷⁰
07-04	MONTEREY All Eng.; w/ Rear AC - 12.00 Oz. PAG-46; 53.00 Oz. R-134a All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 10.00 Oz. PAG-46	59007 59007
10	MOUNTAINEER 6 Cyl. 4.0 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 47.00 Oz. R-134a 6 Cyl. 4.0 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 9.00 Oz. PAG-46 8 Cyl. 4.6 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 47.00 Oz. R-134a	59007 59007 59007
09	8 Cyl. 4.6 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 9.00 Oz. PAG-46 6 Cyl. 4.0 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 47.00 Oz. R-134a 6 Cyl. 4.0 Eng.; w/o Rear AC - 31.00 Oz. R-134a; 9.00 Oz. PAG-46 8 Cyl. 4.6 Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 44.00 Oz. R-134a	59007 59007 59007 59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

MERCURY

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
MOUNTAINEER (Cont'd)		
09	8 Cyl. 4.6 Eng.; w/o Rear AC - 27.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
08-06	All Eng.; w/ Rear AC - 16.00 Oz. PAG-46; 47.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 31.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
05-02	All Eng.; w/ Rear AC - 56.00 Oz. R-134a; 13.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 9.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
01-98	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
97	All Eng. - 9.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
MYSTIQUE		
00-95	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
SABLE		
09-08	All Eng.; w/ Front AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 36.00 Oz. R-134a; 9.50 Oz. PAG-46	59007
05-96	All Eng. - 34.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
95-94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
92	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
91	All Eng. - 40.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
90-89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88-86	All Eng. - 44.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
TOPAZ		
94	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
92-89	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
88-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
86-85	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TRACER		
99	All Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
98	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
97	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
96-94	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - 34.00 Oz. R-12; 7.75 Oz. Mineral	59000 ⁷⁰
92-91	All Eng. - 34.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
90-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral	59000 ⁷⁰
88	All Eng. - 31.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
87	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VILLAGER		
02-00	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 11.00 Oz. PAG-100	59002
99	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 10.00 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 11.00 Oz. PAG-100	59002
98	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 10.00 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 10.00 Oz. PAG-100	59002
97-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 10.00 Oz. PAG-100	59002
93	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Rear AC - 56.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
ZEPHYR		
82-80	8 Cyl. 4.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79-78	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	SCORPIO	
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	XR4TI	
89	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰

MINI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	COOPER	
15-14	4 Cyl. 1.5 Eng. - 17.26 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	4 Cyl. 1.6 Eng. - 17.26 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	4 Cyl. 2.0 Eng. - 17.26 Oz. R-134a; See Under Hood Decal PAG Oil	59007

MITSUBISHI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	3000GT	
99-94	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
93	All Eng. From 10/92 - 29.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. To 9/92 - 34.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 34.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
	CORDIA	
88-84	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	DIAMANTE	
04-00	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
99-97	All Eng. - 24.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
96	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
95-94	Sedan - 28.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
	Wagon - 28.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
93	Wagon - 28.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
	Sedan - 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	ECLIPSE	
12-09	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 20.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
08-06	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
05-00	All Eng. - 5.50 Oz. PAG-46; 15.00 Oz. R-134a	59007
99-95	All Eng. - 26.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
94-90	All Eng. - 33.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
	ENDEAVOR	
11-10	6 Cyl. 3.8 Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
08-04	All Eng. - 21.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
	EXPO	
95-94	All Eng. - 27.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
93-92	All Eng. - 30.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
	EXPO LRV	
94	4 Cyl. 2.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	GALANT	
12-10	4 Cyl. 2.4 Eng. - 4.70 Oz. PAG-46; 22.00 Oz. R-134a	59007
09	4 Cyl. 2.4 Eng. - 4.70 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 3.8 Eng. - 4.70 Oz. PAG-46; 22.00 Oz. R-134a	59007
08-06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
05-00	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
99-97	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
96-94	All Eng. - 24.00 Oz. R-134a; 8.75 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

MITSUBISHI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
GALANT (Cont'd)		
93-89	All Eng. - 33.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
87-85	4 Cyl. 2.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LANCER		
17-14	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 18.40 Oz. R-134a	59007
13-09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
08	All Eng. - 4.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
07-03	All Eng. - 18.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
02	All Eng. - 18.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
MIGHTY MAX		
96-94	All Eng. - 28.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
93-90	All Eng. - 30.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
89-86	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MIRAGE		
18-17	4 Cyl. 1.2 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 1.2 Eng. Mirage G4 - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
15-14	4 Cyl. 1.2 Eng. - 18.40 Oz. R-134a; 2.00 Oz. PAG-46	59007
02	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
01-97	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
96-94	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
93	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
92-89	All Eng. - 36.00 Oz. R-12; 8.06 Oz. Mineral Oil	59000 ⁷⁰
88-85	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MONTERO		
06-02	All Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 27.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 5.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
00-94	All Eng. - 23.00 Oz. R-134a; 5.75 Oz. PAG-46	59007
93-92	All Eng. - 28.00 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MONTERO SPORT		
04-97	All Eng. - 24.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
OUTLANDER		
18-14	4 Cyl. 2.0 Eng. Outlander Sport - 3.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 18.40 Oz. R-134a; 3.80 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. Outlander Sport - 3.00 Oz. PAG-46; 19.20 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - 18.40 Oz. R-134a; 3.80 Oz. PAG-46	59007
13-11	4 Cyl. 2.0 Eng. - See Under Hood Decal PAG-46	59007
	4 Cyl. 2.4 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
10-08	4 Cyl. 2.4 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
07-03	All Eng. - 19.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
PRECIS		
93-90	All Eng. - 30.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 35.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
RAIDER		
09	6 Cyl. 3.7 Eng. - 20.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
08	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
07-06	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
SIGMA		
90	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 32.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
STARION		
89	All Eng. - 29.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
88-85	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TREDIA		
88-85	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VAN		
90-87	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 52.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰

NISSAN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
200 SERIES		
98-95	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a	59007
88-87	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-85	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
240 SERIES		
98-95	All Eng. - 8.50 Oz. PAG-46; 25.00 Oz. R-134a	59007
94	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93-91	All Eng. - 32.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
300 SERIES		
96-94	All Eng. - 23.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
93-91	All Eng. - 30.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. - 34.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
86-85	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
350Z		
09	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
08-07	All Eng. - 19.50 Oz. R-134a; 5.00 Oz. PAG-100	59002
06-03	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
370Z		
18-14	6 Cyl. 3.7 Eng. - 17.60 Oz. R-134a; 5.00 Oz. PAG-46	59007
13-09	6 Cyl. 3.7 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
720 PICKUP		
86	All Eng. To 6/86 - 38.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 38.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
ALTIMA		
18-15	4 Cyl. 2.5 Eng. - 19.36 Oz. R-134a; 4.30 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 19.36 Oz. R-134a; 4.30 Oz. PAG-46	59007
14	4 Cyl. 2.5 Eng. - 5.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 19.36 Oz. R-134a	59007
13-12	4 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
11-10	4 Cyl. 2.5 Eng.; Electric/Gas - 18.00 Oz. R-134a; 4.20 Oz. Hybrid Oil	59889
	4 Cyl. 2.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
09	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
	All Eng.; Electric/Gas - 18.00 Oz. R-134a; 4.20 Oz. Hybrid Oil	59889
08	4 Cyl. 2.5 Eng.; Electric/Gas - 18.00 Oz. R-134a; 4.20 Oz. Hybrid Oil	59889
	4 Cyl. 2.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
07	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
	All Eng.; Electric/Gas - 18.00 Oz. R-134a; 4.20 Oz. Hybrid Oil	59889
06-02	All Eng.; Excl. Hybrid - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
01	All Eng. - 22.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
00-94	All Eng. - 26.50 Oz. R-134a; 6.75 Oz. PAG-100	59002
93	All Eng. - 26.50 Oz. R-134a; 6.75 Oz. PAG-100	59002
	4 Cyl. 2.4 Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

NISSAN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ARMADA		
15-14	8 Cyl. 5.6 Eng. - 38.08 Oz. R-134a; 9.80 Oz. PAG-46	59007
13-09	8 Cyl. 5.6 Eng. - 38.00 Oz. R-134a; 9.80 Oz. PAG-46	59007
08-05	All Eng. - 38.00 Oz. R-134a; 9.80 Oz. PAG-46	59007
AXXESS		
90	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
CUBE		
14-09	4 Cyl. 1.8 Eng. - 16.00 Oz. R-134a; 4.10 Oz. PAG-100	59002
D21 PICKUP		
94	4 Cyl. 2.4 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
93	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
	4 Cyl. 2.4 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-12	59000 ⁷⁰
92-90	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
89-88	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. From 6/86 - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
FRONTIER		
18-14	4 Cyl. 2.5 Eng. - 24.64 Oz. R-134a; 6.00 Oz. PAG-100	59002
	6 Cyl. 4.0 Eng. - 24.64 Oz. R-134a; 6.00 Oz. PAG-100	59002
13	6 Cyl. 4.0 Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
12-11	4 Cyl. 2.4 Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
	4 Cyl. 2.5 Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
	6 Cyl. 4.0 Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
10-09	4 Cyl. 2.5 Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
	6 Cyl. 4.0 Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
08	All Eng. - 26.50 Oz. R-134a; 6.00 Oz. PAG-100	59002
07-98	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
JUKE		
17-14	4 Cyl. 1.6 Eng. - 14.40 Oz. R-134a; 5.00 Oz. PAG-46	59007
13-11	4 Cyl. 1.6 Eng. - 4.10 Oz. PAG-46; 14.00 Oz. R-134a	59007
LEAF		
18-14	All Eng.; Electric - 15.04 Oz. R-134a; See Under Hood Decal PAG Oil	59889
13	All Eng.; HYBRID; w/o Heat Pump - 15.04 Oz. R-134a; See Under Hood Decal PAG Oil	59889
12-11	All Eng.; HYBRID - 15.04 Oz. R-134a; See Under Hood Decal PAG Oil	59889
MAXIMA		
18-16	6 Cyl. 3.5 Eng. - 19.36 Oz. R-134a; See Under Hood Decal PAG Oil	59007
14	6 Cyl. 3.5 Eng. - 19.36 Oz. R-134a; 5.30 Oz. PAG-46	59007
13-09	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
08-04	All Eng. - 19.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
03-02	All Eng. - 18.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
01-97	All Eng. - 23.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
96	All Eng. - 8.50 Oz. PAG-46; 25.00 Oz. R-134a	59007
95	All Eng. - 29.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
94	All Eng. - 33.50 Oz. R-134a; 6.75 Oz. PAG-46	59007
93	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 33.50 Oz. R-134a; 6.75 Oz. PAG-46	59007
92-91	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 38.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
MURANO		
18	6 Cyl. 3.5 Eng. - See Under Hood Decal	59007
17	6 Cyl. 3.5 Eng. - 3.40 Oz. PAG-46; 21.12 Oz. R-134a	59007
16	4 Cyl. 2.5 Eng.; Gas/Electric - 3.40 Oz. PAG-46; 21.12 Oz. R-134a	59889
	6 Cyl. 3.5 Eng. - 3.40 Oz. PAG-46; 21.12 Oz. R-134a	59007
15	6 Cyl. 3.5 Eng. - 3.40 Oz. PAG-46; 21.12 Oz. R-134a	59007
14	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 21.12 Oz. R-134a	59007
13-11	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
10	All Eng. - 21.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
09	All Eng. - 19.00 Oz. R-134a; 5.25 Oz. PAG-46	59007
08	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; 5.25 Oz. PAG-46	59007
07-03	All Eng. - 19.00 Oz. R-134a; 5.25 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
NV VAN		
18-16	4 Cyl. 2.0 Eng. NV200 - 16.00 Oz. R-134a; See Under Hood Decal PAG Oil	59007
15-14	4 Cyl. 2.0 Eng. NV200 - 5.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
13	6 Cyl. 4.0 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 7.80 Oz. PAG-46	59007
	8 Cyl. 5.6 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.6 Eng.; w/ Rear AC - 42.00 Oz. R-134a; 7.80 Oz. PAG-46	59007
12	6 Cyl. 4.0 Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 5.6 Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
PATHFINDER		
17-16	6 Cyl. 3.5 Eng. - 29.92 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	6 Cyl. 3.5 Eng. - 30.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
12-09	6 Cyl. 4.0 Eng.; w/ Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng.; w/o Rear AC - 6.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	8 Cyl. 5.6 Eng.; w/ Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	8 Cyl. 5.6 Eng.; w/o Rear AC - 6.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
08	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 6.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
07-06	All Eng.; w/o Rear AC - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
05-02	All Eng. - 6.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
01-96	All Eng. - 23.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
95-94	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
	6 Cyl. 3.0 Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
92-89	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PICKUP		
97-94	All Eng. - 30.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
PULSAR NX / NX		
93-91	All Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
89-88	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87	All Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
86-85	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
QUEST		
17-16	6 Cyl. 3.5 Eng. - 31.68 Oz. R-134a; See Under Hood Decal PAG-46	59007
15-14	6 Cyl. 3.5 Eng. - 8.50 Oz. PAG-46; 31.68 Oz. R-134a	59007
13-11	6 Cyl. 3.5 Eng. - 32.00 Oz. R-134a; 8.80 Oz. PAG-46	59007
09	6 Cyl. 3.5 Eng. - 32.00 Oz. R-134a; 7.44 Oz. PAG-46	59007
08	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-46	59007
07-06	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
05	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
04	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
02-01	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 54.00 Oz. R-134a; 11.00 Oz. PAG-100	59002
00-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 52.00 Oz. R-134a; 11.00 Oz. PAG-100	59002
93	All Eng.; w/o Rear AC - 36.00 Oz. R-12; 7.00 Oz. Mineral	59000 ⁷⁰
	All Eng.; w/ Front & Rear AC - 56.00 Oz. R-12; 10.00 Oz. Mineral	59000 ⁷⁰
ROGUE		
18-17	4 Cyl. 2.0 Eng. ROGUE Sport - 17.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	4 Cyl. 2.0 Eng.; Gas/Electric - 17.60 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	4 Cyl. 2.5 Eng. - 17.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
14	4 Cyl. 2.5 Eng. - 17.60 Oz. R-134a; 3.70 Oz. PAG-46	59007
13-09	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
08	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
SENTRA		
18-16	4 Cyl. 1.6 Eng. - 17.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 1.8 Eng. - 17.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
15-14	4 Cyl. 1.8 Eng. - 17.60 Oz. R-134a; 3.00 Oz. PAG-46	59007
13	4 Cyl. 1.8 Eng. - 5.00 Oz. PAG-46; 16.00 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

NISSAN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SENTRA (Cont'd)		
12-09	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
08-07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06-00	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
99-94	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93-91	All Eng. - 26.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 33.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 35.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 35.00 Oz. R-12; 5.10 Oz. Mineral Oil	59000 ⁷⁰
STANZA		
92-91	All Eng. - 30.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. - 32.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 38.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
87	Wagon - 38.50 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	Sedan / Coupe - 38.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
86-85	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TITAN		
18-16	8 Cyl. 5.0 Eng.; Diesel - 24.96 Oz. R-134a; 5.10 Oz. PAG-46	59007
15-14	8 Cyl. 5.6 Eng. - 7.00 Oz. PAG-46; 24.96 Oz. R-134a	59007
13-09	8 Cyl. 5.6 Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
08-04	All Eng. - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
TSURU		
08-07	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
06-00	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
99-95	All Eng. - 25.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
VERSA		
18-14	4 Cyl. 1.6 Eng. - 4.10 Oz. PAG-46; 14.08 Oz. R-134a	59007
13	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-100	59002
12-11	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 1.6 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-100	59002
	4 Cyl. 1.8 Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-100	59002
10-07	All Eng. - 18.00 Oz. R-134a; 3.40 Oz. PAG-46	59007
	All Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-100	59002
XTERRA		
15-14	6 Cyl. 4.0 Eng. - 6.00 Oz. PAG-46; 24.64 Oz. R-134a	59007
13-09	6 Cyl. 4.0 Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
08-07	All Eng. - 6.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
06-00	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
X-TRAIL		
14	4 Cyl. 2.5 Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	59002

OLDSMOBILE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
98 / 98 REGENCY		
98-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-91	All Eng. - 29.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-85	All Eng. - 46.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-72	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
98 / 98 REGENCY (Cont'd)		
71-68	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67-65	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
64-63	8 Cyl. 6.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ACHIEVA		
98-95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-92	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
ALERO		
04-02	All Eng. - 9.00 Oz. PAG-46; 22.00 Oz. R-134a	59003
01-99	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
AURORA		
03	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
02-01	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
99-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
BRAVADA		
04-02	All Eng.; w/o Rear AC - 29.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
01-99	All Eng. - w/ Denso Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 31.00 Oz. R-134a; 8.50 Oz. PAG-150	59003
98-96	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	6 Cyl. 4.3 Eng. - 40.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - 37.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
CALAIS / CUTLASS CALAIS		
91	All Eng.	59000 ⁷⁰
90-87	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 36.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CIERA / CUTLASS CIERA		
96-94	4 Cyl. 2.2 Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
	6 Cyl. 3.1 Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
93-92	All Eng. - 38.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
91-85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
CUTLASS / CUTLASS SUPREME		
99-98	All Eng. - 28.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96-94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-92	All Eng. - 36.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 56.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 52.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-72	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
71-70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CUTLASS CRUISER		
94	6 Cyl. 3.1 Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG 150	59003
90	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
89	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

OLDSMOBILE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CUTLASS CRUISER (Cont'd)		
88-87	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
DELTA 88 CUSTOM CRUISER / CUSTOM CRUISER		
92-91	All Eng. - 49.50 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 56.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
DELTA 88 SEDAN		
99-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-92	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91-90	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 46.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 53.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 46.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-68	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
66-65	8 Cyl. 5.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
FIRENZA		
88	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-85	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84-83	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
INTRIGUE		
02-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
LSS		
99-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
OMEGA		
84-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
74	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SILHOUETTE		
04-01	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
00-98	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
97	6 Cyl. 3.4 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	6 Cyl. 3.4 Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
96	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
95-94	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	59003
93	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 56.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 42.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 56.00 Oz. R-134a	59003

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
SILHOUETTE (Cont'd)		
93	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 42.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	6 Cyl. 3.1 Eng. - w/ R-12; w/ OE Harrison Compressor	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - w/ R-12; w/ OE Harrison Compressor	59000 ⁷⁰
92	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 67.00 Oz. R-12; 11.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng.; w/o Rear AC - 51.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
TORONADO		
92-89	All Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	6 Cyl. 3.8 Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	8 Cyl. 5.0 Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - 38.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
72-71	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

PEUGEOT

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
91-89	405 All Eng. - 53.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
91-89	505 All Eng. - 35.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰

PLYMOUTH

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ACCLAIM		
95-94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
BREEZE		
00	All Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
99	All Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
98	All Eng. - 26.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
97-96	All Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
CARAVELLE		
88-86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
COLT		
94	4 Cyl. 1.5 Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 1.8 Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 28.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
93	4 Cyl. 1.5 Eng. - 28.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - 28.00 Oz. R-12; Mineral See Under Hood Decal; Mineral Oil	59000 ⁷⁰
92	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
91	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
90-89	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

PLYMOUTH

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
COLT (Cont'd)		
86-85	4 Cyl. 1.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CONQUEST		
86-85	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
GRAN FURY		
89-84	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-81	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
80	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
HORIZON		
90-89	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 34.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
86-84	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
83-81	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
79-78	4 Cyl. 1.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LASER		
94	All Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
NEON		
01-00	All Eng. - 27.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
99	All Eng. - 28.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
98-97	All Eng. - 6.75 Oz. PAG-46; 25.00 Oz. R-134a	59007
96-95	All Eng. - 29.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
PROWLER		
01	6 Cyl. 3.5 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
00	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
99-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
RELIANT		
89	4 Cyl. 2.2 Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.5 Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
88-86	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 37.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
84-81	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SAPPORO		
83-81	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SUNDANCE		
94	4 Cyl. 2.2 Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
	4 Cyl. 2.5 Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng. - 26.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
93-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
90-89	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
88-87	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	All Eng. - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
TRAILDUSTER		
81	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TURISMO		
85-83	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VOLARE		
80	6 Cyl. 3.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.9 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VOYAGER / GRAND VOYAGER		
00	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
99-96	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 7.50 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
VOYAGER / GRAND VOYAGER (Cont'd)		
99-96	All Eng.; w/o Rear AC - 5.00 Oz. PAG-46; 34.00 Oz. R-134a	59007
95-94	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 7.40 Oz. PAG-46	59007
93	All Eng.; w/o Rear AC - 36.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 50.00 Oz. R-134a; 7.40 Oz. PAG-46	59007 ⁷⁰
	4 Cyl. 2.5 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - w/ R-12	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - w/ R-12	59000 ⁷⁰
92	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 44.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
91-90	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 32.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
89	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/ Rear AC - 13.00 Oz. Mineral Oil; 43.00 Oz. R-12; w/ Variable Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.25 Oz. Mineral Oil; w/ Fixed Displacement Compressor	59000 ⁷⁰
	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 8.75 Oz. Mineral Oil; w/ Variable Displacement Compressor	59000 ⁷⁰
88	All Eng.; w/o Rear AC - 44.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng.; w/o Rear AC - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.2 Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - 38.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
6000		
91-88	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	STE - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	Excl. STE - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
AZTEK		
05-01	All Eng. - 27.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
BONNEVILLE		
05-02	All Eng. - 35.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
01-98	All Eng. - 32.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97-96	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 39.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93-91	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 38.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	All Eng. - 53.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
86	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85-84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-70	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

PONTIAC

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
CATALINA		
73-70	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
FIERO		
88-86	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.5 Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
FIREBIRD		
02-98	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97	6 Cyl. 3.8 Eng. - w/ Denso Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - w/ OE Harrison Compressor; 26.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	8 Cyl. 5.7 Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96	6 Cyl. 3.8 Eng. - w/ Denso Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - w/ OE Harrison Compressor; 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	8 Cyl. 5.7 Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95-94	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - w/ Denso Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng. - w/ OE Harrison Compressor; 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	6 Cyl. 3.4 Eng. - w/ R-12; w/ OE Harrison Compressor	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - w/ R-12; w/ OE Harrison Compressor	59000 ⁷⁰
92-89	All Eng. - 36.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86	All Eng. - 48.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85-83	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-71	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
70-68	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
67	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
G3		
10	4 Cyl. 1.6 Eng. - 18.08 Oz. R-134a; 6.80 Oz. PAG-46	59007
09	4 Cyl. 1.6 Eng. - 17.00 Oz. R-134a; 6.80 Oz. PAG-46	59007
G5		
10-07	All Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
G6		
10	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
09	4 Cyl. 2.4 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.9 Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
08-05	All Eng. - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
G8		
09	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	8 Cyl. 6.2 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
08	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
G8 (Cont'd)		
08	8 Cyl. 6.0 Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
GRAND AM		
05-02	4 Cyl. 2.2 Eng. - 35.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
01-99	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
98-95	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
94	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
93	All Eng. - 42.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 42.50 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
91-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 2.5 Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
GRAND PRIX		
08-06	6 Cyl. 3.8 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
05	6 Cyl. 3.8 Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	8 Cyl. 5.3 Eng. - 19.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
04	All Eng. - 8.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
03-98	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
97	All Eng. - 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
96-95	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
94	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	6 Cyl. 3.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
93-92	All Eng. - 36.00 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
91-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87-86	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 4.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	6 Cyl. 3.8 Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
73-72	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
71-70	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
GTO		
06-04	All Eng. - 29.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
J2000		
84-83	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
82	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LEMANS		
93-88	All Eng. - 35.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
73-70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69-68	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MONTANA		
08-01	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
00-99	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150	59003

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

PONTIAC

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
PARISIENNE		
86-85	All Eng. - 60.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PHOENIX		
84-82	4 Cyl. 2.5 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SAFARI		
89-87	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SOLSTICE		
09	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
08	All Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
07-06	All Eng. - 26.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
SUNBIRD		
94	All Eng. - 36.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
93-88	All Eng. - 36.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
86	4 Cyl. 1.8 Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.8 Eng. - 44.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
SUNFIRE		
05-03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
02	4 Cyl. 2.2 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
	4 Cyl. 2.4 Eng. - 21.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
01-95	All Eng. - 24.00 Oz. R-134a; 9.00 Oz. PAG-150	59003
TEMPEST		
70	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
69	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
68	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 6.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 7.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
TORRENT		
09	6 Cyl. 3.4 Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
08-06	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
TRANS SPORT		
98-97	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
	All Eng.; w/ Rear AC - 46.00 Oz. R-134a; 11.00 Oz. PAG-150	59003
96	6 Cyl. 3.4 Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	59003
	6 Cyl. 3.4 Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
95	All Eng.; w/ Rear AC - w/ Denso Compressor; 11.00 Oz. PAG-46; 48.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - w/ Denso Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - w/ OE Harrison Compressor; 11.00 Oz. PAG-150; 48.00 Oz. R-134a	59003
	All Eng.; w/o Rear AC - w/ OE Harrison Compressor; 36.00 Oz. R-134a; 8.00 Oz. PAG-150	59003
94	6 Cyl. 3.1 Eng.; Front - 36.00 Oz. R-134a	59003
	6 Cyl. 3.1 Eng.; Front & Rear - 48.00 Oz. R-134a	59007
	6 Cyl. 3.8 Eng. - See Under Hood Decal PAG-150	59003
	6 Cyl. 3.8 Eng. - See Under Hood Decal PAG-46; w/ Denso Compressor	59007
93-92	6 Cyl. 3.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
91-90	6 Cyl. 3.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
VENTURA		
73-71	6 Cyl. 4.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	8 Cyl. 5.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	VIBE	
10-09	4 Cyl. 1.8 Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
08-04	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
03	All Eng. - 23.00 Oz. R-134a; 4.00 Oz. PAG-46	59007

PORSCHE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	911 SERIES	
16	6 Cyl. 3.4 Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
15-14	6 Cyl. 3.4 Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - 32.00 Oz. R-134a; 5.60 Oz. PAG-46	59007
13	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.8 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
12	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.6 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.8 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
11-08	6 Cyl. 3.6 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.8 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07-05	All Eng.; AWD - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; RWD - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
04-01	All Eng. - 31.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
00-99	All Eng. - 28.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
98-93	All Eng. - 29.50 Oz. R-134a; 4.75 Oz. PAG-46	59007
92-90	All Eng. - 33.00 Oz. R-12; 3.50 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 33.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
85	6 Cyl. 3.2 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	924 SERIES	
88-87	All Eng. - 30.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
78	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	928 SERIES	
95-93	All Eng. - 30.00 Oz. R-134a; 9.00 Oz. PAG-46	59007
91-89	All Eng. - 33.50 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
88-85	8 Cyl. 5.0 Eng. - 33.50 Oz. R-12; 9.00 Oz. Mineral Oil	59000 ⁷⁰
	944 SERIES	
91-89	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
88-85	4 Cyl. 2.5 Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
	968 SERIES	
95-93	All Eng. - 30.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
92	All Eng. - 33.50 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
	BOXSTER	
16	6 Cyl. 2.7 Eng. - See Under Hood Decal; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - See Under Hood Decal; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.8 Eng. - See Under Hood Decal; 5.60 Oz. PAG-46	59007
15	6 Cyl. 2.7 Eng. - See Under Hood Decal; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - See Under Hood Decal; 5.60 Oz. PAG-46	59007
14	6 Cyl. 2.7 Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	59007
13	6 Cyl. 2.7 Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
12-09	6 Cyl. 2.9 Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	6 Cyl. 2.7 Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07-06	All Eng. - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

PORSCHE

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
BOXSTER (Cont'd)		
05-97	All Eng. - 30.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
CAYENNE		
17	6 Cyl. 3.0 Eng.; Gas/Electric - See Under Hood Decal	59889
06	All Eng.; w/ Rear AC - 10.00 Oz. PAG-46; 37.00 Oz. R-134a	59007
	All Eng.; w/o Rear AC - 25.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
05-04	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 12.00 Oz. PAG-46	59007
CAYMAN		
14	6 Cyl. 2.7 Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - 31.20 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - See Under Hood Decal PAG-46	59007
12-09	6 Cyl. 2.9 Eng. - 30.00 Oz. R-134a; 6.10-7.10 Oz. PAG-46	59007
	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08	6 Cyl. 2.7 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07	6 Cyl. 2.7 Eng. - 30.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; 6.60 Oz. PAG-46	59007
06	6 Cyl. 3.4 Eng. - 30.00 Oz. R-134a; 6.60 Oz. PAG-46	59007
MACAN		
15	6 Cyl. 3.0 Eng. - 3.70 Oz. PAG-46; 20.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 3.70 Oz. PAG-46; 20.00 Oz. R-134a	59007
PANAMERA		
17	6 Cyl. 2.9 Eng.; Gas/Electric - See Under Hood Decal	59889
16	6 Cyl. 3.0 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
	6 Cyl. 3.0 Eng.; Gas/Electric - See Under Hood Decal	59889
	6 Cyl. 3.6 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
	8 Cyl. 4.8 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
15	3.0 Eng.; Gas/Electric - See Under Hood Decal	59889
	6 Cyl. 3.0 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
	8 Cyl. 4.8 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
14	6 Cyl. 3.0 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
	6 Cyl. 3.0 Eng.; Gas/Electric - See Under Hood Decal	59889
	6 Cyl. 3.6 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007
	8 Cyl. 4.8 Eng. - 4.70 Oz. PAG-46; 20.48 Oz. R-134a	59007

RENAULT

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ALLIANCE		
87	4 Cyl. 1.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
86-85	4 Cyl. 1.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
ENCORE		
86-85	4 Cyl. 1.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
900 SERIES		
98-97	All Eng. - 25.50 Oz. R-134a; 5.00 Oz. PAG-100	59002
	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-46	59007
96-94	All Eng. - 25.50 Oz. R-134a; 6.75 Oz. PAG-100	59002
93	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.1 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
92-89	All Eng. - 35.00 Oz. R-12; 5.75 Oz. Mineral Oil	59000 ⁷⁰
88-86	4 Cyl. 2.0 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
9000 SERIES		
98	4 Cyl. 2.3 Eng. - 33.00 Oz. R-134a; 6.76 Oz. PAG-100	59002
97-95	4 Cyl. 2.3 Eng. - 33.00 Oz. R-134a; 6.76 Oz. PAG-100	59002
	6 Cyl. 3.0 Eng. - 33.00 Oz. R-134a; 6.76 Oz. PAG-100	59002
94	4 Cyl. 2.3 Eng. - 33.00 Oz. R-134a; 6.76 Oz. PAG-100	59002
93	4 Cyl. 2.3 Eng. - 33.00 Oz. R-134a; 6.76 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng.; w/o Rear AC - 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
91-89	All Eng. - 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
88-86	4 Cyl. 2.0 Eng. - 39.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
9-2		
06	4 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; 4.90 Oz. PAG-100	59002
05	4 Cyl. 2.0 Eng. - 16.00 Oz. R-134a; 4.90 Oz. PAG-100	59002
	4 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; 4.90 Oz. PAG-100	59002
9-3		
11-10	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 4.56 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	6 Cyl. 2.8 Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
08-03	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
02-99	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
9-5		
11	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 24.00 Oz. R-134a; w/ Delphi Compressor; 5.00 Oz. PAG-46	59007
	6 Cyl. 2.8 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	6 Cyl. 2.8 Eng. - 24.00 Oz. R-134a; w/ Delphi Compressor; 5.00 Oz. PAG-46	59007
10	6 Cyl. 2.8 Eng. - 24.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	6 Cyl. 2.8 Eng. - 24.00 Oz. R-134a; w/ Delphi Compressor; 5.00 Oz. PAG-46	59007
09	4 Cyl. 2.3 Eng. - 29.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
08-04	All Eng. - 29.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
03-00	All Eng. - 31.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
99	All Eng. - 29.00 Oz. R-134a; 4.06 Oz. PAG-46	59007
9-7		
09	6 Cyl. 4.2 Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 5.3 Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
	8 Cyl. 6.0 Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
08-05	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007

SATURN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
ASTRA		
09-08	4 Cyl. 1.8 Eng. - 14.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
AURA		
09	4 Cyl. 2.4 Eng.; Electric/Gas - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; Excl. Hybrid - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
08-07	All Eng.; Electric/Gas - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	All Eng.; Excl. Hybrid - 18.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
ION		
07-03	All Eng. - 5.00 Oz. PAG-46; 14.50 Oz. R-134a	59007
L SERIES		
05-01	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100; For OE Equivalent Design Compressor	59002
	All Eng. - For Premium Replacement Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

SATURN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
LS SERIES		
01	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100; For OE Equivalent Design Compressor	59002
	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-46	59007
00	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100; For OE Equivalent Design Compressor	59002
	All Eng. - For Premium Replacement Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-46	59007
LW SERIES		
03-00	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100; For OE Equivalent Design Compressor	59002
	All Eng. - For Premium Replacement Design Compressor; 33.50 Oz. R-134a; 7.50 Oz. PAG-46	59007
OUTLOOK		
10-09	6 Cyl. 3.6 Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
08-07	All Eng. - 37.00 Oz. R-134a; 6.50 Oz. PAG-46	59007
RELAY		
07	All Eng.; w/o Rear AC - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 32.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
06-05	All Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 35.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
SC SERIES		
02-01	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
00	4 Cyl. 1.9 Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
99-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
96-94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93-91	All Eng. - 36.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
SKY		
10	4 Cyl. 2.4 Eng. - See Under Hood Decal PAG-46	59007
09	4 Cyl. 2.0 Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
08-07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
SL SERIES		
02-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
96-94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93-91	All Eng. - 36.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
SW SERIES		
01-97	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
96-94	All Eng. - 24.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
93	All Eng. - 36.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
VUE		
10	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 20.16 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. - See Under Hood Decal PAG-46	59007
09	4 Cyl. 2.4 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
08	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 20.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
07	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/o Rear AC - 27.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; w/ Rear AC - 8.00 Oz. PAG-46; 38.00 Oz. R-134a	59007
06	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	6 Cyl. 3.5 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
05	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	6 Cyl. 3.5 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59002
04	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	6 Cyl. 3.5 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
03-02	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	6 Cyl. 3.0 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	59002

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	FR-S	
14	4 Cyl. 2.0 Eng. - 28.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
	IQ	
14	4 Cyl. 1.3 Eng. - See Under Hood Decal	59007
13	All Eng. - 3.40 Oz. PAG-46; 12.64 Oz. R-134a	59007
	TC	
14	4 Cyl. 2.5 Eng. - 14.00 Oz. R-134a; 3.90 Oz. PAG-46	59007
13-11	4 Cyl. 2.5 Eng. - 15.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
10	4 Cyl. 2.4 Eng. - 15.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
09	4 Cyl. 2.4 Eng. - 17.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-05	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
	XA	
06-04	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
	XB	
14-09	4 Cyl. 2.4 Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
08-04	All Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
	XD	
14	4 Cyl. 1.8 Eng. - 17.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
13-11	4 Cyl. 1.8 Eng. - 14.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
10-08	4 Cyl. 1.8 Eng. - 13.00 Oz. R-134a; See Under Hood Decal PAG-46	59007

SMART

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	FORTWO	
18-16	All Eng.; Electric - 19.20 Oz. R-134a; PAG-100	59889
	3 Cyl. 0.9 Eng. - 19.20 Oz. R-134a; PAG-100	59002
15-14	All Eng.; Electric - 19.20 Oz. R-134a; PAG-100	59889
	3 Cyl. 1.0 Eng. - 19.20 Oz. R-134a; PAG-100	59002
12-11	All Eng. - See Under Hood Decal PAG-100	59002
10-08	3 Cyl. 1.0 Eng. - See Under Hood Decal PAG-100	59002

STERLING

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	827	
91-90	All Eng. - 36.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰

SUBARU

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	BAJA	
06-03	All Eng. - 24.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
	BRAT	
87-86	All Eng. - w/ Hitachi Compressor; 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - w/ Matsushita Compressor; 28.00 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.8 Eng. - 28.00 Oz. R-12; 6.50 Oz. Mineral Oil	59000 ⁷⁰
	CROSSTREK	
16	4 Cyl. 2.0 Eng.; Gas/Electric - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	FORESTER	
18-14	4 Cyl. 2.0 Eng. - 16.16 Oz. R-134a; See Under Hood Decal PAG Oil	59002
	4 Cyl. 2.5 Eng. - 16.16 Oz. R-134a; See Under Hood Decal PAG Oil	59002

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

SUBARU

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
FORESTER (Cont'd)		
13-09	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-100	59002
08	4 Cyl. 2.5 Eng. - 23.00 Oz. R-134a; 3.50 Oz. PAG-100	59002
07-02	All Eng. - 23.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
01-98	All Eng. - 23.00 Oz. R-134a; 5.25 Oz. PAG-100	59002
IMPREZA		
18-14	4 Cyl. 2.0 Eng. - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59002
13-10	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-100	59002
	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-100	59002
09	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-100	59002
08	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 4.90 Oz. PAG-100	59002
07	4 Cyl. 2.5 Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	59002
06-02	All Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	59002
01-97	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
96-94	All Eng. - 24.00 Oz. R-134a; 4.00 Oz. PAG-100	59002
93	All Eng. - 26.50 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
IMPREZA OUTBACK		
11-09	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-100	59002
08	4 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 4.90 Oz. PAG-100	59002
07-02	4 Cyl. 2.5 Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	59002
01	4 Cyl. 2.2 Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	59002
00	All Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	59002
99-97	4 Cyl. 2.2 Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	59002
96	4 Cyl. 2.2 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-100	59002
95	4 Cyl. 1.8 Eng. - 24.00 Oz. R-134a; See Under Hood Decal PAG-150	59003
JUSTY		
94-87	3 Cyl. 1.2 Eng. - 27.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
LEGACY		
18-17	4 Cyl. 2.5 Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal PAG Oil	59234
	6 Cyl. 3.6 Eng. - 16.00 Oz. R-1234yf; See Under Hood Decal PAG Oil	59234
16-15	4 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG Oil	59002
	6 Cyl. 3.6 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG Oil	59002
14	4 Cyl. 2.5 Eng. - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59002
	6 Cyl. 3.6 Eng. - 16.80 Oz. R-134a; See Under Hood Decal PAG Oil	59002
13-10	4 Cyl. 2.5 Eng. - See Under Hood Decal PAG-100	59002
	6 Cyl. 3.6 Eng. - See Under Hood Decal PAG-100	59002
09-08	4 Cyl. 2.5 Eng. - See Under Hood Decal PAG-100	59002
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-100	59002
07-05	4 Cyl. 2.5 Eng. - See Under Hood Decal PAG-100	59002
04-01	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-100	59002
00-99	All Eng. - 23.00 Oz. R-134a; 5.50 Oz. PAG-100	59002
98-94	All Eng. - 26.50 Oz. R-134a; 5.50 Oz. PAG-100	59002
93-92	All Eng. - 24.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 24.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ Calsonic Compressor	59000 ⁷⁰
91-90	All Eng. - 24.00 Oz. R-12; 5.00 Oz. Mineral Oil; w/ Diesel Kiki Compressor	59000 ⁷⁰
	All Eng. - 24.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ Calsonic Compressor	59000 ⁷⁰
LEGACY OUTBACK		
99	4 Cyl. 2.5 Eng. - 23.00 Oz. R-134a; 5.30 Oz. PAG-46	59007
98-96	All Eng. - 24.00 Oz. R-134a; 5.25 Oz. PAG-100	59002
95	All Eng. - 24.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
LOYALE		
94	4 Cyl. 1.8 Eng. - 25.00 Oz. R-12; 4.72 Oz. Mineral Oil	59000 ⁷⁰
93	All Eng. To 3/93 - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. From 3/93 - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. To 3/92 - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. From 3/92 - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. To 3/91 - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. From 3/91 - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
90	All Eng. To 3/90 - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. From 3/90 - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
OUTBACK		
18-17	4 Cyl. 2.5 Eng. - 15.20 Oz. R-1234yf; See Under Hood Decal PAG Oil	59234
	6 Cyl. 3.6 Eng. - 15.20 Oz. R-1234yf; See Under Hood Decal PAG Oil	59234
16	4 Cyl. 2.5 Eng. - 13.60 Oz. R-134a; See Under Hood Decal PAG Oil	59002

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
OUTBACK (Cont'd)		
16	6 Cyl. 3.6 Eng. - 13.60 Oz. R-134a; See Under Hood Decal PAG Oil	59234
15-14	4 Cyl. 2.5 Eng. - 13.60 Oz. R-134a; See Under Hood Decal PAG Oil	59002
	6 Cyl. 3.6 Eng. - 13.60 Oz. R-134a; See Under Hood Decal PAG Oil	59002
13-10	4 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.6 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
09-05	4 Cyl. 2.5 Eng. - 14.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 14.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
04-01	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-100	59002
00	4 Cyl. 2.5 Eng. - 21.00 Oz. R-134a; 5.20 Oz. PAG-100	59002
SEDAN, COUPE, WAGON		
89	HL/GL/GL10 - 30.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	HL/GL/GL10 - w/ Hitachi Compressor; 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
88-85	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
SVX		
97	6 Cyl. 3.3 Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	59002
96-93	All Eng. - 23.00 Oz. R-134a; 5.00 Oz. PAG-100	59002 ⁷⁰
92	All Eng. - 23.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
TRIBECA		
14	6 Cyl. 3.6 Eng. - 20.96 Oz. R-134a; See Under Hood Decal PAG-46	59007
13-08	6 Cyl. 3.6 Eng. - See Under Hood Decal PAG-46	59007
07-06	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
XT		
91-89	All Eng. - 28.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
88-85	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
07-02	All Eng. - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
EQUATOR		
12-10	4 Cyl. 2.5 Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 25.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
09	4 Cyl. 2.5 Eng. - 16.54 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 16.54 Oz. R-134a; 6.10 Oz. PAG-46	59007
ESTEEM		
02-96	All Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
95	4 Cyl. 1.6 Eng. - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
FORENZA		
08	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
07-04	All Eng. - 22.00 Oz. R-134a; 7.50 Oz. PAG-100	59002
GRAND VITARA		
13-11	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 4.70-5.40 Oz. PAG-46	59007
10-09	4 Cyl. 2.4 Eng. - 20.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng. - 20.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
08-06	6 Cyl. 2.7 Eng. - 21.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
05-04	6 Cyl. 2.5 Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
03	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 12.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
02-01	All Eng.; w/ Rear AC - 28.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/o Rear AC - 4.00 Oz. PAG-46; 17.00 Oz. R-134a	59007
00-99	All Eng. - 21.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
KIZASHI		
13-12	4 Cyl. 2.4 Eng. - 16.00 Oz. R-134a; 2.71 3.38 Oz. PAG-46	59007
11	4 Cyl. 2.4 Eng. - 3.40 Oz. PAG-46; 15.00 Oz. R-134a	59007
10	4 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 4.40 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

SUZUKI

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	RENO	
08-05	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	SAMURAI	
95-94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	59007 ⁷⁰
93-89	All Eng. - 18.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
86	4 Cyl. 1.3 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	SIDEKICK	
98-94	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007 ⁷⁰
93-89	All Eng. - 21.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	SWIFT	
01-94	All Eng. - 18.00 Oz. R-134a; 3.50 Oz. PAG-46	59007
93-89	All Eng. - 18.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	SX4	
13-12	4 Cyl. 2.0 Eng. - 16.00 Oz. R-134a; 2.71-3.38 Oz. PAG-46	59007
11	4 Cyl. 2.0 Eng. - 3.40 Oz. PAG-46; 15.00 Oz. R-134a	59007
10-08	4 Cyl. 2.0 Eng. - 15.00 Oz. R-134a; 2.50 Oz. PAG-46	59007
07	4 Cyl. 2.0 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	VERONA	
06-04	All Eng. - 8.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
	VITARA	
04	6 Cyl. 2.5 Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	59007
03	4 Cyl. 2.0 Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	59007
02-99	All Eng. - 4.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
	X-90	
98-96	All Eng. - 21.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	XL-7	
09-08	6 Cyl. 3.6 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
07	6 Cyl. 3.6 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
06-03	6 Cyl. 2.7 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng.; w/ Rear AC - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
02	6 Cyl. 2.7 Eng.; w/o Rear AC - 21.00 Oz. R-134a; 3.38 Oz. PAG-46	59007
	6 Cyl. 2.7 Eng.; w/ Rear AC - 26.00 Oz. R-134a; 4.73 Oz. PAG-46	59007

TOYOTA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	4RUNNER	
18-14	6 Cyl. 4.0 Eng. - 19.36 Oz. R-134a; 4.60 Oz. PAG-46	59007
13-12	6 Cyl. 4.0 Eng. - 20.00 Oz. R-134a; 4.61 Oz. PAG-46	59007
11	6 Cyl. 4.0 Eng. - 20.00 Oz. R-134a; 3.51 Oz. PAG-46	59007
10	4 Cyl. 2.7 Eng. - 19.50 Oz. R-134a; 6.80 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 19.50 Oz. R-134a; 6.80 Oz. PAG-46	59007
09	6 Cyl. 4.0 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.7 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
08-06	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
05-03	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
02-01	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
00-96	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
93-91	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 29.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 2.4 Eng. - 20.80-27.20 Oz. R-12; 5.50-7.50 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 3.0 Eng. - 20.80-27.20 Oz. R-12; 5.50-7.50 Oz. Mineral Oil	59000 ⁷⁰
87-85	4 Cyl. 2.4 Eng. - 20.80-27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.4 Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
AVALON		
18-17	4 Cyl. 2.5 Eng.; Gas/Electric - 17.60 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
16-14	4 Cyl. 2.5 Eng.; Gas/Electric - 17.60 Oz. R-134a; 7.00 Oz. PAG Oil	59889
	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 7.00 Oz. PAG-46	59007
13	4 Cyl. 2.5 Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
12-09	6 Cyl. 3.5 Eng. - 5.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
08-05	All Eng. - 4.50 Oz. PAG-46; 19.50 Oz. R-134a	59007
04-01	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
00-95	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
CAMRY		
17	4 Cyl. 2.5 Eng. - 15.52 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	4 Cyl. 2.5 Eng.; Gas/Electric - See Under Hood Decal	59889
	6 Cyl. 3.5 Eng. - 15.52 Oz. R-134a; See Under Hood Decal PAG Oil	59007
16	4 Cyl. 2.5 Eng. - 7.00 Oz. PAG-46; 15.52 Oz. R-134a	59007
	4 Cyl. 2.5 Eng.; Gas/Electric - See Under Hood Decal	59889
	6 Cyl. 3.5 Eng. - 15.52 Oz. R-134a; See Under Hood Decal PAG Oil	59007
15	4 Cyl. 2.5 Eng. - 7.00 Oz. PAG-46; 15.52 Oz. R-134a	59007
	4 Cyl. 2.5 Eng.; Gas/Electric - See Under Hood Decal	59889
	6 Cyl. 3.5 Eng. - 7.00 Oz. PAG-46; 15.52 Oz. R-134a	59007
14	4 Cyl. 2.5 Eng. - 18.72 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.5 Eng.; Gas/Electric - See Under Hood Decal	59889
	6 Cyl. 3.5 Eng. - 7.00 Oz. PAG-46; 18.72 Oz. R-134a	59007
13	4 Cyl. 2.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 3.88 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 3.88 Oz. PAG-46	59007
12	4 Cyl. 2.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 6.10-6.90 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 6.10-6.90 Oz. PAG-46	59007
11-10	4 Cyl. 2.4 Eng.; HYBRID - 17.00-20.00 Oz. R-134a; 4.50 Oz. Hybrid Oil	59889
	4 Cyl. 2.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
09	All Eng.; Electric/Gas - 17.00-20.00 Oz. R-134a; 4.50 Oz. Hybrid Oil	59889
	4 Cyl. 2.4 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid - 19.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
08-07	All Eng.; Electric/Gas - 17.00-20.00 Oz. R-134a; 4.50 Oz. Hybrid Oil	59889
	All Eng.; Excl. Hybrid - 18.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
06-04	All Eng. - 21.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
03-02	All Eng. - 19.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
01	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
00-97	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
96-94	All Eng. - 30.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
93	All Eng. - 33.50 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 35.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 27.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
88-87	All Eng. - 27.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
86-85	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 1.8 Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	59000 ⁷⁰
83	4 Cyl. 2.0 Eng. - 27.20 Oz. R-12; 5.20 Oz. Mineral Oil	59000 ⁷⁰
CELICA		
05-00	All Eng. - 7.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
99-94	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 25.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
88-87	All Eng. - 27.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
86	4 Cyl. 2.0 Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
C-HR		
18	4 Cyl. 2.0 Eng. - 14.40 Oz. R-1234yf; PAG Oil	59234
	4 Cyl. 2.0 Eng. - PAG-46; 16.80 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

TOYOTA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
COROLLA		
18-14	4 Cyl. 1.8 Eng. - 15.52 Oz. R-134a; 2.40 Oz. PAG-46	59007
13-11	4 Cyl. 1.8 Eng. - 16.00 Oz. R-134a; 3.89 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 14.50 Oz. R-134a; 3.50 Oz. PAG-46	59007
10-09	4 Cyl. 1.8 Eng. - 16.00 Oz. R-134a; 3.51 Oz. PAG-46	59007
	4 Cyl. 2.4 Eng. - 16.00 Oz. R-134a; 3.51 Oz. PAG-46	59007
08	4 Cyl. 1.8 Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
07-05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
04-03	All Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
02-01	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
00-99	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
98-96	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 7.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
93	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 27.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 27.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
85	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
84-83	4 Cyl. 1.6 Eng. - 27.20 Oz. R-12; 5.50 Oz. Mineral Oil	59000 ⁷⁰
CRESSIDA		
92-89	All Eng. - 30.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	6 Cyl. 2.8 Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
85	6 Cyl. 2.8 Eng. - 26.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 2.8 Eng. - 27.20 Oz. R-12; 5.20 Oz. Mineral Oil	59000 ⁷⁰
83	6 Cyl. 2.8 Eng. - 27.20 Oz. R-12; 7.30-8.30 Oz. Mineral Oil	59000 ⁷⁰
82	6 Cyl. 2.8 Eng. - 27.20 Oz. R-12; 5.20 Oz. Mineral Oil	59000 ⁷⁰
ECHO		
05-00	All Eng. - 16.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
FJ CRUISER		
18	6 Cyl. 4.0 Eng. - 16.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
14	6 Cyl. 4.0 Eng. - 4.50 Oz. PAG-46; 21.12 Oz. R-134a	59007
13-11	6 Cyl. 4.0 Eng. - 4.50 Oz. PAG-46; 20.11-22.20 Oz. R-134a	59007
10-09	6 Cyl. 4.0 Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
08-07	6 Cyl. 4.0 Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
HIGHLANDER		
13	4 Cyl. 2.7 Eng.; Excl. Hybrid; w/o Rear AC - 19.40-22.90 Oz. R-134a; 3.38 Oz. PAG-46	59007
	4 Cyl. 2.7 Eng.; Excl. Hybrid; w/ Rear AC - 4.73 Oz. PAG-46; 25.40-28.90 Oz. R-134a	59007
12-11	4 Cyl. 2.7 Eng.; Excl. Hybrid; w/o Rear AC - 19.40-22.90 Oz. R-134a; 3.38 Oz. PAG-46	59007
	4 Cyl. 2.7 Eng.; Excl. Hybrid; w/ Rear AC - 4.73 Oz. PAG-46; 25.40-28.90 Oz. R-134a	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid; w/o Rear AC - 19.40-22.90 Oz. R-134a; 3.38 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid; w/ Rear AC - 4.73 Oz. PAG-46; 25.40-28.90 Oz. R-134a	59007
10-09	4 Cyl. 2.7 Eng.; Excl. Hybrid; w/ Rear AC - 25.40-28.90 Oz. R-134a; 7.70 Oz. PAG-46	59007
	4 Cyl. 2.7 Eng.; Excl. Hybrid; w/o Rear AC - 4.50 Oz. PAG-46; 19.40-22.90 Oz. R-134a	59007
	6 Cyl. 3.3 Eng.; HYBRID; w/o Rear AC - 21.00 Oz. R-134a; 4.20-4.80 Oz. Hybrid Oil	59889
	6 Cyl. 3.3 Eng.; HYBRID; w/ Rear AC - 27.00 Oz. R-134a; 4.20-4.80 Oz. Hybrid Oil	59889
	6 Cyl. 3.5 Eng.; Excl. Hybrid; w/ Rear AC - 25.40-28.90 Oz. R-134a; 7.70 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid; w/o Rear AC - 4.50 Oz. PAG-46; 19.40-22.90 Oz. R-134a	59007
08	6 Cyl. 3.3 Eng.; HYBRID; w/o Rear AC - 21.00 Oz. R-134a; 4.20-4.80 Oz. Hybrid Oil	59889
	6 Cyl. 3.3 Eng.; HYBRID; w/ Rear AC - 27.00 Oz. R-134a; 4.20-4.80 Oz. Hybrid Oil	59889
	6 Cyl. 3.5 Eng.; Excl. Hybrid; w/ Rear AC - 25.40-28.90 Oz. R-134a; 7.70 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng.; Excl. Hybrid; w/o Rear AC - 4.50 Oz. PAG-46; 19.40-22.90 Oz. R-134a	59007
07	All Eng.; Electric/Gas - 19.40-22.90 Oz. R-134a; 4.00 Oz. Hybrid Oil	59889
	All Eng.; Excl. Hybrid - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
06	All Eng.; Electric/Gas - 19.40-22.90 Oz. R-134a; 4.80 Oz. Hybrid Oil	59889
	All Eng.; Excl. Hybrid - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
05	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
04-01	All Eng. - 24.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
LAND CRUISER		
13-10	8 Cyl. 5.7 Eng.; w/o Cool Box - 33.50 Oz. R-134a; 4.75 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Cool Box - 35.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
09	8 Cyl. 5.7 Eng.; w/ Cool Box - 33.50 Oz. R-134a; 4.75 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
LAND CRUISER (Cont'd)		
09	8 Cyl. 5.7 Eng.; w/o Cool Box - 35.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
08	8 Cyl. 5.7 Eng.; w/o Cool Box - 33.50 Oz. R-134a; 4.75 Oz. PAG-46	59007
	8 Cyl. 5.7 Eng.; w/ Cool Box - 35.00 Oz. R-134a; 4.75 Oz. PAG-46	59007
07	8 Cyl. 4.7 Eng. - 4.50 Oz. PAG-46; 38.00 Oz. R-134a	59007
06-01	All Eng.; w/o Rear AC - 24.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	All Eng.; w/ Rear AC - 38.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
00-98	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
97-94	All Eng. - 30.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 32.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 33.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
87-85	6 Cyl. 4.2 Eng. - 32.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
84-83	6 Cyl. 4.2 Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	59000 ⁷⁰
MATRIX		
13-09	4 Cyl. 1.8 Eng. - 4.50 Oz. PAG-46; 15.00 Oz. R-134a	59007
	4 Cyl. 2.4 Eng. - 4.50 Oz. PAG-46; 15.00 Oz. R-134a	59007
08-05	All Eng. - 18.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
04-03	All Eng. - 18.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
MR2		
05-04	All Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
03-02	All Eng. - 15.17+/-1.06 Oz. R-134a; See Under Hood Decal PAG-46	59007
01-00	All Eng. - 18.00 Oz. R-134a; 6.90 Oz. PAG-46	59007
95-94	All Eng. - 25.50 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 30.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 32.00 Oz. R-12; 7.25 Oz. Mineral Oil	59000 ⁷⁰
89	All Eng. - 29.00 Oz. R-12; 8.75 Oz. Mineral Oil	59000 ⁷⁰
88-85	4 Cyl. 1.6 Eng. - 25.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
MR2 SPYDER		
88-85	4 Cyl. 1.6 Eng. - 25.00 Oz. R-12; See Under Hood Decal; Mineral Oil	59000 ⁷⁰
PASEO		
98-96	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
95-94	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
93	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.5 Eng. - 26.45 Oz. R-134a; 5.45-8.70 Oz. Mineral Oil	59007
92	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
PICKUP - STANDARD		
95	All Eng. - 20.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
94	All Eng. - 26.40 Oz. R-134a; 7.00 Oz. PAG-46	59000 ⁷⁰
	All Eng. - 7.00 Oz. PAG-46; 26.50 Oz. R-134a	59007
93	All Eng. - 29.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 29.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
88-87	All Eng. - 27.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
86-85	All Eng. - 26.00 Oz. R-12; 7.50 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 2.4 Eng. - 27.20 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	59000 ⁷⁰
PREVIA		
97-94	All Eng.; w/o Rear AC - 32.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 7.00 Oz. PAG-46; 41.00 Oz. R-134a	59007
93	All Eng.; w/o Rear AC - 33.50 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 42.50 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
92-91	All Eng.; w/o Rear AC - 35.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 44.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
PRIUS		
18	4 Cyl. 1.5 Eng. PRIUS C; Gas/Electric - 16.48 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	4 Cyl. 1.8 Eng. Prius Prime; Gas/Electric - 16.48 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	4 Cyl. 1.8 Eng.; Gas/Electric - 16.64 Oz. R-134a; See Under Hood Decal PAG Oil	59889
17	4 Cyl. 1.5 Eng. PRIUS C; Gas/Electric - 16.48 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	4 Cyl. 1.8 Eng. Prius Prime; Gas/Electric - 16.48 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	4 Cyl. 1.8 Eng. PRIUS V; Gas/Electric - 16.48 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	4 Cyl. 1.8 Eng.; Gas/Electric - 16.64 Oz. R-134a; See Under Hood Decal PAG Oil	59889
16	4 Cyl. 1.5 Eng. PRIUS C; Gas/Electric - 16.48 Oz. R-134a; See Under Hood Decal PAG Oil	59889
	4 Cyl. 1.8 Eng. PRIUS V; Gas/Electric - 16.48 Oz. R-134a; See Under Hood Decal PAG Oil	59889

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

TOYOTA

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
PRIUS (Cont'd)		
16	4 Cyl. 1.8 Eng.; Gas/Electric - 16.64 Oz. R-134a; See Under Hood Decal PAG Oil	59889
15-14	4 Cyl. 1.5 Eng. PRIUS C; Gas/Electric - 16.48 Oz. R-134a; 4.50 Oz. PAG Oil	59889
	4 Cyl. 1.8 Eng. PRIUS V; Gas/Electric - 16.48 Oz. R-134a; 4.50 Oz. PAG Oil	59889
	4 Cyl. 1.8 Eng.; Gas/Electric - 16.64 Oz. R-134a; 4.50 Oz. PAG Oil	59889
13-10	4 Cyl. 1.8 Eng.; HYBRID - 16.50 Oz. R-134a; 4.40-4.90 Oz. Hybrid Oil	59889
09-04	4 Cyl. 1.5 Eng.; HYBRID - 17.00 Oz. R-134a; 4.00 Oz. Hybrid Oil	59889
03-01	4 Cyl. 1.5 Eng.; HYBRID - 19.00 Oz. R-134a; 4.00 Oz. Hybrid Oil	59889
RAV4		
18-16	4 Cyl. 2.5 Eng.; Gas/Electric - 15.84 Oz. R-134a; 2.40 Oz. PAG Oil	59889
14	All Eng.; Electric - 15.84 Oz. R-134a; 2.40 Oz. PAG Oil	59889
13	4 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
12	4 Cyl. 2.5 Eng. - 16.00 Oz. R-134a; 4.35-4.86 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 16.00 Oz. R-134a; 4.35-4.86 Oz. PAG-46	59007
11-09	4 Cyl. 2.5 Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
08-07	All Eng. - 4.50 Oz. PAG-46; 16.00 Oz. R-134a	59007
06-01	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
00-96	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
SEQUOIA		
18-14	8 Cyl. 5.7 Eng. - 7.00 Oz. PAG-46; 31.36 Oz. R-134a	59007
13	8 Cyl. 5.7 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
12-11	8 Cyl. 4.6 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 7.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
10	8 Cyl. 4.6 Eng. - 7.00 Oz. PAG-46; 30.00-32.50 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 7.00 Oz. PAG-46; 30.00-32.50 Oz. R-134a	59007
09-08	8 Cyl. 4.7 Eng. - 7.00 Oz. PAG-46; 30.00-32.50 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 7.00 Oz. PAG-46; 30.00-32.50 Oz. R-134a	59007
07	8 Cyl. 4.7 Eng. - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
06-01	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
SIENNA		
18-17	6 Cyl. 3.5 Eng. - 27.52 Oz. R-134a; See Under Hood Decal PAG Oil	59007
16-14	6 Cyl. 3.5 Eng. - 7.00 Oz. PAG-46; 27.52 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 29.00 Oz. R-134a; 5.31 Oz. PAG-46	59007
13	4 Cyl. 2.7 Eng. - 29.00 Oz. R-134a; 5.31 Oz. PAG-46	59007
12	6 Cyl. 3.5 Eng. - 29.00 Oz. R-134a; 5.31 Oz. PAG-46	59007
	4 Cyl. 2.7 Eng. - 5.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
	6 Cyl. 3.5 Eng. - 5.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
11	All Eng. - 5.50 Oz. PAG-46; 28.50 Oz. R-134a	59007
	All Eng. - 4.50 Oz. PAG-46; 28.50 Oz. R-134a	59007
10-07	All Eng. - 7.50 Oz. PAG-46; 38.00 Oz. R-134a	59007
06-05	All Eng. - 28.00 Oz. R-134a; 7.25 Oz. PAG-46	59007
04-01		
00-98		
SOLARA		
08	4 Cyl. 2.4 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.3 Eng. - 21.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
07-04	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
03-01	All Eng. - 28.00 Oz. R-134a; 7.50 Oz. PAG-46	59007
00-99	All Eng. - 28.00 Oz. R-134a; 8.00 Oz. PAG-46	59007
SUPRA		
98-96	All Eng. - 25.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
95-94	All Eng. - 7.00 Oz. PAG-46; 25.00 Oz. R-134a	59007
93	6 Cyl. 3.0 Eng. - 25.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
92-89	All Eng. - 27.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
88	6 Cyl. 3.0 Eng. - 20.80-27.20 Oz. R-12; 5.20 Oz. Mineral Oil	59000 ⁷⁰
87	All Eng. - 26.00 Oz. R-12; 8.80 Oz. Mineral Oil	59000 ⁷⁰
86	6 Cyl. 3.0 Eng. - 20.80-27.20 Oz. R-12; 5.20 Oz. Mineral Oil	59000 ⁷⁰
80-79	6 Cyl. 2.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
T100		
98-93	All Eng. - 23.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
TACOMA		
18-16	4 Cyl. 2.7 Eng. - 18.40 Oz. R-1234yf; 5.60 Oz. PAG Oil	59234
	4 Cyl. 2.7 Eng. - 21.12 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 18.40 Oz. R-1234yf; 5.60 Oz. PAG Oil	59234

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TACOMA (Cont'd)		
18-16	6 Cyl. 3.5 Eng. - 21.12 Oz. R-134a; 5.60 Oz. PAG-46	59007
15-14	4 Cyl. 2.7 Eng. - 21.12 Oz. R-134a; 5.60 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 21.12 Oz. R-134a; 5.60 Oz. PAG-46	59007
13	4 Cyl. 2.7 Eng. - 22.00 Oz. R-134a; 5.61 Oz. PAG-46	59007
	6 Cyl. 4.0 Eng. - 22.00 Oz. R-134a; 5.61 Oz. PAG-46	59007
12-09	4 Cyl. 2.7 Eng. - 5.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
	6 Cyl. 4.0 Eng. - 5.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
08-05	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
04-01	All Eng. - 23.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
00-97	All Eng. - 21.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
96-95	All Eng. - 21.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
TERCEL		
98	All Eng. - 7.00 Oz. PAG-46; 16.00 Oz. R-134a	59007
97-95	All Eng. - 23.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
94	All Eng. - 24.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
93	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
92	All Eng. - 28.00 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
91	All Eng. - 26.50 Oz. R-12; 7.00 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 27.00 Oz. R-12; 7.75 Oz. Mineral Oil	59000 ⁷⁰
88-87	All Eng. - 27.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
86-85	All Eng. - 26.00 Oz. R-12; 8.50 Oz. Mineral Oil	59000 ⁷⁰
84	4 Cyl. 1.5 Eng. - 26.40 Oz. R-12; 4.10 Oz. Mineral Oil	59000 ⁷⁰
TUNDRA		
18-15	8 Cyl. 4.6 Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	59007
14	6 Cyl. 4.0 Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 4.50 Oz. PAG-46; 21.28 Oz. R-134a	59007
13-10	6 Cyl. 4.0 Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.6 Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
09-08	6 Cyl. 4.0 Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 4.7 Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
	8 Cyl. 5.7 Eng. - 4.50 Oz. PAG-46; 22.00 Oz. R-134a	59007
07-06	4 Door - 21.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
	2 Door - 23.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
05-04	4 Door - 20.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
	2 Door - 27.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
03-00	All Eng. - 22.00 Oz. R-134a; 7.75 Oz. PAG-46	59007
VAN / VAN WAGON		
89-86	All Eng.; w/o Rear AC - 25.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng.; w/ Rear AC - 50.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
85-84	4 Cyl. 2.0 Eng.; w/ Front AC - 25.00 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.0 Eng.; w/ Front AC - 50.00 Oz. R-12; 5.20-6.20 Oz. Mineral Oil	59000 ⁷⁰
VENZA		
16	4 Cyl. 2.7 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
15	4 Cyl. 2.7 Eng. - 17.60 Oz. R-134a; 4.90 Oz. PAG-46	59007
	4 Cyl. 2.7 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
14	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 4.90 Oz. PAG-46	59007
	4 Cyl. 2.7 Eng. - 17.60 Oz. R-134a; 4.90 Oz. PAG-46	59007
	4 Cyl. 2.7 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 17.60 Oz. R-134a; 4.90 Oz. PAG-46	59007
	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
13-10	4 Cyl. 2.7 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 19.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
09	4 Cyl. 2.7 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.5 Eng. - 18.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
YARIS		
18-14	4 Cyl. 1.5 Eng. - 12.64 Oz. R-134a; 3.50 Oz. PAG-46	59007
13-10	4 Cyl. 1.5 Eng. - 4.00 Oz. PAG-46; 14.00 Oz. R-134a	59007
09	4 Cyl. 1.5 Eng. - 3.00 Oz. PAG-46; 13.00 Oz. R-134a	59007
08-07	All Eng. - 3.00 Oz. PAG-46; 13.00 Oz. R-134a	59007

⁷⁰ When retrofitting to R134a PAG Oil must be used.

VOLKSWAGEN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
BEETLE		
13	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 2.70-3.30 Oz. PAG-46	59007
12	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 2.70-3.30 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 27.00 Oz. R-134a; 4.60 Oz. PAG-46	59007
10	5 Cyl. 2.5 Eng. - 27.00 Oz. R-134a; 4.60 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 25.00 Oz. R-134a; 4.60 Oz. PAG-46	59007
08-01	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
00-98	All Eng. - 24.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
CABRIO		
02-01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
00-95	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
CABRIOLET		
93-86	All Eng. - 32.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
CORRADO		
94	All Eng. - 35.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
93	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
92-90	All Eng. - 35.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	All Eng. - 30.00 Oz. R-12; 5.00 Oz. Mineral Oil	59000 ⁷⁰
EOS		
16	4 Cyl. 2.0 Eng. - 19.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
13-10	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.50-4.50 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 19.00 Oz. R-134a; 4.40-5.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	All Eng. - 4.50 Oz. PAG-46; 19.50 Oz. R-134a	59007
EUROVAN		
03-02	All Eng.; w/o Rear AC - 40.00 Oz. R-134a; 4.50 Oz. PAG-100	59002
01-93	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
	All Eng.; w/o Rear AC - 33.50 Oz. R-134a; 4.50 Oz. PAG-100	59002
	All Eng.; w/ Rear AC - 48.00 Oz. R-134a; 8.00 Oz. PAG-100	59002
FOX		
93-89	All Eng. - 38.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 40.00 Oz. R-12; Mineral Oil	59000 ⁷⁰
87	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
GOLF / GTI		
17	4 Cyl. 1.8 Eng. GOLF - 19.20 Oz. R-134a; PAG Oil	59007
	4 Cyl. 1.8 Eng. Golf Alltrack - 19.20 Oz. R-134a; PAG Oil	59007
	4 Cyl. 1.8 Eng. Golf Sportwagen - 19.20 Oz. R-134a; PAG Oil	59007
	4 Cyl. 2.0 Eng. GOLF R - 18.40 Oz. R-134a; PAG Oil	59007
16	4 Cyl. 1.8 Eng. GOLF - 19.20 Oz. R-134a; PAG Oil	59007
	4 Cyl. 1.8 Eng. Golf Sportwagen - 19.20 Oz. R-134a; PAG Oil	59007
	4 Cyl. 2.0 Eng. GOLF R - 18.40 Oz. R-134a; PAG Oil	59007
15	4 Cyl. 1.8 Eng. GOLF - 19.20 Oz. R-134a; PAG Oil	59007
	4 Cyl. 2.0 Eng. GOLF R - 18.40 Oz. R-134a; PAG Oil	59007
13	4 Cyl. 2.0 Eng. GOLF; Diesel - 19.20 Oz. R-134a; PAG Oil	59007
	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
12	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	59007
11	4 Cyl. 2.0 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
GOLF / GTI (Cont'd)		
11	4 Cyl. 2.0 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
10	4 Cyl. 2.0 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Delphi Compressor; 18.00 Oz. R-134a; 3.70 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 3.20 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - w/ Denso Compressor; 18.00 Oz. R-134a; 4.90 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08-07	4 Cyl. 2.0 Eng. - 26.00 Oz. R-134a; 3.71 Oz. PAG-46	59007
06-05	All Eng. - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
04-01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
00-99	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
98-94	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
93	All Eng. - 28.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
92-89	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
88	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
87-86	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - 40.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
JETTA		
17	4 Cyl. 1.4 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 1.8 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
16	4 Cyl. 1.4 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 1.4 Eng.; Gas/Electric - See Under Hood Decal	59889
	4 Cyl. 1.8 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.40 Oz. R-134a; See Under Hood Decal PAG-46	59007
15	4 Cyl. 1.4 Eng.; Gas/Electric - 18.40 Oz. R-134a; 2.50 Oz. PAG-46	59889
	4 Cyl. 1.8 Eng. - 18.40 Oz. R-134a; 2.50 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - 18.40 Oz. R-134a; 2.50 Oz. PAG-46	59007
14	4 Cyl. 1.4 Eng.; Gas/Electric - 3.70 Oz. PAG-46; 18.40 Oz. R-134a	59889
	4 Cyl. 1.8 Eng. - 3.70 Oz. PAG-46; 18.40 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 18.40 Oz. R-134a	59007
	5 Cyl. 2.5 Eng. - 3.70 Oz. PAG-46; 18.40 Oz. R-134a	59007
13-10	4 Cyl. 2.0 Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 3.40-4.00 Oz. PAG-46	59007
09	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
	5 Cyl. 2.5 Eng. - 3.70 Oz. PAG-46; 19.00 Oz. R-134a	59007
08-06	All Eng. - 4.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
05	Wagon - 28.00 Oz. R-134a; 5.00 Oz. PAG-46	59007
	Excl. Wagon - 4.00 Oz. PAG-46; 19.50 Oz. R-134a	59007
04-01	All Eng. - 27.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
00-99	All Eng. - 26.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
98-94	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
93	All Eng. - 28.00 Oz. R-134a; 4.00 Oz. PAG-46	59007
	4 Cyl. 2.0 Eng. - w/ R-12	59000 ⁷⁰
92-89	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
88-85	4 Cyl. 1.6 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
	4 Cyl. 1.8 Eng. - 40.00 Oz. R-12; 4.50 Oz. Mineral Oil	59000 ⁷⁰
PASSAT / CC		
17	4 Cyl. 1.8 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. CC - 19.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.6 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
16	4 Cyl. 1.8 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

VOLKSWAGEN

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
PASSAT / CC (Cont'd)		
16	4 Cyl. 2.0 Eng. CC - 19.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.6 Eng. CC - 19.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.6 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
15	4 Cyl. 1.8 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. PASSAT; Diesel - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
14	4 Cyl. 1.8 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. PASSAT; Diesel - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
	5 Cyl. 2.5 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
	6 Cyl. 3.6 Eng. PASSAT - 3.70 Oz. PAG-46; 20.32 Oz. R-134a	59007
13-12	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 3.40-4.50 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 20.00 Oz. R-134a; 3.40-4.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 20.00 Oz. R-134a; 3.40-4.50 Oz. PAG-46	59007
11-09	4 Cyl. 2.0 Eng. - 20.00 Oz. R-134a; 3.40-4.50 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng. - 20.00 Oz. R-134a; 3.40-4.50 Oz. PAG-46	59007
08-05	All Eng. - 5.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
04	All Eng. - 20.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
03-98	All Eng. - 23.00 Oz. R-134a; 8.50 Oz. PAG-46	59007
97-95	All Eng. - 4.00 Oz. PAG-46; 33.00 Oz. R-134a	59007
94	All Eng. - 4.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
93	All Eng. - 4.00 Oz. PAG-46; 40.00 Oz. R-134a	59007
	6 Cyl. 2.8 Eng. - w/ R-12	59000 ⁷⁰
92-90	All Eng. - 40.00 Oz. R-12; 4.00 Oz. Mineral Oil	59000 ⁷⁰
PHAETON		
06-04	All Eng. - 7.00 Oz. PAG-46; 22.00 Oz. R-134a	59007
R32		
08	6 Cyl. 3.2 Eng. - 18.00 Oz. R-134a; 6.30 Oz. PAG-46	59007
RABBIT		
09	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
08-06	All Eng. - 23.00 Oz. R-134a; 4.50 Oz. PAG-46	59007
ROUTAN		
12-11	6 Cyl. 3.6 Eng.; w/o Rear AC - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 40.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
10-09	All Eng.; w/o Rear AC - 28.00 Oz. R-134a; 4.10 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 40.00 Oz. R-134a; 5.10 Oz. PAG-46	59007
SCIROCCO		
89	All Eng. - 40.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
88-85	4 Cyl. 1.8 Eng. - 40.00 Oz. R-12; 4.75 Oz. Mineral Oil	59000 ⁷⁰
TIGUAN		
17-16	4 Cyl. 2.0 Eng. - 23.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
13-09	4 Cyl. 2.0 Eng. - 3.70 Oz. PAG-46; 23.00 Oz. R-134a	59007
	4 Cyl. 2.0 Eng. - w/ Denso Compressor; 23.00 Oz. R-134a; 4.70 Oz. PAG-46	59007
TOUAREG		
15-14	6 Cyl. 3.0 Eng.; Gas/Electric - 30.40 Oz. R-134a; 4.70 Oz. PAG-46; w/ one evaporator	59889
13	6 Cyl. 3.0 Eng.; w/ Rear AC - 32.00 Oz. R-134a; 4.40 Oz. To 5.00 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - 39.00 Oz. R-134a; 4.40 Oz. To 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/o Rear AC - 32.00 Oz. R-134a; 4.40 Oz. To 5.00 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 39.00 Oz. R-134a; 4.40 Oz. To 5.00 Oz. PAG-46	59007
12	6 Cyl. 3.0 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - 39.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; HYBRID - See Under Hood Decal; Hybrid Oil	59889
	6 Cyl. 3.6 Eng.; w/o Rear AC - 27.00 Oz. R-134a; 4.60 Oz. To 5.30 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 39.00 Oz. R-134a; 4.60 Oz. To 5.30 Oz. PAG-46	59007
11	6 Cyl. 3.0 Eng.; w/o Rear AC - 30.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - 39.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; HYBRID - See Under Hood Decal; Hybrid Oil	59889
	6 Cyl. 3.6 Eng.; w/ Rear AC - 4.70 Oz. PAG-46; 37.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng.; w/o Rear AC - 4.90 Oz. PAG-46; 25.00 Oz. R-134a	59007
10	6 Cyl. 3.0 Eng.; w/o Rear AC - w/ Denso Compressor; 24-26.00 Oz. R-134a; 4.73 Oz. PAG-46	59007
	6 Cyl. 3.0 Eng.; w/ Rear AC - w/ Denso Compressor; 37.00-38.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/ Rear AC - 37.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; w/o Rear AC - 4.90 Oz. PAG-46; 25.00 Oz. R-134a	59007
09	6 Cyl. 3.0 Eng.; w/o Rear AC - w/ Denso Compressor; 24-26.00 Oz. R-134a; 4.73 Oz. PAG-46	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
TOUAREG (Cont'd)		
09	6 Cyl. 3.0 Eng.; w/ Rear AC - w/ Denso Compressor; 37.00-38.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
	6 Cyl. 3.6 Eng.; Dual Zone - 4.90 Oz. PAG-46; 25.00 Oz. R-134a	59007
	6 Cyl. 3.6 Eng.; w/ 4 Zone - 8.50 Oz. PAG-46; 37.00 Oz. R-134a	59007
	8 Cyl. 4.2 Eng.; Dual Zone - 4.90 Oz. PAG-46; 25.00 Oz. R-134a	59007
	8 Cyl. 4.2 Eng.; w/ 4 Zone - 8.50 Oz. PAG-46; 37.00 Oz. R-134a	59007
08-04	All Eng.; w/o Rear AC - 26.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 39.00 Oz. R-134a; 10.00 Oz. PAG-46	59007
VANAGON		
91-89	All Eng. - 51.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
88-86	4 Cyl. 2.1 Eng. - 51.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰
85	4 Cyl. 1.9 Eng. - 51.00 Oz. R-12; 8.00 Oz. Mineral Oil	59000 ⁷⁰

VOLVO

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
240 SERIES		
93	All Eng. - 7.50 Oz. PAG-46; 26.50 Oz. R-134a	59007
92-91	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90-87	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
86	All Eng. - 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	59000 ⁷⁰
85	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	59000 ⁷⁰
	4 Cyl. 2.1 Eng. - 38.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - 46.00 Oz. R-12; 10.00 Oz. Mineral Oil	59000 ⁷⁰
260 SERIES		
79-76	6 Cyl. 2.7 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰
740 SERIES		
92	All Eng. - 4.50 Oz. Mineral Oil; 40.00 Oz. R-12; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	59000 ⁷⁰
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
90-89	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	59000 ⁷⁰
	All Eng. - 10.00 Oz. Mineral Oil; 41.50 Oz. R-12	59000 ⁷⁰
	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD7 Compressor	59000 ⁷⁰
	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD5 Compressor	59000 ⁷⁰
88-87	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	59000 ⁷⁰
	All Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
86	4 Cyl. 2.3 Eng. - 10.00 Oz. Mineral Oil; 46.00 Oz. R-12	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - 46.00 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	59000 ⁷⁰
85	6 Cyl. 2.4 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.4 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
760 SERIES		
90-89	All Eng. - 10.00 Oz. Mineral Oil; 41.50 Oz. R-12	59000 ⁷⁰
	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD7 Compressor	59000 ⁷⁰
	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
88	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
87-86	6 Cyl. 2.8 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
85	6 Cyl. 2.8 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	4 Cyl. 2.3 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
84	6 Cyl. 2.4 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.8 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	6 Cyl. 2.4 Eng. - See Under Hood Decal; Mineral Oil	59000 ⁷⁰

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
780 SERIES		
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	59000 ⁷⁰
90-89	All Eng. - 10.00 Oz. Mineral Oil; 41.50 Oz. R-12	59000 ⁷⁰
	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 4.50 Oz. Mineral Oil; 41.50 Oz. R-12; w/ SD7 Compressor	59000 ⁷⁰
	All Eng. - 41.50 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 41.50 Oz. R-12; 6.75 Oz. Mineral Oil; w/ Diesel Kiki Compressor	59000 ⁷⁰
88-87	6 Cyl. 2.8 Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
850 SERIES		
97-96	All Eng. - 32.00 Oz. R-134a; 5.50 Oz. PAG-46	59007
95-93	All Eng. - 36.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
940 SERIES		
95	All Eng. - 33.50 Oz. R-134a; 4.50 Oz. PAG-100; w/ SD5 Compressor	59002
	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100	59002
	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-100; w/ SD7 Compressor	59002
94	All Eng. - 33.50 Oz. R-134a; 4.50 Oz. PAG-100; w/ SD5 Compressor	59002
	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-46	59007
	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-100; w/ SD7 Compressor	59002
93	All Eng. - 33.50 Oz. R-134a; 4.50 Oz. PAG-100; w/ SD5 Compressor	59002
	All Eng. - 33.50 Oz. R-134a; 7.50 Oz. PAG-100	59002
	All Eng. - 33.50 Oz. R-134a; 8.00 Oz. PAG-100; w/ SD7 Compressor	59002
	4 Cyl. 2.3 Eng. - w/ R-12	59000 ⁷⁰
92	All Eng. - 4.50 Oz. Mineral Oil; 40.00 Oz. R-12; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 40.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 40.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	59000 ⁷⁰
91	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	59000 ⁷⁰
960 SERIES		
97-96	All Eng. - 32.00 Oz. R-134a; 8.50 Oz. PAG-100; w/ SD7 Compressor	59002
95-93	All Eng. - 32.00 Oz. R-134a; 4.50 Oz. PAG-100; w/ SD5 Compressor	59002
	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
	All Eng. - 32.00 Oz. R-134a; 8.00 Oz. PAG-100; w/ SD7 Compressor	59002
92	All Eng. - 39.00 Oz. R-12; 4.50 Oz. Mineral Oil; w/ SD5 Compressor	59000 ⁷⁰
	All Eng. - 39.00 Oz. R-12; 6.75 Oz. Mineral Oil	59000 ⁷⁰
	All Eng. - 39.00 Oz. R-12; 8.00 Oz. Mineral Oil; w/ SD7 Compressor	59000 ⁷⁰
C30		
13	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
12-11	4 Cyl. 1.6 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
10	5 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
09-08	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
C70		
13-08	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
07-06	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
04-02	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
01-98	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
S40		
11	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.09 Oz. PAG-46	59007
10-09	5 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.09 Oz. PAG-46	59007
08-07	5 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
06-05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-100	59002
04-01	All Eng. - 30.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
00	All Eng. - 31.00 Oz. R-134a; 6.00 Oz. PAG-100	59002
S60		
19	4 Cyl. 2.0 Eng. - 25.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
18-17	4 Cyl. 2.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
16	4 Cyl. 2.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	5 Cyl. 2.5 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007

Continued on Next Page

⁷⁰ When retrofitting to R134a PAG Oil must be used.

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
S60 (Cont'd)		
16	6 Cyl. 3.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
15	4 Cyl. 2.0 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	5 Cyl. 2.5 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.0 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
14	5 Cyl. 2.5 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
13-12	5 Cyl. 2.5 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
11	6 Cyl. 3.0 Eng. - 35.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
09	5 Cyl. 2.4 Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 27.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
08-07	5 Cyl. 2.4 Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
06-01	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
S70		
00-98	All Eng. - 29.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
S80		
16	4 Cyl. 2.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
15	4 Cyl. 2.0 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
14	6 Cyl. 3.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
13	4 Cyl. 2.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
12	4 Cyl. 2.0 Eng. - See Under Hood Decal	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
11	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
10	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
09-08	8 Cyl. 4.4 Eng. - 3.70 Oz. PAG-46; 28.00 Oz. R-134a	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
07	8 Cyl. 4.4 Eng. - 2.40 Oz. PAG-46; 25.00 Oz. R-134a	59007
	6 Cyl. 3.2 Eng. - 21.86 Oz. R-134a; 6.08 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 24.69 Oz. R-134a; 6.08 Oz. PAG-46	59007
06-00	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
99	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
S90		
19-18	4 Cyl. 2.0 Eng. - 23.00 Oz. R-134a; See Under Hood Decal PAG-46	59007
17	4 Cyl. 2.0 Eng. - 24.64 Oz. R-134a; See Under Hood Decal PAG-46	59007
98	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
	6 Cyl. 2.9 Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
97	6 Cyl. 2.9 Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
	6 Cyl. 2.9 Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
V40		
04-00	All Eng. - 32.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
V50		
11	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
10-08	5 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 6.76 Oz. PAG-46	59007
07	5 Cyl. 2.4 Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
06-05	All Eng. - 19.00 Oz. R-134a; 7.00 Oz. PAG-46	59007
V70		
10-08	6 Cyl. 3.2 Eng. - 3.70 Oz. PAG-46; 22.00 Oz. R-134a	59007
07	5 Cyl. 2.4 Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
	5 Cyl. 2.5 Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	59007
06-98	All Eng. - 35.00 Oz. R-134a; 6.75 Oz. PAG-46	59007

Continued on Next Page

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
V90		
17	4 Cyl. 2.0 Eng. - 24.64 Oz. R-134a; See Under Hood Decal	59007
	4 Cyl. 2.0 Eng. V90 Cross Country - 24.64 Oz. R-134a; See Under Hood Decal	59007
98	All Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
97	6 Cyl. 2.9 Eng. - 32.00 Oz. R-134a; 6.75 Oz. PAG-100	59002
XC60		
17	4 Cyl. 2.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
16	4 Cyl. 2.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	5 Cyl. 2.5 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
15	4 Cyl. 2.0 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	5 Cyl. 2.5 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.0 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.2 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG Oil	59007
14	6 Cyl. 3.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
	6 Cyl. 3.2 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG Oil	59007
13	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
12	4 Cyl. 2.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
11-10	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
XC70		
16	4 Cyl. 2.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
	4 Cyl. 2.5 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
15	6 Cyl. 3.0 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - 25.60 Oz. R-134a; See Under Hood Decal PAG-46	59007
14	6 Cyl. 3.0 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - 27.20 Oz. R-134a; See Under Hood Decal PAG-46	59007
13-09	6 Cyl. 3.0 Eng. - See Under Hood Decal PAG-46	59007
	6 Cyl. 3.2 Eng. - See Under Hood Decal PAG-46	59007
08	6 Cyl. 3.2 Eng. - 3.70 Oz. PAG-46; 45.00 Oz. R-134a	59007
07	5 Cyl. 2.5 Eng. - 46.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
06-03	All Eng. - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
XC90		
14	6 Cyl. 3.2 Eng. - 35.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
13	6 Cyl. 3.2 Eng.; w/ Rear AC - 35.00 Oz. R-134a; 6.70 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng.; w/o Rear AC - 6.70 Oz. PAG-46; 25.00 Oz. R-134a	59007
12	6 Cyl. 3.2 Eng.; w/ Front AC - 22.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng.; w/ Dual AC - 35.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
11	6 Cyl. 3.2 Eng.; w/ Front AC - 22.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng.; w/ Dual AC - 35.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/o Dual AC - 24.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/ Dual AC - 36.00 Oz. R-134a; 6.08 Oz. PAG-46	59007
10-09	6 Cyl. 3.2 Eng.; w/ Front AC - 25.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng.; w/ Dual AC - 35.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/o Dual AC - 25.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/ Dual AC - 37.00 Oz. R-134a; 4.40 Oz. PAG-46	59007
08	6 Cyl. 3.2 Eng.; w/ Front AC - 35.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng.; w/ Dual AC - 46.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/o Dual AC - 35.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng.; w/ Dual AC - 46.00 Oz. R-134a; 6.10 Oz. PAG-46	59007
07	6 Cyl. 3.2 Eng.; w/ Front AC - 32.20 Oz. R-134a; 6.08 Oz. PAG-46	59007
	6 Cyl. 3.2 Eng.; w/ Dual AC - 32.90 Oz. R-134a; 6.08 Oz. PAG-46	59007
	8 Cyl. 4.4 Eng. - 32.20 Oz. R-134a; 6.08 Oz. PAG-46	59007
06-03	All Eng.; w/o Rear AC - 35.00 Oz. R-134a; 6.00 Oz. PAG-46	59007
	All Eng.; w/ Rear AC - 7.00 Oz. PAG-46; 46.00 Oz. R-134a	59007

Compressor / System Refrigerant & Lubricant Specs

All oil specifications assume that A/C system has been properly cleaned, and new accumulator / filter drier has been installed. Specs are for total system capacities. Always refer to under hood decal as the primary source for refrigerant and lubricant information.

Year	Model	Lubricant
	GV	
91-89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰
	GVX	
89	All Eng. - 32.00 Oz. R-12; 6.00 Oz. Mineral Oil	59000 ⁷⁰



⁷⁰ When retrofitting to R134a PAG Oil must be used.