



Li Song Audio  
Li Song  
F-15  
FULL RANGE SPEAKER  
LI SONG OF HANDED CRAFTSMAN



  
**LINN TUKAN**  
DESIGNED AND MANUFACTURED BY LINN PRODUCTS LTD.  
GLASGOW, SCOTLAND, UK. TELEPHONE 44 (0)141 307 7777.

TREBLE  ACTIVE   
IF CONVERTED FOR ACTIVE USE, TICK BOX.  
INSTRUCTIONS FOR ACTIVE CONVERSION  
ARE PRINTED ON CROSSOVER.

BASS

ASSEMBLED BY  
Gordon Moar

SERIAL NUMBER  
TUKAN 2552/1 030812

IMPORTANT  
LOUDSPEAKER SET UP FOR BI-WIRING.  
FOR SINGLE WIRING AND ACTIVE USE,  
CONSULT MANUAL.

POWER HANDLING 50 WATTS MUSIC.

CE

  
**LINN TUKAN**  
DESIGNED AND MANUFACTURED BY LINN PRODUCTS LTD.  
GLASGOW, SCOTLAND, UK. TELEPHONE 44 (0)141 307 7777.

TREBLE  ACTIVE   
IF CONVERTED FOR ACTIVE USE, TICK BOX.  
INSTRUCTIONS FOR ACTIVE CONVERSION  
ARE PRINTED ON CROSSOVER.

BASS

ASSEMBLED BY  
Gordon Moar

SERIAL NUMBER  
TUKAN 2552/1 030811

IMPORTANT  
LOUDSPEAKER SET UP FOR BI-WIRING.  
FOR SINGLE WIRING AND ACTIVE USE,  
CONSULT MANUAL.

POWER HANDLING 50 WATTS MUSIC.

CE

Impedance 8Ω

Impedance 8Ω

Line Fuse  
10A

**CAUTION** FOR CONTINUED PROTECTION AGAINST FIRE HAZARD, REPLACE WITH ONLY SAME TYPE, 10A 250V FUSE.  
**ATTENTION** AFIN D'ASSURER UNE PROTECTION PERMANENTE CONTRE LES RISQUES D'INCENDIE, REMPLACER UNIQUEMENT PAR UN FUSIBLE DE MEME TYPE, 10A 250V M-4615

AC Power Connector

Nakamichi PA-7  
Power Amplifier

Voltage: AC 230V ~ 50/60Hz  
Power Consumption: 100 VA 700 W

Nakamichi Corporation Made in Japan  
Serial No. 01350

F.No. 09999  
**PASSED**  
Nakamichi Corporation

STASIS manufactured under license from Threshold Corporation  
STASIS is a trademark of Threshold Corporation.



















MODEL BX-710 SERIAL NO. 426054  
PREFERRED RANGE: MID-RANGE (BEST COMPROMISE)  
INPUT IMPEDANCE: 10K  
CAUTION: FLAT POSITION: MID-RANGE HIGH-RANGE  
THIS RANGE IS BEST FOR...  
CORAL AUDIO CORPORATION MADE IN JAPAN

**UNIT DRIVE**      **PRE-SET DRIVE**

HIGH-RANGE SP.      MID-RANGE      HIGH-RANGE  
MID-RANGE SP.      min      max      min      max  
LOW-RANGE SP.      FULL-RANGE

CORAL AUDIO CORPORATION      JAPAN

CAUTION: ...








amphon





era








MC TUN TP1  
MM AUX TP2

REC MC TUN TP1  
MM AUX TP2

MUTE L BALANCE R MEM  
- VOLUME +

LINN LK1

POWER



LINN CLASSIK

HEADPHONE


SRC- SRC+ ADJUST VOL- VOL+





FM  
IF BAND MUTING BAND  
/MODE SELECTOR

wide on/auto FM  
narrow off/mono AM



SPEAKERS/OUTPUT

A B  
output off

OUTPUT LEVEL



TONE

on defeat

BASS



TREBLE




ATTENUATOR



**MITSUBISHI DA-C20**  
DUAL MONAURAL CONSTRUCTION  
TUNER - PREAMPLIFIER

TUNING



POWER

off on

PHONES



OUTPUT LEVEL



TONE

on defeat

BASS



TREBLE



SELECTOR

phono MC phono MM tuner aux



SUBSONIC FILTER

off 18Hz stereo mono

MODE

tape 2 source tape 1

TAPE MONITOR DUPLICATE

2→1 source 1→2